

The background image shows a clean, well-lit automotive workshop. A car is partially visible on a lift in the background. The floor is made of light-colored square tiles. The ceiling has a grid of fluorescent lights and various mechanical components. A large orange rectangular overlay is positioned in the center-right of the image, containing the company logo and text.

müllerTM
B R A K E S

PARTS CATALOGUE

Brake Disc Rotors

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
ACURA	MDX	3500	2000	2005	Rear	MRD1414	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Position: Rear, Outer & Oslash : 313	ACURA : 42510S3VA01, NIBK : RN1414
	Legend	3500	1996	1998	Rear	MRD1383	Recommended Type: 282 ,Disc Thickness: 10, Num. of holes : 5, Height : 60.8, Centering Diameter : 70, Position: Rear, Pitch Circle & Oslash: 114	AP : 14673, ATE : 24.0109-0132.1, BENDIX : 561813B, BOSCH : 0 986 479 017, BRADI : 1.1929.5.4, BRECO : BS 7520, BREMBO : 08.6898.10, CAR : 142.995, CAR RACING : HPD 995, DELPHI : BG3390, DELPHI : BG3060, FERODO : DDF672, Fritch : DF107, HONDA : 42510SX0000, HONDA : 42510SP0000, HONDA : 42510SEF000, INTERBRAKE : H0451P, INTERCAR : H0451P, JAPANPARTS : DP-411, JURID : 561813J, LPR : H1004P, LPR : H1451P, LPR : H1028P, LUCAS : DF4005, MINTEX : MDC999, NECTO : WN1034, NIBK : RN1383, NIPPARTS : J3314011, OEM : 5862029730, OEM : 5862029740, PAGID : 50217, PILENGA : 5309, QH : BDC4840, REMSA : 6922.00, REMSA : 6216.10, ROADHOUSE : 6922.00, ROADHOUSE : 6216.10, SBS : 1815202631, TEXTAR : 92078400, TRUSTING : DF107, TRW : DF4005
	Legend	3500	1999	2008	Rear	MRD1383		
	Legend	3500	2004	2008	Rear	MRD1383		
ACURA	TL Type S	3200	1996	2007	Front	MRD1413V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 47.2, Centering Diameter : 64, Position: Front, Outer & Oslash : 300	AP : 24792, BRECO : BS 8418, BREMBO : 09.8840.10, Fritch : DF1309, HONDA : 45251TA6A00, NIBK : RN1413V, OEM : 45251S0X000, OEM : 45251TA1A00, OEM : 45251SEAJ01, Raybestos : 96795R, TRUSTING : DF1309
	RDX	2300	2007	2012	Front	MRD1243V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 47, Centering Diameter : 64, Position: Front, Pitch Circle & Oslash: 114.3mm, Outer & Oslash : 293	ATE : 24.0128-0217.1, BOSCH : 0 986 479 456, BREMBO : 09.A866.10, CAR : 142.1535, DELPHI : BG4250, Fritch : DF1349, HONDA : 45251SWE000, HONDA : 45251SWAA00, HONDA : 45251SWWG01, HONDA : 45251SWN010, LPR : H1029V, LUCAS : DF4857S, MINTEX : MDC2104, NIBK : RN1243V, NIBK : RN1415V, NIPPARTS : J3304053, NK : 202653, OEM : 45251SWWG01, OEM : 45251SWE000, OEM : 45251SWAA20, PAGID : 54848PRO, PILENGA : V735, SBS : 1815202653, TEXTAR : 92184803, TRUSTING : DF1349, TRW : DF4857S, TRW : DF7373, ZIMMERMANN : 280.3175.20
ALFA ROMEO	147	1600	2000		Rear	MRD1283	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 50.5, Centering Diameter : 59, Position: Rear, Pitch Circle & Oslash: 98mm, Outer & Oslash : 251	AC DELCO : AC2106D, AC DELCO : AC2124D, ALFA ROMEO : 60653479, ALFA ROMEO : 0060801786, ALFA ROMEO : 0060569164, ALFA ROMEO : 60602161, ALFA ROMEO : 82418684, ALFA ROMEO : 0060801787, ALFA ROMEO : 0060653479, ALFA ROMEO : 60569164, AP : 14079E, AP : 14103, ATE : 24.0110-0209.1, ATE : 410209, BENDIX : 561340B, BENDIX : 561143B, BENDIX EUR : 561340B, BOSCH : 0 986 478 801, BOSCH : 0 986 478 341, BRADI : 1.1511.5.5, BRECO : BS 7337, BREMBO : 08.3126.20, BREMBO : RD.101.000, BREMBO : 08.3126.24, BREMBO : RS.101.000, CAR : 142.606, CAR : 142.188, CAR RACING : HPD 606, CAR RACING : HPD 188, CIFAM : 800-368, DELPHI : BG2386, FERODO : DDF067, FERODO : DRF067, FIAT : 82439939, FIAT : 82440275, Fritch : DF648, GRAF : DF2868, GRAF : DF29368, INTERBRAKE : AR163P, INTERBRAKE : TB041P, JURID : 561143J, JURID : 561340J, KWP : 102868, KWP : 129368, KWP : 1029368, LANCIA : 7789267, LANCIA : 82439939, Lemforder : 17754, LPR : A2163P, LUCAS : DF1739, LUCAS : DF1308, MAGNETI MARELLI : 353611511550, Metelli : 23-0368, MINTEX : MDC386, NECTO : WN429, NIBK : RN1283, NK : 201811, OEM : 60801787, OEM : 0025407214, OEM : 60814804, OEM : 164062610001, OEM : 71738912, OEM : 25407214, OEM : 4246B7, OEM : 60801786, OEM : 60811787, OEM : 0082439939, OEM : 71738911, OEM : 16406261000100, OEM : 824186, OEM : 4246000000, OEM : 60658566, PAGID : 51804, PILENGA : 5026, PILENGA : 5105, QH : BDC3266, QH : BDC3504, REMSA : 6138.10, REMSA : 6102.00, REMSA : 6149.00, ROADHOUSE : 6102.00, ROADHOUSE : 6149.00, ROADHOUSE : 6138.10, SBS : 1815209926, SBS : 1815201811, SBS : 303015, STOP : 561329S, STOP : 561340S, TEXTAR : 92046900, TEXTAR : 98200 0469 0 1, TRUSTING : DF648, TRW : DF1739, VALEO : 186290, VALEO : 186242, VEMA : 98113, WOKING : D6102.00, WOKING : D6149.00, ZIMMERMANN : 110.2208.00
	147	1900	2000	2001	Rear	MRD1283		
	147	2000	2000		Rear	MRD1283		
	156	1600	2001	2004	Rear	MRD1283		
	156	1800	2001	2004	Rear	MRD1283		
	156	1900	2001	2004	Rear	MRD1283		
	156	2000	2001	2004	Rear	MRD1283		
	156	2400	2001	2004	Rear	MRD1283		
	156	2500	2001	2004	Rear	MRD1283		
ALFA ROMEO	GTV	1800	1997	2000	Front	MRD1022V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 44, Centering Diameter : 59, Position: Front, Pitch Circle & Oslash: 98	AC DELCO : AC2218D, ALFA ROMEO : 605 71 548, ALFA ROMEO : 60551775, ALFA ROMEO : 60622077, ALFA ROMEO : 60658565, ALFA ROMEO : 71711447, ALFA ROMEO : 82450539, ALFA ROMEO : 608 01 722, ALFA ROMEO : 60569163, ALFA ROMEO : 60653478, ALFA ROMEO : 71711434, ALFA ROMEO : 82427592, AP : 24243E, AP : X24243, AP : 24871E, ATE : 422145, ATE : 24.0122-0145.1, BENDIX : 561520B, BOSCH : 0 986 478 245, BOSCH : 0 986 478 226, BOSCH : 0 986 478 521, BRADI : 1.0020.2.E, BRECO : BS 8537, BRECO : BS 7975, BREMBO : 09.9624.24, BREMBO : FS.030.000, BREMBO : 09.4939.20, BREMBO : 09.4939.24, BREMBO : 09.9624.20, BREMBO : FD.030.000, BREMBO : 09.4939.21, BREMBO : 09.4939.76, CAR : 142.187, CAR RACING : HPD 187, CIFAM : 800-183, DELPHI : BG2512, FERODO : DRF156, FERODO : DDF156, FIAT : 46445006, FIAT : 71739568, FIAT : 60569386, FIAT : 51854567, Fritch : DF670, GRAF : DF29183, INTERBRAKE : AR171V, JURID : 561520J, KWP : 1029183, KWP : 129183, LPR : A2171V, LUCAS : DF1738, LUCAS : DF1749, MAGNETI MARELLI : 351002020500, Metelli : 23-0183, MINTEX : MDC385, NECTO : WN428, NIBK : RN1022V, OEM : 164102202300, OEM : 60558565, OEM : 71739567, OEM : 0060658565, OEM : 0071711434, OEM : 1641022023, OEM : 51897455, OEM : 60578093, OEM : 0060653478, OEM : 82410539, OEM : 0060813443, OEM : 0082427592, PAGID : 51809, PILENGA : V013, QH : BDC3503, REMSA : 6015.20, REMSA : 6316.10, ROADHOUSE : 6316.10, ROADHOUSE : 6015.20, SBS : 303010V, SBS : 1815209925, STOP : 561520S, TEXTAR : 98200 0468 0 1, TEXTAR : 92046800, TRUSTING : DF670, TRW : DF1749, TRW : DF1738, VALEO : 186265, VEMA : 98089, WOKING : D6316.10, ZIMMERMANN : 110.2207.00
	GTV	1800	2000	2003	Front	MRD1022V		
	147	1600	2000		Front	MRD1022V		
	147	1900	2000		Front	MRD1022V		
	147	1900	2000	2001	Front	MRD1022V		
	147	2000	2000		Front	MRD1022V		
	156	1600	2001	2004	Front	MRD1022V		
	156	1800	2001	2004	Front	MRD1022V		
	156	1900	2001	2004	Front	MRD1022V		
	156	2000	2001	2004	Front	MRD1022V		
	156	2400	2001	2004	Front	MRD1022V		
	156	2500	2001	2004	Front	MRD1022V		
	145	1400	1994	1996	Front	MRD1060V	Recommended Type: Vented & Oslash : 257 ,Disc Thickness: 20, Num. of holes : 4, Height : 40, Centering Diameter : 59, Position: Front, Pitch Circle & Oslash: 98	AC DELCO : AC2330D, AC DELCO : AC2141D, ALFA ROMEO : 60811266, ALFA ROMEO : 60811256, ALFA ROMEO : 60810076, ALFA ROMEO : 60806137, ALFA ROMEO : 0060811256, AP : X24499, AP : 24874E, AP : 24499E, ATE : 24.0120-0142.1, ATE : 420142, ATE : 24.0320-0142.1, BENDIX : 561861B, BENDIX : 561468B, BOSCH : 0 986 478 515, BRADI : 1.1519.2.4, BRECO : BS 7952, BRECO : BS 8540, BRECO : BS 8142, BREMBO : 09.5870.10, BREMBO : 09.5870.75, BREMBO : FD.055.000, BREMBO : 09.5870.14, BREMBO : 09.9631.14, BREMBO : FS.055.000, CAR : 142.417, CAR : 142.192, CAR RACING : HPD417, CAR RACING : HPD 192, CIFAM : 800-231, DELPHI : BG2830, DELPHI : BG830, FERODO : DRF521, FERODO : DDF521, FERODO : DDF197, FIAT : 4642315, FIAT : 7779409, FIAT : 46423415, FIAT : 51749124, FIAT : 46416712, FIAT : 7645056, Fritch : DF498, GRAF : DF29231, INTERBRAKE : LN051V, INTERCAR : LN051V, JURID : 561861J, JURID : 561468J, KWP : 1029231, KWP : 129231, Lemforder : 18220, Lemforder : 18220 01, LPR : L2051V, LUCAS : DF1746, LUCAS : DF2686, MAGNETI MARELLI : 353611519240, Metelli : 23-0231, MINTEX : MDC615, NECTO : WN752, NECTO : WN563, NIBK : RN1060V, OEM : 0060810076, OEM : 61810076, OEM : 71738145, OEM : 0060806137, OEM : 0060811266, OEM : 61811266, PAGID : 50915, PILENGA : V014, QH : BDC3593, REMSA : 6146.20, REMSA : 6189.10, ROADHOUSE : 6146.20, ROADHOUSE : 6189.10, SBS : 1815202322, SBS : 1815209936, SBS : 161612, SBS : 1815209921, STOP : 561861S, TEXTAR : 98200 0685 0 1, TEXTAR : 92068500, TRUSTING : DF498, TRW : DF2686, VALEO : 186153, VEMA : 98007, WOKING : D6189.10, ZIMMERMANN : 230.2359.00
	145	1700	1994	1996	Front	MRD1060V		
	145	1900	1994	1996	Front	MRD1060V		
	145	1900	1994	1996	Front	MRD1060V		
	155	1600	1996	1997	Front	MRD1060V		
	155	1700	1995	1996	Front	MRD1060V		
	155	1800	1995	1997	Front	MRD1060V		
	155	2000	1995	1997	Front	MRD1060V		
	145	1400	1996	2001	Front	MRD1060V		
	145	1600	1996	2001	Front	MRD1060V		
	145	1800	1996	1999	Front	MRD1060V		
ALFA ROMEO	33	1700	1990	1992	Rear	MRD1385	Recommended Type: Solid ,Disc Thickness: 11, Num. of holes : 4, Height : 40, Centering Diameter : 59, Position: Rear, Pitch Circle & Oslash: 98, Outer & Oslash : 240.5	AC DELCO : AC2336D, AC DELCO : AC2008D, AC DELCO : AC2222D, ALFA ROMEO : 0060811879, ALFA ROMEO : 60811879, ALFA ROMEO : 60805117, AP : 14254, AP : X14138, AP : 14127, AP : 14138E, ATE : 411119, ATE : 24.0111-0119.1, ATE : 24.0111-0149.1, BENDIX : 561517B, BENDIX : 562083B, BENDIX : 561923B, BENDIX : 561380B, BOSCH : 0 986 478 462, BOSCH : 0 986 478 342, BRADI : 1.1514.1.5, BRADI : 1.1514.1.4, BRADI : 1.1517.1.4, BRECO : BS 7391, BRECO : BS 7376, BRECO : BS 7356, BREMBO : 08.4917.10, BREMBO : 08.5085.14, BREMBO : RD.007.000, BREMBO : RS.007.000, BREMBO : 08.5085.10, BREMBO : 08.4917.20, BREMBO : 08.5085.75, BREMBO : RD.009.000, BREMBO : RS.009.000, CAR : 142.008, CAR : 142.167, CAR RACING : HPD 167, CAR RACING : HPD 806, CIFAM : 800-232, DELPHI : BG2458, DELPHI : BG458, DELPHI : BG2801, FERODO : DDF140, FERODO : DDF219, FERODO : DRF240, FERODO : DRF140, FERODO : DDF240, FIAT : 71738421, FIAT : 51876438, FIAT : 46403960, FORD : 95511125CA, Fritch : DF650, Fritch : DF032, GRAF : DF29232, INTERBRAKE : FT081P, INTERBRAKE : AR221P, INTERCAR : FT081P, JURID : 561517J, JURID : 561380J, JURID : 561923J, KWP : 129232, KWP : 1029232, LANCIA : 51876438, Lemforder : 16813 01, Lemforder : 16813, LPR : F2081P, LPR : A2221P, LUCAS : DF1756, LUCAS : DF1740, LUCAS : DF1745, MAGNETI MARELLI : 353611517140, MAGNETI MARELLI : 353611514140, MAGNETI MARELLI : 353611514150, Metelli : 23-0232, MINTEX : MDC1120, MINTEX : MDC836, MINTEX : MDC592, NECTO : WN758, NECTO : WN417, NIBK : RN1385, OEM : 0060576335, OEM : 7645054, OEM : 105412201500, OEM : 7663465, OEM : 5084751, OEM : 0060552705, OEM : 7985656, OEM : 60576335, OEM : 105412000000, OEM : 60806117, OEM : 60552705, OEM : 7566931, OEM : 0060805117, OEM : 7663461, OEM : 46448407, OEM : 7685656, OEM : 5766931, OEM : 0060800345, OEM : 60800345, OEM : 46618703, OEM : 7163465, OEM : 71739572, PAGID : 50117, PAGID : 50909, PAGID : 50118, PILENGA : 5027, PILENGA : 5031, PILENGA : 5024, QH : BDC3592, QH : BDC4356, QH : BDC4306, REMSA : 6144.10, REMSA : 6110.00, REMSA : 6141.10, REMSA : 6110.01, ROADHOUSE : 6110.00, ROADHOUSE : 6141.10, ROADHOUSE : 6144.10, ROADHOUSE : 6110.01, SBS : 1815201016, SBS : 161050, SBS : 1815209922, SBS : 303006, SBS : 1815202315, STOP : 561380S, STOP : 561923S, TEXTAR : 92041400, TEXTAR : 92061200, TEXTAR : 92061103, TEXTAR : 92061100, TEXTAR : 98200 0414 0 1, TRUSTING : DF032, TRUSTING : DF650, TRW : DF1745, VALEO : 186406, VALEO : 186323, VALEO : 186155, VEMA : 98001, WOKING : D6110.00, WOKING : D6110.01, ZIMMERMANN : 230.2356.00
	33	1400	1991	1994	Rear	MRD1385		
	146	1700	1995	1996	Rear	MRD1385		
	146	2000	1995	1996	Rear	MRD1385		
	146	1600	1996	1999	Rear	MRD1385		
	146	1900	1996	1999	Rear	MRD1385		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
ALFA ROMEO	Mito	1400	2008		Front	MRD1068V	Recommended Type: Vented 257.2 ,Disc Thickness: 22, Num. of holes : 4, Height : 40.3, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 98mm	AC DELCO : AC2534D, ALFA ROMEO : 46401356, ALFA ROMEO : 46831041, AP : 24873, AP : 24584, AP : 24.0122-0197.1, ATE : 24.0122-0190.1, ATE : 422197, BENDIX : 562178B, BOSCH : 0 986 478 639, BRADI : 1.2210.2.4, BRECO : BS 8164, BRECO : BS 8539, BREMBO : 09.5843.10, BREMBO : 09.9630.10, BREMBO : FS.054.000, BREMBO : 09.5843.11, BREMBO : FD.054.000, CAR : 142.191, CAR RACING : HPD 191, CIFAM : 800-407, DELPHI : BG3574, FERODO : DDF762, FERODO : DRF762, FIAT : 46401356, FIAT : 46831041, FIAT : 46542383, FIAT : 71739640, Fritech : DF679, GRAF : DF29407, INTERBRAKE : LN121V, JURID : 562178J, KWP : 129407, KWP : 1029407, LPR : L2121V, LUCAS : DF2734, MAGNETI MARELLI : 353612210240, Metelli : 23-0407, MINTEX : MDC1084, NECTO : WN786, NIBK : RN1068V, PAGID : 51811, PILENGA : V042, QH : BDC4674, REMSA : 6235.20, REMSA : 6443.10, ROADHOUSE : 6235.20, ROADHOUSE : 6443.10, SBS : 1815202336, TEXTAR : 92069600, TRUSTING : DF679, TRW : DF2734, VALEO : 186590, VALEO : 186336, VALEO : 186706, VEMA : 98034, WOKING : D6443.10, ZIMMERMANN : 230.2365.00
	Mito	1400	2008		Front	MRD1068V		
	Mito	1400	2008		Front	MRD1068V		
AUDI	80	1600	1993	1996	Front	MRD1041	Recommended Type: Solid & Oslash : 256 ,Disc Thickness: 13, Num. of holes : 4, Height : 56.1, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2133D, AP : 16100, AP : 14432, ATE : 24.0113-0166.1, AUDI : 895615301, BENDIX : 561690B, BENDIX EUR : 561690B, BOSCH : 0 986 478 130, BRADI : 1.0118.1.4, BRECO : BS 7459, BREMBO : 08.5714.10, CAR : 142.735, CAR RACING : HPD 735, CIFAM : 800-233, DELPHI : BG2752, DELPHI : BG752, FERODO : DDF318, Fritech : DF630, GRAF : DF29233, INTERBRAKE : AD201P, INTERCAR : AD201P, JURID : 561690J, KWP : 129233, KWP : 1029233L, Lemforder : 14587 02, Lemforder : 14587, LPR : A1201P, LUCAS : DF2598, MAGNETI MARELLI : 353610118140, Metelli : 23-0233, MINTEX : MDC756, MINTEX : MDC795, MINTEX : MDC775, NECTO : WN532, NIBK : RN1041, PAGID : 53923, PILENGA : 5862, QH : BDC3907, REMSA : 6035.10, REMSA : 6173.00, ROADHOUSE : 6173.00, ROADHOUSE : 6035.10, SBS : 424220, SBS : 1815204737, STOP : 561690S, TEXTAR : 92057800, TEXTAR : 98200 0578 0 1, TRUSTING : DF630, TRW : DF2598, VALEO : 186268, ZIMMERMANN : 100.1218.00
	80	2000	1993	1996	Front	MRD1041		
	80	2300	1992	1994	Front	MRD1041		
	80	2600	1992	1996	Front	MRD1041		
	80	1900	1992	1996	Front	MRD1041		
	80	1600	1993	1996	Front	MRD1041		
	80	2000	1993	1996	Front	MRD1041		
	80	2300	1992	1994	Front	MRD1041		
	80	2600	1992	1996	Front	MRD1041		
AUDI	100	2000	1992	1994	Front	MRD1048V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 15, Num. of holes : 5, Height : 46.5, Centering Diameter :68, Position: Front	AC DELCO : AC2135D, AP : 14476E, ATE : 24.0115-0105.1, ATE : 24.0315-0105.1, AUDI : 4A0615301B, BENDIX : 561547B, BENDIX EUR : 561547B, BOSCH : 0 986 478 545, BRADI : 1.0120.1.E, BRECO : BS 7463, BREMBO : 08.5747.10, BREMBO : 08.5747.14, CAR : 142.717, CAR RACING : HPD 717, CIFAM : 800-263, DELPHI : BG749, DELPHI : BG2749, FERODO : DRF324, FERODO : DDF324, Fritech : DF137, GRAF : DF29263, INTERBRAKE : AD361P, INTERCAR : AD361P, JURID : 561547J, JURID : 561547J, KWP : 129263, KWP : 1029263L, Lemforder : 14534 03, Lemforder : 14534, LPR : A1361P, LUCAS : DF2650, MAGNETI MARELLI : 351012010500, Metelli : 23-0263, MINTEX : MDC770, NECTO : WN553, NIBK : RN1048V, OEM : 4A0615301B, PAGID : 53925, PILENGA : 5861, QH : BDC3824, REMSA : 6327.00, REMSA : 6037.10, ROADHOUSE : 6037.10, ROADHOUSE : 6327.00, SBS : 1815204742, SBS : 424211, STOP : 561547S, TEXTAR : 92057403, TEXTAR : 92057400, TRUSTING : DF137, TRW : DF2650, VALEO : 186270, WOKING : D6327.00, ZIMMERMANN : 100.1215.00
	100	2300	1991	1994	Front	MRD1048V		
	100	2000	1992	1994	Front	MRD1048V		
	100	2300	1990	1994	Front	MRD1048V		
	A4	1800	1994	1999	Front	MRD1048V		
	A4	1800	1997	2000	Front	MRD1048V		
	A4	1900	1996	1999	Front	MRD1048V		
	A6	2000	1994	1996	Front	MRD1048V		
	A6	2300	1994	1996	Front	MRD1048V		
AUDI	A6	2500	1994	1998	Front	MRD1048V		
	A6	2500	1995	1997	Front	MRD1048V		
	A6	2800	1994	1998	Front	MRD1050V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 288	AC DELCO : AC2136D, AP : 24487E, AP : X24487, ATE : 24.0325-0171.1, ATE : 24.0125-0105.1, ATE : 24.0325-0105.1, ATE : 425105, ATE : 24.0125-0171.1, AUDI : 8E0615301Q, AUDI : 4A0615301C, BENDIX : 561548B, BENDIX EUR : 561548B, BOSCH : 0 986 478 546, BOSCH : 0 986 479 157, BRADI : 1.0122.2.E, BRECO : BS 8123, BREMBO : FD.051.000, BREMBO : 09.5745.10, BREMBO : 09.5745.21, BREMBO : 09.5745.75, BREMBO : 09.4428.14, BREMBO : FS.051.000, BREMBO : 09.5745.14, BREMBO : 09.5745.24, BREMBO : 09.5745.76, CAR : 142.1188, CAR : 142.718, CAR RACING : HPD 1188, CAR RACING : HPD 718, CIFAM : 800-262C, CIFAM : 800-745C, CIFAM : 800-262, CIFAM : 800-745, DELPHI : BG2745, DELPHI : BG745, FERODO : DRF320, FERODO : DDF320, FERODO : DDF1706, Fritech : DF312, GRAF : DF29745, GRAF : DF29262, INTERBRAKE : VW6519, INTERBRAKE : AD371V, INTERCAR : AD371V, JURID : 561548J, JURID : 561548J, KWP : 1029262L, KWP : 129262, Lemforder : 14535 03, Lemforder : 14535, LPR : A1371V, LPR : V2004V, LUCAS : DF2652BP, LUCAS : DF2652, MAGNETI MARELLI : 351012220500, Metelli : 23-0745C, Metelli : 23-0262C, MINTEX : MDC768, NECTO : WN533, NIBK : RN1050V, OEM : 4B0615301B, OEM : 4A0615301E, OEM : 4A0615301C, OEM : 7700830283RP, OEM : 4A0615301D, OEM : 4A615301D, PAGID : 53942, PAGID : 54210, PILENGA : V362, QH : BDC5471, QH : BDC3825, REMSA : 61227.10, REMSA : 6039.20, REMSA : 6328.10, ROADHOUSE : 61227.10, ROADHOUSE : 6039.20, ROADHOUSE : 6328.10, SBS : 1815204743, SBS : 1815344743, SBS : 424210, SBS : 1815304743, SBS : 1816304743, STOP : 561548S, TEXTAR : 92057600, TEXTAR : 92121000, TEXTAR : 98200 0576 0 1, TEXTAR : 92057605, TEXTAR : 92121003, TRUSTING : DF312, TRW : DF2652, VALEO : 186271, VEMA : 98104, WOKING : D6328.10, ZIMMERMANN : 600.3236.20, ZIMMERMANN : 100.1216.20
	A6	1800	1995	1998	Front	MRD1050V		
	A4	2600	1997	1999	Front	MRD1050V		
	A4	2400	1997	1999	Front	MRD1050V		
	A4	2500	1997	1999	Front	MRD1050V		
	A6	1800	1997	2001	Front	MRD1050V		
	A8	4200	2003	2010	Front	MRD1085V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2325D, AP : 14467, AP : 24700E, ATE : 24.0122-0214.1, ATE : 24.0322-0152.1, ATE : 24.0110-0261.1, ATE : 24.0122-0202.1, ATE : 24.0310-0261.1, ATE : 24.0122-0152.1, AUDI : 8E0615301B, AUDI : 8E0615301B, BENDIX : 562060B, BENDIX : 561863B, BENDIX EUR : 562060B, BOSCH : 0 986 478 869, BRADI : 1.0106.5.5, BRADI : 1.5834.2.4, BRECO : BS 8285, BRECO : BS 7469, BREMBO : 09.7196.10, BREMBO : 09.9908.21, BREMBO : FS.080.000, BREMBO : 09.7196.14, BREMBO : FD.080.000, CAR : 142.1234, CAR : 142.751, CAR : 142.1214, CAR : 142.745, CAR RACING : HPD 281, CAR RACING : HPD 751, CAR RACING : HPD 1214, CAR RACING : HPD 745, CIFAM : 800-468C, CIFAM : 800-468, DELPHI : BG2753, DELPHI : BG3198, DELPHI : BG3869, FERODO : DDF1003, FERODO : DDF543, FERODO : DRF1003, FERODO : DDF1526, Fritech : DF472, GRAF : DF29468, INTERBRAKE : AD581P, INTERBRAKE : AD841V, INTERBRAKE : AD491V, INTERBRAKE : AD831V, INTERCAR : AD491V, JURID : 562060J, JURID : 562060JC, JURID : 561863J, KWP : 1029468L, KWP : 129468, Lemforder : 14155, Lemforder : 22216 01, Lemforder : 22216, LPR : A1020V, LPR : A1025V, LPR : A1594P, LPR : A1022V, LPR : A1491V, LUCAS : DF2655, LUCAS : DF2806BP, LUCAS : DF2806, LUCAS : DF4902S, MAGNETI MARELLI : 353615834240, Metelli : 23-0468C, MINTEX : MDC1155, MINTEX : MDC1758, MINTEX : MDC1031, MINTEX : MDC1657, NECTO : WN923, NECTO : WN584, NIBK : RN1085V, OEM : 3D0615601E, OEM : 4E0615601E, OEM : 895615601A, OEM : 3D0615601, OEM : 4E0615601, OEM : 4E0615601J, OEM : 8E0615301B, PAGID : 54223, PAGID : 53961, PAGID : 54522, PAGID : 53917, PILENGA : V851, PILENGA : 5865, QH : BDC4752, QH : BDC3935, REMSA : 6429.00, REMSA : 6731.20, REMSA : 6548.10, ROADHOUSE : 6548.10, ROADHOUSE : 6429.00, ROADHOUSE : 6731.20, SBS : 1815304762, SBS : 1816304762, SBS : 1815204762, SBS : 1815344762, SBS : 424242, SEAT : 8E0615301P, STOP : 562060S, TEXTAR : 98200 0835 0 1, TEXTAR : 92068200, TEXTAR : 92083505, TEXTAR : 92122300, TEXTAR : 92122305, TEXTAR : 92152200, TEXTAR : 92083500, TEXTAR : 92106203, TEXTAR : 92122303, TEXTAR : 92122400, TRUSTING : DF472, TRW : DF2806, VALEO : 186582, VALEO : 186807, VEMA : 98077, VW : 8E0615301B, WOKING : D6429.00, WOKING : D6548.10, ZIMMERMANN : 100.1225.00, ZIMMERMANN : 100.3313.00, ZIMMERMANN : 100.3304.00, ZIMMERMANN : 600.3207.20
	A8	6000	2004	2010	Front	MRD1085V		
AUDI	A4	1600	1994	1997	Front	MRD1085V		
	A4	1800	1997	2000	Front	MRD1085V		
	A4	1800	1995	1997	Front	MRD1085V		
	A4	1900	1994	1997	Front	MRD1085V		
	A4	1800	1997	1999	Front	MRD1048V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 15, Num. of holes : 5, Height : 46.5, Centering Diameter :68, Position: Front	AC DELCO : AC2135D, AP : 14476E, ATE : 24.0115-0105.1, ATE : 24.0315-0105.1, AUDI : 4A0615301B, BENDIX : 561547B, BENDIX EUR : 561547B, BOSCH : 0 986 478 545, BRADI : 1.0120.1.E, BRECO : BS 7463, BREMBO : 08.5747.10, BREMBO : 08.5747.14, CAR : 142.717, CAR RACING : HPD 717, CIFAM : 800-263, DELPHI : BG749, DELPHI : BG2749, FERODO : DRF324, FERODO : DDF324, Fritech : DF137, GRAF : DF29263, INTERBRAKE : AD361P, INTERCAR : AD361P, JURID : 561547J, JURID : 561547J, KWP : 129263, KWP : 1029263L, Lemforder : 14534 03, Lemforder : 14534, LPR : A1361P, LUCAS : DF2650, MAGNETI MARELLI : 351012010500, Metelli : 23-0263, MINTEX : MDC770, NECTO : WN553, NIBK : RN1048V, OEM : 4A0615301B, PAGID : 53925, PILENGA : 5861, QH : BDC3824, REMSA : 6327.00, REMSA : 6037.10, ROADHOUSE : 6037.10, ROADHOUSE : 6327.00, SBS : 1815204742, SBS : 424211, STOP : 561547S, TEXTAR : 92057403, TEXTAR : 92057400, TRUSTING : DF137, TRW : DF2650, VALEO : 186270, WOKING : D6327.00, ZIMMERMANN : 100.1215.00
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1900	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
AUDI	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	100	2300	1990	1994	Front	MRD1050V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 288	AC DELCO : AC2136D, AP : 24487E, AP : X24487, ATE : 24.0125-0105.1, ATE : 24.0325-0105.1, ATE : 425105, ATE : 24.0125-0171.1, ATE : 24.0325-0171.1, AUDI : 8E0615301Q, AUDI : 4A0615301C, BENDIX : 561548B, BENDIX EUR : 561548B, BOSCH : 0 986 478 546, BOSCH : 0 986 479 157, BRADI : 1.0122.2.E, BRECO : BS 8123, BREMBO : 09.5745.10, BREMBO : 09.5745.21, BREMBO : 09.5745.75, BREMBO : 09.A428.14, BREMBO : FS.051.000, BREMBO : 09.5745.14, BREMBO : 09.5745.24, BREMBO : 09.5745.76, BREMBO : FD.051.000, CAR : 142.1188, CAR : 142.718, CAR RACING : HPD 1188, CAR RACING : HPD 718, CIFAM : 800-745C, CIFAM : 800-262, CIFAM : 800-745, CIFAM : 800-262C, DELPHI : BG2745, DELPHI : BG745, FERODO : DRF320, FERODO : DDF320, FERODO : DDF1706, Fritech : DF312, GRAF : DF29745, GRAF : DF29262, INTERBRAKE : VW651V, INTERBRAKE : AD371V, INTERCAR : AD371V, JURID : 561548J, JURID : 561548JC, KWP : 1029262L, KWP : 129262, Lemforder : 14535, Lemforder : 14535 03, LPR : A1371V, LPR : V2004V, LUCAS : DF2652, LUCAS : DF2652BP, MAGNETI MARELLI : 351012220500, Metelli : 23-0745C, Metelli : 23-0262C, MINTEX : MDC768, NECTO : WN533, NIBK : RN1050V, OEM : 4A0615301E, OEM : 4A0615301C, OEM : 7700830283RP, OEM : 4A0615301D, OEM : 4A615301D, OEM : 4B0615301B, PAGID : 54210, PAGID : 53942, PILENGA : V362, QH : BDC5471, QH : BDC3825, REMSA : 6039.20, REMSA : 6328.10, REMSA : 61227.10, ROADHOUSE : 61227.10, ROADHOUSE : 6039.20, ROADHOUSE : 6328.10, SBS : 1815344743, SBS : 424210, SBS : 1815304743, SBS : 1816304743, SBS : 1815204743, STOP : 561548S, TEXTAR : 92057600, TEXTAR : 92121000, TEXTAR : 98200 0576 0 1, TEXTAR : 92057605, TEXTAR : 92121003, TRUSTING : DF312, TRW : DF2652, VALEO : 186271, VEMA : 98104, WOKING : D6328.10, ZIMMERMANN : 600.3236.20, ZIMMERMANN : 100.1216.20
	100	2300	1991	1994	Front	MRD1050V		
	100	2500	1991	1994	Front	MRD1050V		
	100	2800	1991	1994	Front	MRD1050V		
	100	2000	1992	1994	Front	MRD1050V		
	100	2400	1992	1993	Front	MRD1050V		
	100	2600	1992	1994	Front	MRD1050V		
	100	2000	1992	1994	Front	MRD1050V		
	100	2600	1992	1994	Front	MRD1050V		
AUDI	100	2400	1993	1994	Front	MRD1050V		
	A4	2600	1994	1999	Front	MRD1050V		
	A4	1800	1994	1999	Front	MRD1050V		
	A6	1900	1994	1998	Front	MRD1050V		
	A6	2000	1994	1996	Front	MRD1050V		
	A6	2000	1994	1998	Front	MRD1050V		
	A6	2300	1994	1996	Front	MRD1050V		
	A6	2500	1994	1998	Front	MRD1050V		
	A6	1800	1995	1998	Front	MRD1050V		
	A4	2600	1997	1999	Front	MRD1050V		
	A6	1800	1997	2001	Front	MRD1050V		
	A6	1900	1997	2001	Front	MRD1050V		
	A6	2400	1997	2000	Front	MRD1050V		
	A6	2500	1997	2001	Front	MRD1050V		
	A6	2800	1997	2001	Front	MRD1050V		
	A4	2400	1997	1999	Front	MRD1050V		
	A4	2500	1997	1999	Front	MRD1050V		
	A4	1900	1999	2001	Front	MRD1050V		
	A4	2800	1999	2000	Front	MRD1050V		
	A6	2800	1999	2000	Front	MRD1050V		
	A4	2400	1999	2000	Front	MRD1050V		
	A6	2400	2000	2004	Front	MRD1050V		
	A6	2800	2000	2001	Front	MRD1050V		
	A6	1800	2001	2004	Front	MRD1050V		
	A6	1900	2001	2004	Front	MRD1050V		
	A6	2000	2001	2004	Front	MRD1050V		
	A6	2400	2001	2004	Front	MRD1050V		
	A6	2500	2001	2004	Front	MRD1050V		
	A4	1900	2001	2001	Front	MRD1050V		
	A4	2400	2001	2003	Front	MRD1050V		
	A4	1800	2002	2009	Front	MRD1050V		
	A4	2500	2002	2003	Front	MRD1050V		
	A4	2400	2002	2003	Front	MRD1050V		
	A4	2400	2002	2003	Front	MRD1050V		
	A4	2500	2002	2009	Front	MRD1050V		
	A4	3000	2002	2003	Front	MRD1050V		
	A4	3000	2003	2009	Front	MRD1050V		
	A4	1800	2004	2009	Front	MRD1050V		
	A4	2000	2004	2009	Front	MRD1050V		
	A6	2000	2004	2008	Front	MRD1050V		
	A6	2400	2004	2008	Front	MRD1050V		
	A6	2700	2004	2008	Front	MRD1050V		
	A4	2500	2004	2009	Front	MRD1050V		
AUDI	100	2300	1990	1994	Front	MRD1050V		
	100	2300	1991	1994	Front	MRD1050V		
	100	2500	1991	1994	Front	MRD1050V		
	100	2800	1991	1994	Front	MRD1050V		
	100	2400	1992	1993	Front	MRD1050V		
	100	2000	1992	1994	Front	MRD1050V		
	100	2000	1992	1994	Front	MRD1050V		
	100	2600	1992	1994	Front	MRD1050V		
	100	2600	1992	1994	Front	MRD1050V		
	100	2400	1993	1994	Front	MRD1050V		
AUDI	A4	1800	1994	1999	Front	MRD1050V		
	A6	2000	1994	1996	Front	MRD1050V		
	A6	2300	1994	1996	Front	MRD1050V		
	A6	2500	1994	1998	Front	MRD1050V		
	A4	2600	1994	1999	Front	MRD1050V		
	A6	1900	1994	1998	Front	MRD1050V		
	A6	2000	1994	1998	Front	MRD1050V		
	A6	1900	1997	2001	Front	MRD1050V		
	A6	2400	1997	2000	Front	MRD1050V		
	A6	2500	1997	2001	Front	MRD1050V		
AUDI	A4	1900	1999	2001	Front	MRD1050V		
	A4	2800	1999	2000	Front	MRD1050V		
	A4	2400	1999	2000	Front	MRD1050V		
	A4	2500	1999	2000	Front	MRD1050V		
	A6	2800	1999	2000	Front	MRD1050V		
	A6	2400	2000	2004	Front	MRD1050V		
	A6	2800	2000	2001	Front	MRD1050V		
	A4	1900	2001	2001	Front	MRD1050V		
	A4	2400	2001	2003	Front	MRD1050V		
	A6	1800	2001	2004	Front	MRD1050V		
	A6	1900	2001	2004	Front	MRD1050V		
	A6	2000	2001	2004	Front	MRD1050V		
	A6	2400	2001	2004	Front	MRD1050V		
	A6	2500	2001	2004	Front	MRD1050V		
	A4	1800	2002	2009	Front	MRD1050V		
	A4	2500	2002	2003	Front	MRD1050V		
	A4	2400	2002	2003	Front	MRD1050V		
	A4	2400	2002	2003	Front	MRD1050V		
	A6	2000	2004	2008	Front	MRD1050V		
	A6	2400	2004	2008	Front	MRD1050V		
	A4	1800	2004	2009	Front	MRD1050V		
	A4	2000	2004	2009	Front	MRD1050V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	A6	2000	2004	2008	Front	MRD1050V		
	A6	2400	2004	2008	Front	MRD1050V		
	A6	2700	2004	2008	Front	MRD1050V		
	A4	1800	2002	2009	Front	MRD1050V		
	A4	1900	1999	2001	Front	MRD1050V		
	A4	2500	2002	2003	Front	MRD1050V		
	A4	2600	1997	1999	Front	MRD1050V		
	A4	2800	1999	2000	Front	MRD1050V		
	A6	1800	1997	2001	Front	MRD1050V		
	A6	1800	2001	2004	Front	MRD1050V		
	A6	1900	1997	2001	Front	MRD1050V		
	A6	1900	2001	2004	Front	MRD1050V		
	A6	2000	2001	2004	Front	MRD1050V		
	A6	2400	1997	2000	Front	MRD1050V		
	A6	2400	2000	2004	Front	MRD1050V		
	A6	2400	2001	2004	Front	MRD1050V		
	A6	2500	1997	2001	Front	MRD1050V		
	A6	2500	2001	2004	Front	MRD1050V		
	A6	2800	1997	2001	Front	MRD1050V		
	A6	2800	1999	2000	Front	MRD1050V		
AUDI	A6	2800	2000	2001	Front	MRD1050V		
	A4	2000	2004	2009	Front	MRD1050V		
	A4	1800	2002	2009	Front	MRD1050V		
	A4	1900	1999	2001	Front	MRD1050V		
	A4	1900	2001	2001	Front	MRD1050V		
	A4	1800	2004	2009	Front	MRD1050V		
	100	2400	1992	1993	Front	MRD1050V		
	A4	2500	2002	2003	Front	MRD1050V		
	A4	2400	2002	2003	Front	MRD1050V		
	A4	2400	2002	2003	Front	MRD1050V		
	A4	2500	2002	2009	Front	MRD1050V		
	A4	3000	2003	2009	Front	MRD1050V		
	A4	3000	2002	2003	Front	MRD1050V		
	A6	1800	2001	2004	Front	MRD1050V		
	A6	2400	2001	2004	Front	MRD1050V		
AUDI	100	2600	1992	1994	Front	MRD1050V		
	100	2800	1991	1994	Front	MRD1050V		
	100	2300	1990	1994	Front	MRD1050V		
	100	2600	1992	1994	Front	MRD1050V		
	A6	2000	1994	1996	Front	MRD1050V		
	A6	1800	1997	2001	Front	MRD1050V		
	A6	2300	1994	1996	Front	MRD1050V		
	A6	2400	1997	2000	Front	MRD1050V		
	A6	2500	1994	1998	Front	MRD1050V		
	A6	2800	1994	1998	Front	MRD1050V		
	A6	2800	1999	2000	Front	MRD1050V		
	A6	2800	2000	2001	Front	MRD1050V		
	A4	1900	2001	2001	Front	MRD1050V		
	A4	2500	2004	2009	Front	MRD1050V		
	A6	1900	1997	2001	Front	MRD1050V		
	A6	2400	1997	2000	Front	MRD1050V		
	A6	2500	1997	2001	Front	MRD1050V		
AUDI	A6	2800	1997	2001	Front	MRD1050V		
	A4	2500	1997	1999	Front	MRD1050V		
	A4	2600	1997	1999	Front	MRD1050V		
	A6	1900	1997	2001	Front	MRD1050V		
	A6	2500	1997	2001	Front	MRD1050V		
	A6	2800	1997	2001	Front	MRD1050V		
	A4	2800	1999	2000	Front	MRD1050V		
	A6	2400	2000	2004	Front	MRD1050V		
	A6	1900	2001	2004	Front	MRD1050V		
	A6	2000	2001	2004	Front	MRD1050V		
	A6	2500	2001	2004	Front	MRD1050V		
AUDI	100	2300	1990	1994	Front	MRD1050V		
	100	2300	1991	1994	Front	MRD1050V		
	100	2500	1991	1994	Front	MRD1050V		
	100	2800	1991	1994	Front	MRD1050V		
	100	2000	1992	1994	Front	MRD1050V		
	100	2600	1992	1994	Front	MRD1050V		
	100	2000	1992	1994	Front	MRD1050V		
	100	2600	1992	1994	Front	MRD1050V		
	100	2400	1993	1994	Front	MRD1050V		
	A4	2600	1994	1999	Front	MRD1050V		
AUDI	A4	1800	1994	1999	Front	MRD1050V		
	A4	2800	1994	1999	Front	MRD1050V		
	A6	1900	1994	1998	Front	MRD1050V		
	A6	2000	1994	1996	Front	MRD1050V		
	A6	2000	1994	1998	Front	MRD1050V		
	A6	2300	1994	1996	Front	MRD1050V		
	A6	2500	1994	1998	Front	MRD1050V		
	A6	2600	1994	1998	Front	MRD1050V		
	A6	2800	1994	1998	Front	MRD1050V		
	A6	1800	1995	1998	Front	MRD1050V		
	A4	2400	1997	1999	Front	MRD1050V		
	A4	2500	1997	1999	Front	MRD1050V		
	A4	1900	1999	2001	Front	MRD1050V		
	A4	2400	1999	2000	Front	MRD1050V		
	A4	2500	1999	2000	Front	MRD1050V		
	A4	2800	1999	2000	Front	MRD1050V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	100	2200	1991	1993	Rear	MRD1015	Recommended Type: Solid ,Disc Thickness: 9.9, Num. of holes : 5, Height : 59, Centering Diameter :68, Position: Rear, Outter & Oslash : 245	AC DELCO : AC2146D, AP : 14284, ATE : 24.0110-0154.1, AUDI : 437615601, BENDIX : 561247B, BOSCH : 0 986 478 023, BRADI : 1.0109.5.5, BRECO : BS 7405, BREMBO : 08.4874.20, CAR : 142.708, CAR RACING : HPD 708, DELPHI : BG410, DELPHI : BG2410, FERODO : DDF265, Fritch : DF151, INTERBRAKE : AD103P, INTERCAR : AD103P, JURID : 561247J, Lemforder : 14505 02, Lemforder : 14505, LPR : A1103P, LUCAS : DF1542, MAGNETI MARELLI : 353610109540, MAGNETI MARELLI : 353610109550, MINTEX : MDC654, NECTO : WN521, NIBK : RN1015, PAGID : 53927, PAGID : 53910, PILENGA : 5368, QH : BDC3633, REMSA : 6121.00, REMSA : 6026.10, ROADHOUSE : 6026.10, ROADHOUSE : 6121.00, SBS : 421033, SBS : 1815204749, TEXTAR : 92037400, TEXTAR : 92022800, TRUSTING : DF151, TRW : DF1542, VALEO : 186293, WOKING : D6121.00, ZIMMERMANN : 100.1040.00, ZIMMERMANN : 100.1040.50
	100	2300	1990	1994	Rear	MRD1015		
	100	2300	1990	1994	Rear	MRD1015		
	100	2300	1990	1994	Rear	MRD1015		
	100	2500	1991	1994	Rear	MRD1015		
	100	2200	1991	1993	Rear	MRD1015		
	100	2500	1991	1994	Rear	MRD1015		
	100	2200	1991	1993	Rear	MRD1015		
AUDI	80	2300	1992	1994	Front	MRD1042V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 56.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 108	AC DELCO : AC2240D, AP : 24441, ATE : 24.0122-0108.1, AUDI : 895615301A, BENDIX : 561691B, BENDIX EUR : 561691B, BOSCH : 0 986 478 550, BRADI : 1.0115.2.E, BRECO : BS 8111, BREMBO : 09.5710.10, CAR : 142.739, CAR RACING : HPD739, CIFAM : 800-234, DELPHI : BG2668, FERODO : DDF319, FERODO : DRF319, Fritch : DF904, GRAF : DF29234, INTERBRAKE : AD211V, JURID : 561691J, KWP : 1029234L, KWP : 129234, Lemforder : 14588, Lemforder : 14588 01, LPR : A1211V, LUCAS : DF2599, MAGNETI MARELLI : 353613011240, MAGNETI MARELLI : 351011520500, Metelli : 23-0234, NECTO : WN715, NECTO : WN731, NIBK : RN1042V, PAGID : 53938, PILENGA : V363, QH : BDC3767, REMSA : 6177.10, ROADHOUSE : 6177.10, SBS : 424219, SBS : 1815204738, TEXTAR : 92054200, TRUSTING : DF904, TRW : DF2599, VALEO : 186267, WOKING : D6177.10
	Coupe	2200	1992	1994	Front	MRD1042V		
	80	1900	1992	1993	Front	MRD1042V		
	80	1900	1992	1993	Front	MRD1042V		
	80	2300	1992	1994	Front	MRD1042V		
AUDI	100	2300	1990	1994	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash : 112	AC DELCO : AC2241D, AC DELCO : AC2520D, AP : 14475E, ATE : 24.0110-0201.1, ATE : 24.0310-0201.1, AUDI : 4A0615301A, AUDI : 4A0615601A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0127.5.4, BRADI : 1.0121.5.4, BRECO : BS 7468, BREMBO : 08.5743.10, BREMBO : 08.5743.14, BREMBO : 08.5743.11, CAR : 142.752, CAR : 142.762, CAR RACING : HPD 752, CIFAM : 800-395C, CIFAM : 800-395, DELPHI : BG3031, DELPHI : BG746, DELPHI : BG2746, FERODO : DRF321, FERODO : DDF321, Fritch : DF060, GRAF : DF29395, INTERBRAKE : AD401P, INTERCAR : AD401P, INTERCAR : AD501P, JURID : 561549J, JURID : 561549JC, KWP : 1029395, KWP : 129395, Lemforder : 14536, Lemforder : 16710, Lemforder : 14536 03, Lemforder : 16710 01, LPR : A1401P, LPR : A1597V, LUCAS : DF2651, LUCAS : DF4252, MAGNETI MARELLI : 353610121540, Metelli : 23 0395C, MINTEX : MDC1241, MINTEX : MDC828, NECTO : WN534, NIBK : RN1049, OEM : 4A0615601B, OEM : 4A0615601A, OEM : 4A0615301A, PAGID : 50311, PAGID : 53951, PAGID : 53924, PILENGA : 5872, PILENGA : 5864, PILENGA : V865, QH : BDC3929, QH : BDC4846, REMSA : 6123.00, REMSA : 6038.10, REMSA : 6930.10, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, ROADHOUSE : 6123.00, SBS : 1815204781, SBS : 1815204744, SBS : 424214, STOP : 561549S, TEXTAR : 92057500, TEXTAR : 92072900, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1230.00, ZIMMERMANN : 100.1217.00
	A6	2000	1994	1996	Rear	MRD1049		
	A6	2300	1994	1996	Rear	MRD1049		
	A6	2500	1994	1998	Rear	MRD1049		
	A6	2500	1995	1997	Rear	MRD1049		
	100	2600	1992	1994	Rear	MRD1049		
	100	2800	1991	1994	Rear	MRD1049		
	100	2600	1992	1994	Rear	MRD1049		
	A6	1800	1997	2001	Rear	MRD1049		
	A6	2400	1997	2000	Rear	MRD1049		
	100	2800	1991	1994	Rear	MRD1049		
	100	2200	1991	1993	Rear	MRD1049		
	A6	2800	1994	1998	Rear	MRD1049		
	A6	2800	1999	2000	Rear	MRD1049		
	A6	2800	2000	2001	Rear	MRD1049		
	A6	1800	1997	2001	Rear	MRD1049		
AUDI	A6	2400	1997	2000	Rear	MRD1049		
	A6	2800	1999	2000	Rear	MRD1049		
	A4	2400	1997	1999	Rear	MRD1074	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 84, Centering Diameter :B/H, Position: Rear, Pitch Circle & Oslash : 112	AC DELCO : AC2244D, AP : 14594E, ATE : 24.0110-0210.1, ATE : 410210, AUDI : 8D0615301B, AUDI : 8D0615601B, BENDIX : 561982B, BENDIX EUR : 561982B, BOSCH : 0 986 478 759, BRADI : 1.0126.5.4, BRECO : BS 7529, BREMBO : 08.6911.14, BREMBO : 08.6911.10, BREMBO : 08.6911.75, CAR : 142.750, CAR RACING : HPD 750, CIFAM : 800-394C, CIFAM : 800-394, DELPHI : BG3030, FERODO : DDF830, FERODO : DRF830, Fritch : DF188, GRAF : DF29394, INTERBRAKE : AD481P, INTERCAR : AD481P, JURID : 561982J, JURID : 561982JC, JURID : 562371J, KWP : 129394, KWP : 1029394, Lemforder : 14277 03, Lemforder : 14277, LPR : A1481P, LUCAS : DF2771, MAGNETI MARELLI : 353610126540, Metelli : 23-0394C, MINTEX : MDC2000, MINTEX : MDC830, NECTO : WN830, NIBK : RN1074, NK : 2047120, OEM : 8D0615601B, OEM : 8D0615301B, PAGID : 53944, PAGID : 54543, PILENGA : 5863, QH : BDC4552, REMSA : 6431.00, REMSA : 6044.10, ROADHOUSE : 6044.10, ROADHOUSE : 6431.00, SBS : 18152047120, SBS : 424233, SBS : 1815204757, STOP : 561982S, TEXTAR : 92072100, TEXTAR : 92154300, TEXTAR : 92072103, TEXTAR : 98200 0721 0 1, TRUSTING : DF188, TRW : DF2771, VALEO : 186410, WOKING : D6431.00, ZIMMERMANN : 100.1229.00, ZIMMERMANN : 460.1513.00
	A4	1800	2002	2003	Rear	MRD1074		
	A4	1900	1997	1999	Rear	MRD1074		
	A4	2400	2002	2003	Rear	MRD1074		
	A4	2400	2002	2003	Rear	MRD1074		
	A4	2500	2002	2009	Rear	MRD1074		
	A4	3000	2002	2003	Rear	MRD1074		
	A4	2400	1997	1999	Rear	MRD1074		
	A4	1900	1997	1999	Rear	MRD1074		
	A4	1800	2002	2009	Rear	MRD1074		
	A4	2500	2002	2003	Rear	MRD1074		
	A4	2400	1997	1999	Rear	MRD1074		
	A4	2400	2002	2003	Rear	MRD1074		
	A4	2400	2002	2003	Rear	MRD1074		
	A4	1800	2002	2009	Rear	MRD1074		
	A4	2500	2002	2003	Rear	MRD1074		
AUDI	A3	1600	1996	1999	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash : 232	AC DELCO : AC2252D, AC DELCO : AC2255D, AP : 24847, AP : 14699E, ATE : 24.0109-0164.1, ATE : 409123, ATE : 24.0125-0113.1, ATE : 425113, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 867, BOSCH : 0 986 478 976, BOSCH : 0 986 478 868, BRADI : 1.5833.5.4, BRADI : 1.5830.2.4, BRECO : BS 8288, BRECO : BS 7553, BRECO : BS 8471, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, BREMBO : FS.074.000, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, CAR : 142.749, CAR : 142.748, CAR RACING : HPD 748, CAR RACING : HPD 749, CIFAM : 800-366, CIFAM : 800-365, DELPHI : BG3034, DELPHI : BG3035, FERODO : DDF929, FERODO : DDF930, FERODO : DRF930, FERODO : DRF929, Fritch : DF149, Fritch : DF468, GRAF : DF29365, GRAF : DF29366L, GRAF : DF29365L, GRAF : DF29366, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562053JC, JURID : 562041J, JURID : 562041JC, JURID : 562041JC, KWP : 1029366L, KWP : 1029365L, KWP : 129366, KWP : 129365, Lemforder : 22048, Lemforder : 22853, Lemforder : 22048 01, Lemforder : 22853 02, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0366, Metelli : 23-0365, MINTEX : MDC980, NECTO : WN917, NIBK : RN1084, OEM : 1J0615601C, OEM : 1J0615601C, OEM : 1J0615601, OEM : 6R0698151, OEM : 1J0615301, PAGID : 53960, PAGID : 53955, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6544.10, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6544.00, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SBS : 1815304760, SBS : 424240S, SBS : 424238, SBS : 1815204760, SEAT : 1J0615601, SEAT : 1J0615301, STOP : 562053S, STOP : 562041S, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TEXTAR : 92106600, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TRUSTING : DF468, TRUSTING : DF149, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601P, VW : 1J0615601N, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1236.00, ZIMMERMANN : 100.1235.00, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20
	A3	1800	1996	2003	Rear	MRD1084		
	A3	1900	1996	2003	Rear	MRD1084		
	TT	1800	1998	2003	Rear	MRD1084		
	TT	1800	1999	2006	Rear	MRD1084		
	A2	1600	2002	2005	Rear	MRD1084		
	A3	1600	2003	2009	Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash : 100	AC DELCO : AC2254D, AP : X24691, AP : 24691E, ATE : 24.0122-0150.1, ATE : 422150, ATE : 24.0322-0150.1, AUDI : 1J0615301E, AUDI : 1J0615301P, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.11, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, BREMBO : 09.7012.14, BREMBO : FD.076.000, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-391, CIFAM : 800-904, DELPHI : BG3036, FERODO : DDF928, FERODO : DRF928, Fritch : DF511, GRAF : DF29391, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039J, JURID : 562039JC, KWP : 129391, KWP : 1029391L, Lemforder : 21308, Lemforder : 21308 02, LPR : A1471V, LUCAS : DF2804BP, LUCAS : DF2804, MAGNETI MARELLI : 353615832240, Metelli : 23-0391, Metelli : 23-0904, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301M, OEM : 1J0615301E, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6666.20, REMSA : 6546.10, ROADHOUSE : 6666.20, ROADHOUSE : 6546.10, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SBS : 1815304759, SBS : 424239, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TEXTAR : 92082300, TEXTAR : 92082305, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	A3	1600	1996	1999	Front	MRD1083V		
	A3	1800	1996	2003	Front	MRD1083V		
	A3	1900	1996	2003	Front	MRD1083V		
	A3	1900	2003	2009	Front	MRD1083V		
	A3	1600	2003	2009	Front	MRD1083V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	A2	1600	2002	2005	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 232	AC DELCO : AC2255D, AC DELCO : AC2252D, AP : 14699E, AP : 24847, ATE : 24.0125-0113.1, ATE : 425113, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, ATE : 24.0109-0164.1, ATE : 409123, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 976, BOSCH : 0 986 478 868, BOSCH : 0 986 478 867, BRADI : 1.5830.2.4, BRADI : 1.5833.5.4, BRECO : BS 7553, BRECO : BS 8471, BRECO : BS 8288, BREMBO : FS.074.000, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, CAR : 142.748, CAR : 142.749, CAR RACING : HPD 749, CAR RACING : HPD 748, CIFAM : 800-365, CIFAM : 800-366, DELPHI : BG3034, DELPHI : BG3035, FERODO : DRF930, FERODO : DRF929, FERODO : DDF929, FERODO : DDF930, Fritch : DF149, Fritch : DF468, GRAF : DF29366L, GRAF : DF29365L, GRAF : DF29366, GRAF : DF29365, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562041JC, JURID : 562053JC, JURID : 562041J, JURID : 562053J, KWP : 129366, KWP : 129365, KWP : 1029366L, KWP : 1029365L, Lemforder : 22048 01, Lemforder : 22853 02, Lemforder : 22048, Lemforder : 22853, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0365, Metelli : 23-0366, MINTEX : MDC980, NECTO : WN917, NIBK : RN1084, OEM : 1J0615601C, OEM : 1J0615601, OEM : 6R0698151, OEM : 1J0615301, OEM : 1J0615601C, PAGID : 53955, PAGID : 53960, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6547.00, REMSA : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, SBS : 1815304760, SBS : 424240, SBS : 424238, SBS : 1815204760, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SEAT : 1J0615301, SEAT : 1J0615601, STOP : 562041S, STOP : 562053S, TEXTAR : 92106800, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TRUSTING : DF149, TRUSTING : DF468, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601N, VW : 1J0615601P, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1235.20, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20, ZIMMERMANN : 100.1236.00
	A3	1600	1996	1999	Rear	MRD1084		
	A3	1800	1996	2003	Rear	MRD1084		
	A3	1900	1996	2003	Rear	MRD1084		
	TT	1800	1999	2006	Rear	MRD1084		
	TT	1800	1998	2003	Rear	MRD1084		
	A2	1600	2002	2005	Rear	MRD1084		
	TT	1800	1999	2006	Rear	MRD1084		
	TT	1800	1998	2003	Rear	MRD1084		
AUDI	A4	1900	1999	2000	Front	MRD1085V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2325D, AP : 14467, AP : 24700E, ATE : 24.0110-0261.1, ATE : 24.0122-0202.1, ATE : 24.0310-0261.1, ATE : 24.0122-0152.1, ATE : 24.0122-0214.1, ATE : 24.0322-0152.1, AUDI : 8E0615301B, AUDI : 8E0615301D, BENDIX : 561863B, BENDIX : 562060B, BENDIX EUR : 562060B, BOSCH : 0 986 478 869, BRADI : 1.0106.5.5, BRADI : 1.5834.2.4, BRECO : BS 7469, BRECO : BS 8285, BREMBO : 09.7196.14, BREMBO : FD.080.000, BREMBO : 09.7196.10, BREMBO : 09.9908.21, BREMBO : FS.080.000, CAR : 142.1214, CAR : 142.745, CAR : 142.1234, CAR : 142.751, CAR RACING : HPD 281, CAR RACING : HPD 751, CAR RACING : HPD 1214, CAR RACING : HPD 745, CIFAM : 800-468C, CIFAM : 800-468, DELPHI : BG3198, DELPHI : BG3869, DELPHI : BG2753, FERODO : DDF1003, FERODO : DDF543, FERODO : DRF1003, FERODO : DDF1526, Fritch : DF472, GRAF : DF29468, INTERBRAKE : AD491V, INTERBRAKE : AD831V, INTERBRAKE : AD581P, INTERBRAKE : AD841V, INTERCAR : AD491V, JURID : 562060JC, JURID : 561863J, JURID : 562060J, KWP : 1029468L, KWP : 129468, Lemforder : 14155, Lemforder : 22216 01, Lemforder : 22216, LPR : A1022V, LPR : A1491V, LPR : A1020V, LPR : A1025V, LPR : A1594P, LUCAS : DF2806, LUCAS : DF4902S, LUCAS : DF2655, LUCAS : DF2806BP, MAGNETI MARELLI : 353615834240, Metelli : 23-0468C, MINTEX : MDC1155, MINTEX : MDC1758, MINTEX : MDC1031, MINTEX : MDC1657, NECTO : WN584, NECTO : WN923, NIBK : RN1085V, OEM : 3D0615601, OEM : 4E0615601, OEM : 4E0615601J, OEM : 8E0615301B, OEM : 3D0615601E, OEM : 4E0615601E, OEM : 895615601A, PAGID : 53961, PAGID : 54522, PAGID : 53917, PAGID : 54223, PILENGA : 5865, PILENGA : V851, QH : BDC4752, QH : BDC3935, REMSA : 6429.00, REMSA : 6731.20, REMSA : 6548.10, ROADHOUSE : 6548.10, ROADHOUSE : 6429.00, ROADHOUSE : 6731.20, SBS : 1815304762, SBS : 1816304762, SBS : 1815204762, SBS : 1815344762, SBS : 424242, SEAT : 8E0615301P, STOP : 562060S, TEXTAR : 92122300, TEXTAR : 92122305, TEXTAR : 92152200, TEXTAR : 92083500, TEXTAR : 92106203, TEXTAR : 92122303, TEXTAR : 92122400, TEXTAR : 98200 0835 0 1, TEXTAR : 92068200, TEXTAR : 92083505, TRUSTING : DF472, TRW : DF2806, VALEO : 186807, VALEO : 186582, VEMA : 98077, VW : 8E0615301B, WOKING : D6548.10, WOKING : D6429.00, ZIMMERMANN : 100.3313.00, ZIMMERMANN : 100.3304.00, ZIMMERMANN : 600.3207.20, ZIMMERMANN : 100.1225.00
	A4	1600	1997	1999	Front	MRD1085V		
	A4	1600	1999	2000	Front	MRD1085V		
	A4	1800	1997	1999	Front	MRD1085V		
	A4	1800	1999	2000	Front	MRD1085V		
	A8	3300	1999	2002	Front	MRD1085V		
	A4	1900	1999	2000	Front	MRD1085V		
	A4	1600	1997	1999	Front	MRD1085V		
	A4	1600	1999	2000	Front	MRD1085V		
	A4	1800	1997	1999	Front	MRD1085V		
	A4	1800	1999	2000	Front	MRD1085V		
	A8	3300	1999	2002	Front	MRD1085V		
	A4	1600	1994	1997	Front	MRD1085V		
	A4	1800	1997	2000	Front	MRD1085V		
	A4	1800	1995	1997	Front	MRD1085V		
	A4	1900	1994	1997	Front	MRD1085V		
	A4	1600	2004	2009	Front	MRD1085V		
	A4	1900	2004	2009	Front	MRD1085V		
	A4	2000	2004	2009	Front	MRD1085V		
	A8	3700	2002	2010	Front	MRD1085V		
	A8	4000	2003	2010	Front	MRD1085V		
	A8	4200	2002	2010	Front	MRD1085V		
AUDI	A4	1800	1997	1999	Front	MRD1085V		
	A8	3300	1999	2002	Front	MRD1085V		
	A4	2000	2004	2009	Front	MRD1085V		
	A4	1900	1999	2000	Front	MRD1085V		
	A4	1600	1997	1999	Front	MRD1085V		
	A4	1600	1999	2000	Front	MRD1085V		
	A4	1800	1997	1999	Front	MRD1085V		
	A4	1800	1999	2000	Front	MRD1085V		
	A8	3300	1999	2002	Front	MRD1085V		
	A4	1600	1994	1997	Front	MRD1085V		
	A4	1800	1995	1997	Front	MRD1085V		
	A4	1900	1994	1997	Front	MRD1085V		
	A3	1800	1999	2003	Front	MRD1116V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 34, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 312	AC DELCO : AC2326D, AP : 22015V, APEC : DSK2031, ATE : 24.0125-0123.1, AUDI : 8L0615301, AUDI : 8N0615301A, BENDIX : 562132B, BOSCH : 0 986 478 467, BRADI : 1.0130.2.E, BRECO : BV 8377, BRECO : BS 8377, BREMBO : 09.7880.11, BREMBO : FD.100.000, BREMBO : 09.7880.10, BREMBO : 09.7880.75, BREMBO : FS.100.000, CAR : 142.722, CAR RACING : HPD 722, CIFAM : 800-706C, CIFAM : 800-706, DELPHI : BG3528, FERODO : DRF1118, FERODO : DDF1118, Fritch : DF636, GRAF : DF29706, INTERBRAKE : AD521V, JURID : 562132J, KWP : 129706, LPR : A1598V, LUCAS : DF4064, MAGNETI MARELLI : 353610130205, Metelli : 23-0706C, MINTEX : MDC1381, NECTO : WN1128, NIBK : RN1116V, PAGID : 53971, PILENGA : V866, QH : BDC4768, SBS : 1815204774, SBS : 1816304774, SBS : 1815304774, TEXTAR : 92098500, TRUSTING : DF636, TRW : DF4064, VALEO : 186887, WOKING : D6597.10, ZIMMERMANN : 100.1240.20
	TT	1800	1999	2006	Front	MRD1116V		
	A3	1800	1999	2003	Front	MRD1116V		
	TT	1800	1999	2006	Front	MRD1116V		
	A3	1800	1999	2003	Front	MRD1116V		
	TT	1800	1999	2006	Front	MRD1116V		
AUDI	A3	1800	1999	2003	Rear	MRD1117V	Recommended Type: Vented & Oslash 256 ,Disc Thickness: 21.9, Num. of holes : 5, Height : 36.6, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2327D, APEC : DSK2116, ATE : 24.0122-0163.1, ATE : 24.0322-0163.1, AUDI : 8L0615601, AUDI : 8N0615601B, BENDIX : 562133B, BOSCH : 0 986 478 482, CAR : 142.726, CAR RACING : HPD 726, CIFAM : 800-695, CIFAM : 800-695C, DELPHI : BG3611, FERODO : DDF1154, FERODO : DRF1154, Fritch : DF742, GRAF : DF29695, INTERBRAKE : AD541V, JURID : 562133J, KWP : 129695, LPR : A1602V, LUCAS : DF4065, Metelli : 23-0695C, MINTEX : MDC1382, NIBK : RN1117V, PAGID : 53972, PILENGA : V872, QH : BDC4764, REMSA : 6646.10, REMSA : 6746.20, ROADHOUSE : 6746.20, ROADHOUSE : 6646.10, SBS : 1815204775, TEXTAR : 92098600, TRUSTING : DF742, TRW : DF4065, WOKING : D6646.10, ZIMMERMANN : 100.1241.20
	A3	1800	1999	2003	Rear	MRD1117V		
	TT	1800	1999	2006	Rear	MRD1117V		
	A3	1800	1999	2003	Rear	MRD1117V		
	A3	1800	1998	2003	Rear	MRD1117V		
	TT	1800	1999	2006	Rear	MRD1117V		
	TT	1800	1999	2006	Rear	MRD1117V		
	A3	1800	1999	2003	Rear	MRD1117V		
AUDI	A6	1800	1997	2001	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2520D, AC DELCO : AC2241D, AP : 14475E, ATE : 24.0110-0201.1, ATE : 24.0310-0201.1, AUDI : 4A0615601A, AUDI : 4A0615301A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0121.5.4, BRADI : 1.0127.5.4, BRECO : BS 7468, BREMBO : 08.5743.11, BREMBO : 08.5743.10, BREMBO : 08.5743.14, CAR : 142.762, CAR : 142.752, CAR RACING : HPD 752, CIFAM : 800-395, CIFAM : 800-395C, DELPHI : BG746, DELPHI : BG2746, DELPHI : BG3031, FERODO : DRF321, FERODO : DDF321, Fritch : DF060, GRAF : DF29395, INTERBRAKE : AD401P, INTERCAR : AD501P, INTERCAR : AD401P, JURID : 561549JC, JURID : 561549J, KWP : 129395, KWP : 1029395, Lemforder : 14536 03, Lemforder : 16710 01, Lemforder : 14536, Lemforder : 16710, LPR : A1597V, LPR : A1401P, LUCAS : DF4252, LUCAS : DF2651, MAGNETI MARELLI : 353610121540, Metelli : 23-0395C, MINTEX : MDC828, MINTEX : MDC1241, NECTO : WN534, NIBK : RN1049, OEM : 4A0615601A, OEM : 4A0615301A, OEM : 4A0615601B, PAGID : 50311, PAGID : 53951, PAGID : 53924, PILENGA : 5864, PILENGA : V865, PILENGA : 5872, QH : BDC4846, QH : BDC3929, REMSA : 6038.10, REMSA : 6930.10, REMSA : 6123.00, ROADHOUSE : 6123.00, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, SBS : 1815204744, SBS : 424214, SBS : 1815204781, STOP : 561549S, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TEXTAR : 92057500, TEXTAR : 92072900, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1217.00, ZIMMERMANN : 100.1230.00
	A6	2400	1997	2000	Rear	MRD1049		
	A6	2800	1999	2000	Rear	MRD1049		
	A6	2800	2000	2001	Rear	MRD1049		
	100	2600	1992	1994	Rear	MRD1049		
	100	2800	1991	1994	Rear	MRD1049		
	100	2200	1991	1993	Rear	MRD1049		
	100	2300	1990	1994	Rear	MRD1049		
	100	2600	1992	1994	Rear	MRD1049		
	100	2800	1991	1994	Rear	MRD1049		
	A6	2000	1994	1996	Rear	MRD1049		
	A6	2300	1994	1996	Rear	MRD1049		
	A6	2500	1994	1998	Rear	MRD1049		
	A6	2500	1995	1997	Rear	MRD1049		
	A6	2800	1994	1998	Rear	MRD1049		
	A6	1800	1997	2001	Rear	MRD1049		
	A6	2400	1997	2000	Rear	MRD1049		
	A6	2800	1999	2000	Rear	MRD1049		
	A6	2800	2000	2001	Rear	MRD1049		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS		
AUDI	A4	1800	2002	2009	Rear	MRD1153	Recommended Type: Solid & Oslash 245 ,Disc Thickness: 9.9, Num. of holes : 10, Height : 39.8, Centering Diameter :68, Position: Rear	AC DELCO : AC2590D, AP : 14839, ATE : 24.0110-026.1, AUDI : 8E0615601B, AUDI : 8E0615601P, BENDIX : 562192B, BOSCH : 0 986 478 986, BRECO : BS 7630, BREMBO : 08.9136.75, BREMBO : RS.177.000, BREMBO : 08.9136.11, BREMBO : RD.177.000, BREMBO : 08.9136.10, CAR : 142.281, CIFAM : 800-748C, CIFAM : 800-748, DELPHI : BG3673, FERODO : DDF1232, Fritch : DF964, GRAF : DF29748, INTERBRAKE : AD621P, JURID : 562192J, JURID : 562192JC, KWP : 129748, Lemforder : 25882, Lemforder : 28702, Lemforder : 14155 01, Lemforder : 25882 01, Lemforder : 28702 01, LPR : A1007P, LUCAS : DF4186, LUCAS : DF4186BP, MAGNETI MARELLI : 353610106560, Metelli : 23-0748C, MINTEX : MDC1523, NECTO : WN1244, NIBK : RN1153, REMSA : 6753.00, ROADHOUSE : 6753.00, SBS : 1815204778, TEXTAR : 92106200, TRUSTING : DF964, TRW : DF4186, ZIMMERMANN : 100.3314.00, ZIMMERMANN : 100.1243.20		
	A4	1900	1999	2000	Rear	MRD1153				
	A4	1900	1999	2001	Rear	MRD1153				
	A4	1900	1999	2000	Rear	MRD1153				
	A4	1600	2004	2009	Rear	MRD1153				
	A4	1900	2004	2009	Rear	MRD1153				
	A4	2000	2004	2009	Rear	MRD1153				
	A4	1900	2001	2001	Rear	MRD1153				
	A4	2500	2004	2009	Rear	MRD1153				
	A4	1800	2002	2009	Rear	MRD1153				
	A4	1900	1999	2001	Rear	MRD1153				
	A4	1800	2004	2009	Rear	MRD1153				
	A4	1800	2002	2009	Rear	MRD1153				
	A4	1900	1999	2001	Rear	MRD1153				
	A4	1900	2001	2001	Rear	MRD1153				
	A4	1800	2002	2009	Rear	MRD1153				
	A4	1900	1999	2000	Rear	MRD1153				
	A4	1900	1999	2001	Rear	MRD1153				
	A4	1800	2004	2009	Rear	MRD1153				
	AUDI	A4	2000	2004	2009	Rear			MRD1153	
A4		1900	2001	2001	Front	MRD1171V	Recommended Type: Vented & Oslash 312 ,Disc Thickness: 25, Num. of holes : 9, Height : 46.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2591D, AP : 24801V, APEC : DSK2137, ATE : 24.0125-0172.1, ATE : 24.0325-0172.1, ATE : 24.0125-0137.1, ATE : 24.0325-0137.1, AUDI : 8D0615301J, AUDI : 8E0615301R, AUDI : 4B0615301A, BENDIX : 562199B, BOSCH : 0 986 479 057, BRADI : 1.0138.2.E, BRECO : BV 8427, BREMBO : 09.8690.11, BREMBO : FD.145.000, BREMBO : 09.8690.10, BREMBO : 09.8690.75, BREMBO : FS.145.000, CAR : 142.078, CAR : 142.1189, CAR RACING : HPD 078, CAR RACING : HPD 1189, CIFAM : 800-726, CIFAM : 800-726C, DELPHI : BG3657, FERODO : DDF1156, FERODO : DRF1156, Fritch : DF925, GRAF : DF29726, INTERBRAKE : AD601V, INTERBRAKE : AD811V, JURID : 562383J, JURID : 562199JC, JURID : 562383JC, JURID : 562199J, KWP : 129726, Lemforder : 25884 01, Lemforder : 30985 01, Lemforder : 25884, Lemforder : 30985, LPR : V2003V, LUCAS : DF4262S, LUCAS : DF4262BPS, LUCAS : DF4262, MAGNETI MARELLI : 351013820500, Metelli : 23-0726C, MINTEX : MDC1540, NECTO : WN1183, NIBK : RN1171V, NK : 2047134, OEM : 8D06156301J, PAGID : 50310, PILENGA : V871, PILENGA : V229, QH : BDC5010, SBS : 1815204773, SBS : 1815344773, SBS : 1815304773, SBS : 1816304773, SKODA : 4B0615301C, SKODA : 3B0615301B, TEXTAR : 92106103, TEXTAR : 92106105, TEXTAR : 92106100, TEXTAR : 98200 1061 0 1, TRUSTING : DF925, TRW : DF7128, TRW : DF4262S, VALEO : 186758, VW : 4B0615301C, WOKING : D6596.10, ZIMMERMANN : 100.1242.20, ZIMMERMANN : 100.3325.00		
A6		1900	1997	2001	Front	MRD1171V				
A6		2400	1997	2000	Front	MRD1171V				
A6		2500	1997	2001	Front	MRD1171V				
A4		2500	2001	2003	Front	MRD1171V				
A6		2800	1997	2001	Front	MRD1171V				
A4		2500	2001	2003	Front	MRD1171V				
A6		1900	1997	2001	Front	MRD1171V				
A6		2400	1997	2000	Front	MRD1171V				
A6		2500	1997	2001	Front	MRD1171V				
A6		2800	1997	2001	Front	MRD1171V				
A4		1900	2004	2009	Front	MRD1171V				
A4		3000	2001	2004	Front	MRD1171V				
A4		2500	2004	2009	Front	MRD1171V				
A4		2000	2005	2007	Front	MRD1171V				
A6		1800	1997	2001	Front	MRD1171V				
A6		3000	2004	2008	Front	MRD1171V				
A6		3200	2004	2008	Front	MRD1171V				
AUDI		A6	3000	2004	2008	Front			MRD1171V	
	A6	3200	2004	2008	Front	MRD1171V				
	A4	2500	2001	2003	Front	MRD1171V				
	A6	1900	1997	2001	Front	MRD1171V				
	A6	2400	1997	2000	Front	MRD1171V				
	A6	2500	1997	2001	Front	MRD1171V				
	A6	2800	1997	2001	Front	MRD1171V				
	A3 II	1400	2007		Front	MRD1374V	Recommended Type: Vented 288 ,Disc Thickness: 25, Num. of holes : 5/9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2626D, AP : 24850, AP : 24850E, ATE : 24.0125-0145.1, ATE : 24.0325-0145.1, AUDI : 5C0615301A, AUDI : 1K0615301T, AUDI : 1K0615301K, BENDIX : 562235B, BOSCH : 0 986 479 088, BRECO : BS 8474, BREMBO : 09.9145.14, BREMBO : FS.155.000, BREMBO : 09.9145.10, BREMBO : FD.155.000, CAR : 142.189, CAR : 142.1021, CAR RACING : HPD 1021, CIFAM : 800-734, DELPHI : BG3833, FERODO : DDF1218, Fritch : DF932, GRAF : DF29734, INTERBRAKE : VW571V, INTERCAR : VW571V, JURID : 562235J, JURID : 562235JC, KWP : 129745, KWP : 129734, Lemforder : 27433 01, Lemforder : 27433, LPR : A1002V, LUCAS : DF4816, LUCAS : DF4295, MAGNETI MARELLI : 353615843240, Metelli : 23-0734, MINTEX : MDC1638, NECTO : WN1236, NIBK : RN1374V, OEM : 1K0615601T, PAGID : 54208, PILENGA : V861, REMSA : 6648.10, ROADHOUSE : 6648.10, SBS : 1815344788, SBS : 1815204788, SEAT : 1K0615301T, TEXTAR : 92120800, TEXTAR : 92120803, TEXTAR : 92120805, TRUSTING : DF932, TRW : DF4295, VALEO : 186755, VW : 5C0615301A, WOKING : D6648.10, ZIMMERMANN : 600.3221.00		
	A3 II	1800	2006	2009	Front	MRD1374V				
	A3 II	1400	2007		Front	MRD1374V				
A3 II	1800	2006	2009	Front	MRD1374V					
A3 II	1400	2007		Front	MRD1374V					
AUDI	A3 II	1800	2006	2009	Front	MRD1374V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 280	AC DELCO : AC2654D, AP : 24853, ATE : 24.0322-0210.1, ATE : 24.0122-0210.1, AUDI : 1K0615301AC, AUDI : 1K0615301S, BENDIX : 562237B, BOSCH : 0 986 479 098, BRECO : BS 8477, BREMBO : 09.9167.10, BREMBO : 09.9167.75, BREMBO : FS.171.000, BREMBO : 09.9167.11, BREMBO : FD.171.000, CAR : 142.1019, CAR RACING : HPD 1019, CIFAM : 800-733, DELPHI : BG3832, FERODO : DDF1223, Fritch : DF931, GRAF : DF29733, INTERBRAKE : VW581V, JURID : 562237J, JURID : 562237JC, KWP : 129733, Lemforder : 27431 01, Lemforder : 27431, LPR : A1001V, LUCAS : DF4294, MAGNETI MARELLI : 351014320500, Metelli : 23-0733, MINTEX : MDC1639, NECTO : WN1241, NIBK : RN1179V, PAGID : 54207, PILENGA : V860, REMSA : 6647.10, ROADHOUSE : 6647.10, SBS : 1815344787, SBS : 1815204787, SEAT : 1K0615301AK, SKODA : 1K0615301AC, TEXTAR : 92120705, TEXTAR : 92120700, TRUSTING : DF931, TRW : DF4294, VALEO : 186754, WOKING : D6647.10, ZIMMERMANN : 600.3233.00		
	A3	2000	2006	2009	Front	MRD1179V				
	A3	2000	2004	2009	Front	MRD1179V				
	A3	1400	2007	2009	Front	MRD1179V				
	A3	1600	2004	2009	Front	MRD1179V				
	A3	2000	2004	2009	Front	MRD1179V				
	A3 II	2000	2006	2009	Front	MRD1179V				
	A3	2000	2004	2009	Front	MRD1179V				
	A3	1400	2007	2009	Front	MRD1179V				
	A3	1600	2004	2009	Front	MRD1179V				
	A3	2000	2004	2009	Front	MRD1179V				
	A3 II	2000	2007		Front	MRD1179V				
	A3	2000	2004	2009	Front	MRD1179V				
	A3	1600	2004	2009	Front	MRD1179V				
	A3	2000	2004	2009	Front	MRD1179V				
AUDI	A3 II	2000	2006	2009	Front	MRD1179V	Recommended Type: Vented & Oslash 312 ,Disc Thickness: 25, Num. of holes : 9, Height : 46.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AP : 24784V, AP : 24802V, APEC : DSK2119, ATE : 24.0130-0108.1, ATE : 24.0134-0100.1, ATE : 24.0130-0113.1, ATE : 24.0130-0183.1, ATE : 24.0330-0113.1, AUDI : 8D0615301K, AUDI : 8D0615301M, AUDI : 8E0615301AD, BENDIX : 562205B, BENDIX : 562175B, BOSCH : 0 986 478 985, BOSCH : 0 986 478 575, BRECO : BV 8411, BRECO : BV 8428, BREMBO : 09.8689.10, BREMBO : 09.8324.10, BREMBO : 09.8689.75, BREMBO : 09.9911.11, BREMBO : 09.A598.11, BREMBO : FS.112.000, BREMBO : 09.8689.11, BREMBO : 09.8324.11, BREMBO : 09.A598.10, BREMBO : FD.112.000, CAR : 142.288, CAR : 142.1132, CAR : 142.753, CAR : 142.1286, CAR RACING : HPD 288, CAR RACING : HPD 753, CIFAM : 800-737C, CIFAM : 800-705, CIFAM : 800-705C, DELPHI : BG3524, DELPHI : BG3714, FERODO : DDF1705, FERODO : DDF1563, FERODO : DDF1166, FERODO : DDF1150, Fritch : DF738, Fritch : DF1199, GRAF : DF29705, INTERBRAKE : AD561V, INTERBRAKE : AD671V, INTERCAR : AD561V, JURID : 562205J, JURID : 562175J, KWP : 129705, KWP : 129737, LPR : A1028V, LPR : A1018V, LPR : A1561V, LUCAS : DF4258S, LUCAS : DF4209S, LUCAS : DF4209, MAGNETI MARELLI : 351013920500, MAGNETI MARELLI : 351014020500, Metelli : 23-0705C, Metelli : 23-0737C, MINTEX : MDC1444, MINTEX : MDC1419, NECTO : WN1492, NECTO : WN1185, NECTO : WN1169, NIBK : RN1393V, NK : 2047107, OEM : 4D0615301A, OEM : 4D0615301J, OEM : 8D0615301AD, OEM : 4D0615301F, OEM : 60Q609616, PAGID : 54125, PAGID : 50264, PAGID : 50316, PILENGA : V879, PILENGA : V874, PILENGA : V868, QH : BDC5278, QH : BDC5009, REMSA : 6942.20, REMSA : 6781.10, ROADHOUSE : 6942.20, ROADHOUSE : 6781.10, SBS : 18153447107, SBS : 1815344791, SBS : 18152047107, SBS : 1815204791, SEAT : 8E0615301AD, TEXTAR : 92098300, TEXTAR : 92106705, TEXTAR : 98200 0983 0 1, TEXTAR : 92098305, TEXTAR : 92106700, TEXTAR : 92122100, TEXTAR : 98200 1067 0 1, TRUSTING : DF1199, TRUSTING : DF738, TRW : DF4258S, WOKING : D6730.10, ZIMMERMANN : 100.1238.50, ZIMMERMANN : 100.3303.00, ZIMMERMANN : 100.1238.00, ZIMMERMANN : 100.1249.20, ZIMMERMANN : 100.3324.00		
	A4	3200	2005	2009	Front	MRD1393V				
	A4	3200	2005	2009	Front	MRD1393V				

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	A3 II	1400	2007		Front	MRD1377V	Recommended Type: Vented & Oslash 312, Disc Thickness: 25, Num. of holes : 5, Height : 49.9, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash: 112	AP : 24966, ATE : 24.0125-0158, ATE : 24.0325-0158.1, ATE : 24.0125-0158.1, AUDI : 1K0615301AA, BENDIX : 562277B, BOSCH : 0 986 479 058, BRECO : BS 8585, BREMBO : 09.9772.10, BREMBO : FD.172.000, BREMBO : 09.9772.11, BREMBO : FS.172.000, CAR : 142.1023, CAR RACING : HPD 1023, CIFAM : 800-840, DELPHI : BG3953, FERODO : DDF1305, Fritch : DF1069, GRAF : DF29840, INTERBRAKE : VW591V, JURID : 562387J, JURID : 562277J, KWP : 129840, Lemforder : 30864 01, Lemforder : 30864, LPR : A1004V, LUCAS : DF4464S, LUCAS : DF4464, MAGNETI MARELLI : 353615845240, Metelli : 23-0840, MINTEX : MDC1706, NECTO : WN1327, NIBK : RN1377V, NK : 2047115, PAGID : 54205, PILENGA : V233, QH : BDC5416, REMSA : 6972.10, ROADHOUSE : 6972.10, SBS : 18152047115, SBS : 18153447115, SKODA : 5C0615301B, TEXTAR : 92120503, TEXTAR : 92120500, TRUSTING : DF1069, TRW : DF4464S, VAG : 5C0615301B, VALEO : 186806, VW : 1K0615301AA, ZIMMERMANN : 100.3300.00
	A3 II	1800	2006	2009	Front	MRD1377V		
	A1	1200	2012		Front	MRD1377V		
	A1	2000	2012		Front	MRD1377V		
	A1	1400	2012		Front	MRD1377V		
	A1	1200	2012		Front	MRD1377V		
	A1	1400	2012		Front	MRD1377V		
	A1	2000	2012		Front	MRD1377V		
	A3 II	1400	2007		Front	MRD1377V		
	A3 II	1800	2006	2009	Front	MRD1377V		
	A3 II	1400	2007		Front	MRD1377V		
	A3 II	1800	2006	2009	Front	MRD1377V		
	A1	1200	2012		Front	MRD1377V		
AUDI	A1	1400	2012		Rear	MRD33004	Recommended Type: Solid ,Disc Thickness: 9.7, Num. of holes : 9, Height : 48.2, Centering Diameter : 65, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 272	ATE : 24.0110-0356.1, BOSCH : 0 986 479 677, Fritch : DF1433, NIBK : RN33004, NK : 2047137, PILENGA : 5886, SBS : 18152047137, TRUSTING : DF1433, TRW : DF 7911, VAG : 1K0615601AA
	A1	2000	2012		Rear	MRD33004		
	A3 II	1400	2007		Rear	MRD33004		
	A3 III	2000	2013		Rear	MRD33004		
	A3 III	2000	2013		Rear	MRD33004		
	A3 III	1800	2013		Rear	MRD33004		
AUDI	A4	1400	2012		Rear	MRD33004	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 36.4, Centering Diameter : 68, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 300	ATE : 24.0112-0178.1, BREMBO : 08.A759.10, BREMBO : 08.A759.11, CAR : 142.1311, Fritch : DF1184, INTERBRAKE : AD901P, LPR : A1035P, LUCAS : DF4848, NIBK : RN33002, NK : 2047129, PAGID : 54601, QH : BDC5618, SBS : 18152047129, TRUSTING : DF1184, TRW : DF 4848, VAG : 8K0615601B, ZIMMERMANN : 100.3333.20
	A4	1800	2008	2011	Rear	MRD33002		
	A4	2000	2008	2013	Rear	MRD33002		
	Q5	2000	2008	2012	Rear	MRD33002		
	Q5	3000	2008		Rear	MRD33002		
	Q5	3200	2008		Rear	MRD33002		
	A5	2000	2009		Rear	MRD33002		
	A4	2700	2007	2011	Rear	MRD33002		
	A4	1800	2008	2013	Rear	MRD33002		
	A4	2000	2008	2013	Rear	MRD33002		
	Q5	2000	2008	2012	Rear	MRD33002		
	Q5	3000	2008		Rear	MRD33002		
AUDI	A4	2500	1997	1999	Rear	MRD1163V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 47.8, Centering Diameter : 68, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 256	ATE : 24.0122-0221.1, AUDI : 8D0615601D, BREMBO : 09.A597.10, BREMBO : 09.A597.11, CAR : 142.1122, CAR RACING : HPD 1122, DELPHI : BG3785, Fritch : DF740, INTERBRAKE : VW631V, LUCAS : DF4210, MINTEX : MDC2085, NIBK : RN1163V, NK : 2047131, OEM : 3B0615601B, PILENGA : V870, REMSA : 6943.20, REMSA : 6835.10, ROADHOUSE : 6835.10, ROADHOUSE : 6943.20, TRUSTING : DF740, TRW : DF4210
	A4	2700	1998	2001	Rear	MRD1163V		
	A4	2700	1998	2001	Rear	MRD1163V		
	A4	2500	1997	1999	Rear	MRD1163V		
	A4	2500	1997	1999	Rear	MRD1163V		
	A4	2700	1998	2001	Rear	MRD1163V		
AUDI	A4	2000	2008	2013	Front	MRD33003V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 52.4, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 314	ATE : 24.0125-0184.1, BOSCH : 0 986 479 467, CAR : 142.1507, CIFAM : 800-917C, DELPHI : BG4079, Fritch : DF1334, GRAF : DF29917C, INTERBRAKE : AD991V, LUCAS : DF4866S, Metelli : 23-0917C, NIBK : RN33003V, NK : 2047132, PILENGA : V981, QH : BDC5709, REMSA : 61292.10, ROADHOUSE : 61292.10, SBS : 18152047132, TEXTAR : 92159903, TRUSTING : DF1334, VAG : 8K0615301, WOKING : D61292.10, ZIMMERMANN : 100.3330.20, ZIMMERMANN : 100.3330.52
	A4	2700	2007	2011	Front	MRD33003V		
	A4	1800	2008	2013	Front	MRD33003V		
	A4	2000	2008	2013	Front	MRD33003V		
	A4	2700	2007	2011	Front	MRD33003V		
	A4	1800	2008	2013	Front	MRD33003V		
	A4	2000	2008	2013	Front	MRD33003V		
AUDI	A3	2000	2004	2009	Rear	MRD1227	Recommended Type: Solid 286 ,Disc Thickness: 12, Num. of holes : 9, Height : 48.2, Centering Diameter : 65, Position: Rear, Pitch Circle & Oslash: 112mm	ATE : 24.0130-0115.1, ATE : 24.0112-0169.1, ATE : 24.0330-0115.1, AUDI : 1K0615601AD, AUDI : 1K0615601M, BENDIX : 562239B, BENDIX : 562258B, BOSCH : 0 986 479 247, BOSCH : 0 986 479 204, BREMBO : 09.9145.75, BREMBO : 08.A202.10, BREMBO : 09.A201.10, CAR : 142.1024, CAR : 142.1025, CAR RACING : HPD 1024, CAR RACING : HPD 1025, CIFAM : 800-851, CIFAM : 800-852, DELPHI : BG9952, DELPHI : BG3954, FERODO : DDF1306, FERODO : DDF1504, Fritch : DF1145, Fritch : DF1070, INTERBRAKE : VW601P, INTERBRAKE : VW611V, JURID : 562258J, JURID : 562239J, KWP : 129851, KWP : 129852, Lemforder : 30856 01, Lemforder : 30865 01, Lemforder : 30856, Lemforder : 30865, LPR : A1024V, LPR : A1005P, LUCAS : DF4350S, LUCAS : DF4558, Metelli : 23-0852, Metelli : 23-0851, MINTEX : MDC1698, MINTEX : MDC1718, NECTO : WN1328, NIBK : RN1227, NK : 2047133, PAGID : 54206, PAGID : 54408, PILENGA : V862, PILENGA : 5857, QH : BDC5418, QH : BDC5495, REMSA : 6973.00, ROADHOUSE : 6973.00, SBS : 18152047116, SBS : 1815344786, SBS : 1815204786, TEXTAR : 92140800, TEXTAR : 92120600, TEXTAR : 92140803, TRUSTING : DF1145, TRUSTING : DF1070, TRW : DF4558, VW : 1K0615601AD, ZIMMERMANN : 100.3315.00, ZIMMERMANN : 100.3301.00, ZIMMERMANN : 100.3315.20
	A3	1400	2007	2009	Rear	MRD1227		
	A3	1600	2004	2009	Rear	MRD1227		
	A3	2000	2004	2009	Rear	MRD1227		
	A5	2000	2009		Front	MRD33001V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 52.4, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 320	ATE : 24.0130-0193.1, CAR : 142.1309, CAR RACING : HPD 1309, Fritch : DF1235, INTERBRAKE : AD881V, LPR : A1033V, LUCAS : DF6015S, MINTEX : MDC2001, NIBK : RN33001V, NK : 2047127, PAGID : 54600, QH : BDC5710, SBS : 18152047127, TRUSTING : DF1235, TRW : DF 6015S, VAG : 8K0615301A, ZIMMERMANN : 100.3331.20
	Q5	2000	2008	2012	Front	MRD33001V		
	Q5	3000	2008		Front	MRD33001V		
	Q5	3200	2008		Front	MRD33001V		
AUDI	A3 III	2000	2013		Front	MRD1554V	Recommended Type: Vented ,Disc Thickness: 30, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 340	ATE : 24.0130-0225.1, BOSCH : 0 986 479 734, Fritch : DF1456, MINTEX : MDC2253, NIBK : RN1554V, NK : 2047141, OEM : 3C0615301C, OEM : 1K0615301AD, OEM : 1K0615300AD, PAGID : 55298PRO, SBS : 18152047142, SBS : 1815204714, TEXTAR : 92229803, TRUSTING : DF1456
	A3 III	2000	2013		Front	MRD1554V		
	A3 III	1800	2013		Front	MRD1554V		
	A3 III	2000	2013		Front	MRD1554V		
	A3 III	2000	2013		Front	MRD1554V		
	A3 III	1800	2013		Front	MRD1554V		
	A3 III	2000	2013		Front	MRD1554V		
	A3 III	2000	2013		Front	MRD1554V		
	A3 III	1800	2013		Front	MRD1554V		
	A1	1200	2010		Front	MRD1379V	Recommended Type: Vented & Oslash 288 ,Disc Thickness: 25, Num. of holes : 5, Height : 34.5, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash: 100	AUDI : 1J0615301R, AUDI : 6R0615301A, FERODO : DDF1221, NIBK : RN1379V, SKODA : 1J0615301S, TRW : DF4027, VW : 1J0615301K
	A1	1400	2010		Front	MRD1379V		
	A1	1600	2010		Front	MRD1379V		
	A3 I	1800	1996	2003	Front	MRD1379V		
	A3 I	1800	1996	2003	Front	MRD1379V		
	A1	1200	2010		Front	MRD1379V		
AUDI	A1	1400	2010		Front	MRD1379V		
	A1	1600	2010		Front	MRD1379V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	80	1900	1992	1993	Front	MRD1042V	Recommended Type: Vented 256 Disc Thickness: 22, Num. of holes : 4, Height : 56.2, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2240D, AP : 24441, ATE : 24.0122-0108.1, AUDI : 895615301A, BENDIX EUR : 561691B, BOSCH : 0 986 478 550, BRADI : 1.0115.2.E, BRECO : BS 8111, BREMBO : 09.5710.10, CAR : 142.739, CAR RACING : HPD739, CIFAM : 800-234, DELPHI : BG2668, FERODO : DRF319, FERODO : DDF319, Fritch : DF904, GRAF : DF29234, INTERBRAKE : AD211V, JURID : 561691J, KWP : 1029234L, KWP : 129234, Lemforder : 14588 01, Lemforder : 14588, LPR : A1211V, LUCAS : DF2599, MAGNETI MARELLI : 353613011240, MAGNETI MARELLI : 351011520500, Metelli : 23-0234, NECTO : WN715, NECTO : WN731, NIBK : RN1042V, PAGID : 53938, PILENGA : V363, QH : BDC3767, REMSA : 6177.10, ROADHOUSE : 6177.10, ROADHOUSE : SBS : 1815204738, TEXTAR : 92054200, TRUSTING : DF904, TRW : DF2599, VALEO : 186267, WOKING : D6177.10
AUDI	A3	2000	2004	2009	Rear	MRD1227	Recommended Type: Solid 286 Disc Thickness: 12, Num. of holes : 9, Height : 48.2, Centering Diameter : 65, Position: Rear, Pitch Circle & Oslash: 112mm	ATE : 24.0130-0115.1, ATE : 24.0112-0169.1, ATE : 24.0330-0115.1, AUDI : 1K0615601AD, AUDI : 1K0615601M, BENDIX : 562239B, BENDIX : 562258B, BOSCH : 0 986 479 204, BOSCH : 0 986 479 247, BREMBO : 09.9145.75, BREMBO : 08.A202.10, BREMBO : 09.A201.10, CAR : 142.1024, CAR : 142.1025, CAR RACING : HPD 1024, CAR RACING : HPD 1025, CIFAM : 800-851, CIFAM : 800-852, DELPHI : BG9952, DELPHI : BG3954, FERODO : DDF1504, FERODO : DDF1306, Fritch : DF1145, Fritch : DF1070, INTERBRAKE : VW601P, INTERBRAKE : VW611V, JURID : 562258J, JURID : 562239J, KWP : 129851, KWP : 129852, Lemforder : 30865 01, Lemforder : 30856, Lemforder : 30865, LPR : A1024V, LPR : A1005P, LUCAS : DF4350S, LUCAS : DF4558, Metelli : 23-0852, Metelli : 23-0851, MINTEX : MDC1698, MINTEX : MDC1718, NECTO : WN1328, NIBK : RN1227, NK : 2047133, PAGID : 54206, PAGID : 54408, PILENGA : V862, PILENGA : 5857, QH : BDC5495, QH : BDC5418, REMSA : 6973.00, ROADHOUSE : 6973.00, SBS : 18152047116, SBS : 1815344786, SBS : 1815204786, TEXTAR : 92120600, TEXTAR : 92140803, TEXTAR : 92140800, TRUSTING : DF1145, TRUSTING : DF1070, TRW : DF4558, VW : 1K0615601AD, ZIMMERMANN : 100.3315.00, ZIMMERMANN : 100.3301.00, ZIMMERMANN : 100.3315.20
	A3	1400	2007	2009	Rear	MRD1227		
	A3	1600	2004	2009	Rear	MRD1227		
	A3	2000	2004	2009	Rear	MRD1227		
	A3	2000	2004	2009	Rear	MRD1227		
	A3	1400	2007	2009	Rear	MRD1227		
	A3	1600	2004	2009	Rear	MRD1227		
AUDI	A3 II	1400	2007		Front	MRD1374V	Recommended Type: Vented 288 Disc Thickness: 25, Num. of holes : 5/9, Height : 49.5, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2626D, AP : 24850, ATE : 24.0125-0145.1, ATE : 24.0325-0145.1, AUDI : 1K0615301T, AUDI : 1K0615301K, AUDI : 5C0615301A, BENDIX : 562235B, BOSCH : 0 986 479 088, BRECO : BS 8474, BREMBO : FS.155.000, BREMBO : 09.9145.10, BREMBO : FD.155.000, BREMBO : 09.9145.14, CAR : 142.189, CAR : 142.1021, CAR RACING : HPD 1021, CIFAM : 800-734, DELPHI : BG3833, FERODO : DDF1218, Fritch : DF932, GRAF : DF29734, INTERBRAKE : VW571V, INTERCAR : VW571V, JURID : 562235J, JURID : 562235J, KWP : 129745, KWP : 129734, Lemforder : 27433 01, Lemforder : 27433, LPR : A1002V, LUCAS : DF4816, LUCAS : DF4295, MAGNETI MARELLI : 353615843240, Metelli : 23-0734, MINTEX : MDC1638, NECTO : WN1236, NIBK : RN1374V, OEM : 1K0615601T, PAGID : 54208, PILENGA : V861, REMSA : 6648.10, ROADHOUSE : 6648.10, SBS : 1815344788, SBS : 1815204788, SEAT : 1K0615301T, TEXTAR : 92120800, TEXTAR : 92120803, TEXTAR : 92120805, TRUSTING : DF932, TRW : DF4295, VALEO : 186755, VW : 5C0615301A, WOKING : D6648.10, ZIMMERMANN : 600.3221.00
	A3 II	1800	2006	2009	Front	MRD1374V		
	A3 II	1400	2007		Front	MRD1374V		
	A3 II	1800	2006	2009	Front	MRD1374V		
AUDI	A4	1800	2004	2009	Rear	MRD1153	Recommended Type: Solid & Oslash 245, Disc Thickness: 9.9, Num. of holes : 10, Height : 39.8, Centering Diameter : 68, Position: Rear	AC DELCO : AC2590D, AP : 14839, ATE : 24.0110-026.1, AUDI : 8E0615601B, AUDI : 8E0615601P, BENDIX : 562192B, BOSCH : 0 986 478 986, BRECO : BS 7630, BREMBO : 08.9136.10, BREMBO : 08.9136.75, BREMBO : RS.177.000, BREMBO : 08.9136.11, BREMBO : RD.177.000, CAR : 142.281, CIFAM : 800-748C, CIFAM : 800-748, DELPHI : BG3673, FERODO : DDF1232, Fritch : DF964, GRAF : DF29748, INTERBRAKE : AD621P, JURID : 562192J, JURID : 562192JC, KWP : 129748, Lemforder : 25882, Lemforder : 28702, Lemforder : 14155 01, Lemforder : 25882 01, Lemforder : 28702 01, LPR : A1007P, LUCAS : DF4186, LUCAS : DF4186BP, MAGNETI MARELLI : 353610106560, Metelli : 23-0748C, MINTEX : MDC1638, NECTO : WN1244, NIBK : RN1153, REMSA : 6753.00, ROADHOUSE : 6753.00, SBS : 1815204778, TEXTAR : 92106200, TRUSTING : DF964, TRW : DF4186, ZIMMERMANN : 100.3314.00, ZIMMERMANN : 100.1243.20
	A4	2000	2004	2009	Rear	MRD1153		
	A4	1800	2002	2009	Rear	MRD1153		
	A4	1900	1999	2000	Rear	MRD1153		
	A4	1900	1999	2001	Rear	MRD1153		
	A4	1600	2004	2009	Rear	MRD1153		
	A4	1900	2004	2009	Rear	MRD1153		
	A4	2000	2004	2009	Rear	MRD1153		
	A4	1900	2001	2001	Rear	MRD1153		
	A4	1900	2004	2009	Rear	MRD1153		
AUDI	TT	3200	2003		Rear	MRD1117V	Recommended Type: Vented & Oslash 256, Disc Thickness: 21.9, Num. of holes : 5, Height : 36.6, Centering Diameter : 65, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2327D, APEC : DSK2116, ATE : 24.0122-0163.1, ATE : 24.0322-0163.1, AUDI : 8L0615601, AUDI : 8N0615601B, BENDIX : 562133B, BOSCH : 0 986 478 482, CAR : 142.726, CAR RACING : HPD 726, CIFAM : 800-695, CIFAM : 800-695C, DELPHI : BG3611, FERODO : DDF1154, FERODO : DRF1154, Fritch : DF742, GRAF : DF29695, INTERBRAKE : AD541V, JURID : 562133J, KWP : 129695, LPR : A1602V, LUCAS : DF4065, Metelli : 23-0695C, MINTEX : MDC1382, NIBK : RN1117V, PAGID : 53972, PILENGA : V872, QH : BDC4764, REMSA : 6646.10, REMSA : 6746.20, ROADHOUSE : 6746.20, ROADHOUSE : 6646.10, SBS : 1815204775, TEXTAR : 92098600, TRUSTING : DF742, TRW : DF4065, WOKING : D6646.10, ZIMMERMANN : 100.1241.20
	TT	1800	1999	2006	Rear	MRD1117V		
	TT	1800	1999	2006	Rear	MRD1117V		
AUDI	A1	1200	2012		Front	MRD1377V	Recommended Type: Vented & Oslash 312, Disc Thickness: 25, Num. of holes : 5, Height : 49.9, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash: 112	AP : 24966, ATE : 24.0125-0158.1, ATE : 24.0125-0158, ATE : 24.0325-0158.1, AUDI : 1K0615301AA, BENDIX : 562277B, BOSCH : 0 986 479 058, BRECO : BS 8585, BREMBO : 09.9772.11, BREMBO : FS.172.000, BREMBO : 09.9772.10, BREMBO : FD.172.000, CAR : 142.1023, CAR RACING : HPD 1023, CIFAM : 800-840, DELPHI : BG3953, FERODO : DDF1305, Fritch : DF1069, GRAF : DF29840, INTERBRAKE : VW591V, JURID : 562277J, JURID : 562387J, KWP : 129840, Lemforder : 30864 01, Lemforder : 30864, LPR : A1004V, LUCAS : DF4464, LUCAS : DF4464S, MAGNETI MARELLI : 353615845240, Metelli : 23-0840, MINTEX : MDC1706, NECTO : WN1327, NIBK : RN1377V, NK : 2047115, PAGID : 54205, PILENGA : V233, QH : BDC5416, REMSA : 6972.10, ROADHOUSE : 6972.10, SBS : 18152047115, SBS : 18153447115, SKODA : 5C0615301B, TEXTAR : 92120500, TEXTAR : 92120503, TRUSTING : DF1069, TRW : DF4464S, VAG : 5C0615301B, VALEO : 186806, VW : 1K0615301AA, ZIMMERMANN : 100.3300.00
	A1	1400	2012		Front	MRD1377V		
	A1	2000	2012		Front	MRD1377V		
	A3 II	1400	2007		Front	MRD1377V		
	A3 II	1800	2006	2009	Front	MRD1377V		
	A3 II	1400	2007		Front	MRD1377V		
	A3 II	1400	2007		Front	MRD1377V		
	A3 II	2000	2007		Front	MRD1377V		
	A1	1400	2012		Front	MRD1377V		
	A1	2000	2012		Front	MRD1377V		
AUDI	A3 II	1800	2006	2009	Front	MRD1377V	Recommended Type: Vented & Oslash 312, Disc Thickness: 25, Num. of holes : 9, Height : 46.5, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2591D, AP : 24801V, APEC : DSK2137, ATE : 24.0125-0172.1, ATE : 24.0325-0172.1, ATE : 24.0125-0137.1, ATE : 24.0325-0137.1, AUDI : 4B0615301A, AUDI : 8D0615301J, AUDI : 8E0615301R, BENDIX : 562199B, BOSCH : 0 986 479 057, BRADI : 1.0138.2.E, BRECO : BV 8427, BREMBO : 09.8690.11, BREMBO : FD.145.000, BREMBO : 09.8690.10, BREMBO : 09.8690.75, BREMBO : FS.145.000, CAR : 142.078, CAR : 142.1189, CAR RACING : HPD 1189, CAR RACING : HPD 078, CIFAM : 800-726C, CIFAM : 800-726, DELPHI : BG3657, FERODO : DDF1156, FERODO : DRF1156, Fritch : DF925, GRAF : DF29726, INTERBRAKE : AD601V, INTERBRAKE : AD811V, JURID : 562199J, JURID : 562383J, JURID : 562199JC, JURID : 562383JC, KWP : 129726, Lemforder : 25884 01, Lemforder : 30985 01, Lemforder : 25884, Lemforder : 30985, LPR : V2003V, LUCAS : DF4262, LUCAS : DF4262S, LUCAS : DF4262BPS, MAGNETI MARELLI : 351013820500, Metelli : 23-0726C, MINTEX : MDC1540, NECTO : WN1183, NIBK : RN1171V, NK : 2047134, OEM : 8D06156301J, PAGID : 50310, PILENGA : V871, PILENGA : V229, QH : BDC5010, SBS : 1815304773, SBS : 1816304773, SBS : 1815204773, SBS : 1815344773, SKODA : 4B0615301C, SKODA : 3B0615301B, TEXTAR : 92106103, TEXTAR : 92106105, TEXTAR : 92106100, TEXTAR : 98200 1061 0 1, TRUSTING : DF925, TRW : DF7128, TRW : DF4262S, VALEO : 186758, VW : 4B0615301C, WOKING : D6596.10, ZIMMERMANN : 100.1242.20, ZIMMERMANN : 100.3325.00
	A6	3000	2004	2008	Front	MRD1171V		
	A6	3200	2004	2008	Front	MRD1171V		
	A4	2500	2001	2003	Front	MRD1171V		
	A6	1900	1997	2001	Front	MRD1171V		
	A6	2400	1997	2000	Front	MRD1171V		
	A6	2500	1997	2001	Front	MRD1171V		
	A6	2800	1997	2001	Front	MRD1171V		
	A4	2500	2001	2003	Front	MRD1171V		
	A4	1900	2001	2001	Front	MRD1171V		
	A4	3000	2001	2004	Front	MRD1171V		
	A4	1900	2004	2009	Front	MRD1171V		
	A4	2500	2004	2009	Front	MRD1171V		
	A4	2000	2005	2007	Front	MRD1171V		
	A6	1800	1997	2001	Front	MRD1171V		
	A6	3000	2004	2008	Front	MRD1171V		
	A6	3200	2004	2008	Front	MRD1171V		
	A6	1900	1997	2001	Front	MRD1171V		
	A6	2400	1997	2000	Front	MRD1171V		
	A6	2500	1997	2001	Front	MRD1171V		
	A6	2800	1997	2001	Front	MRD1171V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	A4	1800	2002	2009	Rear	MRD1074	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 84, Centering Diameter :B/H, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2244D, AP : 14594E, ATE : 410210, ATE : 24.0110-0210.1, AUDI : 8D0615601B, AUDI : 8D0615301B, BENDIX : 561982B, BENDIX EUR : 561982B, BOSCH : 0 986 478 759, BRADI : 1.0126.5.4, BRECO : BS 7529, BREMBO : 08.6911.75, BREMBO : 08.6911.14, BREMBO : 08.6911.10, CAR : 142.750, CAR RACING : HPD 750, CIFAM : 800-394, CIFAM : 800-394C, DELPHI : BG3030, FERODO : DRF830, FERODO : DDF830, Fritech : DF188, GRAF : DF29394, INTERBRAKE : AD481P, INTERCAR : AD481P, JURID : 562371J, JURID : 561982J, JURID : 561982JC, KWP : 129394, KWP : 1029394, Lemforder : 14277 03, Lemforder : 14277, LPR : A1481P, LUCAS : DF2771, MAGNETI MARELLI : 353610126540, Metelli : 23-0394C, MINTEX : MDC2000, MINTEX : MDC830, NECTO : WN830, NIBK : RN1074, NK : 2047120, OEM : 8D0615301B, OEM : 8D0615601B, PAGID : 54543, PAGID : 53944, PILENGA : 5863, QH : BDC4552, REMSA : 6431.00, REMSA : 6044.10, ROADHOUSE : 6431.00, ROADHOUSE : 6044.10, SBS : 1815204757, SBS : 18152047120, SBS : 424233, STOP : 561982S, TEXTAR : 92072103, TEXTAR : 98200 0721 0 1, TEXTAR : 92072100, TEXTAR : 92154300, TRUSTING : DF188, TRW : DF2771, VALEO : 186410, WOKING : D6431.00, ZIMMERMANN : 460.1513.00, ZIMMERMANN : 100.1229.00
	A4	2500	2002	2003	Rear	MRD1074		
	A4	1900	1997	1999	Rear	MRD1074		
AUDI	A6	1800	1997	2001	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2241D, AC DELCO : AC2520D, AP : 14475E, ATE : 24.0310-0201.1, ATE : 24.0110-0201.1, AUDI : 4A0615301A, AUDI : 4A0615601A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0127.5.4, BRADI : 1.0121.5.4, BRECO : BS 7468, BREMBO : 08.5743.10, BREMBO : 08.5743.14, BREMBO : 08.5743.11, CAR : 142.752, CAR : 142.762, CAR RACING : HPD 752, CIFAM : 800-395, CIFAM : MDC395C, DELPHI : BG3031, DELPHI : BG746, DELPHI : BG2746, FERODO : DRF321, FERODO : DDF321, Fritech : DF060, GRAF : DF29395, INTERBRAKE : AD401P, INTERCAR : AD401P, INTERCAR : AD501P, JURID : 561549J, JURID : 561549JC, KWP : 1029395, KWP : 129395, Lemforder : 16710 01, Lemforder : 14536, Lemforder : 16710, Lemforder : 14536 03, LPR : A1401P, LPR : A1597V, LUCAS : DF4252, LUCAS : DF2651, MAGNETI MARELLI : 353610121540, Metelli : 23-0395C, MINTEX : MDC828, MINTEX : MDC1241, NECTO : WN534, NIBK : RN1049, OEM : 4A0615301A, OEM : 4A0615601B, OEM : 4A0615601A, PAGID : 53924, PAGID : 50311, PAGID : 53951, PILENGA : 5872, PILENGA : 5864, PILENGA : V865, QH : BDC3929, QH : BDC4846, REMSA : 6123.00, REMSA : 6038.10, REMSA : 6930.10, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, ROADHOUSE : 6123.00, SBS : 1815204781, SBS : 1815204744, SBS : 424214, STOP : 561549S, TEXTAR : 92057500, TEXTAR : 92072900, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1230.00, ZIMMERMANN : 100.1217.00
	A6	2400	1997	2000	Rear	MRD1049		
	A6	2800	1999	2000	Rear	MRD1049		
	A6	2800	2000	2001	Rear	MRD1049		
	100	2600	1992	1994	Rear	MRD1049		
	100	2800	1991	1994	Rear	MRD1049		
	100	2200	1991	1993	Rear	MRD1049		
	100	2300	1990	1994	Rear	MRD1049		
	100	2600	1992	1994	Rear	MRD1049		
	100	2800	1991	1994	Rear	MRD1049		
	A6	2000	1994	1996	Rear	MRD1049		
	A6	2300	1994	1996	Rear	MRD1049		
	A6	2500	1994	1998	Rear	MRD1049		
	A6	2500	1995	1997	Rear	MRD1049		
	A6	2800	1994	1998	Rear	MRD1049		
	A6	2400	1997	2000	Rear	MRD1049		
AUDI	80	1600	1993	1996	Front	MRD1041	Recommended Type: Solid & Oslash : 256 ,Disc Thickness: 13, Num. of holes : 4, Height : 56.1, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2133D, AP : 16100, AP : 14432, ATE : 24.0113-0166.1, AUDI : 895615301, BENDIX : 561690B, BENDIX EUR : 561690B, BOSCH : 0 986 478 130, BRADI : 1.0118.1.4, BRECO : BS 7459, BREMBO : 08.5714.10, CAR : 142.735, CAR RACING : HPD 735, CIFAM : 800-233, DELPHI : BG2752, DELPHI : BG752, FERODO : DDF318, Fritech : DF630, GRAF : DF29233, INTERBRAKE : AD201P, INTERCAR : AD201P, JURID : 561690J, KWP : 1029233L, KWP : 129233, Lemforder : 14587, Lemforder : 14587 02, LPR : A1201P, LUCAS : DF2598, MAGNETI MARELLI : 353610118140, Metelli : 23-0233, MINTEX : MDC756, MINTEX : MDC795, MINTEX : MDC775, NECTO : WN532, NIBK : RN1041, PAGID : 53923, PILENGA : 5862, QH : BDC3907, REMSA : 6173.00, REMSA : 6035.10, ROADHOUSE : 6173.00, ROADHOUSE : 6035.10, SBS : 424220, SBS : 1815204737, STOP : 561690S, TEXTAR : 98200 0578 0 1, TEXTAR : 92057800, TRUSTING : DF630, TRW : DF2598, VALEO : 186268, ZIMMERMANN : 100.1218.00
	80	2000	1993	1996	Front	MRD1041		
	80	2300	1992	1994	Front	MRD1041		
	80	2600	1992	1996	Front	MRD1041		
	80	1900	1992	1996	Front	MRD1041		
AUDI	A4	2000	2004	2009	Front	MRD1085V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2325D, AP : 14467, AP : 24700E, ATE : 24.0110-0261.1, ATE : 24.0122-0202.1, ATE : 24.0310-0261.1, ATE : 24.0122-0152.1, ATE : 24.0122-0214.1, ATE : 24.0322-0152.1, AUDI : 8E0615301B, AUDI : 8E0615301D, BENDIX : 561863B, BENDIX : 562060B, BENDIX EUR : 562060B, BOSCH : 0 986 478 869, BRADI : 1.0106.5.5, BRADI : 1.5834.2.4, BRECO : BS 7469, BRECO : BS 8285, BREMBO : FS.080.000, BREMBO : 09.7196.14, BREMBO : FD.080.000, BREMBO : 09.7196.10, BREMBO : 09.9908.21, CAR : 142.751, CAR : 142.1214, CAR : 142.745, CAR : 142.1234, CAR RACING : HPD 281, CAR RACING : HPD 751, CAR RACING : HPD 1214, CAR RACING : HPD 745, CIFAM : 800-468C, CIFAM : 800-468, DELPHI : BG2753, DELPHI : BG3198, DELPHI : BG3869, FERODO : DDF1003, FERODO : DDF543, FERODO : DRF1003, FERODO : DDF1526, Fritech : DF472, GRAF : DF29468, INTERBRAKE : AD841V, INTERBRAKE : AD491V, INTERBRAKE : AD831V, INTERBRAKE : AD581P, INTERCAR : AD491V, JURID : 562060J, JURID : 562060JC, JURID : 561863J, KWP : 1029468L, KWP : 129468, Lemforder : 14155, Lemforder : 22216 01, Lemforder : 22216, LPR : A1594P, LPR : A1022V, LPR : A1491V, LPR : A1020V, LPR : A1025V, LUCAS : DF2655, LUCAS : DF2806BP, LUCAS : DF2806, LUCAS : DF4902S, MAGNETI MARELLI : 353615834240, Metelli : 23-0468C, MINTEX : MDC1155, MINTEX : MDC1758, MINTEX : MDC1031, MINTEX : MDC1657, NECTO : WN923, NECTO : WN584, NIBK : RN1085V, OEM : 895615601A, OEM : 3D0615601, OEM : 4E0615601, OEM : 4E0615601J, OEM : 8E0615301B, OEM : 3D0615601E, OEM : 4E0615601E, PAGID : 53961, PAGID : 54522, PAGID : 53917, PAGID : 54223, PILENGA : V851, PILENGA : 5865, QH : BDC4752, QH : BDC3935, REMSA : 6429.00, REMSA : 6731.20, REMSA : 6548.10, ROADHOUSE : 6548.10, ROADHOUSE : 6429.00, ROADHOUSE : 6731.20, SBS : 1815304762, SBS : 1816304762, SBS : 1815204762, SBS : 1815344762, SBS : 424242, SEAT : 8E0615301P, STOP : 562060S, TEXTAR : 92068200, TEXTAR : 92083505, TEXTAR : 92122300, TEXTAR : 92122305, TEXTAR : 92152200, TEXTAR : 92083500, TEXTAR : 92106203, TEXTAR : 92122303, TEXTAR : 92122400, TEXTAR : 98200 0835 0 1, TRUSTING : DF472, TRW : DF2806, VALEO : 186807, VALEO : 186582, VEMA : 98077, VW : 8E0615301B, WOKING : D6429.00, WOKING : D6548.10, ZIMMERMANN : 100.1225.00, ZIMMERMANN : 100.3313.00, ZIMMERMANN : 100.3304.00, ZIMMERMANN : 600.3207.20
	A4	1900	1999	2000	Front	MRD1085V		
	A4	1600	1997	1999	Front	MRD1085V		
	A4	1600	1999	2000	Front	MRD1085V		
	A4	1800	1997	1999	Front	MRD1085V		
	A4	1800	1999	2000	Front	MRD1085V		
	A8	3300	1999	2002	Front	MRD1085V		
	A4	1800	1997	2000	Front	MRD1085V		
	A4	1600	2004	2009	Front	MRD1085V		
	A4	1900	2004	2009	Front	MRD1085V		
	A4	2000	2004	2009	Front	MRD1085V		
	A4	1900	1999	2000	Front	MRD1085V		
	A4	1600	1997	1999	Front	MRD1085V		
	A4	1600	1999	2000	Front	MRD1085V		
	A4	1800	1999	2000	Front	MRD1085V		
	A4	1600	2004	2009	Front	MRD1085V		
	A4	1900	2004	2009	Front	MRD1085V		
	A8	3700	2002	2010	Front	MRD1085V		
	A8	4000	2003	2010	Front	MRD1085V		
	A8	4200	2002	2010	Front	MRD1085V		
	A8	4200	2003	2010	Front	MRD1085V		
	A8	6000	2004	2010	Front	MRD1085V		
	A8	3700	2002	2010	Front	MRD1085V		
	A8	4200	2002	2010	Front	MRD1085V		
	A8	4000	2003	2010	Front	MRD1085V		
	A8	4200	2003	2010	Front	MRD1085V		
	A8	6000	2004	2010	Front	MRD1085V		
AUDI	A4	1900	2004	2009	Front	MRD1085V		
	A4	1800	1997	2000	Front	MRD1048V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 15, Num. of holes : 5, Height : 46.5, Centering Diameter :68, Position: Front	AC DELCO : AC2135D, AP : 14476E, ATE : 24.0115-0105.1, ATE : 24.0315-0105.1, AUDI : 4A0615301B, BENDIX : 561547B, BENDIX EUR : 561547B, BOSCH : 0 986 478 545, BRADI : 1.0120.1.E, BRECO : BS 7463, BREMBO : 08.5747.14, BREMBO : 08.5747.10, CAR : 142.717, CAR RACING : HPD 717, CIFAM : 800-263, DELPHI : BG749, DELPHI : BG2749, FERODO : DRF324, FERODO : DDF324, Fritech : DF137, GRAF : DF29263, INTERBRAKE : AD361P, INTERCAR : AD361P, JURID : 561547JC, JURID : 561547J, KWP : 1029263L, KWP : 129263, Lemforder : 14534, Lemforder : 14534 03, LPR : A1361P, LUCAS : DF2650, MAGNETI MARELLI : 351012010500, Metelli : 23-0263, MINTEX : MDC770, NECTO : WN553, NIBK : RN1048V, OEM : 4A0615301B, PAGID : 53925, PILENGA : 5861, QH : BDC3824, REMSA : 6327.00, REMSA : 6037.10, ROADHOUSE : 6327.00, ROADHOUSE : 6037.10, SBS : 424211, SBS : 1815204742, STOP : 561547S, TEXTAR : 92057403, TEXTAR : 92057400, TRUSTING : DF137, TRW : DF2650, VALEO : 186270, WOKING : D6327.00, ZIMMERMANN : 100.1215.00
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1900	1997	1999	Front	MRD1048V		
	A4	1800	1997	2000	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	A4	1900	1997	1999	Front	MRD1048V		
	A4	1800	1997	2000	Front	MRD1048V		
	A4	1800	1997	1999	Front	MRD1048V		
	100	2300	1990	1994	Front	MRD1048V		
	A6	2000	1994	1996	Front	MRD1048V		
	A6	2300	1994	1996	Front	MRD1048V		
	A6	2500	1994	1998	Front	MRD1048V		
	A6	2500	1995	1997	Front	MRD1048V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
AUDI	A3	1600	2003	2009	Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2254D, AP : 24691E, AP : X24691, ATE : 24.0322-0150.1, ATE : 24.0122-0150.1, ATE : 422150, AUDI : 1J0615301E, AUDI : 1J0615301P, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.14, BREMBO : FD.076.000, BREMBO : 09.7012.11, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-391, CIFAM : 800-904, DELPHI : BG3036, FERODO : DDF928, FERODO : DRF928, Fritch : DF511, GRAF : DF29391, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039J, JURID : 562039JC, KWP : 1029391J, KWP : 129391, Lemforder : 21308, Lemforder : 21308 02, LPR : A1471V, LUCAS : DF28048P, LUCAS : DF2804, MAGNETI MARELLI : 353615832240, Metelli : 23-0391, Metelli : 23-0904, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301E, OEM : 1J0615301M, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6666.20, REMSA : 6546.10, ROADHOUSE : 6546.10, ROADHOUSE : 6666.20, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SBS : 1815304759, SBS : 424239, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082300, TEXTAR : 92082305, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	A3	1600	1996	1999	Front	MRD1083V		
	A3	1800	1996	2003	Front	MRD1083V		
	A3	1900	1996	2003	Front	MRD1083V		
	A3	1900	2003	2009	Front	MRD1083V		
BMW	518i	1800	1995	1996	Front	MRD1032	Recommended Type: Solid ,Disc Thickness: 11.8, Num. of holes : 5, Height : 76, Centering Diameter :79, Position: Front, Outter & Oslash : 302	AC DELCO : AC2073D, AP : 14221, ATE : 24.0112-0119.1, ATE : 24.0112-0124.1, BENDIX : 561476B, BENDIX EUR : 561476B, BMW : 34111158042, BMW : 34111161693, BMW : 34111159898, BOSCH : 0 986 478 319, BRADI : 1.0618.1.4, BRECO : BS 7526, BREMBO : 08.5141.10, BREMBO : 09.7813.21, BREMBO : RS.126.000, BREMBO : 08.5141.20, BREMBO : RD.126.000, CAR : 142.128, CAR : 142.1268, CAR RACING : HPD 1268, CAR RACING : HPD128, CIFAM : 800-187, DELPHI : BG2430, DELPHI : BG430, FERODO : DDF210, FERODO : DDF1751, FERODO : DRF210, Fritch : DF124, Fritch : DF1241, GRAF : DF29187, INTERBRAKE : BW231P, INTERCAR : BW231P, JURID : 561476J, KWP : 129187, KWP : 1029187, Lemforder : 10405 03, Lemforder : 10405, LPR : B2231P, LUCAS : DF2555, MAGNETI MARELLI : 353610618140, Metelli : 23-0187, MINTEX : MDC480, NECTO : WN470, NIBK : RN1032, OEM : 34111158042, OEM : 34111160933, PAGID : 50410, PILENGA : V5124, QH : BDC3639, REMSA : 6085.10, REMSA : 6347.00, ROADHOUSE : 6347.00, ROADHOUSE : 6085.10, SBS : 131335, SBS : 1815301518, SBS : 1815201518, SBS : 1816301518, STOP : 561476S, SUBARU : 26700-FE050, TEXTAR : 92042103, TEXTAR : 98200 0421 0 1, TEXTAR : 92042100, TRUSTING : DF124, TRUSTING : DF1241, TRW : DF2555, VALEO : 186124, WOKING : D6347.00, ZIMMERMANN : 150.1266.00
	520i	2000	1990	1997	Front	MRD1032		
	525d	2500	1991	1997	Front	MRD1032		
	525d	2500	1990	1995	Front	MRD1032		
	518i	1800	1989	1995	Front	MRD1032		
	520i	2000	1990	1997	Front	MRD1032		
	525d	2500	1990	1995	Front	MRD1032		
	518i	1800	1989	1995	Front	MRD1032		
	518i	1800	1995	1996	Front	MRD1032		
	520i	2000	1990	1997	Front	MRD1032		
	525d	2500	1991	1997	Front	MRD1032		
	525d	2500	1990	1995	Front	MRD1032		
	518i	1800	1989	1995	Front	MRD1032		
	525d	2500	1991	1997	Front	MRD1032		
	518i	1800	1995	1996	Front	MRD1032		
BMW	518i	1800	1989	1995	Rear	MRD1034	Recommended Type: Solid & Oslash : 300 ,Disc Thickness: 10, Num. of holes : 5, Height : 61.5, Centering Diameter :75, Position: Rear, Pitch Circle & Oslash: 120mm	AC DELCO : AC2074D, AP : 14464E, ATE : 24.0310-0117.1, ATE : 24.0110-0117.1, BENDIX : 561477B, BMW : 34211156668, BMW : 34211162305, BOSCH : 0 986 478 321, BRADI : 1.0619.5.4, BRECO : BS 7564, BREMBO : 08.5174.20, BREMBO : 08.5174.34, BREMBO : 08.5174.30, BREMBO : 09.5174.34, CAR : 142.114, CAR RACING : HPD 114, CIFAM : 800-189, DELPHI : BG431, DELPHI : BG2431, FERODO : DDF221, FERODO : DRF221, Fritch : DF055, GRAF : DF29189, INTERBRAKE : BW241P, INTERCAR : BW241P, JURID : 561477J, KWP : 1029189, KWP : 129189, Lemforder : 10402, Lemforder : 10402 03, LPR : B2241P, LUCAS : DF2557, MAGNETI MARELLI : 353610619540, Metelli : 23-0189, MINTEX : MDC483, NECTO : WN478, NIBK : RN1034, PAGID : 50411, PILENGA : 5125, QH : BDC3640, REMSA : 6342.00, REMSA : 6086.10, ROADHOUSE : 6342.00, ROADHOUSE : 6086.10, SBS : 131337, SBS : 1815201520, STOP : 561477S, TEXTAR : 98200 0423 0 1, TEXTAR : 92042300, TRUSTING : DF055, TRW : DF2557, VALEO : 186125, WOKING : D6342.00, ZIMMERMANN : 150.1267.00
	518i	1800	1995	1996	Rear	MRD1034		
	520i	2000	1990	1995	Rear	MRD1034		
	520i	2000	1990	1997	Rear	MRD1034		
	525i	2500	1988	1991	Rear	MRD1034		
	525i	2500	1991	1996	Rear	MRD1034		
	525d	2500	1991	1997	Rear	MRD1034		
	525d	2500	1990	1995	Rear	MRD1034		
	530i	3000	1992	1995	Rear	MRD1034		
	535i	3400	1990	1995	Rear	MRD1034		
BMW	520i	2000	1990	1995	Front	MRD1033V	Recommended Type: Vented 302 ,Disc Thickness: 22, Num. of holes : 5, Height : 76, Centering Diameter :79, Position: Front, Pitch Circle & Oslash: 120	AC DELCO : AC2111D, AP : 24230E, ATE : 24.0322-0103.1, ATE : 24.0122-0103.1, BENDIX : 561478B, BMW : 34111159897, BMW : 34111158040, BMW : 34111160849, BMW : 34111160936, BOSCH : 0 986 478 318, BRADI : 1.0620.2.4, BRECO : BS 8248, BREMBO : 09.5142.20, BREMBO : 09.5142.76, BREMBO : 09.5142.10, BREMBO : 09.5142.24, CAR : 142.108, CAR RACING : HPD 108, CIFAM : 800-188, DELPHI : BG433, DELPHI : BG2433, FERODO : DRF211, FERODO : DDF211, Fritch : DF278, GRAF : DF29188, INTERBRAKE : BW201V, INTERCAR : BW201V, JURID : 561478J, KWP : 1029188, KWP : 129188, Lemforder : 10400, Lemforder : 10400 03, LPR : B2201V, LUCAS : DF2556BP, LUCAS : DF2556, MAGNETI MARELLI : 353610620240, Metelli : 23-0188, MINTEX : MDC459, NECTO : WN471, NIBK : RN1033V, PAGID : 50422, PILENGA : V116, QH : BDC3642, REMSA : 6348.10, REMSA : 6087.20, ROADHOUSE : 6087.20, ROADHOUSE : 6348.10, SBS : 1815201519, SBS : 1816301519, SBS : 131334, SBS : 1815301519, STOP : 561478S, TEXTAR : 98200 0422 0 1, TEXTAR : 92042200, TRUSTING : DF278, TRW : DF2556, VALEO : 186767, VALEO : 186126, WOKING : D6348.10, ZIMMERMANN : 150.1264.00
	520i	2000	1990	1997	Front	MRD1033V		
	525i	2500	1988	1991	Front	MRD1033V		
	525i	2500	1991	1996	Front	MRD1033V		
	530i	3000	1992	1995	Front	MRD1033V		
	535i	3400	1990	1995	Front	MRD1033V		
	730i	3000	1986	1994	Front	MRD1033V		
	525i 24V	2500	1989	1995	Front	MRD1033V		
BMW	316i	1800	2001	2005	Front	MRD1014V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 52, Centering Diameter :79, Position: Front, Pitch Circle & Oslash : 120mm, Outter & Oslash : 286	AC DELCO : AC2122D, AP : 24819E, AP : X24819, AP RACING : 24819E, ATE : 24.0122-0115.1, ATE : 422115, ATE : 24.0322-0115.1, BENDIX : 561551B, BMW : 34211162288, BMW : 34111160674, BMW : 34111164199, BMW : 34111164431, BMW : 34111164921, BMW : 34116855153, BMW : 34111162282, BMW : 34111165455, BMW : 34116766239, BOSCH : 0 986 478 513, BRADI : 1.0631.2.4, BRECO : BS 8396, BRECO : BS 8314, BREMBO : 09.5390.76, BREMBO : FD.040.000, BREMBO : 09.5390.10, BREMBO : 09.5390.30, BREMBO : 09.5390.34, BREMBO : 09.5390.77, BREMBO : FS.040.000, BREMBO : 09.5390.20, BREMBO : 09.5390.31, CAR : 142.113, CAR RACING : HPD 113, CIFAM : 800-474C, CIFAM : 800-474, DELPHI : BG623, DELPHI : BG2623, FERODO : DRF258, FERODO : DDF258, Fritch : DF283, GRAF : DF29474, INTERBRAKE : BW381V, INTERCAR : BW381V, JURID : 561551JC, JURID : 561551J, KWP : 129474, KWP : 1029228, Lemforder : 10394 03, Lemforder : 10394, LPR : B2381V, LUCAS : DF1538, MAGNETI MARELLI : 353610631240, Metelli : 23-0474C, MINTEX : MDC624, NECTO : WN514, NIBK : RN1014V, OEM : 34111162282RP, PAGID : 50424, PILENGA : V119, QH : BDC3804, REMSA : 6093.20, REMSA : 6324.10, ROADHOUSE : 6324.10, ROADHOUSE : 6093.20, SBS : 131331, SBS : 1815201521, SBS : 1815341521, SBS : 131350, SBS : 1815301521, SBS : 1816301521, STOP : 561551S, TEXTAR : 92055600, TEXTAR : 98200 0556 0 1, TEXTAR : 92055605, TRUSTING : DF283, TRW : DF1538, VALEO : 186461, VALEO : 186275, VEMA : 98088, WOKING : D6324.10, ZIMMERMANN : 150.1269.20
	318 is	1900	1995	1999	Front	MRD1014V		
	318i	1800	1990	1998	Front	MRD1014V		
	318 Ci	2000	2001	2005	Front	MRD1014V		
	318d	2000	2001	2005	Front	MRD1014V		
	320d	2000	2003	2003	Front	MRD1014V		
	320 td	2000	1999	2001	Front	MRD1014V		
	320i	2000	1990	1998	Front	MRD1014V		
	320 Ci	2000	1999	2000	Front	MRD1014V		
	320 Ci	2200	2000	2005	Front	MRD1014V		
	325 td	2500	1990	1998	Front	MRD1014V		
	323i	2500	1994	1998	Front	MRD1014V		
	323i	2500	1995	1999	Front	MRD1014V		
	323i	2500	1998	2001	Front	MRD1014V		
	323i	2500	1999	2000	Front	MRD1014V		
	Z3	2000	1998	2000	Front	MRD1014V		
	Z3	2200	2000	2003	Front	MRD1014V		
	Z3	2800	1998	2000	Front	MRD1014V		
BMW	316i	1600	1990	1998	Rear	MRD1300	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :75, Position: Rear, Pitch Circle & Oslash: 120, Outter & Oslash : 280	AC DELCO : AC2256D, AP : 14860, AP : 14304E, ATE : 24.0110-0287.1, ATE : 24.0110-0202.1, BENDIX : 561552B, BENDIX EUR : 561552B, BMW : 34211162289, BMW : 34211158936, BMW : 34211165457, BOSCH : 0 986 478 561, BRADI : 1.0632.5.4, BRECO : BS 7659, BRECO : BS 7563, BREMBO : 08.5366.10, BREMBO : 08.5366.24, BREMBO : 08.9859.80, BREMBO : 08.5366.20, BREMBO : 08.5366.76, CAR : 142.1328, CAR : 142.109, CAR RACING : HPD 109, CIFAM : 800-229, CIFAM : 800-951, CIFAM : 800-229C, CIFAM : 800-951C, DELPHI : BG624, DELPHI : BG624, DELPHI : BG3940, FERODO : DRF249, FERODO : DDF1284, FERODO : DDF249, Fritch : DF128, GRAF : DF29229, INTERBRAKE : BW911P, INTERBRAKE : BW371P, INTERCAR : BW371P, JURID : 561552JC, JURID : 561552J, KWP : 129229, KWP : 1029229, Lemforder : 10397 03, Lemforder : 10397, LPR : B2371P, LUCAS : DF1539, MAGNETI MARELLI : 353610632540, MAGNETI MARELLI : 351067550500, Metelli : 23-0951, Metelli : 23-0229C, Metelli : 23-0951C, MINTEX : MDC623, NECTO : WN1295, NECTO : WN505, NIBK : RN1300, NK : 201586, OEM : 34211157936, OEM : 34216766225, OEM : 34216752545, PAGID : 54460, PAGID : 50413, PILENGA : 5128, QH : BDC3805, REMSA : 6094.10, REMSA : 6284.00, ROADHOUSE : 6094.10, ROADHOUSE : 6284.00, SBS : 131330, SBS : 1815201525, STOP : 561552S, TEXTAR : 92055700, TEXTAR : 92055703, TRUSTING : DF128, TRW : DF1539, VALEO : 186295, VALEO : 186249, WOKING : D6284.00, ZIMMERMANN : 150.3435.00, ZIMMERMANN : 150.1270.00
	316i	1800	2001	2005	Rear	MRD1300		
	318i	1800	1990	1998	Rear	MRD1300		
	318 Ci	2000	2001	2005	Rear	MRD1300		
	318d	2000	2001	2005	Rear	MRD1300		
	320i	2000	1990	1998	Rear	MRD1300		
	320 Ci	2200	2000	2005	Rear	MRD1300		
	325 td	2500	1990	1998	Rear	MRD1300		
	323i	2500	1994	1998	Rear	MRD1300		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
BMW	725tds	2500	1996	2000	Rear	MRD1016	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 61, Centering Diameter :75, Position: Rear, Outter & Oslash : 342	AC DELCO : AC2338D, AP : 14362, ATE : 24.0112-0132.1, BENDIX : 561554B, BMW : 34211159900, BMW : 34216757748, BOSCH : 0 986 478 095, BRADI : 1.0635.5.4, BRECO : BS 7434, BREMBO : RD.128.000, BREMBO : 08.5580.10, BREMBO : RS.128.000, CAR : 142.097, CAR RACING : HPD 097, CIFAM : 800-400, DELPHI : BG2671, FERODO : DDF553, FERODO : DRF553, Fritech : DF222, GRAF : DF29400, GRAF : DF29400L, INTERBRAKE : BW401P, INTERCAR : BW401P, JURID : 561554J, KWP : 1029400L, KWP : 129400, Lemforder : 17000, Lemforder : 27222, Lemforder : 17000 02, Lemforder : 27222 01, LPR : B2401P, LUCAS : DF1597, MAGNETI MARELLI : 353610635540, Metelli : 23-0400, MINTEX : MDC834, NECTO : WN602, NIBK : RN1016, OEM : 34211159953, PAGID : 50416, PILENGA : 5110, QH : BDC4751, REMSA : 6510.00, ROADHOUSE : 6510.00, SBS : 131357, SBS : 1815201533, TEXTAR : 92058400, TRUSTING : DF222, TRW : DF1597, VALEO : 186668, VALEO : 186631, WOKING : D6510.00, ZIMMERMANN : 150.1272.00
	728i	2800	1995	2001	Rear	MRD1016		
	730d	3500	1995	2001	Rear	MRD1016		
	725tds	2500	1996	2000	Rear	MRD1016		
	728i	2800	1995	2001	Rear	MRD1016		
	730d	3500	1995	2001	Rear	MRD1016		
BMW	520i	2000	1995	1996	Rear	MRD32002	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 61, Centering Diameter :75, Position: Rear, Pitch Circle & Oslash : 120, Outter & Oslash : 298	AC DELCO : AC2339D, AP : 14642, ATE : 24.0110-0227.1, ATE : 24.0310-0227.1, BENDIX : 562062B, BOSCH : 0 986 478 425, BRADI : 1.0637.5.4, BRECO : BS 7530, BREMBO : 08.6917.75, BREMBO : 08.6917.11, BREMBO : 08.6917.10, CAR : 142.099, CAR RACING : HPD 099, CIFAM : 800-397, CIFAM : 800-397C, DELPHI : BG3044, FERODO : DDF835, Fritech : DF197, GRAF : DF29397, INTERBRAKE : BW451P, INTERCAR : BW451P, JURID : 562062JC, JURID : 562062J, KWP : 129397, KWP : 1029397L, Lemforder : 24795, Lemforder : 27220, Lemforder : 24795 02, Lemforder : 27220 01, LPR : B2451P, LUCAS : DF2768, MAGNETI MARELLI : 353610637540, Metelli : 23-0397C, MINTEX : MDC1061, NECTO : WN835, NIBK : RN32002, OEM : 34211163699, OEM : 34211164129, OEM : 34211163669, OEM : 34211163835, OEM : 34216767049, PAGID : 50440, PILENGA : 5111, QH : BDC4750, REMSA : 6554.00, ROADHOUSE : 6554.00, SBS : 1815201537, SBS : 131348, STOP : 562062S, TEXTAR : 92076600, TEXTAR : 98200 0766 0 1, TRUSTING : DF197, VALEO : 186568, WOKING : D6554.00, ZIMMERMANN : 150.1285.20
	525d	2500	1995	2003	Rear	MRD32002		
	523i	2500	1995	2000	Rear	MRD32002		
	525 td	2500	1997	2000	Rear	MRD32002		
BMW	520d	2000	1999	2003	Front	MRD1291V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 76, Centering Diameter :79, Position: Front, Pitch Circle & Oslash : 120, Outter & Oslash : 296	AC DELCO : AC2406D, AP : 24637E, AP : X24637, ATE : 24.0122-0159.1, ATE : 24.0322-0159.1, BENDIX : 562035B, BENDIX EUR : 562035B, BMW : 34111163081, BMW : 34116767061, BMW : 34111163013, BMW : 34111164839, BOSCH : 0 986 478 848, BRADI : 1.0636.2.4, BRECO : BS 8256, BREMBO : 09.6924.14, BREMBO : 09.6934.75, BREMBO : FS.068.000, BREMBO : 09.6924.11, BREMBO : 09.6924.75, BREMBO : FD.068.000, BREMBO : 09.6924.10, CAR : 142.101, CAR RACING : HPD 101, CIFAM : 800-396, CIFAM : 800-396C, DELPHI : BG3043, FERODO : DRF834, FERODO : DDF834, Fritech : DF475, GRAF : DF29396L, GRAF : DF29396, INTERBRAKE : BW441V, INTERCAR : BW441V, JURID : 562035J, JURID : 562035JC, KWP : 129396, KWP : 1029396L, Lemforder : 19572 02, Lemforder : 19572, LPR : B2441V, LUCAS : DF2769, MAGNETI MARELLI : 353610636240, Metelli : 23-0396C, MINTEX : MDC989, NECTO : WN834, NIBK : RN1291V, PAGID : 50439, PILENGA : V124, QH : BDC4623, REMSA : 6669.20, REMSA : 6514.10, ROADHOUSE : 6514.10, ROADHOUSE : 6669.20, SBS : 1815341536, SBS : 131347V, SBS : 1815301536, SBS : 1816301536, SBS : 131347, SBS : 1815201536, STOP : 562035S, TEXTAR : 92075000, TEXTAR : 98200 0750 0 1, TEXTAR : 92075005, TRUSTING : DF475, TRW : DF7318, TRW : DF2769, VALEO : 186697, VALEO : 186676, VEMA : 98031, WOKING : D6514.10, ZIMMERMANN : 150.1284.20
	520d	2000	1999	2004	Front	MRD1291V		
	520i	2000	1995	1996	Front	MRD1291V		
	520i	2000	1997	2000	Front	MRD1291V		
	525d	2500	1995	2003	Front	MRD1291V		
	523i	2500	1995	2000	Front	MRD1291V		
	528i	2800	1995	2000	Front	MRD1291V		
	528i	2800	1997	2000	Front	MRD1291V		
	525 td	2500	1997	2000	Front	MRD1291V		
BMW	520i	2200	2003	2010	Front	MRD1381V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 77, Centering Diameter :79, Position: Front, Pitch Circle & Oslash : 120, Outter & Oslash : 324	AP : 24885E, ATE : 24.0130-0173.1, ATE : 24.0330-0173.1, BMW : 34116767269, BMW : 34116753221, BOSCH : 0 986 479 115, BRECO : BS 8487, BREMBO : 09.9172.11, BREMBO : FD.181.000, BREMBO : 09.9172.10, BREMBO : 09.9172.14, BREMBO : FS.181.000, CAR : 142.1065, CAR RACING : HPD 1065, CIFAM : 800-805, CIFAM : 800-805C, DELPHI : BG9871, FERODO : DDF1242, Fritech : DF1076, INTERBRAKE : BW741V, JURID : 562397J, JURID : 562332J, Lemforder : 30814, Lemforder : 30806 01, Lemforder : 30814 01, Lemforder : 30806, LPR : B2037V, LUCAS : DF4361, MAGNETI MARELLI : 351065920500, Metelli : 23-0805, METELLI : 23-0805C, MINTEX : MDC1659, NECTO : WN1259, NIBK : RN1381V, OEM : 34116753211, PAGID : 54226, PILENGA : V818, QH : BDC5458, REMSA : 6853.10, ROADHOUSE : 6853.10, SBS : 1815201563, SBS : 1815341563, TEXTAR : 92122605, TEXTAR : 92122600, TRUSTING : DF1076, TRW : DF4361, WOKING : D6853.10, ZIMMERMANN : 150.3403.20
	530i	3000	2007	2010	Front	MRD1381V		
BMW	745i	4400	2000	2005	Rear	MRD1246V	Recommended Type: Vented & Oslash : 145, Disc Thickness: 24, Num. of holes : 5, Height : 67, Centering Diameter :79, Position: Rear, Pitch Circle & Oslash: 120	BMW : 34211166129, BMW : 34216763827, DELPHI : BG9789, FERODO : DDF1247, NIBK : RN1246V, TRW : DF4389S
	745Li	4400	2000	2005	Rear	MRD1246V		
BMW	318i	1800	1990	1993	Front	MRD1031V	Recommended Type: Vented 260 ,Disc Thickness: 22, Num. of holes : 4, Height : 35, Centering Diameter :66, Position: Front	AC DELCO : AC2072D, AP : 20220, ATE : 24.0322-0122.1, ATE : 24.0122-0122.1, BENDIX : 561324B, BENDIX EUR : 561324B, BMW : 34111158040, BMW : 34111154750, BMW : 34111160915, BOSCH : 0 986 478 036, BRADI : 1.0614.2.E, BRECO : BS 7911, BREMBO : 09.4883.10, CAR : 142.127, CAR RACING : HPD 127, CIFAM : 800-123, DELPHI : BG2347, DELPHI : BG347, FERODO : DDF182, Fritech : DF253, GRAF : DF29123, INTERBRAKE : BW171V, INTERCAR : BW171V, JURID : 561324J, KWP : 129123, KWP : 1029123L, Lemforder : 10401 03, Lemforder : 10401, LPR : B2171V, LUCAS : DF2550, LUCAS : DF2550BP, MAGNETI MARELLI : 351061420500, Metelli : 23-0123, MINTEX : MDC391, NECTO : WN433, NIBK : RN1031V, PAGID : 50421, PILENGA : V113, QH : BDC3480, REMSA : 6062.10, REMSA : 6081.20, ROADHOUSE : 6062.10, ROADHOUSE : 6081.20, SBS : 1815201509, SBS : 131602, STOP : 561324S, TEXTAR : 92026500, TEXTAR : 98200 0265 0 1, TRUSTING : DF253, TRW : DF2550, WOKING : D6062.10, ZIMMERMANN : 150.1258.00
	320i	2000	1987	1994	Front	MRD1031V		
	320i	2000	1987	1993	Front	MRD1031V		
	325i	2500	1987	1994	Front	MRD1031V		
	325i	2500	1987	1993	Front	MRD1031V		
	318i	1800	1990	1993	Front	MRD1031V		
	318i	1800	1990	1993	Front	MRD1031V		
	320i	2000	1987	1994	Front	MRD1031V		
	320i	2000	1987	1993	Front	MRD1031V		
	325i	2500	1987	1994	Front	MRD1031V		
	325i	2500	1987	1993	Front	MRD1031V		
BMW	520i	2000	1990	1995	Front	MRD1033V	Recommended Type: Vented 302 ,Disc Thickness: 22, Num. of holes : 5, Height : 76, Centering Diameter :79, Position: Front, Pitch Circle & Oslash: 120	AC DELCO : AC2111D, AP : 24230E, ATE : 24.0322-0103.1, ATE : 24.0122-0103.1, BENDIX : 561478B, BMW : 34111159897, BMW : 34111158040, BMW : 34111160849, BMW : 34211164911, BOSCH : 0 986 478 318, BRADI : 1.0620.2.4, BRECO : BS 8248, BREMBO : 09.5142.20, BREMBO : 09.5142.76, BREMBO : 09.5142.10, BREMBO : 09.5142.24, CAR : 142.108, CAR RACING : HPD 108, CIFAM : 800-188, DELPHI : BG433, DELPHI : BG2433, FERODO : DDF211, FERODO : DRF211, Fritech : DF278, GRAF : DF29188, INTERBRAKE : BW201V, INTERCAR : BW201V, JURID : 561478J, KWP : 1029188, KWP : 129188, Lemforder : 10400, Lemforder : 10400 03, LPR : B2201V, LUCAS : DF2556BP, LUCAS : DF2556, MAGNETI MARELLI : 353610620240, Metelli : 23-0188, MINTEX : MDC459, NECTO : WN471, NIBK : RN1033V, PAGID : 50422, PILENGA : V116, QH : BDC3642, REMSA : 6348.10, REMSA : 6087.20, ROADHOUSE : 6348.10, ROADHOUSE : 6087.20, SBS : 131334, SBS : 1815301519, SBS : 1815201519, SBS : 1816301519, STOP : 561478S, TEXTAR : 92042200, TEXTAR : 98200 0422 0 1, TRUSTING : DF278, TRW : DF2556, VALEO : 186767, VALEO : 186126, WOKING : D6348.10, ZIMMERMANN : 150.1264.00
	520i	2000	1990	1997	Front	MRD1033V		
	525i	2500	1988	1991	Front	MRD1033V		
	525i	2500	1991	1996	Front	MRD1033V		
	530i	3000	1992	1995	Front	MRD1033V		
	535i	3400	1990	1995	Front	MRD1033V		
	730i	3000	1986	1994	Front	MRD1033V		
	525i 24V	2500	1989	1995	Front	MRD1033V		
	520i	2000	1990	1997	Front	MRD1033V		
BMW	X5	4400	2002	2003	Rear	MRD1155	Recommended Type: Solid 324 ,Disc Thickness: 12, Num. of holes : 5, Height : 80, Centering Diameter :75, Position: Rear	AC DELCO : AC2584D, AP : 14848, APEC : DSK2172, ATE : 24.0112-0152.1, ATE : 24.0312-0152.1, BENDIX : 562135B, BENDIX EUR : 562135B, BMW : 34216765458, BMW : 34211164911, BOSCH : 0 986 479 167, BRECO : BS 7639, BREMBO : 08.7019.80, BREMBO : RS.130.000, BREMBO : RD.130.000, CAR : 142.090, CAR RACING : HPD 090, CIFAM : 800-782C, CIFAM : 800-782, DELPHI : BG3629, FERODO : DDF1255, Fritech : DF707, GRAF : DF29782, INTERBRAKE : BW511P, JURID : 562135J, KWP : 129782, Lemforder : 30824 01, Lemforder : 30824, LPR : B2511P, LUCAS : DF4189, MAGNETI MARELLI : 353610647540, Metelli : 23-0782C, MINTEX : MDC1130, NECTO : WN1272, NIBK : RN1155, PAGID : 50323, PILENGA : 5135, QH : BDC5336, REMSA : 6891.10, REMSA : 6632.00, ROADHOUSE : 6891.10, ROADHOUSE : 6632.00, SBS : 1815201548, TEXTAR : 92107400, TRUSTING : DF707, TRW : DF4189, VALEO : 186809, WOKING : D6632.00, ZIMMERMANN : 150.1299.00
	X5	3000	2000	2003	Rear	MRD1155		
	X5	4400	2000	2003	Rear	MRD1155		
	X5	4400	2002	2003	Rear	MRD1155		
	X5	3000	2000	2003	Rear	MRD1155		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
BMW	520i	2000	2007		Front	MRD1397V	Recommended Type: Vented & Oslash 310, Disc Thickness: 24, Num. of holes : 5, Height : 77, Centering Diameter :79, Position: Front	AP : 24888E, APEC : DSK2256, ATE : 24.0124-0181.1, ATE : 24.0324-0181.1, BMW : 34116764021, BOSCH : 0 986 479 055, BRECO : BS 8490, BREMBO : 09.9173.11, BREMBO : FD.182.000, BREMBO : 09.9173.10, BREMBO : 09.9173.14, BREMBO : FS.182.000, CAR : 142.1066, CAR RACING : HPD 1066, CIFAM : 800-809C, DELPHI : BG3870, FERODO : DDF1241, Fritch : DF073, INTERBRAKE : BW751V, INTERCAR : BW751V, JURID : 562320J, Lemforder : 30809, Lemforder : 30809 01, LPR : B2010V, LUCAS : DF4359, MAGNETI MARELLI : 351066020500, Metelli : 23-0809C, MINTEX : MDC1658, NECTO : WN1258, NIBK : RN1397V, OEM : 3416764021, PAGID : 54225, PILENGA : V819, QH : BDC5457, REMSA : 6653.10, ROADHOUSE : 6653.10, SBS : 1815201553, SBS : 1815341553, TEXTAR : 92122500, TEXTAR : 92122503, TEXTAR : 92122505, TRUSTING : DF073, TRW : DF4359, VALEO : 186732, WOKING : D6653.10, ZIMMERMANN : 150.3402.20
	520i	2200	2003	2010	Front	MRD1397V		
	520i	2000	2007	2010	Front	MRD1397V		
	525d	2500	2005		Front	MRD1397V		
BMW	X5	4400	2002	2003	Front	MRD1154V	Recommended Type: Vented & Oslash 332, Disc Thickness: 30, Num. of holes : 5, Height : 62.1, Centering Diameter :75, Position: Front	AP : 24896, APEC : DSK2223, ATE : 24.0330-0109.1, ATE : 24.0130-0109.1, BENDIX : 562134B, BMW : 34116756045, BMW : 34116766036, BMW : 34116794300, BMW : 34116765457, BMW : 34116750713, BOSCH : 0 986 478 974, BOSCH : 0 986 478 973, BRECO : BS 8501, BREMBO : 09.8697.80, BREMBO : FS.146.000, BREMBO : FD.146.000, CAR : 142.089, CAR RACING : HPD 089, CIFAM : 800-784C, CIFAM : 800-784, DELPHI : BG3628, FERODO : DDF1256, Fritch : DF959, GRAF : DF29784, INTERBRAKE : BW521V, JURID : 562134J, KWP : 129784, Lemforder : 30975, Lemforder : 30975 01, LPR : B2521V, LUCAS : DF4187BP, LUCAS : DF4187, LUCAS : DF4187S, MAGNETI MARELLI : 353610646240, Metelli : 23-0784C, MINTEX : MDC1131, NECTO : WN1273, NIBK : RN1154V, PAGID : 50321, PAGID : 50322, PILENGA : V813, PILENGA : B813, QH : BDC5250, SBS : 1815341547, SBS : 1815201547, TEXTAR : 92107300, TEXTAR : 92107200, TRUSTING : DF959, TRW : DF4187S, VALEO : 186808, WOKING : D6600.10, ZIMMERMANN : 150.1297.00, ZIMMERMANN : 150.1298.20
	X5	3000	2000	2003	Front	MRD1154V		
	X5	4400	2000	2003	Front	MRD1154V		
	X5	4400	2002	2003	Front	MRD1154V		
	X5	3000	2000	2003	Front	MRD1154V		
BMW	520i	2000	1995	1996	Rear	MRD1078	Recommended Type: Vented & Oslash : 298, Disc Thickness: 20, Num. of holes : 5, Height : 61.2, Centering Diameter :75, Position: Rear, Pitch Circle & Oslash: 120	AC DELCO : AC2400D, AC DELCO : AC2405D, AP : 24638E, AP : 24704, ATE : 24.0120-0164.1, ATE : 24.0320-0154.1, ATE : 24.0120-0154.1, ATE : 24.0120-0181.1, BENDIX : 562036B, BENDIX : 562008B, BMW : 34211163153, BMW : 34211164840, BMW : 34211164175, BMW : 34216767060, BOSCH : 0 986 478 426, BRADI : 1.0638.6.4, BRECO : BS 8287, BRECO : BS 8255, BREMBO : 09.6841.11, BREMBO : 09.7116.10, BREMBO : 09.6841.10, BREMBO : 09.6841.75, CAR : 142.098, CAR RACING : HPD 098, CIFAM : 800-398, CIFAM : 800-398C, DELPHI : BG3214, DELPHI : BG3042, FERODO : DDF955, FERODO : DDF836, FERODO : DRF955, Fritch : DF476, GRAF : DF29398, INTERBRAKE : BW461V, INTERCAR : BW461V, JURID : 562036J, JURID : 562008J, JURID : 562036JC, KWP : 129398, KWP : 1029398L, Lemforder : 21266, Lemforder : 16797 01, Lemforder : 21266 01, Lemforder : 16797, LPR : B2461V, LUCAS : DF2783, LUCAS : DF4143, LUCAS : DF3118, MAGNETI MARELLI : 353610638640, Metelli : 23-0398C, MINTEX : MDC1257, MINTEX : MDC1054, NECTO : WN836, NECTO : WN1058, NIBK : RN1078, OEM : 34211156730, OEM : 34211165265, OEM : 34211159659, OEM : 34212226730, PAGID : 50447, PAGID : 50441, PILENGA : V123, PILENGA : V115, QH : BDC4677, QH : BDC4551, SBS : 131349, SBS : 1815201539, STOP : 562036S, TEXTAR : 92075100, TEXTAR : 98200 0751 0 1, TEXTAR : 92071300, TEXTAR : 92075105, TRUSTING : DF476, TRW : DF2783, VALEO : 186860, WOKING : D6588.10, ZIMMERMANN : 150.1286.20, ZIMMERMANN : 150.1278.00
	520i	2000	1997	2000	Rear	MRD1078		
	525d	2500	1995	2003	Rear	MRD1078		
	525d	2500	1997	2004	Rear	MRD1078		
	523i	2500	1995	2000	Rear	MRD1078		
	528i	2800	1995	2000	Rear	MRD1078		
	528i	2800	1997	2000	Rear	MRD1078		
	530d	3000	1998	2000	Rear	MRD1078		
	535i	3500	1995	2003	Rear	MRD1078		
	518i	1800	1989	1995	Rear	MRD1034	Recommended Type: Solid & Oslash : 300, Disc Thickness: 10, Num. of holes : 5, Height : 61.5, Centering Diameter :75, Position: Rear, Pitch Circle & Oslash: 120mm	AC DELCO : AC2074D, AP : 14464E, ATE : 24.0310-0117.1, ATE : 24.0110-0117.1, BENDIX : 561477B, BMW : 34211156668, BMW : 34211162305, BOSCH : 0 986 478 321, BRADI : 1.0619.5.4, BRECO : BS 7564, BREMBO : 08.5174.20, BREMBO : 08.5174.34, BREMBO : 08.5174.30, BREMBO : 09.5174.34, CAR : 142.114, CAR RACING : HPD 114, CIFAM : 800-189, DELPHI : BG431, DELPHI : BG2431, FERODO : DDF221, FERODO : DRF221, Fritch : DF055, GRAF : DF29189, INTERBRAKE : BW241P, INTERCAR : BW241P, JURID : 561477J, KWP : 129189, KWP : 1029189, Lemforder : 10402 03, Lemforder : 10402, LPR : B2241P, LUCAS : DF2557, MAGNETI MARELLI : 353610619540, Metelli : 23-0189, MINTEX : MDC483, NECTO : WN478, NIBK : RN1034, PAGID : 50411, PILENGA : 5125, QH : BDC3640, REMSA : 6086.10, REMSA : 6342.00, ROADHOUSE : 6342.00, ROADHOUSE : 6086.10, SBS : 131337, SBS : 1815201520, STOP : 561477S, TEXTAR : 98200 0423 0 1, TEXTAR : 92042300, TRUSTING : DF055, TRW : DF2557, VALEO : 186125, WOKING : D6342.00, ZIMMERMANN : 150.1267.00
	518i	1800	1989	1995	Rear	MRD1034		
BMW	520i	2000	1990	1995	Rear	MRD1034		
	520i	2000	1990	1997	Rear	MRD1034		
	525i	2500	1988	1991	Rear	MRD1034		
	525i	2500	1991	1996	Rear	MRD1034		
	525d	2500	1991	1997	Rear	MRD1034		
	525d	2500	1990	1995	Rear	MRD1034		
	530i	3000	1992	1995	Rear	MRD1034		
	535i	3400	1990	1995	Rear	MRD1034		
	518i	1800	1989	1995	Rear	MRD1034		
	518i	1800	1995	1996	Rear	MRD1034		
BMW	520i	2000	1990	1997	Rear	MRD1034		
	525d	2500	1991	1997	Rear	MRD1034		
	525d	2500	1990	1995	Rear	MRD1034		
	520i	2200	2003	2010	Rear	MRD1246V	Recommended Type: Vented & Oslash : 345, Disc Thickness: 24, Num. of holes : 5, Height : 67, Centering Diameter :79, Position: Rear, Pitch Circle & Oslash: 120	BMW : 34211166129, BMW : 34216763827, DELPHI : BG9789, FERODO : DDF1247, NIBK : RN1246V, TRW : DF4389S
	525d	2500	2005		Rear	MRD1246V		
BMW	525d	2500	2005		Rear	MRD1246V		
	530i	3000	2003		Rear	MRD1246V		
	530i	3000	2003		Rear	MRD1246V		
	6 Series	4400	2004		Rear	MRD1246V		
	735i	4000	2005	2008	Rear	MRD1246V		
	116i	1600	2004	2011	Rear	MRD1211	Recommended Type: Solid & Oslash :280, Disc Thickness: 10, Num. of holes : 5, Height : 65, Centering Diameter :75, Position: Rear, Pitch Circle & Oslash: 120mm	AP : 14870, ATE : 24.0310-0314.1, ATE : 24.0110-0314.1, BENDIX : 562259B, BMW : 34216855001, BMW : 34216764647, BOSCH : 0 986 479 217, BRECO : BS 7669, BREMBO : 08.9787.10, BREMBO : RD.160.000, CAR : 142.1072, CAR RACING : HPD 1072, CIFAM : 800-817, DELPHI : BG3948, FERODO : DDF1303, Fritch : DF1094, INTERBRAKE : BW811P, JURID : 562259J, Lemforder : 30820, Lemforder : 30820 01, LPR : B2003P, LUCAS : DF4448, MAGNETI MARELLI : 351068050500, Metelli : 23-0817, MINTEX : MDC1731, NECTO : WN1313, NIBK : RN1211, PAGID : 54329, QH : BDC5434, REMSA : 61013.00, ROADHOUSE : 61013.00, SBS : 1815201557, TEXTAR : 92132900, TRUSTING : DF1094, TRW : DF4448, ZIMMERMANN : 150.3425.00
	116i	2000	2004	2011	Rear	MRD1211		
	116i	1600	2004	2007	Rear	MRD1211		
	116i	1600	2004	2011	Rear	MRD1211		
	120d	2000	2007	2010	Rear	MRD1211		
CHEVROLET GM	120d	2000	2007	2010	Rear	MRD1211		
	118i	2000	2004	2011	Rear	MRD1211		
	Aveo	1400	2004	2012	Front	MRD1206V	Recommended Type: Vented & Oslash 236, Disc Thickness: 20, Num. of holes : 6, Height : 41, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24856E, AP : 20238E, AP : X20238, ATE : 24.0120-0115.1, ATE : 24.0320-0115.1, BOSCH : 0 986 478 192, BRADI : 1.3406.2.4, BRADI : 1.3441.2.4, BRECO : BS 8405, BRECO : BS 7873, BRECO : BS 8522, BREMBO : 09.9607.14, BREMBO : 09.3090.10, BREMBO : 09.3090.20, BREMBO : 09.9607.10, BREMBO : 09.3090.14, BREMBO : 09.3090.75, CAR : 142.504, CAR RACING : HPD 504, CHEVROLET : 96574633, CHEVROLET : 96471274, CIFAM : 800-096, CIFAM : 800-790, DAEWOO : 96574633, DELPHI : BG278, DELPHI : BG2278, FERODO : DDF1279, FERODO : DRF151, FERODO : DDF151, Fritch : DF240, Fritch : DF922, GRAF : DF2896, GRAF : DF2896L, INTERBRAKE : OP061V, INTERCAR : OP061V, KWP : 102896L, KWP : 102896, KWP : 129790, Lemforder : 12244, Lemforder : 12244 03, LPR : O1061V, LUCAS : DF1609, LUCAS : DF4439, LUCAS : DF1609BP, MAGNETI MARELLI : 353613406240, Metelli : 23-0096, Metelli : 23-0790, MINTEX : MDC2155, MINTEX : MDC322, NECTO : WN1325, NECTO : WN397, NIBK : RN1206V, NIPPARTS : J3300912, OEM : 90121445, OEM : 90511111, OEM : 569031, OEM : 569054, OEM : 90008032, OEM : 90121445D, OEM : 569031RP, OEM : 90008068, PAGID : 52413, PAGID : 54334, PILENGA : V060, QH : BDC3205, REMSA : 6404.20, REMSA : 6061.10, REMSA : 6655.10, ROADHOUSE : 6061.10, ROADHOUSE : 6655.10, ROADHOUSE : 6404.20, SBS : 1815205008, SBS : 1816303608, SBS : 1815203608, SBS : 1815303608, SBS : 251105, STOP : 561248S, TEXTAR : 92029600, TEXTAR : 98200 0296 0 1, TEXTAR : 92133400, TRUSTING : DF240, TRUSTING : DF922, TRW : DF7217, TRW : DF4439, VEMA : 98019, WOKING : D6655.10, WOKING : D6061.10, ZIMMERMANN : 185.3952.00
	Kalos T250 Sedan	1200	2005	2008	Front	MRD1206V		
	Kalos T250 Sedan	1400	2005	2008	Front	MRD1206V		
	Spark Hatchback	1000	2005		Front	MRD1206V		
CHEVROLET GM	Spark Hatchback	800	2005		Front	MRD1206V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
CHEVROLET GM	Optra	1600	2003	2005	Front	MRD1360V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3	AP : 24906, APEC : DSK2274, ATE : 24.0124-0199.1, BOSCH : 0986479328, BRECO : BS 8511, BREMBO : 09.9483.10, CAR : 142.347, CAR RACING : HPD 347, CHEVROLET : 96549782, CIFAM : 800-719, CIFAM : 800-921, DAEWOO : 96549782, DELPHI : BG3790, DELPHI : BG4003, FERODO : DDF1257, Fritch : DF099, Fritch : DF923, GRAF : DF29719, INTERBRAKE : OP483V, KWP : 129719, LPR : O1007V, LUCAS : DF7218, Metelli : 23-0719, Metelli : 23-0921, MINTEX : MDC1990, NECTO : WN1274, NIBK : RN1360V, OEM : 96264591, OEM : 96328338, PAGID : 54336, PAGID : 54335, PAGID : 54199, PILENGA : V844, QH : BDC5352, REMSA : 6959.10, REMSA : 6656.10, ROADHOUSE : 6959.10, ROADHOUSE : 6656.10, SBS : 1815205010, SBS : 1815205009, TEXTAR : 92133600, TEXTAR : 92133500, TRUSTING : DF099, TRUSTING : DF923, TRW : DF7218, WOKING : D6656.10
	Optra	1800	2003	2005	Front	MRD1360V		
	Lacetti	1400	2005	2009	Front	MRD1360V		
	Lacetti	1600	2005		Front	MRD1360V		
	Lacetti	1800	2005	2009	Front	MRD1360V		
	Lacetti	2000	2007		Front	MRD1360V		
	Cruze J300 Hatchback	2000	2012		Rear	MRD34002	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 45, Centering Diameter :60, Position: Rear, Pitch Circle & Oslash: 139, Outter & Oslash : 268	ATE : 24.0112-0188.1, BOSCH : 0 986 479 645, CAR : 142.1557, DELPHI : BG4199, FORD : 13502136, Fritch : DF1424, GM : 13502864, NIBK : RN34002, NK : 205014, OEM : 13502135, OEM : 569072, OPEL : 05 69 074, PILENGA : 5779, TEXTAR : 92205503, TRUSTING : DF1424, TRW : DF 6340, ZIMMERMANN : 430.2622.20
	Cruze J300 Hatchback	1700	2012		Rear	MRD34002		
	Cruze J300 Hatchback	1700	2012		Rear	MRD34002		
CHEVROLET GM	Cruze J300 Hatchback	2000	2009		Rear	MRD34004	Recommended Type: Solid ,Disc Thickness: 12.5, Num. of holes : 5, Height : 45, Centering Diameter :70.7, Position: Rear, Pitch Circle & Oslash: 115, Outter & Oslash : 292	ATE : 24.0112-0189.1, BOSCH : 0 986 479 646, CAR : 142.1556, Fritch : DF1400, GM : 13502139, GM : 13502138, NIBK : RN34004, NK : 205016, OEM : 569071, OPEL : 05 69 075, SBS : 1815205016, TEXTAR : 92205703, TRUSTING : DF1400
	Aveo	1400	2012		Front	MRD34001V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 45.5, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 139, Outter & Oslash : 276	ATE : 24.0126-0165.1, BOSCH : 0 986 479 643, CAR : 142.1554, DELPHI : BG4191, FERODO : DDF 1869, Fritch : DF1340, GM : 13502045, NIBK : RN34001V, NIPPARTS : N3300916, NK : 205013, OEM : 569069, OPEL : 05 69 073, PAGID : 54989PRO, PILENGA : V774, SBS : 1815205013, TEXTAR : 92198903, TRUSTING : DF1340, ZIMMERMANN : 430.2621.20
	Aveo	1200	2011		Front	MRD34001V		
	Aveo	1300	2011		Front	MRD34001V		
	Aveo	1400	2011		Front	MRD34001V		
	Aveo	1600	2011		Front	MRD34001V		
	Cruze J300 Hatchback	2000	2012		Front	MRD34001V		
	Cruze J300 Hatchback	1700	2012		Front	MRD34001V		
	Cruze J300 Hatchback	2000	2009		Front	MRD34003V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 45.5, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 115, Outter & Oslash : 300	ATE : 24.0126-0166.1, BOSCH : 0 986 479 644, CAR : 142.1555, DELPHI : BG4278, FERODO : DDF 1870, Fritch : DF1341, GM : 13502052, NIBK : RN34003V, NIPPARTS : N3300917, NK : 205015, OEM : 569070, PILENGA : V773, SBS : 1815205015, TEXTAR : 92205603, TRUSTING : DF1341, ZIMMERMANN : 430.2623.20
	Epica	2000	2005	2006	Rear	MRD1325	Recommended Type: 276 ,Disc Thickness: 12, Num. of holes : 4, Height : 58.5, Centering Diameter :60, Position: Rear, Pitch Circle & Oslash: 115	CAR : 142.1291, CHEVROLET : 96328254, DELPHI : BG4244, Fritch : DF1401, INTERBRAKE : OP631P, JAPANPARTS : DP-W04, LPR : O1019P, NIBK : RN1325, NIPPARTS : J3310907, NK : 205017, OEM : 5561186Z00, OEM : XFL9050445, SBS : 1815205017, TRUSTING : DF1401
CHEVROLET GM	Epica	2500	2006		Rear	MRD1325		
	Epica	2000	2006		Rear	MRD1325		
	Epica	2000	2007		Rear	MRD1325		
	Lacetti	1400	2005	2009	Rear	MRD1391	Recommended Type: 257 ,Disc Thickness: 10, Num. of holes : 4, Height : 57.5, Centering Diameter :60, Position: Rear, Pitch Circle & Oslash: 114.3	CAR : 142.1545, CHEVROLET : 96549630, CIFAM : 800-953, DAEWOO-GM : 96549630, FERODO : DDF1606, Fritch : DF092, JAPANPARTS : DP-W03, LPR : D4000P, LUCAS : DF7381, Metelli : 23-0953, MINTEX : MDC1900, NIBK : RN1391, REMSA : 6876.00, ROADHOUSE : 6876.00, SBS : 1815205011, TEXTAR : 92163000, TRUSTING : DF092, TRW : DF7381
	Lacetti	1600	2005		Rear	MRD1391		
	Lacetti	1800	2005	2009	Rear	MRD1391		
	Lacetti	2000	2007		Rear	MRD1391		
	Optra	1600	2003	2005	Rear	MRD1391		
	Optra	1800	2003	2005	Rear	MRD1391		
	Epica	2000	2005	2006	Front	MRD1324V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 47.2, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 114.3	CHEVROLET : 96328338, MINTEX : MDC1483, NIBK : RN1324V, NIPPARTS : J3300911, TRW : DF7282
	Epica	2500	2006		Front	MRD1324V		
	Epica	2000	2006		Front	MRD1323V	Recommended Type: Vented 277.8 ,Disc Thickness: 24, Num. of holes : 4, Height : 47.5, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 115 mm	CHEVROLET : 96329364, DELPHI : BG4193, JAPANPARTS : DI-W11, NIBK : RN1323V, NIPPARTS : N3300915, SUZUKI : 5531186Z00
	Epica	2500	2006		Front	MRD1323V		
	Epica	2000	2007		Front	MRD1323V		
	Lacetti	1400	2005	2009	Front	MRD1360V	Recommended Type: Vented 256 ,Disc Thickness: 24, Num. of holes : 4, Height : 47, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 114.3	AP : 24906, APEC : DSK2274, ATE : 24.0124-0199.1, BOSCH : 0986479328, BRECO : BS 8511, BREMBO : 09.9483.10, CAR : 142.347, CAR RACING : HPD 347, CHEVROLET : 96549782, CIFAM : 800-719, CIFAM : 800-921, DAEWOO : 96549782, DELPHI : BG3790, DELPHI : BG4003, FERODO : DDF1257, Fritch : DF099, Fritch : DF923, GRAF : DF29719, INTERBRAKE : OP483V, KWP : 129719, LPR : O1007V, LUCAS : DF7218, Metelli : 23-0921, Metelli : 23-0719, MINTEX : MDC1990, NECTO : WN1274, NIBK : RN1360V, OEM : 96264591, OEM : 96328338, PAGID : 54336, PAGID : 54335, PAGID : 54199, PILENGA : V844, QH : BDC5352, REMSA : 6959.10, REMSA : 6656.10, ROADHOUSE : 6959.10, ROADHOUSE : 6656.10, SBS : 1815205010, SBS : 1815205009, TEXTAR : 92133600, TEXTAR : 92133500, TRUSTING : DF099, TRUSTING : DF923, TRW : DF7218, WOKING : D6656.10
	Lacetti	1600	2005		Front	MRD1360V		
	Lacetti	1800	2005	2009	Front	MRD1360V		
	Lacetti	2000	2007		Front	MRD1360V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
CHEVROLET GM	Kalos T250 Sedan	1200	2005	2008	Front	MRD1206V	Recommended Type: Vented & Oslash :236, Disc Thickness: 20, Num. of holes : 6, Height : 41, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm	AP : 20238E, AP : X20238, AP : 24856E, ATE : 24.0120-0115.1, ATE : 24.0320-0115.1, BOSCH : 0 986 478 192, BRADI : 1.3406.2.4, BRADI : 1.3441.2.4, BRECO : BS 7873, BRECO : BS 8522, BRECO : BS 8405, BREMBO : 09.3090.10, BREMBO : 09.3090.20, BREMBO : 09.9607.10, BREMBO : 09.3090.14, BREMBO : 09.3090.75, BREMBO : 09.9607.14, CAR : 142.504, CAR RACING : HPD 504, CHEVROLET : 96471274, CHEVROLET : 96574633, CIFAM : 800-790, CIFAM : 800-096, DAEWOO : 96574633, DELPHI : BG2278, DELPHI : BG278, FERODO : DDF151, FERODO : DDF1279, FERODO : DRF151, Fritech : DF240, Fritech : DF922, GRAF : DF2896, GRAF : DF2896L, INTERBRAKE : OP061V, INTERCAR : OP061V, KWP : 102896, KWP : 129790, KWP : 102896L, Lemforder : 12244 03, Lemforder : 12244, LPR : O1061V, LUCAS : DF1609BP, LUCAS : DF1609, LUCAS : DF4439, MAGNETI MARELLI : 353613406240, Metelli : 23-0790, Metelli : 23-0096, MINTEX : MDC322, MINTEX : MDC2155, NECTO : WN1325, NECTO : WN397, NIBK : RN1206V, NIPPARTS : J3300912, OEM : 569031, OEM : 569054, OEM : 90008032, OEM : 90121445D, OEM : 569031RP, OEM : 90008006, OEM : 90121445, OEM : 90511111, PAGID : 52413, PAGID : 54334, PILENGA : V060, QH : BDC5351, QH : BDC3205, REMSA : 6061.10, REMSA : 6655.10, REMSA : 6404.20, ROADHOUSE : 6404.20, ROADHOUSE : 6061.10, ROADHOUSE : 6655.10, SBS : 1815203608, SBS : 1815303608, SBS : 251105, SBS : 1815205008, SBS : 1816303608, STOP : 561248S, TEXTAR : 92029600, TEXTAR : 98200 0296 0 1, TEXTAR : 92133400, TRUSTING : DF922, TRUSTING : DF240, TRW : DF7217, TRW : DF4439, VEMA : 98019, WOKING : D6655.10, WOKING : D6061.10, ZIMMERMANN : 185.3952.00
	Kalos T250 Sedan	1400	2005	2008	Front	MRD1206V		
CHINA CAR	Chery Tiggo	1600	2006		Front	MRD1347V	Recommended Type: Vented ,Disc Thickness: 24/22, Num. of holes : 5, Height : 47, Centering Diameter :64, Position: Front, Outter & Oslash : 264	AC DELCO : AC2202D, AP : 24262, ATE : 24.0124-0105.1, BENDIX : 561483B, BOSCH : 0 986 478 523, BRADI : 1.2625.2.4, BRECO : BS 7986, BREMBO : 09.5252.10, CAR : 142.968, CAR RACING : HPD 968, Chery : T113501075, CIFAM : 800-274, DELPHI : BG2547, DELPHI : BG3393, FERODO : DDF395, FORD : E92Z1125A, FORD : GJ253525XD, Fritech : DF291, GRAF : DF29274, INTERBRAKE : MZ371V, INTERCAR : MZ371V, JURID : 561483J, KWP : 129274, KWP : 1029274, Lemforder : 19298 01, Lemforder : 19298, LPR : M5371V, LUCAS : DF2571, MAZDA : GJ553325XB, MAZDA : GJ553525XD, MAZDA : GJ253325XC, MAZDA : GJ553325XA, MAZDA : GJ553325XC, MAZDA : GJ253325XB, MAZDA : GJ253325XD, Metelli : 23-0274, MINTEX : MDC663, NECTO : WN688, NIBK : RN1347V, OEM : 3728072, OEM : D92Z1125A, OEM : GB253325XD, OEM : GM3926251, OEM : 3727217, OEM : D92Z1125A, OEM : F92Z1125A, OEM : GJ553325XD, OEM : 52013, PAGID : 52017, PILENGA : V504, QH : BDC3657, REMSA : 6264.20, ROADHOUSE : 6264.20, SBS : 220003, SBS : 1815203220, TEXTAR : 92061900, TEXTAR : 92096800, TRUSTING : DF291, TRW : DF2571, VALEO : 186455, WOKING : D6237.10, ZIMMERMANN : 370.3062.00
	Chery Tiggo	2000	2006		Front	MRD1347V		
	Chery Tiggo	1600	2006		Front	MRD1347V		
	Chery Tiggo	1800	2006		Front	MRD1347V		
	Chery Tiggo	2000	2006		Front	MRD1347V		
CHINA CAR	Great Wall Hover	2400	2006	2008	Front	MRD1395V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 36.5, Centering Diameter :88, Position: Front, Outter & Oslash : 280	AC DELCO : AC2459D, AC DELCO : AC2460D, AP : 24622, AP : 24694, ATE : 24.0126-0111.1, ATE : 24.0126-0110.1, BENDIX : 562063B, BENDIX : 562064B, BOSCH : 0 986 478 854, BOSCH : 0 986 478 437, BRADI : 1.0424.2.4, BRADI : 1.0424.2.5, BRECO : BS 8281, BRECO : BS 8231, BREMBO : 09.6866.10, BREMBO : 09.6866.20, CAR : 142.491, CAR : 142.490, CAR RACING : HPD 491, CAR RACING : HPD 490, CIFAM : 800-502, CIFAM : 800-452, DELPHI : BG3378, DELPHI : BG3391, FERODO : DDF693, FERODO : DDF694, Fritech : DF392, GRAF : DF29502, GRAF : DF29452, INTERBRAKE : OP373V, INTERBRAKE : OP371V, INTERCAR : OP371V, ISUZU : 8-94375553, ISUZU : 8943755333, ISUZU : 97034035, ISUZU : 8943754163, ISUZU : 8970340353, JURID : 562064J, JURID : 562063J, KWP : 129502, KWP : 129452, Lemforder : 27231 01, Lemforder : 27238 01, Lemforder : 27231, Lemforder : 27238, LPR : O1373V, LPR : O1371V, LUCAS : DF2795, MAGNETI MARELLI : 353610424240, MAGNETI MARELLI : 353610916250, MAGNETI MARELLI : 353610424250, Metelli : 23-0502, Metelli : 23-0452, MINTEX : MDC988, MINTEX : MDC987, NECTO : WN850, NECTO : WN1042, NIBK : RN1395V, NK : 203628, OEM : 569050, OEM : 8970340343, OEM : 94375533, OEM : 7943754163, OEM : 8970460800, OEM : 97034034, OPEL : 569051, PAGID : 50207, PAGID : 52429, PILENGA : V375, PILENGA : V374, QH : BDC4741, QH : BDC4679, REMSA : 6477.10, REMSA : 6639.20, REMSA : 6560.10, REMSA : 6672.20, ROADHOUSE : 6560.10, ROADHOUSE : 6672.20, ROADHOUSE : 6477.10, ROADHOUSE : 6639.20, SBS : 1815203627, SBS : 252520, SBS : 1815203628, STOP : 562064S, STOP : 562063S, TEXTAR : 92075900, TEXTAR : 92091400, TRUSTING : DF392, TRW : DF4029, TRW : DF2795, VALEO : 186584, VALEO : 186584, VAUXHALL : 94375416, VAUXHALL : 94375553, VAUXHALL : 97034035, WOKING : D6560.10, ZIMMERMANN : 430.1477.00, ZIMMERMANN : 430.1478.00
	Great Wall Hover	2000	2010		Front	MRD1395V		
	Great Wall Hover	2500	2010		Front	MRD1395V		
CHINA CAR	Great Wall Tengyi	1500	2011		Rear	MRD1362	Recommended Type: 260 ,Disc Thickness: 9, Num. of holes : 5, Height : 42.2, Centering Diameter :64.2, Position: Rear, Pitch Circle & Oslash: 114.3	ATE : 24.0109-0158.1, BOSCH : 0 986 479 451, BREMBO : RD.195.000, BREMBO : 08.A147.10, BREMBO : RS.195.000, CAR : 142.1237, CAR RACING : HPD 1237, CIFAM : 800-957, DELPHI : BG4118, FERODO : DDF1558, Fritech : DF1108, GREAT WALL : 3501011XJZ08A, HONDA : 42510SNA00, HONDA : 42510SMGE20, INTERBRAKE : H0691P, JAPANPARTS : DP-412, LPR : H1013P, LUCAS : DF4837, Metelli : 23-0957, MINTEX : MDC1833, NIBK : RN1362, OEM : 42510SNEA00, SBS : 1815202641, TEXTAR : 92164300, TRUSTING : DF1108, TRW : DF4837
	Voyager	3300	1995	2001	Front	MRD1057V	Recommended Type: Vented 282.3 ,Disc Thickness: 24.1, Num. of holes : 5, Height : 38.1, Centering Diameter :73.4, Position: Front, Pitch Circle & Oslash: 114mm	AC DELCO : AC2491D, AP : 24493, AP : 24727E, ATE : 24.0124-0178.1, ATE : 24.0124-0154.1, ATE : 24.0124-0193.1, ATE : 24.0124-0153.1, BENDIX : 562137B, BENDIX : 561950B, BOSCH : 0 986 478 983, BRADI : 1.3905.6.4, BRADI : 1.1203.2.4, BRECO : BS 8316, BRECO : BS 8135, BREMBO : 09.7367.10, BREMBO : 09.5801.10, BREMBO : 09.7367.14, CAR : 142.147, CAR : 142.480, CAR RACING : HPD 480, CAR RACING : HPD 147, CHRYSLER : V5011820AA, CHRYSLER : 4509340, CHRYSLER : 4683432, CHRYSLER : 04815797, CHRYSLER : 04721820, CHRYSLER : V5011820AB, CHRYSLER : 4423368, CHRYSLER : 4683260, CHRYSLER : 04721821, CIFAM : 800-473, CIFAM : 800-331, DELPHI : BG3383, DODGE : 4509340, FERODO : DDF366, FERODO : DDF1059, Fritech : DF629, Fritech : DF361, GRAF : DF29331, GRAF : DF29473, INTERBRAKE : DG271V, INTERBRAKE : DG451V, INTERCAR : DG271V, JURID : 561950J, JURID : 562137J, KWP : 1029331L, KWP : 129331, KWP : 129473, LPR : D1451V, LPR : D1465V, LPR : D1271V, LUCAS : DF4508, LUCAS : DF2678, MAGNETI MARELLI : 353611203240, Metelli : 23-0331, Metelli : 23-0473, MINTEX : MDC1973, MINTEX : MDC1270, NECTO : WN549, NECTO : WN946, NIBK : RN1057V, OEM : 4815797, OEM : 4721820AE, OEM : 4721821, OEM : 4721820, PAGID : 50336, PAGID : 54531, PILENGA : V613, PILENGA : V614, QH : BDC5145, QH : BDC4414, REMSA : 6871.20, REMSA : 6419.10, ROADHOUSE : 6419.10, ROADHOUSE : 6871.20, SBS : 1815209301, SBS : 474701, SBS : 1815209302, SBS : 474701V, STOP : 561950S, TEXTAR : 92153100, TEXTAR : 92108700, TRUSTING : DF629, TRUSTING : DF361, TRW : DF4508, TRW : DF2678, VALEO : 186570, VALEO : 186730, VEMA : 98107, VEMA : 98108, WOKING : D6419.10, ZIMMERMANN : 155.3901.00
	Voyager	3800	1995	2001	Front	MRD1057V		
	Voyager	3800	1996	2001	Front	MRD1057V		
	Voyager	2000	1995	2001	Front	MRD1057V		
CHRYSLER	PT Cruiser	2000	2000	2007	Front	MRD1156V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 39.1, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 280	AP : 24854, APEC : DSK2096, ATE : 24.0123-0107.1, BENDIX : 562136B, BOSCH : 0 986 479 029, BRECO : BS 8478, BREMBO : 09.9133.80, CAR : 142.339, CAR RACING : HPD 339, CHRYSLER : 4509994AA, CHRYSLER : 4509994AB, CHRYSLER : 04509994AA, CHRYSLER : 04509994AD, DELPHI : BG3704, FERODO : DDF1153, Fritech : DF726, INTERBRAKE : DG491V, JURID : 562136J, LPR : C3004V, LUCAS : DF4489, LUCAS : DF4190, LUCAS : DF4874S, MAGNETI MARELLI : 353611206240, MINTEX : MDC1449, NIBK : RN1156V, OEM : 4509994A, OEM : 5273141AA, OEM : 45099941, PAGID : 50334, PILENGA : V641, QH : BDC5339, REMSA : 6637.10, REMSA : 6945.20, ROADHOUSE : 6637.10, ROADHOUSE : 6945.20, SBS : 1815209305, TEXTAR : 92108500, TRUSTING : DF726, TRW : DF4190, VALEO : 186734, WOKING : D6637.10, ZIMMERMANN : 155.3905.00
	PT Cruiser	2400	2000	2007	Front	MRD1156V		
CHRYSLER	Voyager	2400	1995	2001	Front	MRD1057V	Recommended Type: Vented 282.3 ,Disc Thickness: 24.1, Num. of holes : 5, Height : 38.1, Centering Diameter :73.4, Position: Front, Pitch Circle & Oslash: 114mm	AC DELCO : AC2491D, AP : 24493, AP : 24727E, ATE : 24.0124-0178.1, ATE : 24.0124-0154.1, ATE : 24.0124-0193.1, ATE : 24.0124-0153.1, BENDIX : 562137B, BENDIX : 561950B, BOSCH : 0 986 478 983, BRADI : 1.3905.6.4, BRADI : 1.1203.2.4, BRECO : BS 8316, BRECO : BS 8135, BREMBO : 09.7367.10, BREMBO : 09.5801.10, BREMBO : 09.7367.14, CAR : 142.147, CAR : 142.480, CAR RACING : HPD 480, CAR RACING : HPD 147, CHRYSLER : V5011820AA, CHRYSLER : 4509340, CHRYSLER : 4683432, CHRYSLER : 04815797, CHRYSLER : 04721820, CHRYSLER : V5011820AB, CHRYSLER : 4423368, CHRYSLER : 4683260, CHRYSLER : 04721821, CIFAM : 800-473, CIFAM : 800-331, DELPHI : BG3383, DODGE : 4509340, FERODO : DDF366, FERODO : DDF1059, Fritech : DF629, Fritech : DF361, GRAF : DF29331, GRAF : DF29473, INTERBRAKE : DG271V, INTERBRAKE : DG451V, INTERCAR : DG271V, JURID : 561950J, JURID : 562137J, KWP : 1029331L, KWP : 129331, KWP : 129473, LPR : D1451V, LPR : D1465V, LPR : D1271V, LUCAS : DF4508, LUCAS : DF2678, MAGNETI MARELLI : 353611203240, Metelli : 23-0331, Metelli : 23-0473, MINTEX : MDC1973, MINTEX : MDC1270, NECTO : WN549, NECTO : WN946, NIBK : RN1057V, OEM : 4815797, OEM : 4721820AE, OEM : 4721821, OEM : 4721820, PAGID : 50336, PAGID : 54531, PILENGA : V613, PILENGA : V614, QH : BDC5145, QH : BDC4414, REMSA : 6871.20, REMSA : 6419.10, ROADHOUSE : 6419.10, ROADHOUSE : 6871.20, SBS : 1815209301, SBS : 474701, SBS : 1815209302, SBS : 474701V, STOP : 561950S, TEXTAR : 92153100, TEXTAR : 92108700, TRUSTING : DF629, TRUSTING : DF361, TRW : DF4508, TRW : DF2678, VALEO : 186570, VALEO : 186730, VEMA : 98107, VEMA : 98108, WOKING : D6419.10, ZIMMERMANN : 155.3901.00
	Voyager	2500	1995	2001	Front	MRD1057V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
CHRYSLER	PT Cruiser	1600	2001	2007	Front	MRD1156V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 39.1, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 280	AP : 24854, APEC : DSK2096, ATE : 24.0123-0107.1, BENDIX : 562136B, BOSCH : 0 986 479 029, BRECO : BS 8478, BREMBO : 09.9133.80, CAR : 142.339, CAR RACING : HPD 339, CHRYSLER : 4509994AA, CHRYSLER : 4509994AB, CHRYSLER : 04509994AA, CHRYSLER : 04509994AD, DELPHI : BG3704, FERODO : DDF1153, Fritech : DF726, INTERBRAKE : DG491V, JURID : 562136J, LPR : C3004V, LUCAS : DF4489, LUCAS : DF4190, LUCAS : DF4874S, MAGNETI MARELLI : 353611206240, MINTEX : MDC1449, NIBK : RN1156V, OEM : 4509994, OEM : 5273141AA, OEM : 45099941, PAGID : 50334, PILENGA : V641, QH : BDC5339, REMSA : 6637.10, REMSA : 6945.20, ROADHOUSE : 6637.10, ROADHOUSE : 6945.20, SBS : 1815209305, TEXTAR : 92108500, TRUSTING : DF726, TRW : DF4190, VALEO : 186734, WOKING : D6637.10, ZIMMERMANN : 155.3905.00
	PT Cruiser	2400	2005	2009	Front	MRD1156V		
	Sebring	2000	2007	2010	Rear	MRD1402	Recommended Type: 302 ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :80, Position: Rear, Pitch Circle & Oslash: 114.3	CAR : 142.1478, CHRYSLER : 04743999AA, CHRYSLER : 4615A121, CHRYSLER : 4615A010, CHRYSLER : 4743999AA, DELPHI : BG4169, Fritech : DF1412, INTERBRAKE : JP051P, MINTEX : MDC1930, NIBK : RN1402, PAGID : 54773PRO, REMSA : 61290.00, ROADHOUSE : 61290.00, TEXTAR : 92177303, TRUSTING : DF1412, WOKING : D61290.00
CITROEN	C3 Pluriel	1400	2004		Front	MRD1086	Recommended Type: Solid 266 ,Disc Thickness: 13, Num. of holes : 4, Height : 27, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2182D, AP : 14711, ATE : 413184, ATE : 24.0113-0184.1, BENDIX : 562044B, BOSCH : 0 986 478 847, BRADI : 1.3619.1.4, BRECO : BS 7557, BREMBO : 08.7238.10, CAR : 142.152, CAR RACING : HPD 152, CIFAM : 800-401, CITROEN : 4246.R4, CITROEN : 4246.R2, DELPHI : BG3421, FERODO : DDF1000, Fritech : DF835, GRAF : DF29401, INTERBRAKE : CR331P, JURID : 562044J, KWP : 1029401, KWP : 129401, Lemforder : 22841, Lemforder : 22841 01, LPR : C1331P, LUCAS : DF2808, MAGNETI MARELLI : 353613619140, Metelli : 23-0401, MINTEX : MDC1011, NECTO : WN920, NIBK : RN1086, PAGID : 52515, PILENGA : 5098, QH : BDC4676, REMSA : 6536.00, ROADHOUSE : 6536.00, SBS : 1815201925, STOP : 562044S, TEXTAR : 92089100, TEXTAR : 98200 0891 0 1, TEXTAR : 92089103, TRUSTING : DF835, TRW : DF2808, VALEO : 186599, WOKING : D6536.00, ZIMMERMANN : 180.3006.00
	C3 Pluriel	1600	2003		Front	MRD1086		
	Berlingo	1100	1996	2002	Front	MRD1086		
	Berlingo	1400	1996	2002	Front	MRD1086		
	Berlingo	1600	2000	2002	Front	MRD1086		
	Berlingo	1800	1996	2002	Front	MRD1086		
CITROEN	Berlingo	1900	1996	2002	Front	MRD1086		
	C4 Sedan	1400	2004	2010	Front	MRD1152V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 34.3, Centering Diameter :66.1, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 266	AC DELCO : AC2582D, AC DELCO : AC2569D, AP : 24787, ATE : 24.0122-0205.1, ATE : 24.0122-0194.1, ATE : 422194, BENDIX : 562128B, BENDIX EUR : 562128B, BOSCH : 0 986 478 618, BOSCH : 0 986 478 099, BRADI : 1.0928.2.4, BRECO : BS 8414, BREMBO : FS.113.000, BREMBO : 09.8695.14, BREMBO : FD.113.000, BREMBO : 09.8695.10, BREMBO : 09.8695.75, CAR : 142.476, CAR RACING : HPD 476, CIFAM : 800-555, CITROEN : 4246W1, CITROEN : 00004246W1, CITROEN : 424916, DELPHI : BG3620, DELPHI : BG3706, FERODO : DRF1140, FERODO : DDF1140, Fritech : DF666, GRAF : DF29555, INTERBRAKE : PG231V, JURID : 562128J, JURID : 562128JC, KWP : 129555, Lemforder : 30879, Lemforder : 30879 01, LPR : P1002V, LUCAS : DF4184BP, LUCAS : DF4184, MAGNETI MARELLI : 353610928240, Metelli : 23-0555, MINTEX : MDC1491, NECTO : WN1167, NIBK : RN1152V, PAGID : 50364, PEUGEOT : 4246W7, PEUGEOT : 424915, PILENGA : V092, QH : BDC5240, REMSA : 6901.20, REMSA : 6603.10, ROADHOUSE : 6603.10, ROADHOUSE : 6901.20, SBS : 1815201929, STOP : 562128S, TEXTAR : 92111503, TEXTAR : 92111500, TEXTAR : 98200 1115 0 1, TRUSTING : DF666, TRW : DF4184, VALEO : 186695, WOKING : D6603.10, ZIMMERMANN : 440.3105.00
	C5 Estate	1800	2000	2004	Front	MRD1152V		
	C5 Estate	2000	2000	2004	Front	MRD1152V		
	Xantia Estate	1600	2001		Front	MRD1152V		
CITROEN	Xantia Estate	1800	2001		Front	MRD1152V		
	C Crosser	2200	2007		Front	MRD1403V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 45.6, Centering Diameter :69, Position: Front, Outter & Oslash : 294	APEC : DSK2297, ATE : 24.0124-0215.1, BREMBO : 09.A738.14, CAR : 142.1313, CAR : 142.1352, CAR RACING : HPD 1313, CIFAM : 800-939C, CIFAM : 800-939, DELPHI : BG4038, FERODO : DDF1642, Fritech : DF366, INTERBRAKE : CR461V, JAPANPARTS : DI-526, LPR : M1012V, Metelli : 23-0939C, Metelli : 23-0939, MINTEX : MDC1385, MITSUBISHI : MR307376, MITSUBISHI : 4615A006, MITSUBISHI : MR128659, MITSUBISHI : MR205215, NIBK : RN1403V, NIBK : RN1332V, NIPPARTS : J3305063, OEM : 424958, OEM : 4615A113, OEM : 424959, PAGID : 54352, QH : BDC5448, REMSA : 6896.10, ROADHOUSE : 6896.10, SBS : 1815203043, TEXTAR : 92135203, TEXTAR : 92135200, TRUSTING : DF366
CITROEN	C1	1000	2005		Front	MRD1214V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 35.15, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 250	A.B.S : HFHMJ, ATE : 24.0120-0180.1, BOSCH : 0 986 479 239, BREMBO : 09.9928.14, CAR : 142.1123, CAR RACING : HPD 1123, CIFAM : 800-834, CITROEN : 00004246J0, CITROEN : 4246J0, DELPHI : BG3976, FERODO : DDF1527, Fritech : DF999, INTERBRAKE : CR451V, JAPANPARTS : DI-269, JURID : 562311J, LPR : C1004V, LUCAS : DF4469, LUCAS : DF4469BP, MAGNETI MARELLI : 353610935240, Metelli : 23-0834, MINTEX : MDC1733, NECTO : WN1453, NIBK : RN1214V, NK : 2045102, OEM : 4246F0, PAGID : 54419, PEUGEOT : 4246F0, PILENGA : V097, QH : BDC5518, REMSA : 61003.10, ROADHOUSE : 61003.10, SBS : 18152045102, TEXTAR : 92141903, TEXTAR : 92141900, TOYOTA : 435120H010, TRUSTING : DF999, TRW : DF4469, ZIMMERMANN : 180.3021.00
	C1	1400	2005		Front	MRD1214V		
	C1	1000	2005		Front	MRD1214V		
	C1	1400	2005		Front	MRD1214V		
CITROEN	AX	1400	1991	1996	Front	MRD1372V	Recommended Type: Vented & Oslash 247 ,Disc Thickness: 20, Num. of holes : 4, Height : 34, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2003D, AP : 24249E, AP : X24249, AP : 24859E, ATE : 24.0120-0132.1, ATE : 420132, ATE : 24.0320-0132.1, BENDIX : 561409B, BOSCH : 0 986 478 370, BRADI : 1.3612.2.4, BRECO : BS 7976, BRECO : BS 8525, BREMBO : FD.037.000, BREMBO : 09.5196.10, BREMBO : 09.5196.75, BREMBO : 09.9610.14, BREMBO : FS.037.000, BREMBO : 09.5196.14, BREMBO : 09.9610.10, CAR : 142.530, CAR RACING : HPD 530, CIFAM : 800-238, CITROEN : 95661747, CITROEN : 91517695, CITROEN : 169003, DELPHI : BG2444, DELPHI : BG444, DJ PARTS : BD1184, FERODO : DRF214, FERODO : DDF214, Fritech : DF256, GRAF : DF29238, INTERBRAKE : PG171V, INTERCAR : PG171V, JURID : 561409J, KWP : 129238, KWP : 1029238, LPR : P1171V, LUCAS : DF1221BP, LUCAS : DF1221, MAGNETI MARELLI : 353613612240, Metelli : 23-0238, MINTEX : MDC532, NECTO : WN474, NIBK : RN1372V, OEM : 95517695, OEM : 424694NFP, PAGID : 52512, PEUGEOT : 424694, PEUGEOT : 424996, PEUGEOT : 4246A7, PILENGA : V082, QH : BDC3688, REMSA : 6432.20, ROADHOUSE : 6432.20, SAMKO : P 1171V, SBS : 1815203715, SBS : 1815309918, SBS : 272714, SBS : 1815209918, SBS : 1816309918, STOP : 561409S, TEXTAR : 92043100, TEXTAR : 98200 0431 0 1, TRUSTING : DF256, TRW : DF1221, VALEO : 186479, VALEO : 186194, VEMA : 98004, WOKING : D6131.10, ZIMMERMANN : 440.2034.00
	Saxo	1400	1996	2003	Front	MRD1372V		
	Saxo	1600	1996	2004	Front	MRD1372V		
	ZX	1400	1994	1997	Front	MRD1372V		
	ZX	1600	1994	1997	Front	MRD1372V		
	ZX	1800	1991	1997	Front	MRD1372V		
	ZX	1900	1994	1997	Front	MRD1372V		
	ZX	1900	1994	2000	Front	MRD1372V		
	Saxo	1600	1996	2004	Front	MRD1372V		
	Saxo	1400	1996	2003	Front	MRD1372V		
	ZX	1900	1994	1997	Front	MRD1372V		
	ZX	1400	1994	1997	Front	MRD1372V		
	ZX	1800	1991	1997	Front	MRD1372V		
	ZX	1600	1994	1997	Front	MRD1372V		
	ZX	1900	1994	2000	Front	MRD1372V		
CITROEN	Xantia Estate	2000	2000		Rear	MRD1396	Recommended Type: 247 ,Disc Thickness: 8, Num. of holes : 6, Height : 25.3, Centering Diameter :71, Position: Rear, Pitch Circle & Oslash: 108	AC DELCO : AC2159D, AP : 14829, AP : 14291, ATE : 24.0108-0106.1, ATE : 408106, BENDIX : 561555B, BOSCH : 0 986 478 464, BOSCH : 0 986 478 610, BRADI : 1.0925.5.4, BRECO : BS 7650, BRECO : BS 7408, BREMBO : 08.9602.10, BREMBO : RS.127.000, BREMBO : 08.5334.75, BREMBO : RD.127.000, BREMBO : 08.5334.10, CAR : 142.144, CAR RACING : HPD 144, CIFAM : 800-271, CITROEN : 95661749, CITROEN : 4249F5, CITROEN : 96012770, DELPHI : BG2800, DELPHI : BG800, FERODO : DDF244, FERODO : DRF244, Fritech : DF175, GRAF : DF29271, INTERBRAKE : CR301P, INTERCAR : CR301P, JURID : 561555J, KWP : 129271, KWP : 1029271, Lemforder : 13104, Lemforder : 13104 02, LPR : C1301P, LUCAS : DF2581, MAGNETI MARELLI : 353610925540, Metelli : 23-0271, MINTEX : MDC794, NECTO : WN500, NIBK : RN1396, PAGID : 50610, PEUGEOT : 424666, PILENGA : 5380, QH : BDC3786, REMSA : 6128.00, REMSA : 6115.10, ROADHOUSE : 6115.10, ROADHOUSE : 6128.00, SBS : 1815209947, SBS : 272723, SBS : 1815201918, SBS : 272720, STOP : 561410S, TEXTAR : 92055003, TEXTAR : 92055000, TRUSTING : DF175, TRW : DF2581, VALEO : 186416, VALEO : 186196, WOKING : D6128.00, ZIMMERMANN : 440.3113.00
	Saxo	1600	1996	2004	Rear	MRD1396		
	Saxo	1600	1996	2004	Rear	MRD1396		
	Xantia Estate	2000	2000		Rear	MRD1396		
	Saxo	1600	1996	2004	Rear	MRD1396		
	Xantia Estate	2000	2000		Rear	MRD1396		
	Saxo	1600	1996	2004	Rear	MRD1396		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
CITROEN	Jumper	1900	1994	2002	Front	MRD1067V	Recommended Type: Vented & Oslash : 279.5 ,Disc Thickness: 18, Num. of holes : 5, Height : 65.5, Centering Diameter :73, Position: Front, Pitch Circle & Oslash: 118	AC DELCO : AC2177D, AP : 14537E, AP : 14831E, ATE : 24.0118-0108.1, BENDIX : 561992B, BENDIX EUR : 561992B, BOSCH : 0 986 478 843, BRADI : 1.1524.1.4, BRECO : BS 7501, BRECO : BS 7652, BREMBO : 08.5905.10, BREMBO : 08.9604.14, BREMBO : 08.5905.14, CAR : 142.172, CAR RACING : HPD 172, CIFAM : 800-339, CITROEN : 00004246J9, CITROEN : 4246J9, DELPHI : BG845, DELPHI : BG2845, FERODO : DDF758, FIAT : 1300500080, FIAT : 71738910, Fritch : DF186, GRAF : DF29339, INTERBRAKE : FT151P, INTERCAR : FT151P, JURID : 561992J, KWP : 129339, KWP : 1029339, LPR : F2151P, LUCAS : DF2728, MAGNETI MARELLI : 353611524140, Metelli : 23-0339, MINTEX : MDC993, NECTO : WN776, NIBK : RN1067V, OEM : 4246B9, PAGID : 50616, PEUGEOT : 4246J8, PILENGA : 5831, QH : BDC4363, QH : BDC4398, REMSA : 6150.10, REMSA : 6473.00, ROADHOUSE : 6150.10, ROADHOUSE : 6473.00, SBS : 272735, SBS : 1815209944, STOP : 561992S, TEXTAR : 98200 0737 0 1, TEXTAR : 92073700, TRUSTING : DF186, TRW : DF2728, VALEO : 186417, VEMA : 98039, WOKING : D6473.00, ZIMMERMANN : 180.3010.00
	Jumper	2000	2002	2006	Front	MRD1067V		
	Jumper	2000	1994	2002	Front	MRD1067V		
	Jumper	2000	1994	2002	Front	MRD1067V		
	Jumper	2200	2002	2006	Front	MRD1067V		
	Jumper	2500	1994	2002	Front	MRD1067V		
	Jumper	2500	1994	2000	Front	MRD1067V		
	Jumper	2800	2000	2002	Front	MRD1067V		
	Jumper	2800	2002	2006	Front	MRD1067V		
CITROEN	Jumper	1900	1994	2002	Front	MRD1065V	Recommended Type: Vented & Oslash : 300 ,Disc Thickness: 24, Num. of holes : 5, Height : 66, Centering Diameter :80, Position: Front	AC DELCO : AC2179D, AP : 24534E, AP : 24864E, AP : 24814, ATE : 24.0124-0138.1, BENDIX : 561969B, BENDIX EUR : 561969B, BOSCH : 0 986 478 842, BRADI : 1.1526.2.4, BRECO : BS 8166, BRECO : BS 8530, BRECO : BS 8440, BREMBO : 09.5906.14, BREMBO : 09.9614.14, BREMBO : 09.5906.10, BREMBO : 09.8932.10, BREMBO : 09.9615.14, CAR : 142.169, CAR RACING : HPD 169, CIFAM : 800-341, CITROEN : 00004246Y3, CITROEN : 4246Y3, CITROEN : 4246K3, DELPHI : BG2847, DELPHI : BG847, DELPHI : BG3842, FERODO : DDF768, FERODO : DDF1171, FIAT : 46806234, FIAT : 1307356080, Fritch : DF547, GRAF : DF29341, INTERBRAKE : FT181V, INTERCAR : FT181V, JURID : 561969J, KWP : 1029341, KWP : 129341, Lemforder : 30878, Lemforder : 30878 01, LPR : F2007V, LPR : F2181V, LUCAS : DF4753S, LUCAS : DF2722, MAGNETI MARELLI : 353611526240, Metelli : 23-0341, MINTEX : MDC840, MINTEX : MDC1978, NECTO : WN778, NECTO : WN1194, NIBK : RN1065V, OEM : 13007356080, OEM : 71739637, OEM : 51728378, PAGID : 54167, PAGID : 50917, PEUGEOT : 4246K2, PEUGEOT : 4246Y5, PILENGA : V038, QH : BDC4400, QH : BDC4362, REMSA : 6152.20, ROADHOUSE : 6152.20, SBS : 1815209946, SBS : 272737, STOP : 561969S, TEXTAR : 92116700, TEXTAR : 92073900, TEXTAR : 98200 0739 0 1, TRUSTING : DF547, TRW : DF2722, VEMA : 98040, WOKING : D6504.10, ZIMMERMANN : 180.3011.00
	Jumper	2000	2002	2006	Front	MRD1065V		
	Jumper	2000	1994	2002	Front	MRD1065V		
	Jumper	2000	1994	2002	Front	MRD1065V		
	Jumper	2200	2002	2006	Front	MRD1065V		
	Jumper	2500	1994	2002	Front	MRD1065V		
	Jumper	2500	1994	2000	Front	MRD1065V		
	Jumper	2800	2000	2002	Front	MRD1065V		
	Jumper	2800	2002	2006	Front	MRD1065V		
CITROEN	C3 Pluriel	1400	2004		Front	MRD1086	Recommended Type: Solid ,Disc Thickness: 13, Num. of holes : 4, Height : 27, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2182D, AP : 14711, ATE : 24.0113-0184.1, ATE : 413184, BENDIX : 562044B, BOSCH : 0 986 478 847, BRADI : 1.3619.1.4, BRECO : BS 7557, BREMBO : 08.7238.10, CAR : 142.152, CAR RACING : HPD 152, CIFAM : 800-401, CITROEN : 4246.R4, CITROEN : 4246.R2, DELPHI : BG3421, FERODO : DDF1000, Fritch : DF835, GRAF : DF29401, INTERBRAKE : CR331P, JURID : 562044J, KWP : 129401, KWP : 1029401, Lemforder : 22841 01, Lemforder : 22841, LPR : C1331P, LUCAS : DF2808, MAGNETI MARELLI : 353613619140, Metelli : 23-0401, MINTEX : MDC1011, NECTO : WN920, NIBK : RN1086, PAGID : 52515, PILENGA : 5098, QH : BDC4676, REMSA : 6536.00, ROADHOUSE : 6536.00, SBS : 1815201925, STOP : 562044S, TEXTAR : 92089100, TEXTAR : 98200 0891 0 1, TEXTAR : 92089103, TRUSTING : DF835, TRW : DF2808, VALEO : 186599, WOKING : D6536.00, ZIMMERMANN : 180.3006.00
	C3 Pluriel	1600	2003		Front	MRD1086		
	C2	1100	2003		Front	MRD1086		
	C2	1400	2003		Front	MRD1086		
	C3 Pluriel	1100	2002		Front	MRD1086		
	C3 Pluriel	1400	2002		Front	MRD1086		
	C3 Pluriel	1400	2003		Front	MRD1086		
	C3 Pluriel	1400	2004		Front	MRD1086		
	C3 Pluriel	1600	2003		Front	MRD1086		
	Berlingo	2000	2000	2002	Front	MRD1086		
	Berlingo	2000	1999	2002	Front	MRD1086		
	Berlingo	1800	1997	2002	Front	MRD1086		
	Berlingo	1900	1996	2002	Front	MRD1086		
	C2	1100	2003		Front	MRD1086		
	C2	1400	2003		Front	MRD1086		
	C3 Pluriel	1100	2002		Front	MRD1086		
	C3 Pluriel	1400	2004		Front	MRD1086		
	C3 Pluriel	1400	2002		Front	MRD1086		
	C3 Pluriel	1400	2003		Front	MRD1086		
	C3 Pluriel	1600	2003		Front	MRD1086		
CITROEN	Xantia Estate	2000	1993	1999	Rear	MRD1294	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 62, Centering Diameter :71, Position: Rear, Pitch Circle & Oslash: 108, Outter & Oslash : 251	AC DELCO : AC2190D, AP : 14635, ATE : 24.0112-0143.1, BENDIX : 562107B, BOSCH : 0 986 478 879, BRADI : 1.0926.5.5, BRECO : BS 7535, BREMBO : 08.5636.20, CAR : 142.150, CAR RACING : HPD 150, CIFAM : 800-425, CITROEN : 4246L6, DELPHI : BG3367, FERODO : DDF840, Fritch : DF179, GRAF : DF29425, INTERBRAKE : CR313P, INTERCAR : CR313P, JURID : 562107J, KWP : 129425, Lemforder : 22230 01, Lemforder : 22230, Lemforder : 22230 02, LPR : C1313P, LUCAS : DF2799, MAGNETI MARELLI : 353610926550, Metelli : 23-0425, MINTEX : MDC1033, NECTO : WN840, NIBK : RN1294, PAGID : 50623, PEUGEOT : 00004246L6, PILENGA : 5381, QH : BDC4605, REMSA : 6433.00, ROADHOUSE : 6433.00, SBS : 1815201924, SBS : 272754, STOP : 562107S, TEXTAR : 92076800, TRUSTING : DF179, TRW : DF2799, VALEO : 186569, WOKING : D6433.00
	Xantia Estate	2000	1993	1999	Rear	MRD1294		
	Xantia Estate	1900	1993	2000	Rear	MRD1294		
	Xantia Estate	2000	1999	2003	Rear	MRD1294		
CITROEN	C4 Sedan	1400	2004	2010	Front	MRD1151V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 4, Height : 34.2, Centering Diameter :66, Position: Front, Outter & Oslash : 283	AC DELCO : AC2567D, AP : 24788, AP : 24869, ATE : 24.0126-0120.1, ATE : 426120, ATE : 24.0326-0120.1, BENDIX : 562129B, BOSCH : 0 986 478 979, BOSCH : 0 986 478 616, BRADI : 1.0930.2.4, BRECO : BS 8415, BRECO : BS 8535, BREMBO : 09.8760.11, BREMBO : 09.9619.10, BREMBO : FS.114.000, BREMBO : 09.8760.10, BREMBO : 09.8760.75, BREMBO : FD.114.000, CAR : 142.477, CAR RACING : HPD 477, CIFAM : 800-556, CIFAM : 800-566, CITROEN : 424918, CITROEN : 4246W2, DELPHI : BG3622, DELPHI : BG3654, FERODO : DDF1152, FERODO : DRF1152, Fritch : DF687, GRAF : DF29556, GRAF : DF29566, INTERBRAKE : PG221V, JURID : 562129J, JURID : 562129JC, KWP : 129566, KWP : 129556, Lemforder : 30881, Lemforder : 30881 01, LPR : P1003V, LUCAS : DF4183, LUCAS : DF4786, LUCAS : DF4183BP, MAGNETI MARELLI : 353610930240, Metelli : 23-0556, Metelli : 23-0566, MINTEX : MDC1492, NECTO : WN1171, NIBK : RN1151V, PAGID : 50365, PEUGEOT : 4246W8, PEUGEOT : 424917, PILENGA : V751, PILENGA : V091, QH : BDC5241, REMSA : 6932.20, REMSA : 6604.10, REMSA : 6955.20, ROADHOUSE : 6604.10, ROADHOUSE : 6955.20, ROADHOUSE : 6932.20, SBS : 1815201927, STOP : 562129S, TEXTAR : 92111600, TEXTAR : 98200 1116 0 1, TEXTAR : 92111603, TRUSTING : DF687, TRW : DF4786, TRW : DF4183, VALEO : 186693, WOKING : D6604.10, ZIMMERMANN : 440.3106.00
	Berlingo	1600	2008		Front	MRD1151V		
	Berlingo	1400	2002	2008	Front	MRD1151V		
	Berlingo	1600	2001	2002	Front	MRD1151V		
	Xantia Estate	1600	2001		Front	MRD1151V		
	Xantia Estate	1800	2001		Front	MRD1151V		
	Berlingo	1400	2002	2008	Front	MRD1151V		
	Berlingo	1600	2001	2002	Front	MRD1151V		
	Xantia	1600	2001		Front	MRD1151V		
	Xantia	1800	2001		Front	MRD1151V		
	C5 Estate	1800	2000	2004	Front	MRD1151V		
	C5 Estate	2000	2000	2004	Front	MRD1151V		
	Berlingo	1900	2001	2002	Front	MRD1151V		
CITROEN	Berlingo	2000	2001	2002	Front	MRD1151V		
	C4	2000	2004	2010	Front	MRD1151V		
	C4 Sedan	1400	2004	2010	Front	MRD1151V		
	C4	2000	2004	2010	Front	MRD1151V		
	C4 Picasso	1600	2006		Front	MRD1151V		
	C4 Picasso	2000	2007		Front	MRD1151V		
	C4 Picasso	2000	2007		Front	MRD1151V		
	C4 Picasso	1600	2008		Front	MRD1151V		
	C4	2000	2004	2010	Front	MRD1151V		
	C4 Sedan	1400	2004	2010	Front	MRD1151V		
	C4 Picasso	2000	2007		Front	MRD1151V		
	C4 Picasso	1600	2008		Front	MRD1151V		
	C4 Picasso	2000	2007		Front	MRD1151V		
CITROEN	C4 Sedan	1400	2004	2010	Front	MRD1151V		
	C5 Estate	1800	2000	2004	Front	MRD1151V		
	C5 Estate	2000	2000	2004	Front	MRD1151V		
CITROEN	Xantia Estate	1600	2001		Front	MRD1151V		
	Xantia Estate	1800	2001		Front	MRD1151V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
CITROEN	Berlingo	1400	2002	2008	Front	MRD1151V		
	Berlingo	1600	2001	2002	Front	MRD1151V		
	Berlingo	1900	2001	2002	Front	MRD1151V		
	Berlingo	2000	2001	2002	Front	MRD1151V		
	Berlingo	1600	2008		Front	MRD1151V		
	C4	2000	2004	2010	Front	MRD1151V		
	C4 Picasso	1600	2006		Front	MRD1151V		
	C4 Picasso	1600	2008		Front	MRD1151V		
	C4 Picasso	2000	2007		Front	MRD1151V		
	C4 Picasso	2000	2007		Front	MRD1151V		
	C4 Picasso	1600	2008		Front	MRD1151V		
	C4	2000	2004	2010	Front	MRD1151V		
	C4 Sedan	1400	2004	2010	Front	MRD1151V		
	C4 Picasso	2000	2007		Front	MRD1151V		
	C5 Estate	1800	2000	2004	Front	MRD1151V		
	C5 Estate	2000	2000	2004	Front	MRD1151V		
	C4	2000	2004	2010	Front	MRD1151V		
	C4 Sedan	1400	2004	2010	Front	MRD1151V		
CITROEN	C4 Sedan	1400	2004	2010	Front	MRD1152V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 34.3, Centering Diameter :66.1, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 266	AC DELCO : AC2569D, AC DELCO : AC2582D, AP : 24787, ATE : 24.0122-0205.1, ATE : 24.0122-0194.1, ATE : 422194, BENDIX : 562128B, BENDIX EUR : 562128B, BOSCH : 0 986 478 099, BOSCH : 0 986 478 618, BRADI : 1.0928.2.4, BRECO : BS 8414, BREMBO : 09.8695.14, BREMBO : FD.113.000, BREMBO : 09.8695.10, BREMBO : 09.8695.75, BREMBO : FS.113.000, CAR : 142.476, CAR RACING : HPD 476, CIFAM : 800-555, CITROEN : 00004246W1, CITROEN : 424916, CITROEN : 4246W1, DELPHI : BG3620, DELPHI : BG3706, FERODO : DRF1140, FERODO : DDF1140, Fritech : DF666, GRAF : DF29555, INTERBRAKE : PG231V, JURID : 562128JC, JURID : 562128J, KWP : 129555, Lemforder : 30879 01, Lemforder : 30879, LPR : P1002V, LUCAS : DF4184, LUCAS : DF4184BP, MAGNETI MARELLI : 353610928240, Metelli : 23-0555, MINTEX : MDC1491, NECTO : WN1167, NIBK : RN1152V, PAGID : 50364, PEUGEOT : 424915, PEUGEOT : 4246W7, PILENGA : V092, QH : BDC5240, REMSA : 6603.10, REMSA : 6901.20, ROADHOUSE : 6603.10, ROADHOUSE : 6901.20, SBS : 1815201929, STOP : 562128S, TEXTAR : 92111503, TEXTAR : 92111500, TEXTAR : 98200 1115 0 1, TRUSTING : DF666, TRW : DF4184, VALEO : 186695, WOKING : D6603.10, ZIMMERMANN : 440.3105.00
	Berlingo	1400	2001	2002	Front	MRD1152V		
	Berlingo	1600	2001	2002	Front	MRD1152V		
	Berlingo	1900	2001	2002	Front	MRD1152V		
	Berlingo	2000	2001	2002	Front	MRD1152V		
	Xantia Estate	1600	2001		Front	MRD1152V		
	Xantia Estate	1800	2001		Front	MRD1152V		
	C5 Estate	1800	2000	2004	Front	MRD1152V		
	C5 Estate	2000	2000	2004	Front	MRD1152V		
	Berlingo	1400	2001	2002	Front	MRD1152V		
	Berlingo	1600	2001	2002	Front	MRD1152V		
	Berlingo	1900	2001	2002	Front	MRD1152V		
	Berlingo	2000	2001	2002	Front	MRD1152V		
	Xantia Estate	1600	2001		Front	MRD1152V		
	Xantia Estate	1800	2001		Front	MRD1152V		
	C4 Sedan	1400	2004	2010	Front	MRD1152V		
CITROEN	C4 Sedan	1400	2004	2010	Front	MRD1152V		
	C4 Sedan	1400	2004	2010	Front	MRD1152V		
	Berlingo	1400	2001	2002	Front	MRD1152V		
	Berlingo	1600	2001	2002	Front	MRD1152V		
	Berlingo	1900	2001	2002	Front	MRD1152V		
	Berlingo	2000	2001	2002	Front	MRD1152V		
	C Crosser	2400	2008		Front	MRD1403V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 45.6, Centering Diameter :69, Position: Front, Outter & Oslash : 294	APEC : DSK2297, ATE : 24.0124-0215.1, BREMBO : 09.A738.14, CAR : 142.1313, CAR : 142.1352, CAR RACING : HPD 1313, CIFAM : 800-939C, CIFAM : 800-939, DELPHI : BG4038, FERODO : DDF1642, Fritech : DF366, INTERBRAKE : CR461V, JAPANPARTS : DI-526, LPR : M1012V, Metelli : 23-0939C, Metelli : 23-0939, MINTEX : MDC1385, MITSUBISHI : MR307376, MITSUBISHI : 4615A006, MITSUBISHI : MR128659, MITSUBISHI : MR205215, NIBK : RN1403V, NIBK : RN1332V, NIPPARTS : J3305063, OEM : 424958, OEM : 4615A113, OEM : 424959, PAGID : 54352, QH : BDC5448, REMSA : 6896.10, ROADHOUSE : 6896.10, SBS : 1815203043, TEXTAR : 92135203, TEXTAR : 92135200, TRUSTING : DF366
	C Crosser	2200	2007		Front	MRD1403V		
	C Crosser	2400	2008		Front	MRD1403V		
	C Crosser	2200	2007		Front	MRD1403V		
	C Crosser	2400	2008		Front	MRD1403V		
	C4 Aircross	1600	2012		Rear	MRD1239	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 30.5, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 259	ATE : 24.0109-0155.1, CAR : 142.1539, CIFAM : 800-977, Fritech : DF1177, LPR : T2050P, LUCAS : DF4811, Metelli : 23-0977, MINTEX : MDC2048, NIBK : RN1239, NK : 2045124, PILENGA : 5485, QH : BDC5590, SBS : 18152045124, TEXTAR : 92164100, TOYOTA : 4243112260, TRUSTING : DF1177, TRW : 6048114, TRW : DF4811
	C4 Aircross	2000	2012		Rear	MRD1239		
	C Crosser	2200	2007		Rear	MRD1404	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 58.7, Centering Diameter :80, Position: Rear, Outter & Oslash : 302	ATE : 24.0110-0330.1, BREMBO : 08.A755.10, CAR : 142.1314, DELPHI : BG4161, Fritech : DF1298, INTERBRAKE : CR471P, LPR : M1018P, MINTEX : MDC2041, MITSUBISHI : 4615A035, NIBK : RN1404, OEM : 4249F4, PEUGEOT : 4249.62, PEUGEOT : 4249.61, SBS : 1815203053, TEXTAR : 92167000, TRUSTING : DF1298, TRW : DF4963
	C Crosser	2400	2008		Rear	MRD1404		
CITROEN	C4 Aircross	1600	2012		Rear	MRD1402	Recommended Type: 302 ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :80, Position: Rear, Pitch Circle & Oslash: 114.3	CAR : 142.1478, CHRYSLER : 04743999AA, CHRYSLER : 4615A121, CHRYSLER : 4615A010, CHRYSLER : 4743999AA, DELPHI : BG4169, Fritech : DF1412, INTERBRAKE : JP051P, MINTEX : MDC1930, NIBK : RN1402, PAGID : 54773PRO, REMSA : 61290.00, ROADHOUSE : 61290.00, TEXTAR : 92177303, TRUSTING : DF1412, WOKING : D61290.00
	C4 Aircross	2000	2012		Rear	MRD1402		
	C4 Aircross	1800	2012		Rear	MRD1402		
	C4 Aircross	1600	2012		Rear	MRD1402		
	C4 Aircross	2000	2012		Rear	MRD1402		
	C4 Aircross	1800	2012		Rear	MRD1402		
	C4 Aircross	1600	2012		Rear	MRD1402		
	C4 Aircross	2000	2012		Rear	MRD1402		
CITROEN	Berlingo	1100	1996	2002	Front	MRD1004V	Recommended Type: Vented ,Disc Thickness: 20.5, Num. of holes : 4, Height : 27.4, Centering Diameter :66, Position: Front, Outter & Oslash : 266	CITROEN : 4246R5, CITROEN : 95632048, CITROEN : 169002, CITROEN : 4246W6, CITROEN : 95667809, NIBK : RN1004V, PEUGEOT : 424697, PEUGEOT : 4246R3, PEUGEOT : 4246W5, PEUGEOT : 4246B1, TRW : DF1220
	Berlingo	1400	1996	2002	Front	MRD1004V		
	Berlingo	1600	2000	2002	Front	MRD1004V		
	Berlingo	1800	1996	2002	Front	MRD1004V		
	Berlingo	1900	1996	2002	Front	MRD1004V		
	Berlingo	2000	2000	2002	Front	MRD1004V		
	Xantia Estate	1400	1997	2000	Front	MRD1004V		
	ZX	2000	1992	1997	Front	MRD1004V		
	ZX	2000	1992	1997	Front	MRD1004V		
	Xantia Estate	2000	1993	1999	Front	MRD1004V		
	Xantia Estate	2000	1993	1999	Front	MRD1004V		
	Berlingo	1100	1996	2002	Front	MRD1004V		
	Berlingo	1400	1996	2002	Front	MRD1004V		
	Berlingo	1800	1996	2002	Front	MRD1004V		
	Berlingo	1900	1996	2002	Front	MRD1004V		
	Xantia Estate	1900	1996	1997	Front	MRD1004V		
	Xantia Estate	1900	1996	1997	Front	MRD1004V		
	Xantia Estate	1600	1997	2000	Front	MRD1004V		
	Xantia Estate	1800	1997	2000	Front	MRD1004V		
	Xantia Estate	1900	1997	2000	Front	MRD1004V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
CITROEN	Xantia Estate	1400	1997	2000	Front	MRD1004V	Recommended Type: Vented ,Disc Thickness: 20.5, Num. of holes : 4, Height : 27.4, Centering Diameter :66, Position: Front, Outter & Oslash : 266	CITROEN : 4246R5, CITROEN : 95632048, CITROEN : 169002, CITROEN : 4246W6, CITROEN : 95667809, NIBK : RN1004V, PEUGEOT : 424697, PEUGEOT : 4246R3, PEUGEOT : 4246W5, PEUGEOT : 4246B1, TRW : DF1220
	Xantia Estate	1600	1997	2000	Front	MRD1004V		
	Xantia Estate	1800	1997	2000	Front	MRD1004V		
	Xantia Estate	1900	1997	2000	Front	MRD1004V		
	Berlingo	1600	2000	2002	Front	MRD1004V		
	Berlingo	2000	2000	2002	Front	MRD1004V		
	Xantia Estate	2000	2000		Front	MRD1004V		
	Xantia Estate	2000	2000		Front	MRD1004V		
	Xantia Estate	1400	1997	2000	Front	MRD1004V		
	Xantia Estate	1600	1997	2000	Front	MRD1004V		
	Xantia Estate	1800	1997	2000	Front	MRD1004V		
	Xantia Estate	1900	1997	2000	Front	MRD1004V		
	Xantia Estate	2000	2000		Front	MRD1004V		
	ZX	2000	1992	1997	Front	MRD1004V		
	Berlingo	1100	1996	2002	Front	MRD1004V		
	Berlingo	1400	1996	2002	Front	MRD1004V		
	Berlingo	1600	2000	2002	Front	MRD1004V		
	Berlingo	1800	1996	2002	Front	MRD1004V		
	Berlingo	1900	1996	2002	Front	MRD1004V		
	Berlingo	2000	2000	2002	Front	MRD1004V		
CITROEN	Xantia Estate	1900	1996	1997	Front	MRD1004V	Recommended Type: Solid 266 ,Disc Thickness: 13, Num. of holes : 4, Height : 27, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2182D, AP : 14711, ATE : 24.0113-0184.1, ATE : 413184, BENDIX : 562044B, BOSCH : 0 986 478 847, BRADI : 1.3619.1.4, BRECO : BS 7557, BREMBO : 08.7238.10, CAR : 142.152, CAR RACING : HPD 152, CIFAM : 800-401, CITROEN : 4246.R4, CITROEN : 4246.R2, DELPHI : BG3421, FERODO : DDF1000, Fritech : DF835, GRAF : DF29401, INTERBRAKE : CR331P, JURID : 562044J, KWP : 129401, KWP : 1029401, Lemforder : 22841 01, Lemforder : 22841, LPR : C1331P, LUCAS : DF2808, MAGNETI MARELLI : 353613619140, Metelli : 23-0401, MINTEX : MDC1011, NECTO : WN920, NIBK : RN1086, PAGID : 52515, PILENGA : 5098, QH : BDC4676, REMSA : 6536.00, ROADHOUSE : 6536.00, SBS : 1815201925, STOP : 562044S, TEXTAR : 98200 0891 0 1, TEXTAR : 92089103, TEXTAR : 92089100, TRUSTING : DF835, TRW : DF2808, VALEO : 186599, WOKING : D6536.00, ZIMMERMANN : 180.3006.00
	ZX	2000	1992	1997	Front	MRD1004V		
	Berlingo	1100	1996	2002	Front	MRD1086		
	Berlingo	1400	1996	2002	Front	MRD1086		
	Berlingo	1600	2000	2002	Front	MRD1086		
	Berlingo	1800	1996	2002	Front	MRD1086		
	Berlingo	1900	1996	2002	Front	MRD1086		
	Berlingo	2000	2000	2002	Front	MRD1086		
	Berlingo	1100	1996	2002	Front	MRD1086		
	Berlingo	1400	1996	2002	Front	MRD1086		
	Berlingo	1600	2000	2002	Front	MRD1086		
	Berlingo	1800	1996	2002	Front	MRD1086		
	Berlingo	1900	1996	2002	Front	MRD1086		
	Berlingo	2000	1999	2002	Front	MRD1086		
	Berlingo	2000	2000	2002	Front	MRD1086		
	Berlingo	1800	1997	2002	Front	MRD1086		
	Berlingo	1900	1996	2002	Front	MRD1086		
	C2	1100	2003		Front	MRD1086		
	C2	1400	2003		Front	MRD1086		
CITROEN	C3 Pluriel	1100	2002		Front	MRD1086	Recommended Type: Vented & Oslash 247 ,Disc Thickness: 20, Num. of holes : 4, Height : 34, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2003D, AP : 24859E, AP : 24249E, AP : X24249, ATE : 24.0320-0132.1, ATE : 24.0120-0132.1, ATE : 420132, BENDIX : 561409B, BOSCH : 0 986 478 370, BRADI : 1.3612.2.4, BRECO : BS 8525, BRECO : BS 7976, BREMBO : 09.9610.14, BREMBO : FS.037.000, BREMBO : 09.5196.14, BREMBO : 09.9610.10, BREMBO : FD.037.000, BREMBO : 09.5196.10, BREMBO : 09.5196.75, CAR : 142.530, CAR RACING : HPD 530, CIFAM : 800-238, CITROEN : 91517695, CITROEN : 169003, CITROEN : 95661747, DELPHI : BG444, DELPHI : BG2444, DJ PARTS : BD1184, FERODO : DDF214, FERODO : DRF214, Fritech : DF256, GRAF : DF29238, INTERBRAKE : PG171V, INTERCAR : PG171V, JURID : 561409J, KWP : 1029238, KWP : 129238, LPR : P1171V, LUCAS : DF1221, LUCAS : DF1221BP, MAGNETI MARELLI : 353613612240, Metelli : 23-0238, MINTEX : MDC532, NECTO : WN474, NIBK : RN1372V, OEM : 424694NFP, OEM : 95517695, PAGID : 52512, PEUGEOT : 4246A7, PEUGEOT : 424694, PEUGEOT : 424996, PILENGA : V082, QH : BDC3688, REMSA : 6432.20, ROADHOUSE : 6432.20, SAMKO : P 1171V, SBS : 1815209918, SBS : 1816309918, SBS : 1815203715, SBS : 1815309918, SBS : 272714, STOP : 561409S, TEXTAR : 98200 0431 0 1, TEXTAR : 92043100, TRUSTING : DF256, TRW : DF1221, VALEO : 186194, VALEO : 186479, VEMA : 98004, WOKING : D6131.10, ZIMMERMANN : 440.2034.00
	C3 Pluriel	1400	2002		Front	MRD1086		
	C3 Pluriel	1400	2003		Front	MRD1086		
	Berlingo	1100	1996	2002	Front	MRD1086		
	Berlingo	1400	1996	2002	Front	MRD1086		
	Berlingo	1600	2000	2002	Front	MRD1086		
	Berlingo	1800	1996	2002	Front	MRD1086		
	Berlingo	1900	1996	2002	Front	MRD1086		
	Berlingo	2000	1999	2002	Front	MRD1086		
	Berlingo	2000	2000	2002	Front	MRD1086		
	Berlingo	1800	1997	2002	Front	MRD1086		
	Berlingo	1800	1997	2002	Front	MRD1086		
CITROEN	ZX	1600	1994	1997	Front	MRD1372V	Recommended Type: Vented & Oslash 247 ,Disc Thickness: 20, Num. of holes : 4, Height : 34, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2003D, AP : 24859E, AP : 24249E, AP : X24249, ATE : 24.0320-0132.1, ATE : 24.0120-0132.1, ATE : 420132, BENDIX : 561409B, BOSCH : 0 986 478 370, BRADI : 1.3612.2.4, BRECO : BS 8525, BRECO : BS 7976, BREMBO : 09.9610.14, BREMBO : FS.037.000, BREMBO : 09.5196.14, BREMBO : 09.9610.10, BREMBO : FD.037.000, BREMBO : 09.5196.10, BREMBO : 09.5196.75, CAR : 142.530, CAR RACING : HPD 530, CIFAM : 800-238, CITROEN : 91517695, CITROEN : 169003, CITROEN : 95661747, DELPHI : BG444, DELPHI : BG2444, DJ PARTS : BD1184, FERODO : DDF214, FERODO : DRF214, Fritech : DF256, GRAF : DF29238, INTERBRAKE : PG171V, INTERCAR : PG171V, JURID : 561409J, KWP : 1029238, KWP : 129238, LPR : P1171V, LUCAS : DF1221, LUCAS : DF1221BP, MAGNETI MARELLI : 353613612240, Metelli : 23-0238, MINTEX : MDC532, NECTO : WN474, NIBK : RN1372V, OEM : 424694NFP, OEM : 95517695, PAGID : 52512, PEUGEOT : 4246A7, PEUGEOT : 424694, PEUGEOT : 424996, PILENGA : V082, QH : BDC3688, REMSA : 6432.20, ROADHOUSE : 6432.20, SAMKO : P 1171V, SBS : 1815209918, SBS : 1816309918, SBS : 1815203715, SBS : 1815309918, SBS : 272714, STOP : 561409S, TEXTAR : 98200 0431 0 1, TEXTAR : 92043100, TRUSTING : DF256, TRW : DF1221, VALEO : 186194, VALEO : 186479, VEMA : 98004, WOKING : D6131.10, ZIMMERMANN : 440.2034.00
	ZX	1900	1994	2000	Front	MRD1372V		
	AX	1400	1991	1996	Front	MRD1372V		
	Saxo	1400	1996	2003	Front	MRD1372V		
	Saxo	1600	1996	2004	Front	MRD1372V		
	ZX	1400	1994	1997	Front	MRD1372V		
	ZX	1900	1994	1997	Front	MRD1372V		
	AX	1400	1991	1996	Front	MRD1372V		
	Saxo	1400	1996	2003	Front	MRD1372V		
	Saxo	1600	1996	2004	Front	MRD1372V		
	ZX	1400	1994	1997	Front	MRD1372V		
	ZX	1900	1994	1997	Front	MRD1372V		
	ZX	1800	1991	1997	Front	MRD1372V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
DAEWOO	Aranos	1500	1995	1997	Front	MRD1017V	Recommended Type: Vented 256 Disc Thickness: 24, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front	AC DELCO : AC2090D, AP : 24857E, AP : 24695E, AP : X24695, ATE : 24.0111-0116.1, ATE : 24.0324-0115.1, ATE : 24.0124-0115.1, BENDIX : 561488B, BRADI : 1.3415.2.4, BRADI : 1.3401.1.4, BRECO : BS 8523, BRECO : BS 8284, BREMBO : 09.5148.24, BREMBO : 09.9608.24, BREMBO : 09.5148.20, BREMBO : 09.5148.76, CAR : 142.508, CAR RACING : HPD 508, CHEVROLET : 96179110, CIFAM : 800-166, CIFAM : 800-021, DELPHI : BG443, DELPHI : BG2443, FERODO : DRF206, FERODO : DDF206, Fritech : DF239, GRAF : DF29166, INTERBRAKE : OP171V, INTERCAR : OP171V, JURID : 561488JC, JURID : 561488J, JURID : 561003J, KWP : 1029166L, KWP : 102821, KWP : 129166, Lemforder : 12242, Lemforder : 14656, Lemforder : 12242 03, LPR : O1171V, LUCAS : DF1600, LUCAS : DF1625BP, LUCAS : DF1625, MAGNETI MARELLI : 353613415240, Metelli : 23-0166, Metelli : 23-0021, MINTEX : MDC692, NECTO : WN467, NECTO : WN105, NIBK : RN1017V, NK : 209902, OEM : 569042RP, OEM : 90065603, OEM : 96162249, OEM : 96234212, OEM : 8982484, OEM : 90272326, OEM : 96234203, OPEL : 569042, OPEL : 569001, PAGID : 52415, PILENGA : V065, QH : BDC3680, REMSA : 6412.20, REMSA : 6178.10, REMSA : 6076.00, ROADHOUSE : 6178.10, ROADHOUSE : 6076.00, ROADHOUSE : 6412.20, SBS : 1815209902, SBS : 1816303613, SBS : 251108, SBS : 1815203613, SBS : 1815303613, SBS : 251101, STOP : 561488S, TEXTAR : 92039200, TEXTAR : 98200 0392 0 1, TEXTAR : 92039203, TRUSTING : DF239, TRW : DF1625, VAUXHALL : 90295087, VAUXHALL : 90250546, VAUXHALL : 90487402, VEMA : 98020, WOKING : D6178.10, WOKING : D6076.00, ZIMMERMANN : 430.1002.00, ZIMMERMANN : 430.1461.20, ZIMMERMANN : 430.1452.00
	Aranos	1800	1995	1997	Front	MRD1017V		
	Aranos	2000	1995	1997	Front	MRD1017V		
	Cielo	1500	1994	1998	Front	MRD1017V		
	Espero	1500	1995	1997	Front	MRD1017V		
	Espero	1800	1995	1997	Front	MRD1017V		
	Espero	2000	1995	1997	Front	MRD1017V		
	Lanos	1600	1997	1999	Front	MRD1017V		
	Nexia	1500	1995	1997	Front	MRD1017V		
	Matiz	800	2005		Front	MRD1546	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 35.5, Centering Diameter :86, Position: Front, Pitch Circle & Oslash: 102, Outter & Oslash : 236	AC DELCO : AC2385D, AP : 15378, ATE : 24.0113-0195.1, BENDIX : 562138B, BOSCH : 0 986 478 712, BRADI : 1.1301.1.4, BRECO : BS 7587, BREMBO : 08.7822.10, CAR : 142.990, CAR RACING : HPD 990, CIFAM : 800-597, DELPHI : BG3551, FERODO : DDF1076, Fritech : DF196, GRAF : DF29597, INTERBRAKE : OP441P, INTERCAR : OP441P, JURID : 562138J, KWP : 129597, LPR : O1441P, LUCAS : DF4123, MAGNETI MARELLI : 353611301140, Metelli : 23-0597, MINTEX : MDC1459, NECTO : WN1088, NIBK : RN1546, OEM : 96254392, OEM : 96320531, OEM : 96284392, OEM : 96455424, PAGID : 50280, PILENGA : 5860, QH : BDC5042, REMSA : 6606.00, ROADHOUSE : 6606.00, SBS : 141805, SBS : 1815205001, TEXTAR : 92100300, TRUSTING : DF196, VALEO : 186742, VEMA : 98032, WOKING : D6606.00, ZIMMERMANN : 185.3950.00
	Matiz	1000	2005		Front	MRD1546		
	Matiz	800	2005		Front	MRD1546		
	Matiz	1000	2005		Front	MRD1546		
	Korando	2300	1999	2001	Front	MRD1145V	Recommended Type: Vented 278 Disc Thickness: 23.8, Num. of holes : 6, Height : 40.1, Centering Diameter :88, Position: Front	AC DELCO : AC2517D, APEC : DSK2087, BOSCH : 0 986 478 967, BREMBO : 09.A330.10, CAR : 142.938, CAR RACING : HPD 938, DAEWOO : 4144106210, DAEWOO : 4144105110, DAEWOO : 4144106211, DELPHI : BG3523, FERODO : DDF1346, Fritech : DF717, INTERBRAKE : SY011V, LPR : S7012V, LUCAS : DF4168, MINTEX : MDC1370, NIBK : RN1145V, PAGID : 54384, PILENGA : V840, QH : BDC5108, REMSA : 6913.20, REMSA : 6754.10, ROADHOUSE : 6913.20, ROADHOUSE : 6754.10, SBS : 1815205002, TEXTAR : 92138400, TRUSTING : DF717, TRW : DF4168, WOKING : D6754.10
	Korando	2900	1999	2001	Front	MRD1145V		
	Korando	3200	1999	2001	Front	MRD1145V		
	Musso	2300	1998	2000	Front	MRD1145V		
	Musso	2900	1998	2005	Front	MRD1145V		
	Musso	3200	1998	2005	Front	MRD1145V		
DAEWOO	Lanos	1600	2000	2002	Front	MRD1206V	Recommended Type: Vented & Oslash 236, Disc Thickness: 20, Num. of holes : 6, Height : 41, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm	AP : 20238E, AP : X20238, AP : 24856E, ATE : 24.0120-0115.1, ATE : 24.0320-0115.1, BOSCH : 0 986 478 192, BRADI : 1.3406.2.4, BRADI : 1.3441.2.4, BRECO : BS 7873, BRECO : BS 8522, BRECO : BS 8405, BREMBO : 09.3090.10, BREMBO : 09.3090.20, BREMBO : 09.9607.10, BREMBO : 09.3090.14, BREMBO : 09.3090.75, BREMBO : 09.9607.14, CAR : 142.504, CAR RACING : HPD 504, CHEVROLET : 96471274, CHEVROLET : 96574633, CIFAM : 800-790, CIFAM : 800-096, DAEWOO : 96574633, DELPHI : BG2278, DELPHI : BG278, FERODO : DDF151, FERODO : DDF1279, FERODO : DRF151, Fritech : DF240, Fritech : DF922, GRAF : DF2896, GRAF : DF2896L, INTERBRAKE : OP061V, INTERCAR : OP061V, KWP : 102896, KWP : 129790, KWP : 102896L, Lemforder : 12244 03, Lemforder : 12244, LPR : O1061V, LUCAS : DF1609BP, LUCAS : DF1609, LUCAS : DF4439, MAGNETI MARELLI : 353613406240, Metelli : 23-0790, Metelli : 23-0096, MINTEX : MDC322, MINTEX : MDC2155, NECTO : WN1325, NECTO : WN397, NIBK : RN1206V, NIPPARTS : J3300912, OEM : 569031, OEM : 569054, OEM : 90008032, OEM : 90121445D, OEM : 569031RP, OEM : 90008006, OEM : 90121445, OEM : 59511111, PAGID : 52413, PAGID : 54334, PILENGA : V060, QH : BDC351, QH : BDC3025, REMSA : 6061.10, REMSA : 6655.10, REMSA : 6404.20, ROADHOUSE : 6404.20, ROADHOUSE : 6061.10, ROADHOUSE : 6655.10, SBS : 1815203608, SBS : 1815303608, SBS : 251105, SBS : 1815205008, SBS : 1816303608, STOP : 561248S, TEXTAR : 92029600, TEXTAR : 98200 0296 0 1, TEXTAR : 92133400, TRUSTING : DF922, TRUSTING : DF240, TRW : DF7217, TRW : DF4439, VEMA : 98019, WOKING : D6655.10, WOKING : D6061.10, ZIMMERMANN : 185.3952.00
	Lanos	1600	1999	2000	Front	MRD1206V		
	Lanos	1600	2000	2002	Front	MRD1206V		
	Lanos	1600	1999	2000	Front	MRD1206V		
	Lanos	1600	1999	2000	Front	MRD1206V		
DAEWOO	Evanda	2000	2002	2006	Rear	MRD1325	Recommended Type: 276 ,Disc Thickness: 12, Num. of holes : 4, Height : 58.5, Centering Diameter :60, Position: Rear, Pitch Circle & Oslash: 115	CAR : 142.1291, CHEVROLET : 96328254, DELPHI : BG4244, Fritech : DF1401, INTERBRAKE : OP631P, JAPANPARTS : DP-W04, LPR : O1019P, NIBK : RN1325, NIPPARTS : J3310907, NK : 205017, OEM : 5561186200, OEM : XFL9050445, SBS : 1815205017, TRUSTING : DF1401
	Evanda	2000	2002	2006	Front	MRD1324V	Recommended Type: Vented 256 Disc Thickness: 24, Num. of holes : 4, Height : 47.2, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 114.3	CHEVROLET : 96328338, MINTEX : MDC1483, NIBK : RN1324V, NIPPARTS : J3300911, TRW : DF7282
	Epica	2000	2007		Front	MRD1323V	Recommended Type: Vented 277.8 ,Disc Thickness: 24, Num. of holes : 4, Height : 47.5, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 115 mm	CHEVROLET : 96329364, DELPHI : BG4193, JAPANPARTS : DI-W11, NIBK : RN1323V, NIPPARTS : N3300915, SUZUKI : 5531186200
DAEWOO	Aranos	1500	1995	1997	Front	MRD1017V	Recommended Type: Vented 256 Disc Thickness: 24, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front	AC DELCO : AC2090D, AP : 24695E, AP : X24695, AP : 24857E, ATE : 24.0111-0116.1, ATE : 24.0324-0115.1, ATE : 24.0124-0115.1, BENDIX : 561488B, BRADI : 1.3415.2.4, BRADI : 1.3401.1.4, BRECO : BS 8523, BRECO : BS 8284, BREMBO : 09.5148.24, BREMBO : 09.9608.24, BREMBO : 09.5148.20, BREMBO : 09.5148.76, CAR : 142.508, CAR RACING : HPD 508, CHEVROLET : 96179110, CIFAM : 800-021, CIFAM : 800-166, DELPHI : BG443, DELPHI : BG2443, FERODO : DRF206, FERODO : DDF206, Fritech : DF239, GRAF : DF29166, INTERBRAKE : OP171V, INTERCAR : OP171V, JURID : 561003J, JURID : 561488JC, JURID : 561488J, KWP : 1029166L, KWP : 102821, KWP : 129166, Lemforder : 12242, Lemforder : 14656, Lemforder : 12242 03, LPR : O1171V, LUCAS : DF1600, LUCAS : DF1625BP, LUCAS : DF1625, MAGNETI MARELLI : 353613415240, Metelli : 23-0021, Metelli : 23-0166, MINTEX : MDC692, NECTO : WN105, NECTO : WN467, NIBK : RN1017V, NK : 209902, OEM : 96234203, OEM : 569042RP, OEM : 90065603, OEM : 96162249, OEM : 96234212, OEM : 8982484, OEM : 90272326, OPEL : 569042, OPEL : 569001, PAGID : 52415, PILENGA : V065, QH : BDC3680, REMSA : 6076.00, REMSA : 6412.20, REMSA : 6178.10, ROADHOUSE : 6178.10, ROADHOUSE : 6076.00, ROADHOUSE : 6412.20, SBS : 1815209902, SBS : 1815303613, SBS : 251101, SBS : 1815209902, SBS : 1816303613, SBS : 251108, STOP : 561488S, TEXTAR : 92039200, TEXTAR : 98200 0392 0 1, TEXTAR : 92039203, TRUSTING : DF239, TRW : DF1625, VAUXHALL : 90250546, VAUXHALL : 90487402, VAUXHALL : 90295087, VEMA : 98020, WOKING : D6076.00, WOKING : D6178.10, ZIMMERMANN : 430.1002.00, ZIMMERMANN : 430.1461.20, ZIMMERMANN : 430.1452.00
	Aranos	1800	1995	1997	Front	MRD1017V		
	Aranos	2000	1995	1997	Front	MRD1017V		
	Cielo	1500	1994	1998	Front	MRD1017V		
	Espero	1500	1995	1997	Front	MRD1017V		
	Espero	1800	1995	1997	Front	MRD1017V		
	Espero	2000	1995	1997	Front	MRD1017V		
	Lanos	1600	1997	1999	Front	MRD1017V		
	Nexia	1500	1995	1997	Front	MRD1017V		
	Aranos	1500	1995	1997	Front	MRD1017V		
	Aranos	1800	1995	1997	Front	MRD1017V		
	Aranos	2000	1995	1997	Front	MRD1017V		
	Cielo	1500	1994	1998	Front	MRD1017V		
	Espero	1500	1995	1997	Front	MRD1017V		
	Espero	1800	1995	1997	Front	MRD1017V		
	Espero	2000	1995	1997	Front	MRD1017V		
	Lanos	1600	1997	1999	Front	MRD1017V		
	Nexia	1500	1995	1997	Front	MRD1017V		
DAEWOO	Korando	2300	1999	2001	Front	MRD1145V	Recommended Type: Vented 278 Disc Thickness: 23.8, Num. of holes : 6, Height : 40.1, Centering Diameter :88, Position: Front	AC DELCO : AC2517D, APEC : DSK2087, BOSCH : 0 986 478 967, BREMBO : 09.A330.10, CAR : 142.938, CAR RACING : HPD 938, DAEWOO : 4144106210, DAEWOO : 4144105110, DAEWOO : 4144106211, DELPHI : BG3523, FERODO : DDF1346, Fritech : DF717, INTERBRAKE : SY011V, LPR : S7012V, LUCAS : DF4168, MINTEX : MDC1370, NIBK : RN1145V, PAGID : 54384, PILENGA : V840, QH : BDC5108, REMSA : 6754.10, REMSA : 6913.20, ROADHOUSE : 6913.20, ROADHOUSE : 6754.10, SBS : 1815205002, TEXTAR : 92138400, TRUSTING : DF717, TRW : DF4168, WOKING : D6754.10
	Korando	2900	1999	2001	Front	MRD1145V		
	Korando	3200	1999	2001	Front	MRD1145V		
	Musso	2300	1998	2000	Front	MRD1145V		
	Musso	2900	1998	2005	Front	MRD1145V		
	Musso	3200	1998	2005	Front	MRD1145V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
DAEWOO	Lanos	1600	2000	2002	Front	MRD1206V	Recommended Type: Vented & Oslash 236, Disc Thickness: 20, Num. of holes : 6, Height : 41, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24856E, AP : 20238E, AP : X20238, ATE : 24.0120-0115.1, ATE : 24.0320-0115.1, BOSCH : 0 986 478 192, BRADI : 1.3406.2.4, BRADI : 1.3441.2.4, BRECO : BS 7873, BRECO : BS 8522, BRECO : BS 8405, BREMBO : 09.3090.10, BREMBO : 09.3090.20, BREMBO : 09.9607.10, BREMBO : 09.3090.14, BREMBO : 09.3090.75, BREMBO : 09.9607.14, CAR : 142.504, CAR RACING : HPD 504, CHEVROLET : 96471274, CHEVROLET : 96574633, CIFAM : 800-096, CIFAM : 800-790, DAEWOO : 96574633, DELPHI : BG2278, DELPHI : BG278, FERODO : DDF151, FERODO : DDF1279, FERODO : DRF151, Fritech : DF240, Fritech : DF922, GRAF : DF2896, GRAF : DF2896L, INTERBRAKE : OP061V, INTERCAR : OP061V, KWP : 102896, KWP : 129790, KWP : 102896L, Lemforder : 12244 03, Lemforder : 12244, LPR : O1061V, LUCAS : DF1609BP, LUCAS : DF1609, LUCAS : DF4439, MAGNETI MARELLI : 353613406240, Metelli : 23-0096, Metelli : 23-0790, MINTEX : MDC2155, MINTEX : MDC322, NECTO : WN1325, NECTO : WN397, NIBK : RN1206V, NIPPARTS : J3300912, OEM : 90511111, OEM : 569031, OEM : 569054, OEM : 90008032, OEM : 90121445D, OEM : 569031RP, OEM : 90008006, OEM : 90121445, PAGID : 52413, PAGID : 54334, PILENGA : V060, QH : BDC5351, QH : BDC3205, REMSA : 6404.20, REMSA : 6061.10, REMSA : 6655.10, ROADHOUSE : 6404.20, ROADHOUSE : 6061.10, ROADHOUSE : 6655.10, SBS : 1815205008, SBS : 1816303608, SBS : 1815203608, SBS : 1815303608, SBS : 251105, STOP : 561248S, TEXTAR : 92029600, TEXTAR : 98200 0296 0 1, TEXTAR : 92133400, TRUSTING : DF240, TRUSTING : DF922, TRW : DF7217, TRW : DF4439, VEMA : 98019, WOKING : D6655.10, WOKING : D6061.10, ZIMMERMANN : 185.3952.00
	Lanos	1600	1999	2000	Front	MRD1206V		
DAIHATSU	Cuore	1000	2004	2007	Front	MRD1481V	Recommended Type: Vented & Oslash 246, Disc Thickness: 16, Num. of holes : 4, Height : 41, Centering Diameter :55, Pitch Circle & Oslash: 100	ATE : 24.0116-0120.1, BREMBO : 09.A421.10, CAR : 142.351, CAR RACING : HPD 351, DAIHATSU : 43512B1050000, DAIHATSU : 43512B1050, DELPHI : BG3555, FERODO : DDF1394, Fritech : DF103, INTERBRAKE : TY141V, LPR : T2034V, LUCAS : DF4696, LUCAS : DF4887, MINTEX : MDC1400, NECTO : WN1356, NIBK : RN1481V, OEM : 4351297202, OEM : 43512B2030, OEM : 4351297202000, OEM : 43512B2040, PAGID : 54291, PILENGA : V453, QH : BDC5195, REMSA : 6954.10, ROADHOUSE : 6954.10, SBS : 1815205111, SUBARU : 43512B1050, TEXTAR : 92129100, TOYOTA : 43512B1050, TRUSTING : DF103
	Sirion	1000	2000		Front	MRD1481V		
	Sirion	1000	1998	2000	Front	MRD1481V		
	YRV	1300	2000	2005	Front	MRD1481V		
DAIHATSU	Boon Luminas	1300	2004	2006	Front	MRD1462V	Recommended Type: Vented & Oslash 246, Disc Thickness: 17, Num. of holes : 4, Height : 43, Centering Diameter :55, Position: Front	ATE : 24.0117-0107.1, CAR : 142.1518, CIFAM : 800-923, DAIHATSU : 4351297402000, Fritech : DF1217, INTERBRAKE : TT451V, LPR : D3001V, Metelli : 23-0923, NIBK : RN1462V, NK : 205114, TOYOTA : 4351297402, TRUSTING : DF1217
	Copen	660	2003	2012	Front	MRD1462V		
	Copen	1300	2006		Front	MRD1462V		
DODGE	Avenger	2000	2007		Rear	MRD1402	Recommended Type: 302 ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :80, Position: Rear, Pitch Circle & Oslash: 114.3	CAR : 142.1478, CHRYSLER : 04743999AA, CHRYSLER : 4615A121, CHRYSLER : 4615A010, CHRYSLER : 4743999AA, DELPHI : BG4169, Fritech : DF1412, INTERBRAKE : JP051P, MINTEX : MDC1930, NIBK : RN1402, PAGID : 54773PRO, REMSA : 61290.00, ROADHOUSE : 61290.00, TEXTAR : 92177303, TRUSTING : DF1412, WOKING : D61290.00
	Avenger	2400	2007		Rear	MRD1402		
	Avenger	2000	2007		Rear	MRD1402		
	Avenger	2400	2007		Rear	MRD1402		
DODGE	Caliber	2000	2006		Front	MRD1366V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 46, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 276	CHRYSLER : 5105513AA, DODGE : 5105513AA, MITSUBISHI : MN116329, MITSUBISHI : 4615A115, MITSUBISHI : MN116330, NIBK : RN1366V, NIPPARTS : N3305066, TEXTAR : 92197403, TRW : DF4933
	Caliber	1800	2006		Front	MRD1366V		
DODGE	H 100 Box	2400	2012		Front	MRD1457V	Recommended Type: Vented 300 ,Disc Thickness: 30, Num. of holes : 6, Height : 52.5, Centering Diameter :96.2, Position: Front, Pitch Circle & Oslash: 139.7	Fritech : DF1352, HYUNDAI : 517124H000, HYUNDAI : 517124H500, MINTEX : MDC2312, NIBK : RN1457V, NK : 203436, SBS : 1815203436, TRUSTING : DF1352
	H 100 Box	2500	2012		Front	MRD1457V		
FIAT	Ducato 14	2800	1999	2001	Front	MRD1067V	Recommended Type: Vented & Oslash : 279.5 ,Disc Thickness: 18, Num. of holes : 5, Height : 65.5, Centering Diameter :73, Position: Front, Pitch Circle & Oslash: 118	AC DELCO : AC2177D, AP : 14537E, AP : 14831E, ATE : 24.0118-0108.1, BENDIX : 561992B, BENDIX EUR : 561992B, BOSCH : 0 986 478 843, BRADI : 1.1524.1.4, BRECO : BS 7501, BRECO : BS 7652, BREMBO : 08.5905.10, BREMBO : 08.9604.14, BREMBO : 08.5905.14, CAR : 142.172, CAR RACING : HPD 172, CIFAM : 800-339, CITROEN : 00004246J9, CITROEN : 4246J9, DELPHI : BG845, DELPHI : BG2845, FERODO : DDF758, FIAT : 1300500080, FIAT : 71738910, Fritech : DF186, GRAF : DF29339, INTERBRAKE : FT151P, INTERCAR : FT151P, JURID : 561992J, KWP : 129339, KWP : 1029339, LPR : F2151P, LUCAS : DF2728, MAGNETI MARELLI : 353611524140, Metelli : 23-0339, MINTEX : MDC993, NECTO : WN776, NIBK : RN1067V, OEM : 4246B9, PAGID : 50616, PEUGEOT : 4246J8, PILENGA : 5831, QH : BDC4363, QH : BDC4398, REMSA : 6150.10, REMSA : 6473.00, ROADHOUSE : 6150.10, ROADHOUSE : 6473.00, SBS : 272735, SBS : 1815209944, STOP : 561992S, TEXTAR : 98200 0737 0 1, TEXTAR : 92073700, TRUSTING : DF186, TRW : DF2728, VALEO : 186417, VEMA : 98039, WOKING : D6473.00, ZIMMERMANN : 180.3010.00
	Ducato 14	2800	2001	2001	Front	MRD1067V		
	Ducato 15	2000	2001		Front	MRD1067V		
	Ducato 15	2300	2001		Front	MRD1067V		
	Ducato 15	2800	2001		Front	MRD1067V		
	Ducato 18	2000	1994	1999	Front	MRD1067V		
	Ducato 10	1900	1994	1999	Front	MRD1067V		
	Ducato 10	1900	1998	2001	Front	MRD1067V		
	Ducato 10	1900	2001	2001	Front	MRD1067V		
	Ducato 10	2000	1994	1999	Front	MRD1067V		
	Ducato 10	2000	1999	2001	Front	MRD1067V		
	Ducato 10	2000	2001	2001	Front	MRD1067V		
	Ducato 10	2500	1994	1998	Front	MRD1067V		
	Ducato 10	2800	1998	1999	Front	MRD1067V		
	Ducato 10	2800	1999	2001	Front	MRD1067V		
	Ducato 10	2800	2001	2001	Front	MRD1067V		
	Ducato 11	2000	2001		Front	MRD1067V		
	Ducato 11	2300	2001		Front	MRD1067V		
	Ducato 11	2800	2001		Front	MRD1067V		
	Ducato 14	1900	1994	1999	Front	MRD1067V		
	Ducato 14	2000	1994	1999	Front	MRD1067V		
	Ducato 14	2500	1994	1998	Front	MRD1067V		
	Ducato 14	2800	1998	1999	Front	MRD1067V		
	Ducato 18	2000	2003		Front	MRD1067V		
	Ducato 18	2300	2003		Front	MRD1067V		
	Ducato 18	2800	2001	2002	Front	MRD1067V		
	Ducato 18	2800	2003		Front	MRD1067V		
FIAT	Ducato 10	1900	1994	1999	Front	MRD1065V	Recommended Type: Vented & Oslash : 300 ,Disc Thickness: 24, Num. of holes : 5, Height : 66, Centering Diameter :80, Position: Front	AC DELCO : AC2179D, AP : 24534E, AP : 24864E, AP : 24814, ATE : 24.0124-0138.1, BENDIX : 561969B, BENDIX EUR : 561969B, BOSCH : 0 986 478 842, BRADI : 1.1526.2.4, BRECO : BS 8166, BRECO : BS 8530, BRECO : BS 8440, BREMBO : 09.5906.14, BREMBO : 09.9614.14, BREMBO : 09.5906.10, BREMBO : 09.8932.10, BREMBO : 09.9615.14, CAR : 142.169, CAR RACING : HPD 169, CIFAM : 800-341, CITROEN : 00004246Y3, CITROEN : 4246Y3, CITROEN : 4246K3, DELPHI : BG2847, DELPHI : BG847, DELPHI : BG3842, FERODO : DDF768, FERODO : DDF1171, FIAT : 46806234, FIAT : 1307356080, Fritech : DF547, GRAF : DF29341, INTERBRAKE : FT181V, INTERCAR : FT181V, JURID : 561969J, KWP : 1029341, KWP : 129341, Lemforder : 30878, Lemforder : 30878 01, LPR : F2007V, LPR : F2181V, LUCAS : DF4753S, LUCAS : DF2722, MAGNETI MARELLI : 353611526240, Metelli : 23-0341, MINTEX : MDC840, MINTEX : MDC1978, NECTO : WN778, NECTO : WN1194, NIBK : RN1065V, OEM : 13007356080, OEM : 71739637, OEM : 56128378, PAGID : 54167, PAGID : 50917, PEUGEOT : 4246K2, PEUGEOT : 4246Y5, PILENGA : V038, QH : BDC4400, QH : BDC4362, REMSA : 6152.20, ROADHOUSE : 6152.20, SBS : 1815209946, SBS : 272737, STOP : 561969S, TEXTAR : 92116700, TEXTAR : 92073900, TEXTAR : 98200 0739 0 1, TRUSTING : DF547, TRW : DF2722, VEMA : 98040, WOKING : D6504.10, ZIMMERMANN : 180.3011.00
	Ducato 10	1900	1998	2001	Front	MRD1065V		
	Ducato 10	1900	2001	2001	Front	MRD1065V		
	Ducato 10	2000	1994	1999	Front	MRD1065V		
	Ducato 10	2000	1999	2001	Front	MRD1065V		
	Ducato 10	2000	2001		Front	MRD1065V		
	Ducato 10	2500	1994	1998	Front	MRD1065V		
	Ducato 10	2800	1998	1999	Front	MRD1065V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
FIAT	Tempra	1400	1993	1996	Front	MRD1060V	Recommended Type: Vented & Oslash : 257 ,Disc Thickness: 20, Num. of holes : 4, Height : 40, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 98	AC DELCO : AC2330D, AC DELCO : AC2141D, ALFA ROMEO : 60810076, ALFA ROMEO : 60806137, ALFA ROMEO : 0060811256, ALFA ROMEO : 60811266, ALFA ROMEO : 60811256, AP : 24874E, AP : 24499E, AP : X24499, ATE : 24.0320-0142.1, ATE : 24.0120-0142.1, ATE : 420142, BENDIX : 561861B, BENDIX : 561468B, BOSCH : 0 986 478 515, BRADI : 1.1519.2.4, BRECO : BS 8142, BRECO : BS 7952, BRECO : BS 8540, BREMBO : 09.5870.14, BREMBO : 09.9631.14, BREMBO : FS.055.000, BREMBO : 09.5870.10, BREMBO : 09.5870.75, BREMBO : FD.055.000, CAR : 142.192, CAR : 142.417, CAR RACING : HPD417, CAR RACING : HPD 192, CIFAM : 800-231, DELPHI : BG2830, DELPHI : BG830, FERODO : DDF197, FERODO : DRF521, FERODO : DDF521, FIAT : 46423415, FIAT : 51749124, FIAT : 46416712, FIAT : 7645056, FIAT : 4642315, FIAT : 7779409, Fritch : DF498, GRAF : DF29231, INTERBRAKE : LN051V, INTERCAR : LN051V, JURID : 561861J, JURID : 561468J, KWP : 129231, KWP : 1029231, Lemforder : 18220 01, Lemforder : 18220, LPR : L2051V, LUCAS : DF2686, LUCAS : DF1746, MAGNETI MARELLI : 353611519240, Metelli : 23-0231, MINTEX : MDC615, NECTO : WN752, NECTO : WN563, NIBK : RN1060V, OEM : 0060806137, OEM : 0060811266, OEM : 61811266, OEM : 0060810076, OEM : 61810076, OEM : 71738145, PAGID : 50915, PILENGA : V014, QH : BDC3593, REMSA : 6189.10, REMSA : 6146.20, ROADHOUSE : 6189.10, ROADHOUSE : 6146.20, SBS : 161612, SBS : 1815209921, SBS : 1815202322, SBS : 1815209936, STOP : 561861S, TEXTAR : 92068500, TEXTAR : 98200 0685 0 1, TRUSTING : DF498, TRW : DF2686, VALEO : 186153, VEMA : 98007, WOKING : D6189.10, ZIMMERMANN : 230.2359.00
	Tempra	1600	1993	1996	Front	MRD1060V		
	Tempra	1900	1993	1996	Front	MRD1060V		
	Doblo	1300	2004		Front	MRD1060V		
	Doblo	1600	2001	2002	Front	MRD1060V		
	Doblo	1600	2003		Front	MRD1060V		
	Doblo	1900	2000	2002	Front	MRD1060V		
	Doblo	1900	2003		Front	MRD1060V		
	Marea SW	1600	1996	1997	Front	MRD1060V		
	Marea SW	1600	1997	2002	Front	MRD1060V		
	Marea SW	1800	1996	1997	Front	MRD1060V		
	Marea SW	1900	1997	2003	Front	MRD1060V		
	Marea SW	1900	1996	1997	Front	MRD1060V		
	Marea SW	2000	1996	1999	Front	MRD1060V		
FIAT	Palio	1200	1997	2002	Front	MRD1060V		
	Palio	1400	1997	2001	Front	MRD1060V		
	Palio	1600	1997	1999	Front	MRD1060V		
	Palio	1700	1997		Front	MRD1060V		
	Palio Weekend	1200	1997	2000	Front	MRD1060V		
	Palio Weekend	1200	1999		Front	MRD1060V		
	Palio Weekend	1200	2001		Front	MRD1060V		
	Palio Weekend	1400	1997	1998	Front	MRD1060V		
	Palio Weekend	1600	1997	2002	Front	MRD1060V		
	Palio Weekend	1600	1997	2000	Front	MRD1060V		
	Palio Weekend	1600	2000		Front	MRD1060V		
	Palio Weekend	1900	2001		Front	MRD1060V		
	Palio Weekend	1900	2000		Front	MRD1060V		
	Punto	1200	1999	2003	Front	MRD1060V		
	Punto	1800	1999	2003	Front	MRD1060V		
	Punto	1900	1999		Front	MRD1060V		
	Punto	1900	2003		Front	MRD1060V		
	Strada Pick Up	1200	2000		Front	MRD1060V		
	Strada Pick Up	1700	2000	2001	Front	MRD1060V		
	Strada Pick Up	1900	2001		Front	MRD1060V		
	Tempra	1400	1993	1996	Front	MRD1060V		
	Tempra	1600	1990	1996	Front	MRD1060V		
	Tempra	1600	1993	1996	Front	MRD1060V		
	Tempra	1800	1990	1996	Front	MRD1060V		
	Tempra	1900	1993	1996	Front	MRD1060V		
	Tempra	2000	1990	1996	Front	MRD1060V		
	Doblo	1200	2000	2002	Front	MRD1060V		
	Brava	1800	1995	1998	Front	MRD1060V		
	Brava	1600	1998	2000	Front	MRD1060V		
	Brava	1800	1998	2000	Front	MRD1060V		
	Brava	1900	1996	2002	Front	MRD1060V		
	Brava	1900	1996	2002	Front	MRD1060V		
FIAT	Marea	2000	1996	1999	Rear	MRD1385	Recommended Type: Solid ,Disc Thickness: 11, Num. of holes : 4, Height : 40, Centering Diameter :59, Position: Rear, Pitch Circle & Oslash: 98, Outter & Oslash : 240.5	AC DELCO : AC2336D, AC DELCO : AC2008D, AC DELCO : AC2222D, ALFA ROMEO : 0060811879, ALFA ROMEO : 60811879, ALFA ROMEO : 60805117, AP : 14254, AP : X14138, AP : 14127, AP : 14138E, ATE : 411119, ATE : 24.0111-0119.1, ATE : 24.0111-0149.1, BENDIX : 561517B, BENDIX : 562083B, BENDIX : 561923B, BENDIX : 561380B, BOSCH : 0 986 478 462, BOSCH : 0 986 478 342, BRADI : 1.1514.1.5, BRADI : 1.1514.1.4, BRADI : 1.1517.1.4, BRECO : BS 7391, BRECO : BS 7376, BRECO : BS 7356, BREMBO : 08.4917.10, BREMBO : 08.5085.14, BREMBO : RD.007.000, BREMBO : RS.007.000, BREMBO : 08.5085.10, BREMBO : 08.4917.20, BREMBO : 08.5085.75, BREMBO : RD.009.000, BREMBO : RS.009.000, CAR : 142.008, CAR : 142.167, CAR RACING : HPD 167, CAR RACING : HPD 008, CIFAM : 800-232, DELPHI : BG2458, DELPHI : BG458, DELPHI : BG2801, FERODO : DDF140, FERODO : DDF219, FERODO : DRF240, FERODO : DRF140, FERODO : DDF240, FIAT : 71738421, FIAT : 51876438, FIAT : 46403960, FORD : 9S511125CA, Fritch : DF650, Fritch : DF032, GRAF : DF29232, INTERBRAKE : FT081P, INTERBRAKE : AR221P, INTERCAR : FT081P, JURID : 561517J, JURID : 561380J, JURID : 561923J, KWP : 129232, KWP : 1029232, LANCIA : 51876438, Lemforder : 16813 01, Lemforder : 16813, LPR : F2081P, LPR : A2221P, LUCAS : DF1756, LUCAS : DF1740, LUCAS : DF1745, MAGNETI MARELLI : 353611517140, MAGNETI MARELLI : 353611514140, MAGNETI MARELLI : 353611514150, Metelli : 23-0232, MINTEX : MDC1120, MINTEX : MDC836, MINTEX : MDC592, NECTO : WN758, NECTO : WN417, NIBK : RN1385, OEM : 0060576335, OEM : 7645054, OEM : 105412201500, OEM : 7663465, OEM : 5084751, OEM : 0060552705, OEM : 7985656, OEM : 60576335, OEM : 105412000000, OEM : 60806117, OEM : 60552705, OEM : 7566931, OEM : 0060805117, OEM : 7663461, OEM : 46448407, OEM : 7685656, OEM : 5766931, OEM : 0060800345, OEM : 60800345, OEM : 46618703, OEM : 7163465, OEM : 71739572, PAGID : 50117, PAGID : 50909, PAGID : 50118, PILENGA : 5027, PILENGA : 5031, PILENGA : 5024, QH : BDC3592, QH : BDC4356, QH : BDC4306, REMSA : 6144.10, REMSA : 6110.00, REMSA : 6141.10, REMSA : 6110.01, ROADHOUSE : 6110.00, ROADHOUSE : 6141.10, ROADHOUSE : 6144.10, ROADHOUSE : 6110.01, SBS : 1815201016, SBS : 161050, SBS : 1815209922, SBS : 303006, SBS : 1815202315, STOP : 561380S, STOP : 561923S, TEXTAR : 92041400, TEXTAR : 92061200, TEXTAR : 92061103, TEXTAR : 92061100, TEXTAR : 98200 0414 0 1, TRUSTING : DF032, TRUSTING : DF650, TRW : DF1745, VALEO : 186406, VALEO : 186323, VALEO : 186155, VEMA : 98001, WOKING : D6110.00, WOKING : D6110.01, ZIMMERMANN : 230.2356.00
FIAT	Doblo	1300	2004		Front	MRD1068V	Recommended Type: Vented 257.2 ,Disc Thickness: 22, Num. of holes : 4, Height : 40.3, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 98mm	AC DELCO : AC2534D, ALFA ROMEO : 46401356, ALFA ROMEO : 46831041, AP : 24873, AP : 24584, ATE : 24.0122-0197.1, ATE : 24.0122-0190.1, ATE : 422197, BENDIX : 562178B, BOSCH : 0 986 478 639, BRADI : 1.2210.2.4, BRECO : BS 8164, BRECO : BS 8539, BREMBO : 09.5843.10, BREMBO : 09.9630.10, BREMBO : FS.054.000, BREMBO : 09.5843.11, BREMBO : FD.054.000, CAR : 142.191, CAR RACING : HPD 191, CIFAM : 800-407, DELPHI : BG3574, FERODO : DDF762, FERODO : DRF762, FIAT : 46401356, FIAT : 46831041, FIAT : 46542383, FIAT : 71739640, Fritch : DF679, GRAF : DF29407, INTERBRAKE : LN121V, JURID : 562178J, KWP : 129407, KWP : 1029407, LPR : L2121V, LUCAS : DF2734, MAGNETI MARELLI : 353612210240, Metelli : 23-0407, MINTEX : MDC1084, NECTO : WN786, NIBK : RN1068V, PAGID : 51811, PILENGA : V042, QH : BDC4674, REMSA : 6235.20, REMSA : 6443.10, ROADHOUSE : 6235.20, ROADHOUSE : 6443.10, SBS : 1815202336, TEXTAR : 92069600, TRUSTING : DF679, TRW : DF2734, VALEO : 186590, VALEO : 186336, VALEO : 186706, VEMA : 98034, WOKING : D6443.10, ZIMMERMANN : 230.2365.00
	Doblo	1600	2001	2002	Front	MRD1068V		
	Doblo	1600	2003		Front	MRD1068V		
	Doblo	1900	2000	2002	Front	MRD1068V		
	Doblo	1900	2003		Front	MRD1068V		
	Doblo	1200	2000	2002	Front	MRD1068V		
	Doblo	1200	2003	2004	Front	MRD1068V		
	Doblo	1900	2003	2004	Front	MRD1068V		
	Doblo	1300	2005		Front	MRD1068V		
	Doblo	1400	2005		Front	MRD1068V		
	L500	1400	2007		Front	MRD1068V		
	L500	1400	2009		Front	MRD1068V		
FIAT	Grande Punto 199	1400	2005	2010	Front	MRD1068V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
FIAT	Idea	1200	2003		Front	MRD1068V		
	Idea	1300	2003		Front	MRD1068V		
	Idea	1400	2003		Front	MRD1068V		
	Idea	1900	2003		Front	MRD1068V		
	Linea	1400	2007		Front	MRD1068V		
	Stilo 192	1200	2001	2003	Front	MRD1068V		
	Stilo 192	1400	2003		Front	MRD1068V		
	Stilo 192	1400	2003		Front	MRD1068V		
	Stilo 192	1600	2001	2002	Front	MRD1068V		
	Stilo 192	1600	2002		Front	MRD1068V		
	Stilo 192	1800	2001	2002	Front	MRD1068V		
	Qubo	1400	2008		Front	MRD1068V		
	Qubo	1400	2009		Front	MRD1068V		
	Qubo	1300	2008		Front	MRD1068V		
	Qubo	1300	2009		Front	MRD1068V		
	Linea	1400	2007		Front	MRD1068V		
	Stilo 192	1200	2001	2003	Front	MRD1068V		
	Stilo 192	1400	2003		Front	MRD1068V		
	Stilo 192	1400	2003		Front	MRD1068V		
	Stilo 192	1600	2001	2002	Front	MRD1068V		
	Stilo 192	1600	2002		Front	MRD1068V		
	Stilo 192	1800	2001	2002	Front	MRD1068V		
FIAT	Grande Punto 199	1400	2005	2010	Front	MRD1068V		
	Idea	1900	2003		Front	MRD1068V		
	Doblo	1300	2005		Front	MRD1068V		
FIAT	Doblo	1400	2005		Front	MRD1068V		
	Croma	1800	2005		Rear	MRD1172	Recommended Type: Solid 278 Disc Thickness: 11.9, Num. of holes : 7, Height : 41.4, Centering Diameter :65.5, Position: Rear, Pitch Circle & Oslash: 110	AP : 14853, APEC : DSK2091, ATE : 24.0112-0157.1, ATE : 24.0312-0157.1, BENDIX : 562229B, BOSCH : 0 986 479 106, BRECO : BS 7644, BREMBO : 08.9511.10, BREMBO : 08.9511.11, CAR : 142.034, CAR RACING : HPD 034, CHEVROLET : 93171848, CIFAM : 800-609, DELPHI : BG3731, FERODO : DDF1288, FIAT : 468364890, FIAT : 46836489, Fritch : DF966, INTERBRAKE : OP551P, INTERCAR : OP551P, JURID : 562229J, KWP : 129609, Lemforder : 29624 01, Lemforder : 29624, LPR : 01014P, LUCAS : DF4266, MAGNETI MARELLI : 353613454540, Metelli : 23-0609, MINTEX : MDC1560, NECTO : WN1299, NIBK : RN1172, OEM : 931718481, OEM : 9156787, OPEL : 569115, PAGID : 54185, PILENGA : 5772, QH : BDC5413, REMSA : 6688.00, ROADHOUSE : 6688.00, SAAB : 9156785, SBS : 1815203646, TEXTAR : 98200 1185 0 1, TEXTAR : 92118500, TRUSTING : DF966, TRW : DF4266, VALEO : 186854, WOKING : D6688.00, ZIMMERMANN : 430.1497.00
	Croma	1900	2005		Rear	MRD1172		
FIAT	Croma	2200	2005		Rear	MRD1172		
	Sedici	1600	2006		Front	MRD1320V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 47, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 279	ATE : 24.0122-0252.1, BREMBO : 09.A296.14, CAR : 142.1191, CAR RACING : HPD 1191, CIFAM : 800-895, DELPHI : BG4093, FERODO : DDF1620, Fritch : DF1223, INTERBRAKE : FT321V, JAPANPARTS : DI-820, LPR : S5005V, LPR : F2012V, LUCAS : DF4741, Metelli : 23-0895, MINTEX : MDC1822, NIBK : RN1320V, NIPPARTS : N3308020, OEM : 5531179J01000, OEM : 5531179J01, OEM : 71742850, QH : BDC5576, SBS : 1815205218, TEXTAR : 92156600, TRUSTING : DF1223, TRW : DF4741
	Sedici	1900	2006	2009	Front	MRD1320V		
FIAT	Idea	1900	2003		Front	MRD1068V	Recommended Type: Vented 257.2 ,Disc Thickness: 22, Num. of holes : 4, Height : 40.3, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 98mm	AC DELCO : AC2534D, ALFA ROMEO : 46831041, ALFA ROMEO : 46401356, AP : 24873, AP : 24584, ATE : 24.0122-0190.1, ATE : 422197, ATE : 24.0122-0197.1, BENDIX : 562178B, BOSCH : 0 986 478 639, BRADI : 1.2210.2.4, BRECO : BS 8539, BRECO : BS 8164, BREMBO : 09.5843.11, BREMBO : FD.054.000, BREMBO : 09.5843.10, BREMBO : 09.9630.10, BREMBO : FS.054.000, CAR : 142.191, CAR RACING : HPD 191, CIFAM : 800-407, DELPHI : BG3574, FERODO : DRF762, FERODO : DDF762, FIAT : 46542383, FIAT : 71739640, FIAT : 46401356, FIAT : 46831041, Fritch : DF679, GRAF : DF29407, INTERBRAKE : LN121V, JURID : 562178J, KWP : 129407, KWP : 1029407, LPR : L2121V, LUCAS : DF2734, MAGNETI MARELLI : 353612210240, Metelli : 23-0407, MINTEX : MDC1084, NECTO : WN786, NIBK : RN1068V, PAGID : 51811, PILENGA : V042, QH : BDC4674, REMSA : 6443.10, REMSA : 6235.20, ROADHOUSE : 6443.10, ROADHOUSE : 6235.20, SBS : 1815202336, TEXTAR : 92069600, TRUSTING : DF679, TRW : DF2734, VALEO : 186336, VALEO : 186706, VALEO : 186590, VEMA : 98034, WOKING : D6443.10, ZIMMERMANN : 230.2365.00
	Stilo 192	1400	2003		Front	MRD1068V		
	Stilo 192	1600	2002		Front	MRD1068V		
	Stilo 192	1800	2001	2002	Front	MRD1068V		
	Doblo	1300	2005		Front	MRD1068V		
	Doblo	1400	2005		Front	MRD1068V		
	L500	1400	2007		Front	MRD1068V		
	L500	1400	2009		Front	MRD1068V		
	Doblo	1300	2004		Front	MRD1068V		
	Doblo	1600	2003		Front	MRD1068V		
	Doblo	1900	2003	2004	Front	MRD1068V		
	Doblo	1900	2003		Front	MRD1068V		
	Grande Punto 199	1400	2005	2010	Front	MRD1068V		
	Idea	1200	2003		Front	MRD1068V		
	Idea	1300	2003		Front	MRD1068V		
	Idea	1400	2003		Front	MRD1068V		
	Linea	1400	2007		Front	MRD1068V		
	Stilo 192	1200	2001	2003	Front	MRD1068V		
	Stilo 192	1400	2003		Front	MRD1068V		
	Stilo 192	1600	2001	2002	Front	MRD1068V		
	Qubo	1400	2008		Front	MRD1068V		
	Qubo	1400	2009		Front	MRD1068V		
	Qubo	1300	2008		Front	MRD1068V		
	Qubo	1300	2009		Front	MRD1068V		
	Doblo	1200	2000	2002	Front	MRD1068V		
	Doblo	1600	2001	2002	Front	MRD1068V		
	Doblo	1900	2000	2002	Front	MRD1068V		
	L500	1400	2007		Front	MRD1068V		
	L500	1400	2009		Front	MRD1068V		
	Doblo	1300	2004		Front	MRD1068V		
	Doblo	1600	2003		Front	MRD1068V		
	Doblo	1900	2003	2004	Front	MRD1068V		
	Doblo	1900	2003		Front	MRD1068V		
	Idea	1200	2003		Front	MRD1068V		
	Idea	1300	2003		Front	MRD1068V		
	Idea	1400	2003		Front	MRD1068V		
	Qubo	1400	2008		Front	MRD1068V		
	Qubo	1400	2009		Front	MRD1068V		
	Qubo	1300	2008		Front	MRD1068V		
	Qubo	1300	2009		Front	MRD1068V		
FIAT	Croma	1800	2005		Rear	MRD1172	Recommended Type: Solid 278 Disc Thickness: 11.9, Num. of holes : 7, Height : 41.4, Centering Diameter :65.5, Position: Rear, Pitch Circle & Oslash: 110	AP : 14853, APEC : DSK2091, ATE : 24.0312-0157.1, ATE : 24.0112-0157.1, BENDIX : 562229B, BOSCH : 0 986 479 106, BRECO : BS 7644, BREMBO : 08.9511.11, BREMBO : 08.9511.10, CAR : 142.034, CAR RACING : HPD 034, CHEVROLET : 93171848, CIFAM : 800-609, DELPHI : BG3731, FERODO : DDF1288, FIAT : 468364890, FIAT : 46836489, Fritch : DF966, INTERBRAKE : OP551P, INTERCAR : OP551P, JURID : 562229J, KWP : 129609, Lemforder : 29624, Lemforder : 29624 01, LPR : 01014P, LUCAS : DF4266, MAGNETI MARELLI : 353613454540, Metelli : 23-0609, MINTEX : MDC1560, NECTO : WN1299, NIBK : RN1172, OEM : 9156787, OEM : 931718481, OPEL : 569115, PAGID : 54185, PILENGA : 5772, QH : BDC5413, REMSA : 6688.00, ROADHOUSE : 6688.00, SAAB : 9156785, SBS : 1815203646, TEXTAR : 98200 1185 0 1, TEXTAR : 92118500, TRUSTING : DF966, TRW : DF4266, VALEO : 186854, WOKING : D6688.00, ZIMMERMANN : 430.1497.00
	Croma	1900	2005		Rear	MRD1172		
	Croma	2200	2005		Rear	MRD1172		
	Croma	2400	2005		Rear	MRD1172		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
FIAT	Doblo	1300	2004		Front	MRD1060V	Recommended Type: Vented & Oslash : 257 ,Disc Thickness: 20, Num. of holes : 4, Height : 40, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 98	AC DELCO : AC2141D, AC DELCO : AC2330D, ALFA ROMEO : 60810076, ALFA ROMEO : 60806137, ALFA ROMEO : 0060811256, ALFA ROMEO : 60811266, ALFA ROMEO : 60811256, AP : 24874E, AP : 24499E, AP : X24499, ATE : 24.0320-0142.1, ATE : 24.0120-0142.1, ATE : 420142, BENDIX : 561468B, BENDIX : 561861B, BOSCH : 0 986 478 515, BRADI : 1.1519.2.4, BRECO : BS 8142, BRECO : BS 7952, BRECO : BS 8540, BREMBO : 09.5870.14, BREMBO : 09.9631.14, BREMBO : FS.055.000, BREMBO : 09.5870.10, BREMBO : 09.5870.75, BREMBO : FD.055.000, CAR : 142.192, CAR : 142.417, CAR RACING : HPD 192, CAR RACING : HPD417, CIFAM : 800-231, DELPHI : BG830, DELPHI : BG2830, FERODO : DDF197, FERODO : DRF521, FERODO : DDF521, FIAT : 51749124, FIAT : 46416712, FIAT : 76405056, FIAT : 4642315, FIAT : 7779409, FIAT : 46423415, Fritech : DF498, GRAF : DF29231, INTERBRAKE : LN051V, INTERCAR : LN051V, JURID : 561861J, JURID : 561468J, KWP : 129231, KWP : 1029231, Lemforder : 18220 01, Lemforder : 18220, LPR : L2051V, LUCAS : DF2686, LUCAS : DF1746, MAGNETI MARELLI : 353611519240, Metelli : 23-0231, MINTEX : MDC615, NECTO : WN563, NECTO : WN752, NIBK : RN1060V, OEM : 0060806137, OEM : 0060811266, OEM : 61811266, OEM : 0060810076, OEM : 61810076, OEM : 71738145, PAGID : 50915, PILENGA : V014, QH : BDC3593, REMSA : 6189.10, REMSA : 6146.20, ROADHOUSE : 6189.10, ROADHOUSE : 6146.20, SBS : 161612, SBS : 1815209921, SBS : 1815202322, SBS : 1815209936, STOP : 561861S, TEXTAR : 92068500, TEXTAR : 98200 0685 0 1, TRUSTING : DF498, TRW : DF2686, VALEO : 186153, VEMA : 98007, WOKING : D6189.10, ZIMMERMANN : 230.2359.00
	Doblo	1600	2003		Front	MRD1060V		
	Doblo	1900	2003		Front	MRD1060V		
	Marea SW	1600	1997	2002	Front	MRD1060V		
	Marea SW	1900	1997	2003	Front	MRD1060V		
	Palio	1700	1997		Front	MRD1060V		
	Palio Weekend	1200	1997	2000	Front	MRD1060V		
	Palio Weekend	1200	1999		Front	MRD1060V		
	Palio Weekend	1400	1997	1998	Front	MRD1060V		
	Palio Weekend	1600	1997	2002	Front	MRD1060V		
	Palio Weekend	1600	1997	2000	Front	MRD1060V		
	Brava Bravo	1600	1998	2000	Front	MRD1060V		
	Brava Bravo	1800	1998	2000	Front	MRD1060V		
	Brava Bravo	1900	1996	2002	Front	MRD1060V		
	Brava Bravo	1900	1996	2002	Front	MRD1060V		
	Doblo	1200	2000	2002	Front	MRD1060V		
	Doblo	1600	2001	2002	Front	MRD1060V		
	Doblo	1900	2000	2002	Front	MRD1060V		
	Palio Weekend	1200	2001		Front	MRD1060V		
	Palio Weekend	1600	2000		Front	MRD1060V		
	Palio Weekend	1900	2001		Front	MRD1060V		
FORD	Palio Weekend	1900	2000		Front	MRD1060V		
	Punto	1800	1999	2003	Front	MRD1060V		
	Strada Pick Up	1200	2000		Front	MRD1060V		
	Strada Pick Up	1700	2000	2001	Front	MRD1060V		
	Strada Pick Up	1900	2001		Front	MRD1060V		
	Doblo	1300	2004		Front	MRD1060V		
	Doblo	1600	2003		Front	MRD1060V		
	Doblo	1900	2003		Front	MRD1060V		
	Maverick	2400	1993	2000	Front	MRD1028V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 39, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 124, Outter & Oslash : 277	AC DELCO : AC2291D, AP : 24205, ATE : 24.0126-0109.1, BENDIX : 561523B, BOSCH : 0 986 478 532, BRADI : 1.3275.2.4, BRADI : 1.3252.2.4, BRECO : BS 7943, BREMBO : 09.5055.10, CAR : 142.880, CAR RACING : HPD 880, CIFAM : 800-349, DELPHI : BG418, DELPHI : BG3422, FERODO : DDF464, FORD : 1954433, Fritech : DF335, GRAF : DF29349, INTERBRAKE : NS371V, INTERCAR : NS371V, JAPANPARTS : DI-144, JURID : 561523J, KWP : 129349, KWP : 1029465L, LPR : N2825V, LPR : N2371V, LUCAS : DF1965, MAGNETI MARELLI : 353613252240, Metelli : 23-0349, MINTEX : MDC859, NECTO : WN669, NIBK : RN1028V, NISSAN : 402060F001, NISSAN : 4020631G01, NISSAN : 402060F000, NISSAN : 4020631G00, NISSAN : 40206VJ200, OEM : 1954434, PAGID : 52321, PILENGA : V890, QH : BDC4309, QH : BDC3921, REMSA : 6710.20, REMSA : 6384.20, ROADHOUSE : 6710.20, ROADHOUSE : 6384.20, SBS : 151535, SBS : 1815202250, SBS : 151535V, TEXTAR : 92059000, TRUSTING : DF335, TRW : DF1965, VALEO : 186484, WOKING : D6466.10, ZIMMERMANN : 200.2512.00
	Maverick	2700	1993	2000	Front	MRD1028V		
FORD	Transit	2000	1995	2000	Front	MRD1293V	Recommended Type: Vented ,Disc Thickness: 24.3, Num. of holes : 5, Height : 43, Centering Diameter :78.5, Position: Front, Outter & Oslash : 254	AC DELCO : AC2532D, AC DELCO : AC2265D, AP : 24650E, ATE : 24.0124-0122.1, ATE : 24.0124-0131.1, BENDIX : 561624B, BENDIX EUR : 561624B, BOSCH : 0 986 478 160, BRADI : 1.1750.2.4, BRADI : 1.1740.2.4, BRECO : BS 8270, BREMBO : 09.6967.10, BREMBO : 09.5538.10, BREMBO : 09.6967.14, CAR : 142.269, CAR : 142.238, CAR RACING : HPD 238, CIFAM : 800-459, DELPHI : BG2662, DELPHI : BG3365, FERODO : DDF848, FERODO : DDF269, FORD : 95VX1125AA, FORD : 5029815, Fritech : DF267, GRAF : DF29459, INTERBRAKE : FR601V, INTERCAR : FR601V, INTERCAR : FR291V, JURID : 561624J, KWP : 129459, KWP : 1029323L, Lemforder : 17826, Lemforder : 17826 02, LPR : F1601V, LPR : F1291V, LUCAS : DF1622, LUCAS : DF2786, LUCAS : DF1622BP, LUCAS : DF2786BP, MAGNETI MARELLI : 353611740240, MAGNETI MARELLI : 353611750240, Metelli : 23-0459, MINTEX : MDC996, NECTO : WN848, NIBK : RN1293V, OEM : 5025610, OEM : 5209815, OEM : 5025610ER, OEM : 92VX1125AA, PAGID : 51032, PILENGA : V251, PILENGA : V272, QH : BDC3855, QH : BDC4583, QH : BDC4353, REMSA : 6182.20, REMSA : 6678.20, REMSA : 6518.10, ROADHOUSE : 6678.20, ROADHOUSE : 6518.10, ROADHOUSE : 6182.20, SBS : 1815202531, SBS : 171710, SBS : 1815202547, STOP : 561624S, TEXTAR : 98200 0881 0 1, TEXTAR : 92088100, TRUSTING : DF267, TRW : DF2786, VALEO : 186278, VALEO : 186536, WOKING : D6518.10, ZIMMERMANN : 250.1339.00
	Transit	2500	1997	2000	Front	MRD1293V		
	Transit 100	2000	1994	1999	Front	MRD1293V		
	Transit 100	2500	1994	2000	Front	MRD1293V		
	Galaxy	2000	1995	2000	Front	MRD1075V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 5, Height : 55.4, Centering Diameter :68.2, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2250D, AP : 24628E, ATE : 24.0125-0114.1, BENDIX : 562043B, BENDIX EUR : 562043B, BOSCH : 0 986 478 845, BOSCH : 0 986 478 893, BRADI : 1.5828.2.4, BRECO : BS 8263, BREMBO : 09.6934.10, BREMBO : 09.6934.14, CAR : 142.239, CAR RACING : HPD 239, CIFAM : 800-403, DELPHI : BG3025, FERODO : DDF846, FORD : 1001093, FORD : 1143641, FORD : 95VWX1125B1D, FORD : 1045994, FORD : 95WX1125BC, FORD : 95VWX1125BD, Fritech : DF503, GRAF : DF29403L, GRAF : DF29403, INTERBRAKE : FR571V, INTERCAR : FR571V, JURID : 562043J, JURID : 562043JC, KWP : 129403, KWP : 1029403L, Lemforder : 24513, Lemforder : 24513 01, LPR : F1571V, LUCAS : DF2776, LUCAS : DF2776BP, MAGNETI MARELLI : 353615828240, Metelli : 23-0403, MINTEX : MDC1017, NECTO : WN846, NIBK : RN1075V, OEM : 1143640, OEM : 7M0615301EG, OEM : 7M0615301E, OEM : 7M0615201E, OEM : 7M06615301G, OEM : 7M0615301G, PAGID : 53963, PILENGA : V156, QH : BDC4628, REMSA : 6496.10, REMSA : 6676.20, ROADHOUSE : 6496.10, ROADHOUSE : 6676.20, SBS : 424241, SBS : 1815202545, SBS : 424241V, STOP : 562043S, TEXTAR : 92074200, TEXTAR : 98200 0742 0 1, TEXTAR : 92074203, TRUSTING : DF503, TRW : DF2776, VALEO : 186601, VEMA : 98095, VW : 7M0615301E, VW : 7M0615301G, WOKING : D6496.10, ZIMMERMANN : 600.3209.00
FORD	Galaxy	2000	2000	2001	Front	MRD1075V		
	Galaxy	2300	1996	2001	Front	MRD1075V		
	Galaxy	2800	1995	2000	Front	MRD1075V		
	Galaxy	2000	1995	2000	Front	MRD1075V		
	Galaxy	2000	2000	2001	Front	MRD1075V		
	Galaxy	2300	1996	2001	Front	MRD1075V		
	Galaxy	2800	1995	2000	Front	MRD1075V		
	Galaxy	2000	1995	2000	Front	MRD1075V		
	Galaxy	2000	2000	2001	Front	MRD1075V		
	Galaxy	2300	1996	2001	Front	MRD1075V		
	Galaxy	2800	1995	2000	Front	MRD1075V		
FORD	Galaxy	2000	1995	2000	Front	MRD1075V		
	Galaxy	2300	1996	2001	Front	MRD1075V		
	Galaxy	2800	1995	2000	Front	MRD1075V		
	Galaxy	2000	1995	2000	Front	MRD1075V		
	Galaxy	2800	1995	2000	Front	MRD1075V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
FORD	Focus	1400	1998	2004	Front	MRD1109V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43, Centering Diameter : 64, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 258	AC DELCO : AC2259D, AP : 24760E, AP : X24760, ATE : 24.0322-0172.1, ATE : 24.0122-0172.1, ATE : 422172, BENDIX : 562078B, BENDIX EUR : 562078B, BOSCH : 0 986 478 892, BOSCH : 0 986 479 129, BRADI : 1.1752.2.4, BRECO : BS 8344, BREMBO : 09.7806.14, BREMBO : FD.096.000, BREMBO : 09.7806.10, BREMBO : 09.7806.75, BREMBO : FS.096.000, CAR : 142.242, CAR RACING : HPD 242, CIFAM : 800-476, DELPHI : BG3359, FERODO : DRF1072, FERODO : DDF1072, FORD : 98AB1125BD, FORD : 3049893, FORD : 98AB1125D1E, FORD : 4077455, FORD : 98AG1125EA, FORD : 1323620, FORD : 2S611125AA, FORD : 1373771, FORD : 1388256, FORD : 98AB1125BE, FORD : 3573537, FORD : 98AG1125E1B, FORD : 3555344, FORD : 98AG1125EB, FORD : 1148202, FORD : 1320585, Fritech : DF460, GRAF : DF29476, INTERBRAKE : FR621V, INTERCAR : FR621V, JURID : 562078JC, JURID : 562078J, KWP : 129476, Lemforder : 22842, Lemforder : 22842 02, LPR : F1621V, LUCAS : DF4036BP, LUCAS : DF4036, MAGNETI MARELLI : 353611752240, MAZDA : DD593325X, MAZDA : DD323325X, MAZDA : DD633325X, Metelli : 23-0476, MINTEX : MDC1030, NECTO : WN1086, NIBK : RN1109V, OEM : 272405, OEM : 98AB1125DC, OEM : XS6W1125B1B, OEM : 274172, OEM : DD593325XA, OEM : YS6W1125AA, PAGID : 51040, PILENGA : V274, REMSA : 6575.10, ROADHOUSE : 6575.10, SBS : 171716, SBS : 1815203249, SBS : 1816302549, SBS : 1815202549, SBS : 1815302549, STOP : 562078S, TEXTAR : 92096203, TEXTAR : 92096200, TEXTAR : 98200096201, TRUSTING : DF460, TRW : DF4036, VALEO : 186560, VALEO : 186741, VEMA : 98016, WOKING : D6575.10, ZIMMERMANN : 250.1343.00
	Focus	1600	1998	2004	Front	MRD1109V		
	Focus	1800	1998	2004	Front	MRD1109V		
	Focus	1800	2000	2004	Front	MRD1109V		
	Fiesta	1000	1997	2000	Front	MRD1109V		
	Fiesta	1400	1996	2000	Front	MRD1109V		
	Fiesta	1600	1999	2000	Front	MRD1109V		
	Fiesta Van	1200	2000	2001	Front	MRD1109V		
	Fiesta Van	1300	2000	2001	Front	MRD1109V		
	Fiesta Van	1400	2000	2001	Front	MRD1109V		
	Fiesta Van	1800	2000	2001	Front	MRD1109V		
	Focus	1800	2000	2001	Front	MRD1109V		
	Focus Estate	1400	2001		Front	MRD1109V		
	Focus Estate	1800	2001		Front	MRD1109V		
	Focus Estate	2000	2000		Front	MRD1109V		
	Fusion	1300	2004		Front	MRD1109V		
	Fusion	1400	2002		Front	MRD1109V		
	Fusion	1600	2004		Front	MRD1109V		
	Fusion	1600	2002	2003	Front	MRD1109V		
	KA	1600	2003	2008	Front	MRD1109V		
	Puma	1400	2000	2001	Front	MRD1109V		
	Puma	1600	2000	2002	Front	MRD1109V		
	Puma	1700	2000	2002	Front	MRD1109V		
FORD	Galaxy	1900	1995	2000	Front	MRD1389V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 56.2, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash: 104, Outter & Oslash : 300	AC DELCO : AC2598D, AP : 24943, APEC : DSK2168, ATE : 24.0126-0115.1, BENDIX : 562198B, BOSCH : 0 986 479 037, BOSCH : 0 986 478 498, BRECO : BS 8562, BREMBO : 09.9931.14, BREMBO : 09.9749.10, CAR : 142.286, CAR : 142.223, CAR RACING : HPD 286, CIFAM : 800-736, DELPHI : BG3719, DELPHI : BG3696, FERODO : DDF1559, FERODO : DDF1159, FERODO : DDF1296, FORD : 1141782, FORD : YM211125BA, Fritech : DF807, GRAF : DF29736, INTERBRAKE : VW471V, JURID : 562198J, JURID : 562382J, JURID : 562198JC, JURID : 562382JC, KWP : 129736, Lemforder : 29711 01, Lemforder : 29711, LPR : F1004V, LUCAS : DF4323, LUCAS : DF4310S, MAGNETI MARELLI : 351583920500, Metelli : 23-0736, MINTEX : MDC1552, MINTEX : MDC1542, NECTO : WN1306, NIBK : RN1389V, OEM : 7D0615301, PAGID : 50347, PAGID : 53974, PILENGA : V875, PILENGA : V856, QH : BDC5198, SBS : 1815204772, TEXTAR : 92109800, TEXTAR : 98200 0980 0 1, TEXTAR : 92109803, TEXTAR : 98200 1098 0 1, TRUSTING : DF807, TRW : DF4323, VALEO : 186749, VW : 7D0615301B, VW : 7M3615301A, WOKING : D6660.10, ZIMMERMANN : 600.3214.00, ZIMMERMANN : 250.1346.00
	Galaxy	1900	2000	2001	Front	MRD1389V		
	Galaxy	2300	2001	2007	Front	MRD1389V		
	Galaxy	1900	1995	2000	Front	MRD1389V		
	Galaxy	1900	2000	2001	Front	MRD1389V		
	Galaxy	2300	2001	2007	Front	MRD1389V		
	Galaxy	1900	1995	2000	Front	MRD1389V		
	Galaxy	1900	1995	2000	Front	MRD1389V		
	Galaxy	1900	1995	2000	Front	MRD1389V		
	Galaxy	1900	1995	2000	Front	MRD1389V		
	Galaxy	1900	2000	2001	Front	MRD1389V		
	Galaxy	1900	2000	2001	Front	MRD1389V		
	Galaxy	1900	2000	2001	Front	MRD1389V		
	Galaxy	1900	2000	2001	Front	MRD1389V		
	Galaxy	2300	2001	2007	Front	MRD1389V		
	Galaxy	2300	2001	2007	Front	MRD1389V		
	Galaxy	2300	2001	2007	Front	MRD1389V		
FORD	Mondeo III	1800	2000	2004	Front	MRD1134V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 47.1, Centering Diameter : 63.5, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 300	AP : 24810, ATE : 24.0324-0161.1, ATE : 24.0124-0161.1, BENDIX : 562180B, BOSCH : 0 986 478 718, BRADI : 1.1756.2.4, BRECO : BS 8436, BREMBO : 09.8665.11, BREMBO : 09.8665.10, CAR : 142.218, CAR RACING : HPD 218, CIFAM : 800-684, DELPHI : BG3537, FERODO : DDF1125, FORD : 4097478, FORD : 4110587, FORD : 4179398, FORD : 4097477, FORD : 4181042, FORD : 1321488, Fritech : DF663, GRAF : DF29684, INTERBRAKE : JA061V, JAGUAR : C2S42667, JAGUAR : C2S49729, JAGUAR : C2S35270, JAGUAR : C2S4566, JURID : 562180J, JURID : 562180JC, KWP : 129684, Lemforder : 30368 01, Lemforder : 30368, LPR : F1031V, LUCAS : DF4147BP, LUCAS : DF4147, MAGNETI MARELLI : 353611756240, Metelli : 23-0684, MINTEX : MDC1503, NECTO : WN1144, NIBK : RN1134V, OEM : 1S7W1125B3D, OEM : 1S7W1125CB, OEM : 7097478, OEM : 1376118, OEM : 1S7W1125AB, OEM : 1S7W1125B3B, OEM : 1S7W1125CA, OEM : 4097427, OEM : 1388257, OEM : 1S7W1125AC, PAGID : 50345, PILENGA : V279, PILENGA : V278, QH : BDC5199, REMSA : 6912.20, REMSA : 6607.10, ROADHOUSE : 6912.20, ROADHOUSE : 6607.10, SBS : 1815202550, TEXTAR : 92109603, TEXTAR : 92109600, TEXTAR : 98200 1096 0 1, TRUSTING : DF663, TRW : DF4147, VALEO : 186750, WOKING : D6607.10, ZIMMERMANN : 250.1344.00
	Mondeo III	2000	2001	2007	Front	MRD1134V		
	Mondeo III	3000	2004	2007	Front	MRD1134V		
FORD	Focus II	2000	2007	2011	Front	MRD1213V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter : 63.5, Position: Front, Pitch Circle & Oslash: 108mm, Outter & Oslash : 278	AP : 24919E, APEC : DSK2203, ATE : 24.0125-0117.1, ATE : 24.0325-0117.1, BOSCH : 0 986 479 173, BRECO : BS 8508, BREMBO : 09.9464.14, BREMBO : FS.173.000, BREMBO : 09.9464.11, BREMBO : FD.173.000, CAR : 142.1171, CAR : 142.1143, CAR RACING : HPD 1143, CIFAM : 800-685, DELPHI : BG3868, FERODO : DDF1222, FORD : 3M512C375AC, FORD : 7M511125FA, FORD : 1223663, FORD : 1253730, FORD : 1373369, FORD : 1469082, FORD : 3M512C375AD, FORD : 1223665, FORD : 1320352, FORD : 1501069, Fritech : DF985, GRAF : DF29685, INTERBRAKE : VV541V, JURID : 562364J, KWP : 129685, LPR : F1009V, LUCAS : DF4314, LUCAS : DF4465, MAGNETI MARELLI : 351176420500, Metelli : 23-0685, MINTEX : MDC1637, NECTO : WN1240, NIBK : RN1213V, OEM : 1253729, OEM : 3M512C375DA, OEM : 3M512C375AA, PAGID : 54412, PILENGA : V254, QH : BDC5486, REMSA : 6710.10, ROADHOUSE : 6710.10, SBS : 1815202560, SBS : 1815204848, TEXTAR : 92141200, TEXTAR : 92141203, TRUSTING : DF985, TRW : DF4314, TRW : DF4665, VALEO : 186819, VOLVO : 274509, VOLVO : 31262718, WOKING : D6710.10, ZIMMERMANN : 250.1352.00
	C Max	1600	2003	2010	Front	MRD1213V		
	C Max	1600	2007		Front	MRD1213V		
	C Max	1800	2003	2010	Front	MRD1213V		
	C Max	1800	2007		Front	MRD1213V		
	C Max	2000	2007		Front	MRD1213V		
	Focus II	1600	2007	2010	Front	MRD1213V		
	Focus II	1800	2007	2010	Front	MRD1213V		
	Focus II	2000	2007	2011	Front	MRD1213V		
	C Max	2000	2003	2010	Front	MRD1213V		
	Focus	1800	2003	2005	Front	MRD1213V		
	Focus	2000	2003		Front	MRD1213V		
	C Max	1600	2003	2010	Front	MRD1213V		
	C Max	1800	2003	2010	Front	MRD1213V		
	C Max	2000	2003	2010	Front	MRD1213V		
	Focus	1800	2003	2005	Front	MRD1213V		
	Focus	2000	2003		Front	MRD1213V		
	C Max	1600	2007		Front	MRD1213V		
	C Max	1800	2007		Front	MRD1213V		
	C Max	2000	2007		Front	MRD1213V		
FORD	Focus II	1600	2007	2010	Front	MRD1213V		
	Focus II	1800	2007	2010	Front	MRD1213V		
	Focus II	2000	2007	2011	Front	MRD1213V		
	Focus II	2000	2007	2011	Front	MRD51001V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter : 63.5, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 300	AP : 24925E, APEC : DSK2210, ATE : 24.0125-0162.1, ATE : 24.0325-0162.1, BOSCH : 0 986 479 171, BRECO : BS 8544, BREMBO : 09.9468.14, BREMBO : 09.9468.11, CAR : 142.1401, CAR : 142.1170, CAR : 142.1144, CAR RACING : HPD 1144, CIFAM : 800-687, DELPHI : BG3895, FERODO : DDF1225, Fritech : DF986, GRAF : DF29687, INTERBRAKE : VV551V, JURID : 562363J, KWP : 129687, LPR : F1012V, LUCAS : DF4424, LUCAS : DF4313, MAGNETI MARELLI : 353611763240, Metelli : 23-0687, MINTEX : MDC1641, NECTO : WN1249, NIBK : RN51001V, OEM : 3M512C375BA, OEM : 3M512C375BD, OEM : 1223666, OEM : 3M512C375ER, OEM : 1253965, OEM : 1373370, OEM : 2745102, OEM : 3M512C375BC, OEM : 1223664, OEM : 3M512C375EA, OEM : 1253964, OEM : 3M512C375FB, OEM : 1323560, OEM : 274510, PAGID : 54413, PILENGA : V255, QH : BDC5487, REMSA : 6711.10, ROADHOUSE : 6711.10, SBS : 1815204849, SBS : 1815202561, TEXTAR : 92141303, TEXTAR : 92141300, TRUSTING : DF986, VALEO : 186863, WOKING : D6711.10, ZIMMERMANN : 250.1353.00
	Focus C Max	1800	2007		Front	MRD51001V		
	Focus C Max	2000	2007		Front	MRD51001V		
	Focus II	1600	2007	2010	Front	MRD51001V		
	Focus II	1800	2007	2010	Front	MRD51001V		
	Kuga	2000	2008		Front	MRD51001V		
	Kuga	2500	2009		Front	MRD51001V		
	Kuga	2500	2009		Front	MRD51001V		
	Kuga	2500	2009		Front	MRD51001V		
	Focus C Max	1800	2007		Front	MRD51001V		
	Focus C Max	2000	2007		Front	MRD51001V		
	Focus II	1600	2007	2010	Front	MRD51001V		
	Focus II	1800	2007	2010	Front	MRD51001V		
	Focus II	2000	2007	2011	Front	MRD51001V		
	Kuga	2000	2008		Front	MRD51001V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
FORD	Focus C Max	1800	2007		Front	MRD51001V		
	Focus C Max	2000	2007		Front	MRD51001V		
	Focus II	1600	2007	2010	Front	MRD51001V		
	Focus II	1800	2007	2010	Front	MRD51001V		
	Focus II	2000	2007	2011	Front	MRD51001V		
	Kuga	2000	2008		Front	MRD51001V		
	Kuga	2500	2009		Front	MRD51001V		
	C Max	1600	2003	2010	Rear	MRD1189	Recommended Type: Solid ,Disc Thickness: 10.9, Num. of holes : 5, Height : 40.7, Centering Diameter :63.5, Position: Rear, Pitch Circle & Oslash: 108, Outter & Oslash : 265	APEC : DSK2231, APEC : DSK2270, ATE : 24.0311-0155.1, ATE : 24.0111-0155.1, BOSCH : 0 986 479 169, BREMBO : 08.A029.21, BREMBO : 08.A029.20, CAR : 142.1178, CAR RACING : HPD 1178, CIFAM : 800-688, DELPHI : BG3896, FERODO : DDF1226, FORD : 3M512A315AD, FORD : 1501068, FORD : 1320347, FORD : 1223543, FORD : 7M512A315FA, FORD : 3M512A315AE, FORD : 1468946, FORD : 1373360, FORD : 1253728, FORD : 1223540, FORD : 3M512A315CA, Fritech : DF116, GRAF : DF29688, GRAF : DF29664, INTERBRAKE : FR761P, JURID : 562361J, KWP : 129688, LPR : F1013P, LUCAS : DF4372, Metelli : 23-0688, MINTEX : MDC1642, NECTO : WN1323, NIBK : RN1189, OEM : 3M512A315AB, PAGID : 54337, PILENGA : 5282, QH : BDC5505, REMSA : 6846.00, ROADHOUSE : 6846.00, SBS : 1815202562, SBS : 1815202558, TEXTAR : 92133700, TRUSTING : DF116, TRW : DF4372, TRW : DF7566, VALEO : 186842, ZIMMERMANN : 250.1355.00
	C Max	1800	2003	2010	Rear	MRD1189		
	C Max	1600	2007		Rear	MRD1189		
	C Max	1800	2007		Rear	MRD1189		
	C Max	2000	2007		Rear	MRD1189		
	Focus II	1600	2007	2010	Rear	MRD1189		
	Focus II	1800	2007	2010	Rear	MRD1189		
	Focus II	2000	2007	2011	Rear	MRD1189		
	Focus II	2000	2007	2011	Rear	MRD1189		
	C Max	1600	2003	2010	Rear	MRD1189		
	C Max	1600	2007		Rear	MRD1189		
	C Max	1800	2003	2010	Rear	MRD1189		
	C Max	1800	2007		Rear	MRD1189		
	C Max	2000	2007		Rear	MRD1189		
	Focus II	1600	2007	2010	Rear	MRD1189		
	Focus II	1800	2007	2010	Rear	MRD1189		
	Focus II	2000	2007	2011	Rear	MRD1189		
FORD	Focus III	1600	2011		Rear	MRD51002	Recommended Type: Solid ,Disc Thickness: 11, Num. of holes : 5, Height : 40.7, Centering Diameter :63.5, Position: Rear, Pitch Circle & Oslash: 108, Outter & Oslash : 271	ATE : 24.0111-0171.1, BREMBO : 08.A725.10, FORD : 1 704 765, NIBK : RN51002, SWAG : 50 93 9689, TEXTAR : 92239003, TRW : DF 6139
	Focus III	2000	2012		Rear	MRD51002		
FORD	Focus C Max	1800	2007		Rear	MRD1368	Recommended Type: Solid Disc Thickness: 11, Num. of holes : 5, Height : 41, Centering Diameter :63.5, Position: Rear, Pitch Circle & Oslash: 108, Outter & Oslash : 280	DELPHI : BG3897, FERODO : DDF1227, FORD : 1253962, FORD : 1500156, FORD : 1469081, FORD : 3M512A315EC, FORD : 1323551, FORD : 1223566, FORD : 1373361, FORD : 7M512A315BA, FORD : 3M512A315E1D, FORD : 3M512A315ED, FORD : 1223568, MINTEX : MDC1643, NIBK : RN1368, TRW : DF7621, TRW : DF4422, VOLVO : 30769113, VOLVO : 30666802
	Focus C Max	2000	2007		Rear	MRD1368		
	Focus C Max	1600	2003	2007	Rear	MRD1368		
	Focus C Max	1600	2003	2007	Rear	MRD1368		
	Focus C Max	1800	2007		Rear	MRD1368		
	Focus C Max	2000	2007		Rear	MRD1368		
FORD	Scorpio	2000	1994	1999	Rear	MRD1018	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 33, Centering Diameter :63.5, Position: Rear	AC DELCO : AC2263D, AP : 14331E, ATE : 24.0310-0115.1, ATE : 24.0110-0115.1, BENDIX : 561375B, BENDIX EUR : 561375B, BOSCH : 0 986 478 344, BRADI : 1.1717.5.5, BRECO : BS 7425, BREMBO : 08.4931.20, BREMBO : 08.4931.76, CAR : 142.268, CAR RACING : HPD 268, CIFAM : 800-542, DELPHI : BG3054, DELPHI : BG351, FERODO : DRF281, FERODO : DDF281, FORD : 1373781, FORD : 5023483, FORD : 95GB2A315FA, FORD : V85BX2A315AB, FORD : 5022666, FORD : 1073756, FORD : 1323621, FORD : 95GB2A315B1C, FORD : 95GB2A315EA, FORD : 95GB2A315FB, FORD : 5030658, FORD : 4083484, FORD : 1637969, Fritech : DF170, GRAF : DF29542, INTERBRAKE : FR161P, INTERCAR : FR161P, JURID : 561375J, KWP : 129542, Lemforder : 16840, Lemforder : 16840 01, LPR : F1161P, LUCAS : DF1654, MAGNETI MARELLI : 353611717550, Metelli : 23-0542, MINTEX : MDC442, NECTO : WN579, NIBK : RN1018, OEM : 7204066, OEM : 1630149, OEM : 5022483, OEM : 1659810, PAGID : 51008, PILENGA : 5278, QH : BDC3583, REMSA : 6165.10, REMSA : 6165.00, ROADHOUSE : 6165.00, ROADHOUSE : 6165.10, SBS : 171702, SBS : 1815202536, TEXTAR : 92088400, TEXTAR : 92088403, TRUSTING : DF170, TRW : DF1654, VALEO : 186425, VEMA : 98044, WOKING : D6155.00, ZIMMERMANN : 250.1319.00, ZIMMERMANN : 250.1340.00
	Scorpio	2500	1992	1994	Rear	MRD1018		
	Scorpio	2900	1992	1994	Rear	MRD1018		
	Focus	1400	1998	2004	Rear	MRD1018		
	Focus	1600	1998	2004	Rear	MRD1018		
	Focus	1800	1998	2004	Rear	MRD1018		
	Focus	1800	2000	2004	Rear	MRD1018		
	Focus	2000	1998	2004	Rear	MRD1018		
FORD	Sierra Sapphire	1800	1988	1992	Front	MRD1019V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 58, Centering Diameter :63.5, Position: Front	AC DELCO : AC2103D, AC DELCO : AC2640D, AP : 24298, AP : 24228, ATE : 24.0124-0108.1, ATE : 24.0124-0151.1, ATE : 24.0124-0113.1, BENDIX : 561275B, BOSCH : 0 986 478 346, BOSCH : 0 986 478 096, BOSCH : 0 986 478 518, BRADI : 1.1723.2.4, BRADI : 1.1716.2.6, BRECO : BS 8016, BRECO : BS 7963, BREMBO : 09.5134.10, CAR : 142.267, CAR : 142.244, CAR RACING : HPD 267, CAR RACING : HPD 244, CIFAM : 800-180, DELPHI : BG2339, DELPHI : BG2350, DELPHI : BG339, FERODO : DRF371, FERODO : DDF209, FERODO : DRF209, FERODO : DDF371, FORD : 5022663, FORD : 87BX1125EA, FORD : 5022661, FORD : 6169974, FORD : V87AX1125BA, Fritech : DF248, GRAF : DF29180, INTERBRAKE : FR173V, INTERBRAKE : FR201V, INTERCAR : FR201V, JURID : 561275J, KWP : 129180, KWP : 1029180, Lemforder : 16827 01, Lemforder : 16827, Lemforder : 16842, LPR : F1173V, LPR : F1201V, LUCAS : DF1655, MAGNETI MARELLI : 353611723240, Metelli : 23-0180, MINTEX : MDC761, MINTEX : MDC438, NECTO : WN654, NECTO : WN469, NIBK : RN1019V, NK : 202537, OEM : 1629479, OEM : 6143505, OEM : 1638879, OEM : 6169974RP, OEM : 1643718, OEM : 83BB1125CH, OEM : 1644859, OEM : E5RY1125A, OEM : 6122827, OEM : E7RY1125C, OEM : 1169974, OEM : 6134505, OEM : 1630146, OEM : 6158207, OEM : 1643706, OEM : 6169975, OEM : 1644831, OEM : 87BB1125EA, OEM : 5022664, OEM : E5RY1125B, OEM : 1102560, OEM : 6122828, OEM : V85BX1125AC, PAGID : 51022, PAGID : 51019, PILENGA : V270, PILENGA : V073, QH : BDC3608, QH : BDC3582, REMSA : 6170.20, REMSA : 6365.10, REMSA : 6215.10, ROADHOUSE : 6215.10, ROADHOUSE : 6170.20, ROADHOUSE : 6365.10, SBS : 171703, SBS : 1815202537, SBS : 1815202529, TEXTAR : 92027300, TEXTAR : 92037600, TRUSTING : DF248, TRW : DF1655, VALEO : 186166, VALEO : 186423, VALEO : 186235, WOKING : D6365.10, WOKING : D6215.10, ZIMMERMANN : 250.1318.00, ZIMMERMANN : 250.1326.00
	Sierra Sapphire	2000	1987	1993	Front	MRD1019V		
FORD	Ranger	2500	2005		Front	MRD1465V	Recommended Type: Vented & Oslash ,Disc Thickness: 28, Num. of holes : 6, Height : 70.3, Centering Diameter :98, Position: Front, Pitch Circle & Oslash: 139.7	FORD : UM5133251, Fritech : DF1307, MAZDA : UM5133251, MINTEX : MDC2217, NIBK : RN1465V, NIPPARTS : N3303091, NK : 203271, OEM : UMY133251, OEM : UM5133251, OEM : UR6133251, SBS : 1815203271, TRUSTING : DF1307, TRW : DF7362
	Ranger	3000	2010		Front	MRD1465V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
FORD	Scorpio	2000	1994	1999	Front	MRD1046V	Recommended Type: Vented & Oslash : 260 ,Disc Thickness: 24, Num. of holes : 4, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2100D, AP : 24439E, APEC : DSK243, ATE : 24.0124-0120.1, ATE : 24.0324-0120.1, BENDIX : 561678B, BENDIX EUR : 561678B, BOSCH : 0 986 478 170, BRADI : 1.1742.2.4, BRECO : BS 8095, BREMBO : 09.5707.10, BREMBO : 09.5707.75, BREMBO : FS.048.000, BREMBO : 09.5707.14, BREMBO : FD.048.000, CAR : 142.249, CAR RACING : HPD 249, CIFAM : 800-316, DELPHI : BG699, DELPHI : BG2489, DELPHI : BG2699, FERODO : DDF364, FERODO : DRF364, FORD : 4070865, FORD : 93BX1124AC, FORD : 93BX1125AC, FORD : 5026784, Fritch : DF255, GRAF : DF29316, INTERBRAKE : FR421V, INTERCAR : FR421V, JURID : 561678J, KWP : 129316, KWP : 1029316L, Lemforder : 18227 02, Lemforder : 18227 LPR : F1421V, LUCAS : DF2622, LUCAS : DF2622BP, MAGNETI MARELLI : 353611742240, Metelli : 23-0316, MINTEX : MDC773, NECTO : WN547, NIBK : RN1046V, NK : 202533, OEM : F5RZ1125AB, OEM : 407086, OEM : F5RZ1125A, OEM : F5RZ1125B, OEM : 4056029, OEM : 93BB1125D3C, PAGID : 51026, PILENGA : V271, QH : BDC3909, REMSA : 6184.20, REMSA : 6211.10, ROADHOUSE : 6211.10, ROADHOUSE : 6184.20, SBS : 171208, SBS : 1815202533, SBS : 1816302533, SBS : 171708, SBS : 1815302533, STOP : 561678S, TEXTAR : 98200 0635 0 1, TEXTAR : 92063503, TEXTAR : 92063500, TRUSTING : DF255, TRW : DF2622, VALEO : 186277, VEMA : 98015, WOKING : D6211.10, ZIMMERMANN : 250.1332.00
	Scorpio	2400	1992	1994	Front	MRD1046V		
	Scorpio	2500	1992	1994	Front	MRD1046V		
	Scorpio	2900	1992	1994	Front	MRD1046V		
	Mondeo	1600	1993	1999	Front	MRD1046V		
	Mondeo	1600	1997	2000	Front	MRD1046V		
	Mondeo	1800	1993	1996	Front	MRD1046V		
	Mondeo	1800	1998	2000	Front	MRD1046V		
	Mondeo	2000	1993	1999	Front	MRD1046V		
	Mondeo	1600	1993	1999	Front	MRD1046V		
	Mondeo	1600	1997	2000	Front	MRD1046V		
	Mondeo	1800	1993	1996	Front	MRD1046V		
	Mondeo	1800	1998	2000	Front	MRD1046V		
	Mondeo	2000	1993	1999	Front	MRD1046V		
FORD	Scorpio	2000	1994	1999	Front	MRD1046V		
	Scorpio	2400	1992	1994	Front	MRD1046V		
	Scorpio	2500	1992	1994	Front	MRD1046V		
	Scorpio	2900	1992	1994	Front	MRD1046V		
	Mondeo	1800	1996	1999	Front	MRD1072V	Recommended Type: Vented & Oslash : 278 ,Disc Thickness: 24, Num. of holes : 4, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 108	FORD : 4070864, FORD : 6676462, FORD : 5026785, FORD : 93BX1125CB, NIBK : RN1072V, TRW : DF2751
	Mondeo	1800	1994	1996	Front	MRD1072V		
	Mondeo	2500	1994	1999	Front	MRD1072V		
	Mondeo	1800	1996	1999	Front	MRD1072V		
	Mondeo	2500	1994	1999	Front	MRD1072V		
	Mondeo	2500	1996	2000	Front	MRD1072V		
FORD	Mondeo	1800	2000		Rear	MRD1164	Recommended Type: Solid & Oslash : 280 ,Disc Thickness: 12, Num. of holes : 5, Height : 34, Centering Diameter :63.5, Position: Rear	ATE : 24.0112-0154.1, BENDIX : 562193B, BOSCH : 0 986 479 176, BOSCH : 0 986 479 068, BREMBO : 08.9734.10, BREMBO : 08.9734.11, CAR : 142.219, CAR RACING : HPD 219, CIFAM : 800-683, DELPHI : BG3663, FERODO : DDF1126, FORD : 4143445, FORD : 4098428, FORD : C2S42668, FORD : 4098427, FORD : 4176921, FORD : 1323102, FORD : C2S35271, FORD : C2S9231, FORD : 4179406, Fritch : DF748, GRAF : DF29683, INTERBRAKE : JA071P, JURID : 562193JC, JURID : 562193J, KWP : 129683, Lemforder : 30369, Lemforder : 30369 01, LPR : F1041P, LUCAS : DF4218, LUCAS : DF4218BP, Metelli : 23-0683, MINTEX : MDC1504, NECTO : WN1145, NIBK : RN1164, OEM : 1S7W2A315AD, OEM : 1S7W2A315B3E, OEM : 1S7W2A315CB, OEM : 4141711, OEM : 1376138, OEM : 1S7W2A315B3B, OEM : 1S7W2A315CA, OEM : 4110588, PAGID : 50346, PILENGA : 5281, QH : BDC5221, REMSA : 6661.00, ROADHOUSE : 6661.00, SBS : 1815202551, TEXTAR : 92109700, TEXTAR : 92109703, TRUSTING : DF748, TRW : DF4218, VALEO : 186834, WOKING : D6661.00, ZIMMERMANN : 250.1345.00
	Mondeo	2000	2000	2004	Rear	MRD1164		
	Mondeo III	1800	2000	2004	Rear	MRD1164		
	Mondeo III	2000	2001	2007	Rear	MRD1164		
	Mondeo III	3000	2004	2007	Rear	MRD1164		
FORD	Galaxy	2000	1995	2000	Front	MRD1075V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 5, Height : 55.4, Centering Diameter :68.2, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2250D, AP : 24628E, ATE : 24.0125-0114.1, BENDIX : 562043B, BENDIX EUR : 562043B, BOSCH : 0 986 478 893, BOSCH : 0 986 478 845, BRADI : 1.5828.2.4, BRECO : BS 8263, BREMBO : 09.6934.14, BREMBO : 09.6934.10, CAR : 142.239, CAR RACING : HPD 239, CIFAM : 800-403, DELPHI : BG3025, FERODO : DDF846, FORD : 95VWX1125BD, FORD : 1001093, FORD : 1143641, FORD : 95VWX1125B1D, FORD : 1045994, FORD : 95VWX1125BC, Fritch : DF503, GRAF : DF29403L, GRAF : DF29403, INTERBRAKE : FR571V, INTERCAR : FR571V, JURID : 562043JC, JURID : 562043J, KWP : 1029403L, KWP : 129403, Lemforder : 24513, Lemforder : 24513 01, LPR : F1571V, LUCAS : DF2776BP, LUCAS : DF2776, MAGNETI MARELLI : 353615828240, Metelli : 23-0403, MINTEX : MDC1017, NECTO : WN846, NIBK : RN1075V, OEM : 7M06615301G, OEM : 7M0615301G, OEM : 1143640, OEM : 7M0615301EG, OEM : 7M0615301E, OEM : 7M0615201E, PAGID : 53963, PILENGA : V156, QH : BDC4628, REMSA : 6676.20, REMSA : 6496.10, ROADHOUSE : 6676.20, ROADHOUSE : 6496.10, SBS : 424241, SBS : 1815202545, SBS : 424241V, STOP : 562043S, TEXTAR : 92074200, TEXTAR : 98200 0742 0 1, TEXTAR : 92074203, TRUSTING : DF503, TRW : DF2776, VALEO : 186601, VEMA : 98095, VW : 7M0615301G, VW : 7M0615301E, WOKING : D6496.10, ZIMMERMANN : 600.3209.00
	Galaxy	2000	2000	2001	Front	MRD1075V		
	Galaxy	2300	1996	2001	Front	MRD1075V		
	Galaxy	2800	1995	2000	Front	MRD1075V		
	Galaxy	2000	1995	2000	Front	MRD1075V		
	Galaxy	2000	2000	2001	Front	MRD1075V		
	Galaxy	2300	1996	2001	Front	MRD1075V		
	Galaxy	2800	1995	2000	Front	MRD1075V		
	Gazelle	2300	2000		Front	MRD1453V	Recommended Type: Vented & Oslash 280 ,Disc Thickness: 21, Num. of holes : 6, Height : 73.8, Centering Diameter :104, Position: Front	GAZ : 3302 350 1077, GAZ : 33023501078, NIBK : RN1453V, TRW : DF4241
	Gazelle	2300	2000		Front	MRD1453V		
HONDA	Stream	2000	2001	2006	Front	MRD1218V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash : 114.3mm, Outter & Oslash : 282	AP : 25127E, AP : 24836, APEC : DSK2204, ATE : 24.0125-0189.1, ATE : 24.0123-0109.1, ATE : 24.0123-0110.1, BENDIX : 562457B, Blue Print : ADH24384, BRECO : BS 8460, BREMBO : 09.A407.10, BREMBO : 09.6752.20, BREMBO : 09.A455.14, CAR : 142.1186, CAR : 142.1107, CAR RACING : HPD 1107, CIFAM : 800-932, CIFAM : 800-958, DELPHI : BG4186, DELPHI : BG4119, DELPHI : BG3720, FERODO : DDF1496, Fritch : DF942, Fritch : DF1350, HONDA : 45251SCAE00, HONDA : 45251-TA0-A01, HONDA : 45251SNVH00, HONDA : 45251SMCN11, HONDA : 45251S7AE11, HONDA : 45251SJHE10, HONDA : 45251-TA0-A00, HONDA : 45251STAN10, HONDA : 45251SDCA00, HONDA : 45251-TA5-A00, HONDA : 45251SMCN10, HONDA : 45251S7AE10, HONDA : 45251SMGE31, INTERBRAKE : HO601V, INTERBRAKE : HO711V, Japan Cars : C34044JC, Japan Parts : DI-428, JURID : 562457J, LPR : H1005V, LPR : H1015V, LUCAS : DF4456, LUCAS : DF4456BP, LUCAS : DF4486, MAGNETI MARELLI : 353611934250, Metelli : 23-0932, Metelli : 23-0958, MINTEX : MDC1567, NECTO : WN1425, NIBK : RN1218V, NIPPARTS : J3304045, NK : 202636, OEM : 45251SMGG10, PAGID : 54284, PILENGA : V415, PILENGA : V318, Raybestos : 96711R, REMSA : 6962.10, REMSA : 6986.10, ROADHOUSE : 6986.10, ROADHOUSE : 6962.10, SBS : 1815202626, SBS : 1815202639, SBS : 1815202636, TEXTAR : 92128400, TEXTAR : 92144400, TRUSTING : DF1350, TRUSTING : DF942, TRW : DF4486, TRW : DF7169, TRW : DF7199, TRW : DF4456, WOKING : D6986.10, ZIMMERMANN : 280.3167.00
	Civic	1800	2005	2012	Front	MRD1218V		
	Civic	1400	2012		Front	MRD1218V		
	Civic	1400	2012		Front	MRD1218V		
HONDA	Crossroad	1800	2007	2010	Rear	MRD1460	Recommended Type: 282 ,Disc Thickness: 9, Num. of holes : 5, Height : 58.5, Centering Diameter :64, Position: Rear, Pitch Circle & Oslash: 114.3	ATE : 24.0109-0144.1, Blue Print : ADH24387, CAR : 142.1241, CAR RACING : HPD 1241, DELPHI : BG3979, Fritch : DF1109, HONDA : 42510SCAE00, INTERBRAKE : HO701P, LPR : H1014P, MINTEX : MDC2046, NIBK : RN1460, NIPPARTS : J3314035, OEM : 42510SAN00, TRUSTING : DF1109
	CR V	2400	2004	2006	Rear	MRD1460		
	CR V	2000	2005	2006	Rear	MRD1460		
	CR V	2400	2004	2006	Rear	MRD1460		
	Accord	2200	2008		Front	MRD1406V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 49, Centering Diameter :64, Position: Front, Outter & Oslash : 320	CAR : 142.1481, Fritch : DF1347, HONDA : 45251TLOG50, INTERBRAKE : HO771V, MINTEX : MDC2164, NIBK : RN1406V, NK : 202651, SBS : 1815202651, TEXTAR : 92194900, TRUSTING : DF1347
	Accord	2400	2008		Front	MRD1406V		
	Accord	2000	2008		Rear	MRD1407	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 60.3, Centering Diameter :70, Position: Rear, Outter & Oslash : 304.8	CAR : 142.1482, Fritch : DF1407, HONDA : 42510TLOG50, INTERBRAKE : HO781P, MINTEX : MDC2165, NIBK : RN1407, NK : 202652, SBS : 1815202652, TEXTAR : 92195100, TRUSTING : DF1407
	Accord	2200	2008		Rear	MRD1407		
	Accord	2400	2008		Rear	MRD1407		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HONDA	Accord	2000	2008		Front	MRD1408V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48, Centering Diameter :64, Position: Front, Outter & Oslash : 296	DELPHI : BG4224, FERODO : DDF1775, HONDA : 45251-TL1-G00, JAPANPARTS : DI-412, MINTEX : MDC2122, NIBK : RN1408V, NIPPARTS : N3304052
	Accord	2200	2008		Front	MRD1408V		
	Accord	2400	2008		Front	MRD1408V		
	Pilot USA	3500	2009	2011	Rear	MRD1411	Recommended Type: 334 ,Disc Thickness: 11, Num. of holes : 5, Height : 63.7, Centering Diameter :70, Position: Rear, Pitch Circle & Oslash: 120	HONDA : 42510SZAA00, NIBK : RN1411
	CR V	2400	2012		Rear	MRD1561	Recommended Type: Solid, Position: Rear	HONDA : 42510TOGA04, HONDA : 42510-TOG-A02, NIBK : RN1561
	Accord	2000	2008		Rear	MRD1409	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 48.7, Centering Diameter :64, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 282	HONDA : 42510-TA0-A00, NIBK : RN1409, NIPPARTS : N3314036, TRW : DF4982
	Accord	2200	2008		Rear	MRD1409		
	Accord	2400	2008		Rear	MRD1409		
	Accord	1600	1998	2002	Front	MRD1248V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 4, Height : 47, Centering Diameter :64.2, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 260	HONDA : 45251S84A00, HONDA : 45251S84A01, NIBK : RN1248V, TRW : DF7007
	Accord	1600	1998	2002	Front	MRD1248V		
	Accord	1800	1998	2002	Front	MRD1248V		
	Accord	2000	1998	2002	Front	MRD1248V		
	Accord	2200	1998	2002	Front	MRD1248V		
HONDA	Fit	1300	2003	2004	Front	MRD1350V	Recommended Type: Vented ,Disc Thickness: 17/15, Num. of holes : 4, Height : 39.2, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 230.8	HONDA : 45251-SAA-901, HONDA : 45251SAA000, HONDA : 45251-SAA-900, NIBK : RN1350V, TRW : DF7134
	Fit	1300	2008	2013	Front	MRD1350V		
	Odyssey	3000	1997	2000	Front	MRD1322V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 47.2, Centering Diameter :64.2, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 299	HONDA : 45251SFEJ30, HONDA : 45251SLGW10, NIBK : RN1322V, TRW : DF7382
	Odyssey	2400	2003	2008	Front	MRD1322V		
	Ridgeline	3500	2005		Front	MRD1496V		HONDA : 45251SJCA50, NIBK : RN1496V
	Civic	1300	1991	1995	Front	MRD1024V	Recommended Type: Vented ,Disc Thickness: 17, Num. of holes : 4, Height : 44.2, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	HONDA : 45251SB2932, HONDA : 45251SB2940, HONDA : 45251SB2750, HONDA : 45251SB2920, HONDA : 45251SB2751, HONDA : 45251SB2931, HONDA : 45251SB2930, HONDA : 45251SA2751, HONDA : 45251SB2752, NIBK : RN1024V, ROVER : GBD443, ROVER : GBD90814, ROVER : XAP88, ROVER : GBD90803, ROVER : GBD90825, TRW : DF1815
	Insight	1000	2000	2006	Front	MRD1024V		
HONDA	Civic	1500	1995	2000	Front	MRD1375V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 4, Height : 43, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2198D, AP : 24281, AP : X24281, ATE : 24.0121-0104.1, BENDIX : 561711B, BOSCH : 0 986 478 115, BRADI : 1.1925.2.4, BRECO : BS 7996, BREMBO : 09.5285.75, BREMBO : FS.038.000, BREMBO : 09.5285.10, BREMBO : FD.038.000, CAR : 142.888, CAR RACING : HPD 888, CIFAM : 800-343, DELPHI : BG673, DELPHI : BG2673, FERODO : DRF447, FERODO : DDF447, Fritech : DF369, GRAF : DF29343, HONDA : 45251SH1A00, HONDA : 45251SH3A10, HONDA : 45251SR3A10, HONDA : 45251SH3A00, HONDA : 45251SH0A00, INTERBRAKE : HO211V, INTERCAR : HO211V, JAPANPARTS : DI-499, JURID : 561711J, KWP : 129343, KWP : 1029343, LPR : H1211V, LUCAS : DF1436, MAGNETI MARELLI : 353611925240, Metelli : 23-0343, MINTEX : MDC847, NECTO : WN564, NIBK : RN1375V, NIPPARTS : J3304025, OEM : 4251SH1A00, OEM : 45251SH0A00, OEM : 45251SR3110, OEM : 4251SH3A00, OEM : 45251SR3A00, PAGID : 51116, PILENGA : V310, QH : BDC4371, REMSA : 6213.20, ROADHOUSE : 6213.20, SBS : 181810, SBS : 1815202615, TEXTAR : 92077800, TEXTAR : 98200 0778 0 1, TRUSTING : DF369, TRW : DF1436, VALEO : 186433, WOKING : D6108.10, ZIMMERMANN : 280.3154.00
	Civic	1500	1991	1995	Rear	MRD1047	Recommended Type: Solid & Oslash : 238.5 ,Disc Thickness: 10, Num. of holes : 4, Height : 48, Centering Diameter :61, Position: Rear	AC DELCO : AC2196D, AP : 14472, AP : 14832, ATE : 24.0110-0212.1, BENDIX : 561657B, BENDIX : 561383B, BENDIX EUR : 561383B, BOSCH : 0 986 478 350, BOSCH : 0 986 479 101, BRADI : 1.1915.5.4, BRECO : BS 7547, BRECO : BS 7653, BREMBO : 08.9605.10, BREMBO : 08.7104.10, BREMBO : 09.5719.10, BREMBO : 08.5648.10, CAR : 142.308, CAR RACING : HPD 308, CIFAM : 800-267, DELPHI : BG641, DELPHI : BG2538, FERODO : DDF950, FERODO : DDF468, Fritech : DF051, GRAF : DF29267, HONDA : 42510SR3G00, HONDA : 42510SK3E00, HONDA : 42510SR3J01, HONDA : 42510SK3305, HONDA : 42510SE0010, HONDA : 42510SR3J00, HONDA : 42510SH3G00, HONDA : 42510SR3000, HONDA : 42510SE0000, INTERBRAKE : HO171P, INTERBRAKE : HO471P, INTERCAR : HO171P, JAPANPARTS : DP-402, JURID : 562016J, JURID : 561383J, KWP : 129267, KWP : 1029267, LOTUS : GBD90817, LPR : H1171P, LUCAS : DF2646, MAGNETI MARELLI : 353611915550, Metelli : 23-0267, MINTEX : MDC846, MINTEX : MDC644, NECTO : WN910, NECTO : WN613, NIBK : RN1047, OEM : 42510SH3G01, OEM : 42510SH3000, OEM : GDB90817, PAGID : 51122, PAGID : 51106, PILENGA : 5304, QH : BDC3649, QH : BDC4369, QH : BDC3669, REMSA : 6083.00, REMSA : 6521.00, REMSA : 6205.10, ROADHOUSE : 6205.10, ROADHOUSE : 6083.00, ROADHOUSE : 6521.00, ROVER : EGP1254, SBS : 121212, SBS : 1815202621, SBS : 1815202613, STOP : 561383S, TEXTAR : 92060800, TEXTAR : 92077900, TRUSTING : DF051, TRW : DF2646, TRW : DF2657, VALEO : 186432, VALEO : 186435, VEMA : 98115, WOKING : D6083.00, WOKING : D6521.00, ZIMMERMANN : 280.3170.00
HONDA	Civic	1500	1991	1995	Rear	MRD1047		
	Civic	1500	1991	1995	Rear	MRD1047		
	Civic	1500	1995	2000	Rear	MRD1047		
	Civic	1600	1991	1995	Rear	MRD1047		
	Civic	1600	1992	1995	Rear	MRD1047		
	Civic	1600	1992	1995	Rear	MRD1047		
	Civic	1600	1993	1995	Rear	MRD1047		
HONDA	Civic	1600	1995	2000	Rear	MRD1047		
	Civic	1600	1995	2000	Rear	MRD1047		
	CR X	1600	1992	1998	Rear	MRD1047		
	CR X	1600	1995	1999	Rear	MRD1047		
HONDA	CR X	1600	1992	1997	Rear	MRD1047		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HONDA	Accord	1800	1993	1997	Front	MRD1030V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 4, Height : 39, Centering Diameter :92, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 259.6	AC DELCO : AC2197D, AP : 24272E, AP : 24860E, ATE : 24.0123-0103.1, BENDIX : 561671B, BOSCH : 0 986 478 568, BRADI : 1.1924.2.4, BRECO : BS 8526, BRECO : BS 7998, BREMBO : FS.039.000, BREMBO : 09.5290.10, BREMBO : 09.5290.75, BREMBO : FD.039.000, BREMBO : 09.5290.14, BREMBO : 09.9611.14, CAR : 142.311, CAR RACING : HPD 311, CIFAM : 800-360, DELPHI : BG2798, DELPHI : BG665, FERODO : DDF450, FERODO : DRF450, Fritch : DF355, GRAF : DF29360, HONDA : 45251SM4000, HONDA : 45251SM4020, HONDA : 45251SM4010, HONDA : 45251SN7E40, INTERBRAKE : HO371V, INTERCAR : HO371V, JAPANPARTS : DI-423, JURID : 561671J, KWP : 1029360, KWP : 129360, Lemforder : 18239, Lemforder : 19060, Lemforder : 18239 02, Lemforder : 19060 01, LPR : H1371V, LUCAS : DF2644, LUCAS : DF2024, Metelli : 23-0360, MINTEX : MDC742, NIBK : RN1030V, PAGID : 51117, PILENGA : V426, QH : BDC4370, QH : BDC4357, REMSA : 6212.20, ROADHOUSE : 6212.20, ROVER : GBD90836, SBS : 1815209941, SBS : 1815202610, SBS : 181807, STOP : 561671S, TEXTAR : 92081500, TEXTAR : 98200 0815 0 1, TRUSTING : DF355, TRW : DF2644, TRW : DF2024, VALEO : 186436, VEMA : 98072, WOKING : D6205.10, ZIMMERMANN : 280.3152.00
	Accord	2000	1989	1993	Front	MRD1030V		
	Accord	2000	1989	1993	Front	MRD1030V		
	Accord	2200	1990	1992	Front	MRD1030V		
	Accord	2200	1993	1997	Front	MRD1030V		
	Accord	2200	1994	1997	Front	MRD1030V		
	Accord INSIDE	2000	1989	1991	Front	MRD1030V		
	Civic	1500	1995	2000	Front	MRD1030V		
	Civic	1600	1996	1998	Front	MRD1030V		
	Accord	2000	1989	1993	Front	MRD1030V		
HONDA	Accord	2000	1989	1993	Front	MRD1030V	Recommended Type: Vented ,Disc Thickness: 21, Num. of holes : 4, Height : 45, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2198D, AP : X24281, AP : 24281, ATE : 24.0121-0104.1, BENDIX : 561711B, BOSCH : 0 986 478 115, BRADI : 1.1925.2.4, BRECO : BS 7996, BREMBO : 09.5285.10, BREMBO : FD.038.000, BREMBO : 09.5285.75, BREMBO : FS.038.000, CAR : 142.888, CAR RACING : HPD 888, CIFAM : 800-343, DELPHI : BG673, DELPHI : BG2673, FERODO : DRF447, FERODO : DDF447, Fritch : DF369, GRAF : DF29343, HONDA : 45251SR3A10, HONDA : 45251SH3A00, HONDA : 45251SH0A00, HONDA : 45251SH1A00, HONDA : 45251SH3A10, INTERBRAKE : HO211V, INTERCAR : HO211V, JAPANPARTS : DI-499, JURID : 561711J, KWP : 1029343, KWP : 129343, LPR : H1211V, LUCAS : DF1436, MAGNETI MARELLI : 353611925240, Metelli : 23-0343, MINTEX : MDC847, NECTO : WN564, NIBK : RN1375V, NIPPARTS : J3304025, OEM : 4251SH3A00, OEM : 4251SR3A00, OEM : 4251SH1A00, OEM : 45251SH0A00, OEM : 45251SR3110, PAGID : 51116, PILENGA : V310, QH : BDC4371, REMSA : 6213.20, ROADHOUSE : 6213.20, SBS : 1815202615, SBS : 181810, TEXTAR : 92077800, TEXTAR : 98200 0778 0 1, TRUSTING : DF369, TRW : DF1436, VALEO : 186433, WOKING : D6108.10, ZIMMERMANN : 280.3154.00
	Civic	1600	1992	1995	Front	MRD1375V		
	Accord	1800	1993	1997	Rear	MRD1054		
	Accord	2000	1989	1993	Rear	MRD1054		
	Accord	2000	1989	1993	Rear	MRD1054		
	Accord	2200	1990	1992	Rear	MRD1054		
	Accord	2200	1993	1997	Rear	MRD1054		
	Accord INSPIRE	2000	1989	1991	Rear	MRD1054		
	Accord	1800	1989	1993	Rear	MRD1054		
	Accord	1800	1996	1998	Rear	MRD1054		
HONDA	Accord	1800	1997	2002	Rear	MRD1054	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 49, Centering Diameter :64, Position: Rear, Outter & Oslash : 260	AC DELCO : AC2199D, AP : 14830, AP : 14459, ATE : 24.0110-0233.1, BENDIX : 561952B, BOSCH : 0 986 478 172, BRADI : 1.1926.5.4, BRECO : BS 7651, BRECO : BS 7480, BREMBO : 08.5803.10, BREMBO : 08.9603.10, CAR : 142.306, CAR RACING : HPD 306, CIFAM : 800-361, DELPHI : BG2666, DELPHI : BG3063, FERODO : DDF565, Fritch : DF052, GRAF : DF29361, HONDA : 42510SM4950, HONDA : 42510SN7000, INTERBRAKE : AV211P, INTERCAR : AV211P, JURID : 561952J, KWP : 129361, KWP : 1029361, LPR : A4211P, LUCAS : DF2669, MAGNETI MARELLI : 353611926540, Metelli : 23-0361, MINTEX : MDC820, NECTO : WN629, NIBK : RN1054, OEM : 24510SM4950, OEM : 42510SV1A00, OEM : 42510SV4J00, OEM : 42510SM950, OEM : 42510SV4A00, PAGID : 51108, PILENGA : 5430, QH : BDC4820, QH : BDC3784, REMSA : 6448.00, REMSA : 6214.10, ROADHOUSE : 6448.00, ROADHOUSE : 6214.10, ROVER : GBD90835, SBS : 121213, SBS : 1815209939, TEXTAR : 92081700, TRUSTING : DF052, TRW : DF2669, VALEO : 186437, WOKING : D6448.00, ZIMMERMANN : 280.3168.00
	Accord	2000	1993	1998	Rear	MRD1054		
	Accord	2000	1996	1998	Rear	MRD1054		
	Accord	2000	1995	1998	Rear	MRD1054		
	Accord	2200	1990	1998	Rear	MRD1054		
	Accord	2200	1990	1998	Rear	MRD1054		
	Accord	2200	1996	1998	Rear	MRD1054		
	Accord	2200	1993	1998	Rear	MRD1054		
	Accord	2300	1993	1995	Rear	MRD1054		
	Accord	2000	1993	1998	Rear	MRD1054		
	Accord	1800	1989	1993	Rear	MRD1054		
	Accord	2200	1990	1998	Rear	MRD1054		
	Accord	2000	1993	1998	Rear	MRD1054		
	Accord	1800	1989	1993	Rear	MRD1054		
	Accord	2000	1989	1993	Rear	MRD1054		
	Accord	2000	1989	1993	Rear	MRD1054		
	Accord INSPIRE	2000	1989	1991	Rear	MRD1054		
	Accord	2200	1990	1998	Rear	MRD1054		
	Accord	2200	1990	1998	Rear	MRD1054		
	Accord	1800	1993	1997	Rear	MRD1054		
	Accord	2000	1993	1998	Rear	MRD1054		
	Accord	2300	1993	1995	Rear	MRD1054		
	Accord	2000	1995	1998	Rear	MRD1054		
	Accord	1800	1996	1998	Rear	MRD1054		
	Accord	2000	1996	1998	Rear	MRD1054		
	Accord	2200	1996	1998	Rear	MRD1054		
HONDA	Civic	1500	1991	1995	Front	MRD1089V	Recommended Type: Vented ,Disc Thickness: 21, Num. of holes : 4, Height : 44.6, Centering Diameter :64, Position: Front, Outter & Oslash : 262	AC DELCO : AC2200D, AP : 24335E, AP : X24335, AP : 24978E, ATE : 24.0121-0105.1, ATE : 24.0321-0105.1, BENDIX : 561630B, BOSCH : 0 986 478 174, BRADI : 1.1927.2.4, BRECO : BS 8039, BRECO : BS 8597, BREMBO : 09.5509.14, BREMBO : 09.9936.14, BREMBO : FS.041.000, BREMBO : 09.5509.10, BREMBO : 09.5509.75, BREMBO : FD.041.000, CAR : 142.917, CAR RACING : HPD 917, CIFAM : 800-344, DELPHI : BG3589, DELPHI : BG759, DELPHI : BG2759, FERODO : DDF1189, FERODO : DDF1510, FERODO : DDF492, FERODO : DRF1189, FERODO : DRF492, Fritch : DF880, Fritch : DF300, GRAF : DF29344, HONDA : 45251S5HT10, HONDA : 45251SK7A00, HONDA : 45251SR0A10, HONDA : 45251SK7J00, HONDA : 45251S6DE10, HONDA : 45251SCC-000, HONDA : 45251SR0A00, HONDA : 45251SCC900, HONDA : 45251SK7A10, HONDA : 45251ST3E10, HONDA : 45251SK7000, INTERBRAKE : HO271V, INTERCAR : HO271V, JAPANPARTS : DI-426, JURID : 561630J, KWP : 129344, KWP : 1029344, Lemforder : 18242, Lemforder : 18242 02, LOTUS : GBD90840, LPR : H1003V, LPR : H1271V, LUCAS : DF3021, MAGNETI MARELLI : 353611927240, Metelli : 23-0344, MINTEX : MDC1023, NECTO : WN695, NIBK : RN1089V, OEM : 45251TG5H00, OEM : GDB90840, OEM : 45251ST3E60, PAGID : 51119, PILENGA : V311, PILENGA : V304, QH : BDC4372, QH : BDC5211, REMSA : 6215.20, ROADHOUSE : 6215.20, ROVER : SDB100600, ROVER : SDB000990, ROVER : GBD90840, ROVER : SDB000440, SBS : 1815202614, SBS : 181811, STOP : 561630S, TEXTAR : 92060900, TEXTAR : 98200 0609 0 1, TRUSTING : DF300, TRUSTING : DF880, TRW : DF3021, TRW : DF7345, VALEO : 186438, VEMA : 98102, WOKING : D6224.10, ZIMMERMANN : 280.3153.00
	Civic	1500	1991	1995	Front	MRD1089V		
	CR X	1600	1992	1998	Front	MRD1089V		
	CR X	1600	1992	1997	Front	MRD1089V		
	Civic	1500	1995	2000	Front	MRD1089V		
	Civic	1600	1995	2000	Front	MRD1089V		
	Civic	1600	1995	2000	Front	MRD1089V		
	CR X	1600	1995	1999	Front	MRD1089V		
	Civic	1400	1998	2001	Front	MRD1089V		
	Civic	1400	2000	2005	Front	MRD1089V		
	Civic	1600	2000	2005	Front	MRD1089V		
	Civic	1700	2000	2005	Front	MRD1089V		
	Civic	1500	2000	2005	Front	MRD1089V		
	Civic	1500	2000	2003	Front	MRD1089V		
	Civic	1600	2005	2011	Front	MRD1089V		
	Airwave	1500	2005	2010	Front	MRD1089V		
	Civic	1400	1995	1998	Front	MRD1089V		
	Civic	1400	1997	1998	Front	MRD1089V		
	Civic	1500	1991	1995	Front	MRD1089V		
	Civic	1500	1991	1995	Front	MRD1089V		
	Civic	1500	1995	1996	Front	MRD1089V		
	Civic	1500	1995	2000	Front	MRD1089V		
	Civic	1600	1992	1995	Front	MRD1089V		
	Civic	1600	1992	1995	Front	MRD1089V		
	Civic	1600	1995	2000	Front	MRD1089V		
	Civic	1600	1995	2000	Front	MRD1089V		
	Civic	1600	1995	2001	Front	MRD1089V		
	CR X	1600	1992	1998	Front	MRD1089V		
	CR X	1600	1995	1999	Front	MRD1089V		
	CR X	1600	1992	1997	Front	MRD1089V		
	Airwave	1500	2005	2010	Front	MRD1089V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HONDA	Civic	1300	1995	2000	Front	MRD1089V		
	Civic	1300	1991	1995	Front	MRD1089V		
	Civic	1400	1995	1996	Front	MRD1089V		
	Civic	1400	1998	2001	Front	MRD1089V		
	Civic	1400	1995	1997	Front	MRD1089V		
	Civic	1400	2000	2005	Front	MRD1089V		
	Civic	1500	2000	2005	Front	MRD1089V		
	Civic	1500	2000	2003	Front	MRD1089V		
	Civic	1500	2000	2005	Front	MRD1089V		
	Civic	1600	1991	1995	Front	MRD1089V		
	CR X	1600	1995	1997	Front	MRD1089V		
	Jazz	1500	2012		Front	MRD1089V		
	Civic	1400	1995	1996	Front	MRD1089V		
	Civic	1400	1995	1998	Front	MRD1089V		
	Civic	1400	1997	1998	Front	MRD1089V		
	Civic	1400	2000	2005	Front	MRD1089V		
	Civic	1500	1995	1996	Front	MRD1089V		
	Civic	1600	2000	2005	Front	MRD1089V		
	Civic	1600	2005	2011	Front	MRD1089V		
	Civic	1700	2005		Front	MRD1089V		
	Civic	1500	2000	2003	Front	MRD1089V		
	Civic	1400	1995	1996	Front	MRD1089V		
	Civic	1400	1995	1998	Front	MRD1089V		
	Civic	1400	1997	1998	Front	MRD1089V		
	Civic	1400	2000	2005	Front	MRD1089V		
	Civic	1500	1995	1996	Front	MRD1089V		
	Civic	1600	2000	2005	Front	MRD1089V		
	Civic	1600	2005	2011	Front	MRD1089V		
HONDA	CR V	2000	1995	2001	Front	MRD1104V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 47, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 282	AC DELCO : AC2437D, ACURA : 45251SZ3E00, AP : 24671, BENDIX : 562143B, BENDIX EUR : 562143B, BOSCH : 0 986 478 667, BRADI : 1.1928.2.4, BRECO : BS 8238, BREMBO : 09.6893.14, BREMBO : FS.067.000, BREMBO : 09.6893.10, BREMBO : FD.067.000, CAR : 142.913, CAR RACING : HPD 913, CIFAM : 800-503, DELPHI : BG3061, FERODO : DRF829, FERODO : DDF829, Fritech : DF358, GRAF : DF29503, HONDA : 45251SP0000, HONDA : 45251SZ3000, HONDA : 45251S2HN00, INTERBRAKE : H0441V, INTERCAR : H0441V, JURID : 562143J, KWP : 129503, Lemforder : 22469 01, Lemforder : 22469, LPR : H1441V, LUCAS : DF4028, MAGNETI MARELLI : 353611928240, Metelli : 23-0503, MINTEX : MDC998, NIBK : RN1104V, OEM : 5862030550, PAGID : 50287, PILENGA : V312, QH : BDC4809, QH : BDC5001, REMSA : 6681.20, REMSA : 6586.10, ROADHOUSE : 6586.10, ROADHOUSE : 6681.20, SBS : 181816, SBS : 1815202622, TEXTAR : 92101000, TRUSTING : DF358, TRW : DF4028, VALEO : 186778, WOKING : D6586.10, ZIMMERMANN : 280.3160.00
	CR V	2000	1997	2001	Front	MRD1104V		
	CR V	2000	1998	2001	Front	MRD1104V		
	CR V	2000	1995	2002	Front	MRD1104V		
	HR V	1600	1998	2005	Front	MRD1104V		
	HR V	1600	1999	2005	Front	MRD1104V		
	HR V	1600	1999	2005	Front	MRD1104V		
	Integra	1800	1998	2000	Front	MRD1104V		
	Odyssey	2200	1994	1997	Front	MRD1104V		
	Odyssey	2300	1997	1999	Front	MRD1104V		
	Odyssey	2300	1999	2003	Front	MRD1104V		
	Odyssey	3000	1997	2000	Front	MRD1104V		
	Prelude	2200	1996	2000	Front	MRD1104V		
	Odyssey	2200	1994	1997	Front	MRD1104V		
	CR V	2000	1995	2002	Front	MRD1104V		
	Prelude	2200	1996	2000	Front	MRD1104V		
	Odyssey	3000	1997	2000	Front	MRD1104V		
	Odyssey	2300	1997	1999	Front	MRD1104V		
	CR V	2000	1997	2001	Front	MRD1104V		
	Integra	1800	1998	2000	Front	MRD1104V		
	HR V	1600	1998	2005	Front	MRD1104V		
	HR V	1600	1998	2005	Front	MRD1104V		
	Odyssey	2300	1999	2003	Front	MRD1104V		
	HR V	1600	1999	2005	Front	MRD1104V		
	HR V	1600	1999	2005	Front	MRD1104V		
HONDA	Accord	2000	1998	2002	Front	MRD1137V	Recommended Type: Vented & Oslash 282, Disc Thickness: 25, Num. of holes : 4, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 114.13	AC DELCO : AC2438D, AP : 22016, ATE : 24.0125-0183.1, ATE : 24.0125-0146.1, BOSCH : 0 986 478 982, BRECO : BS 8379, BREMBO : 09.7928.10, CAR : 142.296, CIFAM : 800-582, DELPHI : BG3516, FERODO : DDF1119, FERODO : DRF1119, Fritech : DF734, GRAF : DF29582, HONDA : 45251S1AG00, INTERBRAKE : HO531V, JURID : 562458J, KWP : 129582, LPR : H1493V, LUCAS : DF4151, MAGNETI MARELLI : 353611939240, Metelli : 23-0582, MINTEX : MDC1413, NECTO : WN1141, NIBK : RN1137V, OEM : 45251S1AE40, PAGID : 50350, PILENGA : V313, QH : BDC5212, REMSA : 6641.10, REMSA : 6918.20, ROADHOUSE : 6641.10, ROADHOUSE : 6918.20, SBS : 1815202625, TEXTAR : 92110100, TRUSTING : DF734, TRW : DF4151, VALEO : 186780, WOKING : D6641.10, ZIMMERMANN : 280.3157.00
HONDA	Fit	1300	2001	2007	Front	MRD1138V	Recommended Type: Vented ,Disc Thickness: 21, Num. of holes : 4, Height : 39, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 240	AC DELCO : AC2439D, AP : 24878, APEC : DSK2292, APEC : DSK2281, ATE : 24.0121-0113.1, ATE : 24.0121-0111.1, BENDIX : 562142B, BOSCH : 0 986 479 033, BRECO : BS 8480, BREMBO : 09.9554.10, CAR : 142.994, CAR RACING : HPD 994, CIFAM : 800-573, DELPHI : BG3794, FERODO : DDF1231, Fritech : DF980, GRAF : DF29573, HONDA : 45251SAAG00, HONDA : 45251SELT10, HONDA : 45251SELT00, HONDA : 45251S50G00, HONDA : 45251SAAG10, HONDA : 45251SAAG11, INTERBRAKE : H0491V, JURID : 562142J, KWP : 129573, LPR : H1491V, LUCAS : DF4152, MAGNETI MARELLI : 353611940240, Metelli : 23-0573, MINTEX : MDC1213, NIBK : RN1138V, NK : 202628, OEM : 45251S50SG00, PAGID : 50352, QH : BDC5386, REMSA : 6844.10, ROADHOUSE : 6844.10, SBS : 1815202628, SBS : 1815202630, TEXTAR : 92110300, TRUSTING : DF980, TRW : DF4152, VALEO : 186866, ZIMMERMANN : 280.3159.00
	Jazz	1400	2008		Front	MRD1138V		
	Jazz	1200	2008		Front	MRD1138V		
	Fit	1500	2003	2007	Front	MRD1138V		
	Logo	1300	1998	2001	Front	MRD1138V		
	City	1300	2003	2005	Front	MRD1138V		
HONDA	Accord	1600	1998	2002	Front	MRD1093V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 4, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 259	AC DELCO : AC2581D, AP : 24578, ATE : 24.0123-0105.1, BENDIX : 561713B, BENDIX EUR : 561713B, BOSCH : 0 986 478 415, BRADI : 1.1932.2.4, BRECO : BS 8202, BREMBO : 09.6753.10, CAR : 142.854, CAR RACING : HPD 854, CIFAM : 800-650, DELPHI : BG814, DELPHI : BG2814, FERODO : DRF511, FERODO : DDF511, Fritech : DF354, GRAF : DF29650, HONDA : 45251S1AG60, HONDA : 45251SS0000, INTERBRAKE : H0401V, INTERCAR : H0401V, JURID : 561713J, KWP : 129650, Lemforder : 18238 01, Lemforder : 18238, LPR : H1401V, LUCAS : DF3109, MAGNETI MARELLI : 360219230140, MAGNETI MARELLI : 353611932240, Metelli : 23-0650, MINTEX : MDC1000, NECTO : WN1018, NIBK : RN1093V, PAGID : 50215, PILENGA : V315, QH : BDC4373, REMSA : 6804.10, REMSA : 6217.20, ROADHOUSE : 6804.10, ROADHOUSE : 6217.20, SBS : 1815202616, SBS : 181820, TEXTAR : 92078200, TRUSTING : DF354, TRW : DF3109, VALEO : 186699, WOKING : D6804.10
	Accord	1600	1998	2002	Front	MRD1093V		
	Prelude	2000	1991	1996	Front	MRD1093V		
	Prelude	2200	1996	2000	Front	MRD1093V		
	Prelude	2000	1991	1996	Front	MRD1093V		
	Prelude	2200	1996	2000	Front	MRD1093V		
HONDA	Odyssey	3000	1997	2000	Rear	MRD1383	Recommended Type: 282 ,Disc Thickness: 10, Num. of holes : 5, Height : 60.8, Centering Diameter :70, Position: Rear, Pitch Circle & Oslash: 114	AP : 14673, ATE : 24.0109-0132.1, BENDIX : 561813B, BOSCH : 0 986 479 017, BRADI : 1.1929.5.4, BRECO : BS 7520, BREMBO : 08.6898.10, CAR : 142.995, CAR RACING : HPD 995, DELPHI : BG3390, DELPHI : BG3060, FERODO : DDF672, Fritech : DF107, HONDA : 42510SX0000, HONDA : 42510SP0000, HONDA : 42510SFE000, INTERBRAKE : H0451P, INTERCAR : H0451P, JAPANPARTS : DP-411, JURID : 561813J, LPR : H1004P, LPR : H1451P, LPR : H1028P, LUCAS : DF4005, MINTEX : MDC999, NECTO : WN1034, NIBK : RN1383, NIPPARTS : J3314011, OEM : 5862029730, OEM : 5862029740, PAGID : 50217, PILENGA : 5309, QH : BDC4840, REMSA : 6216.10, REMSA : 6922.00, ROADHOUSE : 6922.00, ROADHOUSE : 6216.10, SBS : 1815202631, TEXTAR : 92078400, TRUSTING : DF107, TRW : DF4005
	Odyssey	3000	1997	2000	Rear	MRD1383		
HONDA	Accord	2400	2006	2011	Front	MRD1413V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 47.2, Centering Diameter :64, Position: Front, Outter & Oslash : 300	AP : 24792, BRECO : BS 8418, BREMBO : 09.8840.10, Fritech : DF1309, HONDA : 45251TA6A00, NIBK : RN1413V, OEM : 45251S0X000, OEM : 45251TA1A00, OEM : 45251SEAJ01, Raybestos : 96795R, TRUSTING : DF1309

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HONDA	Stream	2000	2000	2006	Front	MRD1218V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 282	AP : 24836, AP : 25127E, APEC : DSK2204, ATE : 24.0123-0110.1, ATE : 24.0125-0189.1, ATE : 24.0123-0109.1, BENDIX : 562457B, Blue Print : ADH24384, BRECO : BS 8460, BREMBO : 09.A455.14, BREMBO : 09.A407.10, BREMBO : 09.6752.20, CAR : 142.1186, CAR : 142.1107, CAR RACING : HPD 1107, CIFAM : 800-958, CIFAM : 800-932, DELPHI : BG3720, DELPHI : BG4186, DELPHI : BG4119, FERODO : DDF1496, Fritech : DF942, Fritech : DF1350, HONDA : 45251S7AN10, HONDA : 45251SDCA00, HONDA : 45251-TA5-A00, HONDA : 45251SMCN10, HONDA : 45251S7AE10, HONDA : 45251SMGE31, HONDA : 45251SCAE00, HONDA : 45251-TAO-A01, HONDA : 45251SNVH00, HONDA : 45251SMCN11, HONDA : 45251S7AE11, HONDA : 45251SJHE10, HONDA : 45251-TAO-A00, INTERBRAKE : HO711V, INTERBRAKE : HO601V, Japan Cars : C34044JC, Japan Parts : DI-428, JURID : 562457J, LPR : H1015V, LPR : H1005V, LUCAS : DF4486, LUCAS : DF4456, LUCAS : DF4456BP, MAGNETI MARELLI : 353611934250, Metelli : 23-0958, Metelli : 23-0932, MINTEX : MDC1567, NECTO : WN1425, NIBK : RN1218V, NIPPARTS : J3304045, NK : 202636, OEM : 45251SMGG10, PAGID : 54284, PILENGA : V415, PILENGA : V318, Raybestos : 96711R, REMSA : 6962.10, REMSA : 6986.10, ROADHOUSE : 6986.10, ROADHOUSE : 6962.10, SBS : 1815202639, SBS : 1815202636, SBS : 1815202626, TEXTAR : 92144400, TEXTAR : 92128400, TRUSTING : DF1350, TRUSTING : DF942, TRW : DF7199, TRW : DF4456, TRW : DF4486, TRW : DF7169, WOKING : D6986.10, ZIMMERMANN : 280.3167.00
	Stream	2000	2001	2006	Front	MRD1218V		
	CR V	2000	2001	2004	Front	MRD1218V		
	Accord	2400	2002	2008	Front	MRD1218V		
	Accord	2400	2003	2008	Front	MRD1218V		
	Stream	1700	2003	2006	Front	MRD1218V		
	Edix	2000	2004	2006	Front	MRD1218V		
	CR V	2400	2004	2006	Front	MRD1218V		
	CR V	2400	2004	2006	Front	MRD1218V		
	Edix	1700	2004	2006	Front	MRD1218V		
	Civic	1800	2005	2012	Front	MRD1218V		
	FR V	2000	2005	2009	Front	MRD1218V		
	FR V	2200	2005	2009	Front	MRD1218V		
	CR V	2000	2005	2006	Front	MRD1218V		
	Stream	1800	2006		Front	MRD1218V		
HONDA	CR V	2400	2006	2013	Front	MRD1218V		
	Crossroad	1800	2007	2010	Front	MRD1218V		
HONDA	Crossroad	2000	2007	2010	Front	MRD1218V		
	Crossroad	2000	2007	2010	Front	MRD1218V		
HONDA	Civic	1400	2012		Front	MRD1218V		
	Civic VI EUR	2000	2002	2005	Front	MRD1177V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 47, Centering Diameter :64.1, Position: Front, Outter & Oslash : 300	AP : 24912, BENDIX : 562231B, BRECO : BS 8517, BREMBO : 09.9544.10, CAR : 142.340, CAR RACING : HPD 340, DELPHI : BG3747, FERODO : DRF1197, FERODO : DDF1266, Fritech : DF1009, HONDA : 45251S6MA10, HONDA : 45251SVBA50, INTERBRAKE : HO501V, JURID : 562231J, LPR : H1020V, LUCAS : DF4288, MAGNETI MARELLI : 353611941240, MINTEX : MDC1621, NECTO : WN1280, NIBK : RN1177V, PAGID : 54250, PILENGA : V306, SBS : 1815202635, TEXTAR : 92125000, TRUSTING : DF1009, TRW : DF4288, ZIMMERMANN : 280.3161.00
HONDA	Civic VI EUR	2000	2002	2005	Front	MRD1177V		
	Accord	2000	2003	2008	Front	MRD1204V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 47.2, Centering Diameter :64.2, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 300	AP : 25085, ATE : 24.0125-0174.1, ATE : 24.0125-0182.1, BOSCH : 0 986 479 227, BRECO : BS 8691, BREMBO : 09.A272.10, CAR : 142.1421, CAR : 142.1161, CAR RACING : HPD 1161, CIFAM : 800-997, DELPHI : BG3978, FERODO : DDF1596, FERODO : DDF1424, Fritech : DF1279, HONDA : 45251SEAE30, INTERBRAKE : HO621V, INTERBRAKE : HO731V, LPR : H1006V, LUCAS : DF4432S, Metelli : 23-0997, MINTEX : MDC1936, MINTEX : MDC1701, NECTO : WN1379, NIBK : RN1204V, PAGID : 54409, PILENGA : V308, QH : BDC5509, TEXTAR : 92140900, TRUSTING : DF1279, TRW : DF4432S, ZIMMERMANN : 280.3166.00
HONDA	Accord	2200	2004	2008	Front	MRD1204V		
	Accord	2400	2003	2008	Front	MRD1204V		
HONDA	Jazz	1200	2002		Front	MRD1376V	Recommended Type: Vented ,Disc Thickness: 21, Num. of holes : 4, Height : 47, Centering Diameter :64.2, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 257.7	AP : 25094, Ashika : 60-04-425, ATE : 24.0121-0115.1, BOSCH : 0986479594, BRECO : BS 8700, BREMBO : 09.A357.10, CAR : 142.1422, DELPHI : BG4148, FERODO : DDF1610, Fritech : DF1280, HONDA : 45251SAAG50, INTERBRAKE : HO741V, LPR : H1027V, LUCAS : DF4825, MINTEX : MDC1897, NIBK : RN1376V, SBS : 1815202647, TEXTAR : 92165900, TRUSTING : DF1280, TRW : DF4825
	Jazz	1400	2005		Front	MRD1376V		
	Jazz	1400	2005	2008	Front	MRD1376V		
	City	1400	2008		Front	MRD1376V		
HONDA	Civic	1800	2005	2012	Front	MRD1218V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 47.2, Centering Diameter :64, Position: Front, Pitch Circle & Oslash : 114.3mm, Outter & Oslash : 282	AP : 25127E, AP : 24836, APEC : DSK2204, ATE : 24.0123-0109.1, ATE : 24.0123-0110.1, ATE : 24.0125-0189.1, BENDIX : 562457B, Blue Print : ADH24384, BRECO : BS 8460, BREMBO : 09.A407.10, BREMBO : 09.6752.20, BREMBO : 09.A455.14, CAR : 142.1107, CAR : 142.1186, CAR RACING : HPD 1107, CIFAM : 800-932, CIFAM : 800-958, DELPHI : BG4186, DELPHI : BG4119, DELPHI : BG3720, FERODO : DDF1496, Fritech : DF942, Fritech : DF1350, HONDA : 45251SCAE00, HONDA : 45251-TAO-A01, HONDA : 45251SNVH00, HONDA : 45251SMCN11, HONDA : 45251S7AE11, HONDA : 45251SJHE10, HONDA : 45251-TAO-A00, HONDA : 45251S7AN10, HONDA : 45251SDCA00, HONDA : 45251-TA5-A00, HONDA : 45251SMCN10, HONDA : 45251SMGE31, INTERBRAKE : HO601V, INTERBRAKE : HO711V, Japan Cars : C34044JC, Japan Parts : DI-428, JURID : 562457J, LPR : H1005V, LPR : H1015V, LUCAS : DF4456, LUCAS : DF4456BP, LUCAS : DF4486, MAGNETI MARELLI : 353611934250, Metelli : 23-0932, Metelli : 23-0958, MINTEX : MDC1567, NECTO : WN1425, NIBK : RN1218V, NIPPARTS : J3304045, NK : 202636, OEM : 45251SMGG10, PAGID : 54284, PILENGA : V415, PILENGA : V318, Raybestos : 96711R, REMSA : 6986.10, REMSA : 6962.10, ROADHOUSE : 6986.10, ROADHOUSE : 6962.10, SBS : 1815202626, SBS : 1815202639, SBS : 1815202636, TEXTAR : 92128400, TEXTAR : 92144400, TRUSTING : DF1350, TRUSTING : DF942, TRW : DF4486, TRW : DF7169, TRW : DF4456, WOKING : D6986.10, ZIMMERMANN : 280.3167.00
	Accord	2400	2002	2008	Front	MRD1218V		
	Accord	2400	2003	2008	Front	MRD1218V		
	Civic VI EUR	1800	2006		Front	MRD1218V		
	Crossroad	1800	2007	2010	Front	MRD1218V		
	Crossroad	2000	2007	2010	Front	MRD1218V		
	Crossroad	2000	2007	2010	Front	MRD1218V		
	CR V	2000	2001	2004	Front	MRD1218V		
	CR V	2000	2002	2004	Front	MRD1218V		
	CR V	2400	2004	2006	Front	MRD1218V		
	CR V	2000	2005	2006	Front	MRD1218V		
	CR V	2200	2005	2006	Front	MRD1218V		
	CR V	2400	2005	2006	Front	MRD1218V		
	CR V	2400	2004	2006	Front	MRD1218V		
	CR V	2400	2006	2013	Front	MRD1218V		
	Edix	1700	2004	2006	Front	MRD1218V		
	Edix	2000	2004	2006	Front	MRD1218V		
HONDA	FR V	2000	2005	2009	Front	MRD1218V		
	FR V	2200	2005	2009	Front	MRD1218V		
	Stream	1700	2003	2006	Front	MRD1218V		
	Stream	1800	2006		Front	MRD1218V		
	Stream	2000	2000	2006	Front	MRD1218V		
HONDA	Stream	1800	2006		Rear	MRD1460	Recommended Type: 282 ,Disc Thickness: 9, Num. of holes : 5, Height : 58.5, Centering Diameter :64, Position: Rear, Pitch Circle & Oslash: 114.3	ATE : 24.0109-0144.1, Blue Print : ADH24387, CAR : 142.1241, CAR RACING : HPD 1241, DELPHI : BG3979, Fritech : DF1109, HONDA : 42510SCAE00, INTERBRAKE : HO701P, LPR : H1014P, MINTEX : MDC2046, NIBK : RN1460, NIPPARTS : J3314035, OEM : 42510S9AN00, TRUSTING : DF1109
	CR V	2000	2002	2006	Rear	MRD1460		
HONDA	Civic	1600	2005	2011	Rear	MRD1362	Recommended Type: 260 ,Disc Thickness: 9, Num. of holes : 5, Height : 42.2, Centering Diameter :64.2, Position: Rear, Pitch Circle & Oslash: 114.3	ATE : 24.0109-0158.1, BOSCH : 0 986 479 451, BREMBO : 08.A147.10, BREMBO : RS.195.000, BREMBO : RD.195.000, CAR : 142.1237, CAR RACING : HPD 1237, CIFAM : 800-957, DELPHI : BG4118, FERODO : DDF1558, Fritech : DF1108, GREAT WALL : 3501011XJZ08A, HONDA : 42510SMGE20, HONDA : 42510SNA00, INTERBRAKE : HO691P, JAPANPARTS : DP-412, LPR : H1013P, LUCAS : DF4837, Metelli : 23-0957, MINTEX : MDC1833, NIBK : RN1362, OEM : 42510SNEA00, SBS : 1815202641, TEXTAR : 92164300, TRUSTING : DF1108, TRW : DF4837
	Civic	1800	2005	2009	Rear	MRD1362		
	Civic	1800	2005	2012	Rear	MRD1362		
	Civic	1300	2005	2009	Rear	MRD1362		
	Civic	2000	2006	2009	Rear	MRD1362		
	Civic	1400	2008		Rear	MRD1362		
	Civic	1800	2005	2012	Rear	MRD1362		
	Civic	2000	2006	2009	Rear	MRD1362		
	Civic	1400	2008		Rear	MRD1362		
	Civic	1400	2008		Rear	MRD1362		
	Civic	1300	2005	2009	Rear	MRD1362		
	Civic	1600	2005	2011	Rear	MRD1362		
	Civic	1700	2004		Rear	MRD1362		
	Civic	1800	2005	2009	Rear	MRD1362		
HONDA	Accord	2400	2002	2008	Rear	MRD1203	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 49.2, Centering Diameter :64.2, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 259.5	ATE : 24.0110-0321.1, BREMBO : 08.A327.10, CAR : 142.1162, CAR RACING : HPD 1162, CIFAM : 800-996, DELPHI : BG3964, FERODO : DDF1390, Fritech : DF1104, HONDA : 42510SEAE50, INTERBRAKE : HO631P, LPR : H1019P, LUCAS : DF4428, Metelli : 23-0996, MINTEX : MDC1721, NECTO : WN1353, NIBK : RN1203, PAGID : 54446, REMSA : 6984.00, ROADHOUSE : 6984.00, SBS : 1815202638, TEXTAR : 92144600, TRUSTING : DF1104, TRW : DF4428, ZIMMERMANN : 280.3169.00
	Accord	2400	2003	2008	Rear	MRD1203		
	Accord	2000	2003	2008	Rear	MRD1203		
	Accord	2200	2004	2008	Rear	MRD1203		
	Accord	2400	2003	2008	Rear	MRD1203		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HONDA	CR V	2400	2006	2013	Rear	MRD1259	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 60.7, Centering Diameter :64, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 304.6	ATE : 24.0110-0329.1, ATE : 24.0109-0151.1, BREMBO : 08.A871.10, BREMBO : 08.A355.10, CAR : 142.1336, DELPHI : BG4064, FERODO : DDF1608, Fritch : DF1110, HONDA : 42510SWWG01, HONDA : 42510-SWA-A00, HONDA : 42510S9AE50, HONDA : 42510-SWA-000, HONDA : 42510SCAE50, INTERBRAKE : H0721P, LPR : H1026P, LUCAS : DF7374, MINTEX : MDC1842, NIBK : RN1259, OEM : 42510S9AE50, OEM : 42510SCAE50, OEM : 42510SA9E50, OEM : 42510SWWG01, PILENGA : 5312, SBS : 1815202642, TEXTAR : 92162500, TRUSTING : DF1110, TRW : DF7374
	CR V	2000	2001	2004	Rear	MRD1259		
	CR V	2000	2007		Rear	MRD1259		
	CR V	2200	2007		Rear	MRD1259		
	CR V	2000	2001	2004	Rear	MRD1259		
	CR V	2000	2007		Rear	MRD1259		
	CR V	2200	2007		Rear	MRD1259		
	CR V	2000	2001	2004	Rear	MRD1259		
	CR V	2000	2001	2004	Rear	MRD1259		
	CR V	2400	2006	2013	Rear	MRD1259		
	CR V	2000	2007		Rear	MRD1259		
	CR V	2200	2007		Rear	MRD1259		
HONDA	Stream	1700	2003	2006	Rear	MRD1355	Recommended Type: Solid ,Disc Thickness: 12/10, Num. of holes : 5, Height : 58.5, Centering Diameter :64, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 282	ATE : 24.0112-0172.1, BENDIX : 562284B, CAR : 142.1108, CAR RACING : HPD 1108, CIFAM : 800-956, DELPHI : BG3797, Fritch : DF127, HONDA : 42510-S7A-J50, HONDA : 42510-S7A-J00, INTERBRAKE : H0611P, JURID : 562284J, LPR : H1025P, Metelli : 23-0956, MINTEX : MDC1568, NECTO : WN1466, NIBK : RN1355, NIPPARTS : J3314026, PAGID : 54445, REMSA : 6912.00, ROADHOUSE : 6912.00, SBS : 1815202627, TEXTAR : 92144500, TRUSTING : DF127, TRW : DF7163, ZIMMERMANN : 280.3172.00
	Stream	2000	2000	2006	Rear	MRD1355		
	Stream	2000	2001	2006	Rear	MRD1355		
	S2000	2000	1999		Rear	MRD1466	Recommended Type: 282 ,Disc Thickness: 12, Num. of holes : 5, Height : 39.7, Centering Diameter :64.2, Position: Rear, Pitch Circle & Oslash: 114.3	ATE : 24.0112-0707.1, CAR : 142.039, CAR RACING : HPD 039, CAR RACING : HDP 039, DELPHI : BG3795, Fritch : DF1324, INTERBRAKE : H0581P, NIBK : RN1466, OEM : 42510S2A000, QH : BDC5601, TRUSTING : DF1324
	S2000	2000	2005	2009	Rear	MRD1466		
HONDA	Stream	1700	2000	2006	Front	MRD1468V	Recommended Type: Vented ,Disc Thickness: 21, Num. of holes : 5, Height : 47.2, Centering Diameter :64.2, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 262"	ATE : 24.0121-0702.1, Blue Print : ADH24390, BOSCH : 0 986 479 687, BREMBO : 09.5457.30, BREMBO : 09.A115.10, CAR : 142.1526, FERODO : DDF1939, Fritch : DF1269, HONDA : 45251-SNA-000, HONDA : 45251SNEA00, HONDA : 45251SZT030, LUCAS : DF7195, MINTEX : MDC1894, NIBK : RN1468DSET, NIBK : RN1468V, OEM : 45251S6M000, OEM : 45251SNA000, OEM : 45251S7AJ10, OEM : 45251SZT020, TRUSTING : DF1269, TRW : DF 7195
	Civic	1600	2005	2011	Front	MRD1468V	"Interchangable"RN1468DSET	
	Civic	1800	2005	2009	Front	MRD1468V		
	Civic	1300	2005	2009	Front	MRD1468V		
	Civic	2000	2006	2009	Front	MRD1468V		
	Civic	1400	2008		Front	MRD1468V		
	CR Z	1500	2010	2012	Front	MRD1468V		
	CR Z	1500	2010	2012	Front	MRD1468V		
	Civic	2000	2006	2009	Front	MRD1468V		
	Civic	1400	2008		Front	MRD1468V		
	Civic	1400	2008		Front	MRD1468V		
	Civic	1300	2005	2009	Front	MRD1468V		
	Civic	1600	2005	2011	Front	MRD1468V		
	Civic	1700	2004		Front	MRD1468V		
	Civic	1800	2005	2009	Front	MRD1468V		
	Stream	1700	2000	2006	Front	MRD1468V		
	Civic	1700	2004		Front	MRD1468V		
	Civic	1300	2005	2009	Front	MRD1468V		
	Civic	1600	2005	2011	Front	MRD1468V		
	Civic	1800	2005	2009	Front	MRD1468V		
	Civic	2000	2006	2009	Front	MRD1468V		
	Civic	1400	2008		Front	MRD1468V		
	Civic	1400	2008		Front	MRD1468V		
HONDA	Accord	2400	2002	2008	Front	MRD1405V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 47.2, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280	ATE : 24.0125-0187.1, BREMBO : 09.A350.10, CAR : 142.1236, DELPHI : BG3977, FERODO : DDF1557, Fritch : DF1008, HONDA : 45251SEAE00, INTERBRAKE : H0651V, LPR : H1008V, LUCAS : DF4429, MINTEX : MDC1738, NECTO : WN1486, NIBK : RN1405V, PAGID : 54466, REMSA : 6985.10, ROADHOUSE : 6985.10, SBS : 1815202637, TEXTAR : 92146600, TRUSTING : DF1008, TRW : DF4429
	Accord	2000	2002	2008	Front	MRD1405V		
	Accord	2400	2002	2008	Front	MRD1405V		
	Accord	2400	2002	2008	Front	MRD1405V		
	S2000	2000	1999		Front	MRD1467V	Recommended Type: Vented & Oslash 300 ,Disc Thickness: 25, Num. of holes : 5, Height : 39.7, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 114.3	ATE : 24.0125-0706.1, CAR : 142.038, CAR RACING : HPD 038, FERODO : DRF1198, Fritch : DF1158, INTERBRAKE : H0571V, LPR : H1018V, MINTEX : MDC1935, NIBK : RN1467V, OEM : 45251S2A000, TRUSTING : DF1158
	S2000	2000	2005	2009	Front	MRD1467V		
	CR V	2400	2006	2013	Front	MRD1243V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 293	ATE : 24.0128-0217.1, BOSCH : 0 986 479 456, BREMBO : 09.A866.10, CAR : 142.1535, DELPHI : BG4250, Fritch : DF1349, HONDA : 45251SWE000, HONDA : 45251SWAA00, HONDA : 45251SWWG01, HONDA : 45251SWN010, LPR : H1029V, LUCAS : DF4857S, MINTEX : MDC2104, NIBK : RN1415V, NIBK : RN1243V, NIPPARTS : J3304053, NK : 202653, OEM : 45251SWAA20, OEM : 45251SWWG01, OEM : 45251SWE000, PAGID : 54848PRO, PILENGA : V735, SBS : 1815202653, TEXTAR : 92184803, TRUSTING : DF1349, TRW : DF4857S, TRW : DF7373, ZIMMERMANN : 280.3175.20
	CR V	2000	2007		Front	MRD1243V		
	CR V	2200	2007		Front	MRD1243V		
	CR V	2000	2007		Front	MRD1243V		
	CR V	2200	2007		Front	MRD1243V		
	CR V	2400	2007		Front	MRD1243V		
	CR V	2400	2006	2013	Front	MRD1243V		
	CR V	2000	2007		Front	MRD1243V		
	CR V	2200	2007		Front	MRD1243V		
	CR V	2400	2007		Front	MRD1243V		
	CR V	2000	2007		Front	MRD1243V		
	CR V	2200	2007		Front	MRD1243V		
	CR V	2400	2007		Front	MRD1243V		
HONDA	Crossroad	1800	2007	2010	Front	MRD1540V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 47.2, Centering Diameter :64.2, Position: Front, Pitch Circle & Oslash: 114, Outter & Oslash : 282	BOSCH : 0986AB6281, BREMBO : 09A10710, HONDA : 45251SFEJ10, NIBK : RN1540V, TRW : DF7343
	Odyssey	2400	2004	2008	Front	MRD1540V		
	Accord	2000	2008		Front	MRD1406V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 49, Centering Diameter :64, Position: Front, Outter & Oslash : 320	CAR : 142.1481, Fritch : DF1347, HONDA : 45251TLOG50, INTERBRAKE : H0771V, MINTEX : MDC2164, NIBK : RN1406V, NK : 202651, SBS : 1815202651, TEXTAR : 92194900, TRUSTING : DF1347
	Civic	1600	1992	1995	Front	MRD1375V	Recommended Type: Vented 235 ,Disc Thickness: 18, Num. of holes : 4, Height : 43, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2198D, AP : 24281, AP : X24281, ATE : 24.0121-0104.1, BENDIX : 561711B, BOSCH : 0 986 478 115, BRADI : 1.1925.2.4, BRECO : BS 7996, BREMBO : 09.5285.75, BREMBO : FS.038.000, BREMBO : 09.5285.10, BREMBO : FD.038.000, CAR : 142.888, CAR RACING : HPD 888, CIFAM : 800-343, DELPHI : BG673, DELPHI : BG2673, FERODO : DRF447, FERODO : DDF447, Fritch : DF369, GRAF : DF29343, HONDA : 45251SH1A00, HONDA : 45251SH3A10, HONDA : 45251SR3A10, HONDA : 45251SH3A00, HONDA : 45251SH0A00, INTERBRAKE : H0211V, INTERCAR : H0211V, JAPANPARTS : DI-499, JURID : 561711J, KWP : 129343, KWP : 1029343, LPR : H1211V, LUCAS : DF1436, MAGNETI MARELLI : 353611925240, Metelli : 23-0343, MINTEX : MDC847, NECTO : WN564, NIBK : RN1375V, NIPPARTS : J3304025, OEM : 45251SH1A00, OEM : 45251SH0A00, OEM : 45251SR3110, OEM : 45251SH3A00, OEM : 45251SR3A00, PAGID : 51116, PILENGA : V310, QH : BDC4371, REMSA : 6213.20, ROADHOUSE : 6213.20, SBS : 181810, SBS : 1815202615, TEXTAR : 92077800, TEXTAR : 98200 0778 0 1, TRUSTING : DF369, TRW : DF1436, VALEO : 186433, WOKING : D6108.10, ZIMMERMANN : 280.3154.00
	Civic	1500	1991	1995	Front	MRD1375V		
	Civic	1500	1991	1995	Front	MRD1375V		
	Brio	1200	2011		Front	MRD1375V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HONDA	Accord	2000	1998	2002	Front	MRD1137V	Recommended Type: Vented & Oslash 282 ,Disc Thickness: 25, Num. of holes : 4, Height : 47, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 1141.3	AC DELCO : AC2438D, AP : 22016, ATE : 24.0125-0183.1, ATE : 24.0125-0146.1, BOSCH : 0 986 478 982, BRECO : BS 8379, BREMBO : 09.7928.10, CAR : 142.296, CIFAM : 800-582, DELPHI : BG3516, FERODO : DDF1119, FERODO : DRF1119, Fritech : DF734, GRAF : DF29582, HONDA : 45251S1AG00, INTERBRAKE : HO531V, JURID : 562458J, KWP : 129582, LPR : H1493V, LUCAS : DF4151, MAGNETI MARELLI : 353611939240, Metelli : 23-0582, MINTEX : MDC1413, NECTO : WN1141, NIBK : RN1137V, OEM : 45251S1AE40, PAGID : 50350, PILENGA : V313, QH : BDC5212, REMSA : 6641.10, REMSA : 6918.20, ROADHOUSE : 6641.10, ROADHOUSE : 6918.20, SBS : 1815202625, TEXTAR : 92110100, TRUSTING : DF734, TRW : DF4151, VALEO : 186780, WOKING : D6641.10, ZIMMERMANN : 280.3157.00
	Accord	1800	1998	2003	Front	MRD1137V		
	Accord	2000	1998	2003	Front	MRD1137V		
	Accord	2300	1998	2003	Front	MRD1137V		
	Accord	2000	1998	2002	Front	MRD1137V		
	Accord	2000	1998	2002	Front	MRD1137V		
HONDA	Accord	2000	1998	2002	Front	MRD1137V		
	Civic	1400	1995	1998	Rear	MRD1047	Recommended Type: Solid & Oslash : 238.5 ,Disc Thickness: 10, Num. of holes : 4, Height : 48, Centering Diameter :61, Position: Rear	AC DELCO : AC2196D, AP : 14832, AP : 14472, ATE : 24.0110-0212.1, BENDIX : 561383B, BENDIX : 561657B, BENDIX EUR : 561383B, BOSCH : 0 986 479 101, BOSCH : 0 986 478 350, BRADI : 1.1915.5.4, BRECO : BS 7653, BRECO : BS 7547, BREMBO : 08.7104.10, BREMBO : 09.5719.10, BREMBO : 08.5648.10, BREMBO : 08.9605.10, CAR : 142.308, CAR RACING : HPD 308, CIFAM : 800-267, DELPHI : BG2538, DELPHI : BG641, FERODO : DDF468, FERODO : DDF950, Fritech : DF051, GRAF : DF29267, HONDA : 42510SE0010, HONDA : 42510SR3J00, HONDA : 42510SH3G00, HONDA : 42510SR3000, HONDA : 42510SE0000, HONDA : 42510SR3G00, HONDA : 42510SK3E00, HONDA : 42510SR3J01, HONDA : 42510SK3305, INTERBRAKE : HO471P, INTERBRAKE : HO171P, INTERCAR : HO171P, JAPANPARTS : DP-402, JURID : 561383J, JURID : 562016J, KWP : 129267, KWP : 1029267, LOTUS : GBD90817, LPR : H1171P, LUCAS : DF2646, MAGNETI MARELLI : 353611915550, Metelli : 23-0267, MINTEX : MDC846, MINTEX : MDC644, NECTO : WN613, NECTO : WN910, NIBK : RN1047, OEM : 42510SH3000, OEM : GDB90817, OEM : 42510SH3G01, PAGID : 51122, PAGID : 51106, PILENGA : 5304, QH : BDC3669, QH : BDC3649, QH : BDC4369, REMSA : 6205.10, REMSA : 6083.00, REMSA : 6521.00, ROADHOUSE : 6205.10, ROADHOUSE : 6083.00, ROADHOUSE : 6521.00, ROVER : EGP1254, SBS : 1815202613, SBS : 121212, SBS : 1815202621, STOP : 561383S, TEXTAR : 92077900, TEXTAR : 92060800, TRUSTING : DF051, TRW : DF2657, TRW : DF2646, VALEO : 186432, VALEO : 186435, VEMA : 98115, WOKING : D6521.00, WOKING : D6083.00, ZIMMERMANN : 280.3170.00
	Civic	1400	1997	1998	Rear	MRD1047		
	Civic	1500	1991	1995	Rear	MRD1047		
	Civic	1500	1991	1995	Rear	MRD1047		
	Civic	1500	1995	2000	Rear	MRD1047		
	Civic	1500	1995	1996	Rear	MRD1047		
	Civic	1500	1995	2000	Rear	MRD1047		
	Civic	1600	1989	1991	Rear	MRD1047		
	Civic	1600	1990	1991	Rear	MRD1047		
	Civic	1600	1991	1995	Rear	MRD1047		
	Civic	1600	1992	1995	Rear	MRD1047		
	Civic	1600	1992	1995	Rear	MRD1047		
	Civic	1600	1993	1995	Rear	MRD1047		
	Civic	1600	1995	2000	Rear	MRD1047		
	Civic	1600	1995	2000	Rear	MRD1047		
	Civic	1600	1998	2000	Rear	MRD1047		
	Civic	1600	1995	2001	Rear	MRD1047		
	Civic	1600	1995	1998	Rear	MRD1047		
	Civic	1600	1998	2000	Rear	MRD1047		
	Civic	1500	1995	2000	Rear	MRD1047		
	Concerto	1400	1989	1996	Rear	MRD1047		
	Concerto	1500	1989	1996	Rear	MRD1047		
	Concerto	1600	1988	1992	Rear	MRD1047		
	Concerto	1600	1989	1996	Rear	MRD1047		
	Concerto	1800	1989	1996	Rear	MRD1047		
HONDA	CR X	1600	1992	1998	Rear	MRD1047		
	CR X	1600	1995	1999	Rear	MRD1047		
	CR X	1600	1992	1997	Rear	MRD1047		
	Prelude	2000	1988	1991	Rear	MRD1047		
	Jazz	1200	2002		Rear	MRD1047		
	Jazz	1400	2005		Rear	MRD1047		
	Civic	1400	1995	1998	Rear	MRD1047		
	Civic	1400	1997	1998	Rear	MRD1047		
	Civic	1500	1995	2000	Rear	MRD1047		
	Civic	1500	1995	1996	Rear	MRD1047		
	Civic	1600	1998	2000	Rear	MRD1047		
	Civic	1600	1995	1998	Rear	MRD1047		
	Civic	1500	1995	2000	Rear	MRD1047		
	Concerto	1400	1989	1996	Rear	MRD1047		
HONDA	Concerto	1500	1989	1996	Rear	MRD1047		
	Concerto	1600	1989	1996	Rear	MRD1047		
	Concerto	1800	1989	1996	Rear	MRD1047		
	Fit	1300	2001	2007	Rear	MRD1052	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 4, Height : 47 6, Centering Diameter :61, Position: Rear, Outter & Oslash : 239	ATE : 24.0109-0111.1, BENDIX : 562016B, BRADI : 1.1915.5.5, BRECO : BS 7477, BREMBO : 08.A920.10, BREMBO : 08.5719.10, CAR : 142.853, CAR RACING : HPD 853, FERODO : DDF1358, Fritech : DF113, HONDA : 42510SR3A11, HONDA : 42510SR3A10, INTERCAR : HO471P, LPR : H1471P, LUCAS : DF2657, LUCAS : DF4191, NECTO : WN1331, NIBK : RN1052, OEM : 42510SR3000, PILENGA : 5310, QH : BDC4746, REMSA : 6206.10, ROADHOUSE : 6206.10, SBS : 181817, TRUSTING : DF113, TRW : DF4191
HONDA	Jazz	1400	2008		Rear	MRD1052		
	Jazz	1200	2008		Rear	MRD1052		
	Jazz	1400	2005	2008	Rear	MRD1052		
	Jazz	1400	2005	2008	Rear	MRD1052		
HYUNDAI	Santamo	2000	1998	2002	Front	MRD1106V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3	AC DELCO : AC2493D, AP : 24805, ATE : 24.0124-0146.1, BENDIX : 561824B, BENDIX EUR : 561824B, BOSCH : 0 986 478 654, BOSCH : 0 986 478 531, BRADI : 1.3033.2.7, BRECO : BS 8432, BREMBO : 09.7043.20, CAR : 142.839, CIFAM : 800-652, DELPHI : BG3401, FERODO : DDF741, Fritech : DF680, GRAF : DF29652, HYUNDAI : 51712M2010, JURID : 561824J, KWP : 129652, LPR : M1401V, LUCAS : DF4032, MAGNETI MARELLI : 353613033270, Metelli : 23-0652, MINTEX : MDC977, MITSUBISHI : MB950569, MITSUBISHI : MB668886, MITSUBISHI : MB950570, NECTO : WN1180, NIBK : RN1106V, NIPPARTS : J3305028, PAGID : 50303, PILENGA : V616, QH : BDC4666, QH : BDC4330, QH : BDC4775, REMSA : 6345.20, REMSA : 6625.10, ROADHOUSE : 6345.20, ROADHOUSE : 6625.10, SBS : 1815203025, TEXTAR : 92103900, TRUSTING : DF680, TRW : DF4032, VALEO : 186475, WOKING : D6625.10
HYUNDAI	Santamo	2000	1998	2002	Rear	MRD1158	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 60.1, Centering Diameter :90, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 262	AC DELCO : AC2575D, AP : 14031, AP : 14806, ATE : 24.0110-0240.1, ATE : 24.0118-0141.1, BOSCH : 0 986 478 655, BRECO : BS 7605, BREMBO : 08.8316.10, CAR : 142.100, CAR : 142.1174, CAR : 142.1005, CAR RACING : HPD 1005, CAR RACING : HPD 100, CIFAM : 800-651, DELPHI : BG3400, FERODO : DDF1141, Fritech : DF691, GRAF : DF2809, GRAF : DF29651, HYUNDAI : 58411M2050, INTERBRAKE : HY341V, INTERBRAKE : AR041P, INTERBRAKE : MB701P, JURID : 561040J, KWP : 102809, KWP : 129651, LPR : M1617P, LPR : A2041P, LUCAS : DF4193, Metelli : 23-0651, MINTEX : MDC951, MITSUBISHI : MB668083, MITSUBISHI : MB699964, NECTO : WN1159, NIBK : RN1158, OEM : 11600221504, OEM : MB669964, OEM : 11600221504, OEM : MB857978, PAGID : 50102, PAGID : 50304, PILENGA : 5607, PILENGA : V634, QH : BDC1009, QH : BDC4882, QH : BDC4589, REMSA : 6895.10, REMSA : 6838.00, REMSA : 6140.01, ROADHOUSE : 6140.01, ROADHOUSE : 6895.10, ROADHOUSE : 6838.00, SBS : 1815201004, SBS : 1815203024, TEXTAR : 92104000, TRUSTING : DF691, TRW : DF4193, WOKING : D6838.00, ZIMMERMANN : 380.2165.00
	Santamo	2000	1998	2002	Rear	MRD1158		
	Santamo	2000	1998	2002	Rear	MRD1158		
HYUNDAI	Coupe RD	1600	1996	1997	Rear	MRD1130	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 40.4, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 258	AP : 14815, ATE : 24.0110-0264.1, BRECO : BS 7614, BREMBO : 08.9081.10, CAR : 142.377, CAR RACING : HPD 377, CIFAM : 800-713, DELPHI : BG3070, DELPHI : BG3573, FERODO : DDF1176, Fritech : DF694, GRAF : DF29713, HYUNDAI : 5841129310, HYUNDAI : 5841128300, HYUNDAI : 5841129300, INTERBRAKE : HY141P, KWP : 129713, Lemforder : 29528 01, Lemforder : 29528, LPR : H2127P, LUCAS : DF4122, MAGNETI MARELLI : 353611808540, Metelli : 23-0713, MINTEX : MDC1366, NECTO : WN1198, NIBK : RN1130, PAGID : 54171, PILENGA : 5791, QH : BDC4614, REMSA : 6627.00, REMSA : 6770.10, ROADHOUSE : 6627.00, ROADHOUSE : 6770.10, SBS : 1815203406, TEXTAR : 92117100, TRUSTING : DF694, TRW : DF4122, WOKING : D6627.00
	Coupe RD	2000	1996	1997	Rear	MRD1130		
	Coupe RD	2000	2001	2002	Rear	MRD1130		
	Coupe RD	1800	1997	2004	Rear	MRD1130		
	Elantra	1600	2000	2006	Rear	MRD1130		
	Elantra	2000	2000	2006	Rear	MRD1130		
	Elantra	1600	2000	2006	Rear	MRD1130		
	Elantra	1800	2001	2003	Rear	MRD1130		
	Elantra	1600	2001	2006	Rear	MRD1130		
	Elantra	1600	2003	2006	Rear	MRD1130		
	Elantra	1800	2003	2006	Rear	MRD1130		
	Elantra	2000	2003	2006	Rear	MRD1130		
	Lantra	1600	1995	2000	Rear	MRD1130		
	Lantra	1800	1995	2000	Rear	MRD1130		
	Coupe RD	1600	1996	1997	Rear	MRD1130		
	Coupe RD	2000	1996	1997	Rear	MRD1130		
	Elantra	1600	2000	2006	Rear	MRD1130		
	Elantra	2000	2000	2006	Rear	MRD1130		
	Elantra	1600	2000	2006	Rear	MRD1130		
	Lantra	1600	1995	2000	Rear	MRD1130		
	Lantra	1800	1995	2000	Rear	MRD1130		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HYUNDAI	Coupe RD	1600	1996	1997	Front	MRD1007V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 34, Centering Diameter :86, Position: Front, Outter & Oslash : 257	AP : 24373, ATE : 24.0322-0170.1, ATE : 24.0122-0170.1, BENDIX : 561642B, BENDIX EUR : 561642B, BOSCH : 0 986 478 675, BRADI : 1.1805.2.4, BRECO : BS 8060, BREMBO : 09.5587.10, BREMBO : 09.5587.75, CAR : 142.964, CAR RACING : HPD 964, CIFAM : 800-405, DELPHI : BG2628, DELPHI : BG628, FERODO : DRF482, FERODO : DDF482, Fritech : DF304, GRAF : DF29405L, GRAF : DF29405, HYUNDAI : 5171228300, INTERBRAKE : HY061V, INTERCAR : HY061V, JURID : 561642J, KWP : 1029405L, KWP : 129405, Lemforder : 19000, Lemforder : 19000 02, LPR : H2061V, LUCAS : DF1428, MAGNETI MARELLI : 353611805240, Metelli : 23-0405, MINTEX : MDC782, NECTO : WN706, NIBK : RN1007V, PAGID : 51203, PILENGA : V605, QH : BDC3955, REMSA : 6193.20, ROADHOUSE : 6193.20, SBS : 444401, SBS : 1815203401, TEXTAR : 92062700, TRUSTING : DF304, TRW : DF1428, VALEO : 186617, VEMA : 98047, WOKING : D6375.10, ZIMMERMAN : 285.3500.00
	Coupe RD	2000	1996	1997	Front	MRD1007V		
	Coupe RD	1800	1997	2002	Front	MRD1007V		
	Lantra	1500	1997	2000	Front	MRD1007V		
	Lantra	1900	1997	2000	Front	MRD1007V		
	Coupe RD	1600	1996	1997	Front	MRD1007V		
	Coupe RD	2000	1996	1997	Front	MRD1007V		
	Lantra	1500	1997	2000	Front	MRD1007V		
	Lantra	1900	1997	2000	Front	MRD1007V		
	i10	1100	2008		Front	MRD11001V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 4, Height : 49, Centering Diameter :62.2, Position: Front, Pitch Circle & Oslash : 100, Outter & Oslash : 241	AP : 24907, ATE : 24.0118-0145.1, BRECO : BS 8512, BREMBO : 09.9503.10, CAR : 142.1146, CAR RACING : HPD 1146, CIFAM : 800-926, DELPHI : BG3935, FERODO : DDF1268, Fritech : DF1027, INTERBRAKE : KIO21V, LPR : K2001V, LUCAS : DF4458BP, LUCAS : DF4458, MAGNETI MARELLI : 351265920500, Metelli : 23-0926, MINTEX : MDC1725, NECTO : WN1281, NIBK : RN11001V, OEM : 5171207000, OEM : 517120X500, OEM : 5171207500, PAGID : 54471, PILENGA : V968, QH : BDC5445, REMSA : 6990.10, ROADHOUSE : 6990.10, SANGSIN : SD2010, SBS : 1815203517, TEXTAR : 92147100, TRUSTING : DF1027, ZIMMERMAN : 320.3800.00
	i10	1200	2008		Front	MRD11001V		
	i30	1400	2007	2011	Front	MRD1412V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 47.2, Centering Diameter :69, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 280*	AP : 24933, APEC : DSK2251, ATE : 24.0126-0128.1, BRECO : BS 8552, BREMBO : 09.9574.40, BREMBO : 09.9574.10, BREMBO : 09.9574.10, CAR : 142.1156, CAR RACING : HPD 1156, CIFAM : 800-789, CIFAM : 800-927, Fritech : DF156, HYUNDAI : 517121H100, HYUNDAI : 517122L000, HYUNDAI : 517121H000, HYUNDAI : 517122K100, INTERBRAKE : HY231V, KWP : 129789, LPR : H2003V, LPR : K2016V, LUCAS : DF4283, LUCAS : DF4865S, LUCAS : DF4408, MAGNETI MARELLI : 353611811240, Metelli : 23-0927, Metelli : 23-0789, NECTO : WN1310, NIBK : RN1412DSET, NIBK : RN1412V, NIPPARTS : J3300530, NK : 203526, OEM : 517123K050, OEM : 517121F000, OEM : 517121M000, OEM : 517122E300, OEM : 517121D100, OEM : 517121F300, OEM : 517122C000, PAGID : 54339, PILENGA : V693, QH : BDC5404, REMSA : 6663.10, ROADHOUSE : 6663.10, SBS : 1815203421, SBS : 1815203515, SBS : 1815203423, TEXTAR : 92133900, TRUSTING : DF156, TRW : DF4865S, WOKING : D6663.10
	i30	1600	2007	2011	Front	MRD1412V		
	i30	1400	2007	2011	Front	MRD1412V		
	i30	1400	2007	2011	Front	MRD1412V		
	i30	1600	2007	2011	Front	MRD1412V		
	i20	1400	2010		Front	MRD1412V		
	i20	1600	2010		Front	MRD1412V		
HYUNDAI	Trajet	2000	1999	2003	Front	MRD1209V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 46.3, Centering Diameter :69, Position: Front, Pitch Circle & Oslash : 114.3mm, Outter & Oslash : 294	AP : 24938, APEC : DSK2312, ATE : 24.0126-0127.1, BRECO : BS 8557, BREMBO : 09.9598.10, CAR : 142.1183, CAR RACING : HPD 1183, CIFAM : 800-593, DELPHI : BG3860, FERODO : DDF1292, Fritech : DF153, GRAF : DF29593, HYUNDAI : 5171226100, INTERBRAKE : HY291V, KWP : 129593, LPR : H2006V, LUCAS : DF4443, Metelli : 23-0593, MINTEX : MDC1654, MITSUBISHI : 4615A075, MITSUBISHI : 4615A117, NECTO : WN1303, NIBK : RN1209V, PAGID : 54364, PILENGA : V699, REMSA : 6897.10, ROADHOUSE : 6897.10, SBS : 1815203415, TEXTAR : 92136400, TRUSTING : DF153, TRW : DF7792, TRW : DF4443, VALEO : 186824
	Trajet	2700	2000	2004	Front	MRD1209V		
	Santa FE	2000	2001	2006	Front	MRD1209V		
	Santa FE	2400	2001	2006	Front	MRD1209V		
	Trajet	2700	2000	2004	Front	MRD1209V		
	Trajet	2000	1999	2003	Rear	MRD1176	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 61, Centering Diameter :76, Position: Rear, Outter & Oslash : 284	APEC : DSK2126, ATE : 24.0110-0286.1, BENDIX EUR : 562454B, BOSCH : 0 986 479 126, BREMBO : 08.4446.10, CAR : 142.1158, CAR RACING : HPD 1158, CIFAM : 800-592, DELPHI : BG3860, FERODO : DDF1493, Fritech : DF150, GRAF : DF29592, HYUNDAI : 584113A300, INTERBRAKE : HY251P, KIA : 584113A300, KWP : 129592, LPR : T2037P, LUCAS : DF4287, Metelli : 23-0592, NECTO : WN1422, NIBK : RN1176, PAGID : 54340, PILENGA : 5794, QH : BDC5408, REMSA : 6756.00, ROADHOUSE : 6756.00, SBS : 1815203414, TEXTAR : 92134000, TRUSTING : DF150, TRW : DF4287, WOKING : D6756.00
	Trajet	2700	2000	2004	Rear	MRD1176		
	Tucson	2000	2004	2010	Rear	MRD1176		
	Tucson	2000	2005	2009	Rear	MRD1176		
	Tucson	2700	2006	2007	Rear	MRD1176		
	Santa FE	2000	2001	2006	Rear	MRD1176		
	Santa FE	2400	2001	2006	Rear	MRD1176		
	Trajet	2700	2000	2004	Rear	MRD1176		
	iX 35	2000	2010		Rear	MRD1176		
HYUNDAI	iX 35	2000	2010		Rear	MRD1176		
	Sonata	2700	2001	2004	Front	MRD1231V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 4, Height : 47.3, Centering Diameter :69, Position: Front, Pitch Circle & Oslash : 114.3mm, Outter & Oslash : 280	APEC : DSK2313, ATE : 24.0126-0129.1, BOSCH : 0 986 479 229, CAR : 142.1262, DELPHI : BG4013, FERODO : DDF1522, Fritech : DF920, HYUNDAI : 517123D100, HYUNDAI : 517123D300, INTERBRAKE : HY311V, LPR : H2015V, LUCAS : DF4710, MINTEX : MDC1812, NIBK : RN1231V, PAGID : 54366, PILENGA : V698, QH : BDC5407, SBS : 1815203420, TEXTAR : 92136600, TRUSTING : DF920, TRW : DF4710, VALEO : 186829, WOKING : D6668.10
	Sonata	2000	2001	2004	Front	MRD1231V		
	Sonata V NF	2400	2005		Rear	MRD1386	Recommended Type: 262 ,Disc Thickness: 10, Num. of holes : 5, Height : 61, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash : 114.3	ATE : 24.0110-0318.1, BOSCH : 0986479345, BREMBO : 08.A114.20, CAR : 142.1157, CAR RACING : HPD 1157, CIFAM : 800-869, DELPHI : BG3799, FERODO : DDF1447, Fritech : DF1114, HYUNDAI : 584110A000, HYUNDAI : 5841139600, HYUNDAI : 5841139300, INTERBRAKE : HY241P, JAPANPARTS : DP-K10, KIA : 5841139600, LPR : H2005P, LUCAS : DF4281, Metelli : 23-0869, MINTEX : MDC2125, NIBK : RN1386, OEM : 584113K300, SBS : 1815203424, TRUSTING : DF1114, TRW : DF4281
	Tucson	2000	2004	2010	Rear	MRD1386		
	Sonata V NF	2000	2005		Rear	MRD1386		
	Grandeur XG35	3500	2002	2005	Rear	MRD1386		
	XG	2500	1999	2005	Rear	MRD1386		
	XG	3000	1999	2005	Rear	MRD1386		
	XG	3500	2002	2005	Rear	MRD1386		
	i30	1400	2007	2011	Rear	MRD1307	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 61.1, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash : 114.3mm, Outter & Oslash : 262	ATE : 24.0110-0332.1, CAR : 142.1451, CIFAM : 800-928, DELPHI : BG4082, FERODO : DDF1618, Fritech : DF1179, HYUNDAI : 58411-1K300, INTERBRAKE : HY381P, JAPANPARTS : DP-K14, KIA : 58411-1H300, LPR : K2017P, Metelli : 23-0928, MINTEX : MDC2055, NIBK : RN1307, NIPPARTS : J3310514, OEM : 584111H300, PAGID : 54617, PILENGA : 5846, SBS : 1815203527, TEXTAR : 92161700, TRUSTING : DF1179
	i30	1600	2007	2011	Rear	MRD1307		
	i30	2000	2007	2011	Rear	MRD1307		
	i30	1400	2009		Rear	MRD1307		
	i30	1600	2008	2012	Rear	MRD1307		
	i30	2000	2008	2012	Rear	MRD1307		
HYUNDAI	Veloster	1600	2011		Rear	MRD1549		ATE : 24.0110-0368.1, Blue Print : ADG043176, Blue Print : ADG043195, BOSCH : 0 986 479 052, HYUNDAI : 584113X300, HYUNDAI : 58411A6300, Jakoparts : J3310531, Jakoparts : J3310534, NIBK : RN1549
	i40	1700	2011		Rear	MRD1556	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 24.7, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash : 114.3, Outter & Oslash : 284	ATE : 24.0110-0370.1, Blue Print : ADG043179, BOSCH : 0 986 479 A13, HYUNDAI : 584113Z100, NIBK : RN1556
	i40	1600	2011		Rear	MRD1556		
	i40	2000	2012		Rear	MRD1556		
	i40	1700	2011		Rear	MRD1556		
	Accent	1400	2006	2010	Front	MRD1370V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 46.6, Centering Diameter :62.2, Position: Front, Pitch Circle & Oslash : 100, Outter & Oslash : 256	ATE : 24.0122-0260.1, BREMBO : 09.A445.10, CAR : 142.1520, CIFAM : 800-930, DELPHI : BG4096, FERODO : DDF1603, Fritech : DF1013, HYUNDAI : 517121G500, HYUNDAI : 517121G000, INTERBRAKE : HY401V, KIA : 517121G000, LPR : K2014V, LUCAS : DF4839, METELLI : 23-0930, MINTEX : MDC1839, NIBK : RN1370V, REMSA : 61023.10, SBS : 1815203523, TRUSTING : DF1013, TRW : DF4839
	Accent	1500	2006	2010	Front	MRD1370V		
	Accent	1600	2006	2010	Front	MRD1370V		
	i20	1400	2008		Front	MRD1370V		
	i20	1600	2008		Front	MRD1370V		
	i20	1600	2009		Front	MRD1370V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HYUNDAI	i30	1400	2007	2011	Front	MRD1174V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 47.4, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 280	ATE : 24.0126-0150.1, DELPHI : BG3861, FERODO : DDF1300, FERODO : DDF1619, HYUNDAI : 517123K050, HYUNDAI : 517122C000, HYUNDAI : 517122E300, KIA : 517121F000, NIBK : RN1174V, TRW : DF4408, TRW : DF4283
	i30	1600	2007	2011	Front	MRD1174V		
	i30	2000	2007	2011	Front	MRD1174V		
	i30	1400	2009		Front	MRD1174V		
	i30	1600	2008	2012	Front	MRD1174V		
	i30	2000	2008	2012	Front	MRD1174V		
	Coupe	1600	2000	2007	Front	MRD1174V		
	Coupe	2000	2002	2007	Front	MRD1174V		
	Coupe	2700	2002	2007	Front	MRD1174V		
	Tucson	2700	2006	2007	Front	MRD1174V		
	Tucson	2000	2004	2010	Front	MRD1174V		
	Sonata V NF	2000	2006		Front	MRD1174V		
	Coupe	1600	2000	2007	Front	MRD1174V		
	Coupe	2000	2002	2007	Front	MRD1174V		
	Coupe	2700	2002	2007	Front	MRD1174V		
	i30	1400	2007	2011	Front	MRD1174V		
	i30	1600	2007	2011	Front	MRD1174V		
	i30	2000	2007	2011	Front	MRD1174V		
	i30	1400	2009		Front	MRD1174V		
	i30	1600	2008	2012	Front	MRD1174V		
	i30	2000	2008	2012	Front	MRD1174V		
	Tucson	2000	2004	2010	Front	MRD1174V		
	Tucson	2000	2005	2009	Front	MRD1174V		
	Tucson	2700	2006	2007	Front	MRD1174V		
	Sonata V NF	2000	2006		Front	MRD1174V		
HYUNDAI	Santa FE	2700	2006		Front	MRD1349V	Recommended Type: Vented ,Disc Thickness: 28/26, Num. of holes : 5, Height : 49, Centering Diameter :69.2, Position: Front, Outter & Oslash : 321	ATE : 24.0128-0158.1, BREMBO : 09.A601.10, CAR : 142.1294, CIFAM : 800-900, FERODO : DDF1631, Fritech : DF1251, HYUNDAI : 51712-2B700, INTERBRAKE : HY331V, JAPANPARTS : DI-H19, KIA : 51712-2P700, LPR : H2008V, Metelli : 23-0900, MINTEX : MDC2023, NIBK : RN1349V, QH : BDC5693, TRUSTING : DF1251
	Santa FE	2200	2006		Front	MRD1349V		
	iX 55	3000	2009		Front	MRD1349V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 47.3, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 300	ATE : 24.0128-0234.1, Blue Print : ADG043136, BREMBO : 09.A532.20, CAR : 142.1483, CIFAM : 800-925, Fritech : DF1282, HYUNDAI : 517122L500, INTERBRAKE : HY391V, Metelli : 23-0925, NIBK : RN1547V, NIPPARTS : J3 300 532, TRUSTING : DF1282, TRW : DF 4957S
	Santa FE	2700	2006		Front	MRD1349V		
	i30	1600	2012		Front	MRD1547V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 44.2, Centering Diameter :68.7, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280	Blue Print : ADG043175, BOSCH : 0 986 479 A12, HYUNDAI : 517122V000, NIBK : RN1548V, NIPPARTS : N3300536
	Veloster	1600	2011		Front	MRD1548V		
	Solaris RB SB	1400	2011		Front	MRD11002V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43.8, Centering Diameter :60.2, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	Blue Print : ADG043177, HYUNDAI : 51712-0U000, MINTEX : MDC2344, NIBK : RN11002V, TRW : DF 6198
	Solaris RB SB	1600	2011		Front	MRD11002V		
	Solaris RB SB	1400	2011		Rear	MRD11003	Recommended Type: Solid	BOSCH : 0 986 479 A15, HYUNDAI : 58411A6200, NIBK : RN1563
	Solaris RB SB	1600	2011		Rear	MRD11003		
	i30	1600	2012		Rear	MRD1563	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 54.3, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 284	CAR : 142.1384, DELPHI : BG4012, Fritech : DF1112, HYUNDAI : 584110A100, HYUNDAI : 584113K100, INTERBRAKE : HY371P, LPR : H2016P, MINTEX : MDC2013, NIBK : RN1476, REMSA : 6989.00, ROADHOUSE : 6989.00, SBS : 1815203425, TRUSTING : DF1112
	i30	1400	2012		Rear	MRD1563		
HYUNDAI	Sonata V NF	2000	2006		Rear	MRD1476	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 40, Centering Diameter :87, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2490D, AC DELCO : AC2498D, ATE : 24.0124-0220.1, BOSCH : 0 986 478 714, BOSCH : 0 986 478 663, BREMBO : 09.9149.10, BREMBO : 09.A145.10, CAR : 142.293, CAR : 142.368, CIFAM : 800-596, DELPHI : BG3590, DELPHI : BG4098, FERODO : DDF1404, Fritech : DF727, Fritech : DF724, GRAF : DF29596, HYUNDAI : 581294A000, INTERBRAKE : HY181V, INTERBRAKE : MB681V, JAPANPARTS : DI-H03, KWP : 129596, LPR : M1603V, LPR : H2124V, LUCAS : DF4076, LUCAS : DF4102, Metelli : 23-0596, MINTEX : MDC964, MITSUBISHI : MB895464, NIBK : RN1121V, NIPPARTS : J3300514, OEM : MR895464, PAGID : 50290, PILENGA : V621, PILENGA : V612, QH : BDC5167, QH : BDC4978, REMSA : 6636.10, REMSA : 6794.10, REMSA : 6769.20, REMSA : 6791.20, ROADHOUSE : 6791.20, ROADHOUSE : 6769.20, ROADHOUSE : 6636.10, ROADHOUSE : 6794.10, SBS : 1815203029, SBS : 1815203405, TEXTAR : 92102500, TRUSTING : DF727, TRUSTING : DF724, TRW : DF4102, TRW : DF4076, WOKING : D6794.10, WOKING : D6636.10
HYUNDAI	H1 Starex	2400	1997	2007	Front	MRD1121V		
	H1 Starex	2500	1997	2007	Front	MRD1121V		
	H1 Starex	2400	1997	2003	Front	MRD1121V		
	H1 Starex	2500	1997	2002	Front	MRD1121V		
	H1 Starex	2500	1999	2007	Front	MRD1121V		
	H1 Starex	2400	1997	2003	Front	MRD1121V		
	H1 Starex	2500	1997	2002	Front	MRD1121V		
HYUNDAI	Accent USA	1600	2000	2004	Front	MRD1027V	Recommended Type: Vented ,Disc Thickness: 19, Num. of holes : 4, Height : 41, Centering Diameter :86, Position: Front	AC DELCO : AC2210D, AP : 24194, ATE : 24.0119-0109.1, BENDIX : 561521B, BENDIX EUR : 561521B, BOSCH : 0 986 479 123, BOSCH : 0 986 478 674, BRADI : 1.1803.2.4, BRECO : BS 7927, BREMBO : 09.5004.10, CAR : 142.961, CAR RACING : HPD 961, CIFAM : 800-393, DELPHI : BG2394, DELPHI : BG394, FERODO : DDF389, Fritech : DF288, GRAF : DF29393, HYUNDAI : 5171224100, HYUNDAI : 5171221B00, HYUNDAI : 5171221350, INTERBRAKE : HY011V, INTERCAR : HY011V, JURID : 561521J, KWP : 129393, KWP : 1029393, Lemforder : 18243 01, Lemforder : 18243, LPR : H2011V, LUCAS : DF1958, MAGNETI MARELLI : 350711803240, Metelli : 23-0393, MINTEX : MDC845, NECTO : WN565, NIBK : RN1027V, PAGID : 51201, PILENGA : V610, QH : BDC4183, QH : BDC3744, REMSA : 6374.10, REMSA : 6192.20, ROADHOUSE : 6374.10, ROADHOUSE : 6192.20, SBS : 444402, SBS : 1815203402, STOP : 561521S, TEXTAR : 92062600, TRUSTING : DF288, TRW : DF1958, VALEO : 186441, VEMA : 98046, WOKING : D6374.10, ZIMMERMANN : 285.3502.00
	Accent	1300	1994	1999	Front	MRD1027V		
	Accent	1300	1999	2006	Front	MRD1027V		
	Accent	1500	1994	1999	Front	MRD1027V		
	Accent	1500	1999	2002	Front	MRD1027V		
	Accent	1500	1999	2002	Front	MRD1027V		
	Pony	1300	1994	1999	Front	MRD1027V		
	Pony	1500	1994	1999	Front	MRD1027V		
	S Coupe	1500	1989	1991	Front	MRD1027V		
	S Coupe	1500	1992	1996	Front	MRD1027V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
HYUNDAI	Coupe RD	2000	2001	2002	Front	MRD1230V	Recommended Type: Vented 257 .Disc Thickness: 24, Num. of holes : 4, Height : 46.7, Centering	AC DELCO : AC2494D, AP : 24992, AP : 25015, APEC : DSK2125, ATE : 24.0124-0184.1, ATE : 24.0124-0706.1, ATE : 24.0125-0177.1, BENDIX EUR : 562459B, BOSCH : 0 986 478 774, BOSCH : 0 986 479 207, BRECO : BS 8625, BREMBO : 09.9574.20, BREMBO : 09.9555.10, BREMBO : 09.A352.10, BREMBO : 09.A258.10, BREMBO : 09.9555.20, CAR : 142.1340, CAR : 142.1261, CAR : 142.1173, CAR RACING : HPD 1173, CIFAM : 800-787, CIFAM : 800-591, DELPHI : BG3801, DELPHI : BG3750, DELPHI : BG3863, FERODO : DDF1270, FERODO : DDF1614, FERODO : DDF1577, Fritech : DF1017, Fritech : DF716, GRAF : DF29787, GRAF : DF29591, HYUNDAI : 517122D310, HYUNDAI : 517122D370, HYUNDAI : 5171238100, HYUNDAI : 517122D300, INTERBRAKE : HY281V, INTERBRAKE : KI101V, INTERBRAKE : HY301V, JAPANPARTS : DI-H08, JAPANPARTS : DI-H18, JURID : 562459J, KIA : 517122F000, KWP : 129591, KWP : 129787, LPR : H2010V, LPR : H2126V, LUCAS : DF4698, LUCAS : DF4158, MAGNETI MARELLI : 353611124240, Metelli : 23-0591, Metelli : 23-0787, MINTEX : MDC1512, NECTO : WN1283, NIBK : RN1141V, NIBK : RN1230V, NIPPARTS : J3300518, OEM : 5171238300, OEM : 517123C100, OEM : 517123C000, PAGID : 54308, PILENGA : V695, PILENGA : V617, QH : BDC5510, QH : BDC5403, QH : BDC5406, REMSA : 6633.10, REMSA : 6928.10, REMSA : 6872.20, ROADHOUSE : 6872.20, ROADHOUSE : 6633.10, ROADHOUSE : 6928.10, SBS : 1815203410, SBS : 1815203411, TEXTAR : 92130800, TRUSTING : DF716, TRUSTING : DF1017, TRW : DF4698, TRW : DF4158, TRW : DF7197, VALEO : 186823, VALEO : 186825, WOKING : D6633.10
	Coupe RD	1800	1997	2004	Front	MRD1230V		
	Elantra	1600	2000	2006	Front	MRD1230V		
	Elantra	2000	2000	2006	Front	MRD1230V		
	Elantra	1600	2000	2006	Front	MRD1230V		
	Elantra	1600	2001	2006	Front	MRD1230V		
	Elantra	2000	2003	2006	Front	MRD1230V		
	Matrix	1600	2001	2008	Front	MRD1230V		
	Matrix	1800	2001	2008	Front	MRD1230V		
	Matrix	1800	2001	2008	Front	MRD1230V		
	Sonata	2000	1998	2001	Front	MRD1230V		
	Sonata	2400	1998	2001	Front	MRD1230V		
	Sonata	2500	1998	2001	Front	MRD1230V		
	Sonata V NF	2400	2005		Front	MRD1230V		
	Sonata	2500	1998	2001	Front	MRD1230V		
	Sonata V NF	2400	2005		Front	MRD1230V		
	Elantra	1600	2000	2006	Front	MRD1230V		
	Elantra	2000	2000	2006	Front	MRD1230V		
	Elantra	1600	2000	2006	Front	MRD1230V		
	Matrix	1800	2001	2008	Front	MRD1230V		
	Matrix	1800	2001	2008	Front	MRD1230V		
	Sonata	2500	1998	2001	Front	MRD1230V		
	Sonata	2500	1998	2001	Rear	MRD1175	Recommended Type: Solid 262 .Disc Thickness: 10, Num. of holes : 4, Height : 61, Centering	APEC : DSK2191, ATE : 24.0110-0317.1, BOSCH : 0 986 479 125, BREMBO : 08.A114.10, CAR : 142.1211, DELPHI : BG4010, DELPHI : BG3609, FERODO : DDF1448, Fritech : DF845, HYUNDAI : 5841138310, INTERBRAKE : HY351P, KIA : 584113C000, LPR : H2009P, LUCAS : DF4286, MINTEX : MDC1854, NIBK : RN1175, PAGID : 54309, PILENGA : 5792, QH : BDC5202, REMSA : 6757.00, ROADHOUSE : 6757.00, SBS : 1815203412, TEXTAR : 92130900, TRUSTING : DF845, TRW : DF4286, WOKING : D6757.00
HYUNDAI	Sonata V NF	2400	2005		Rear	MRD1175	Diameter :76, Position: Rear, Pitch Circle & Oslash: 114.3	
	Sonata	2000	1998	2001	Rear	MRD1175		
	Sonata	2400	2005		Rear	MRD1175		
	Sonata	2500	1998	2001	Rear	MRD1175		
	Sonata	2700	2001	2004	Rear	MRD1175		
	Sonata V NF	2400	2005		Rear	MRD1175		
	Sonata	2400	2005		Rear	MRD1175		
	Sonata	2700	2001	2004	Rear	MRD1175		
HYUNDAI	Sonata	2000	1998	2001	Rear	MRD1175		
	Galloper	2500	1997	2002	Front	MRD1335V	Recommended Type: Vented 277 .Disc Thickness: 22/20.4, Num. of holes : 6, Height : 45, Centering	AC DELCO : AC2643D, AP : 24620, ATE : 24.0122-0175.1, BENDIX : 561765B, BOSCH : 0 986 478 635, BRADI : 1.3014.2.4, BRECO : BS 8217, BREMBO : 09.6817.10, CAR : 142.846, CAR : 142.680, CAR RACING : HPD 846, DELPHI : BG2561, DODGE : MB407038, FERODO : DDF460, Fritech : DF353, INTERBRAKE : DG181V, INTERCAR : DG181V, JURID : 561765J, LPR : D1181V, LUCAS : DF3031, MAGNETI MARELLI : 353613014240, MINTEX : MDC929, MITSUBISHI : MB407038, MITSUBISHI : MN116706, MITSUBISHI : MB407039, NECTO : WN951, NIBK : RN1335V, NIPPARTS : J3305020, OEM : HB403101, OEM : 527615H000, PAGID : 52219, PILENGA : B625, QH : BDC3916, REMSA : 6331.20, REMSA : 6464.10, ROADHOUSE : 6331.20, ROADHOUSE : 6464.10, SBS : 242430, SBS : 1815203017, TEXTAR : 92074600, TRUSTING : DF353, TRW : DF3031, VALEO : 186653, WOKING : D6464.10
	Terracan	2500	2001	2003	Front	MRD1312V	Recommended Type: Vented 280 .Disc Thickness: 27, Num. of holes : 6, Height : 48.2, Centering	HYUNDAI : 51712H1000, NIBK : RN1312V, TRW : DF7280, TRW : DF6007, TRW : DF7292
	Terracan	2900	2001	2003	Front	MRD1312V	Diameter :87, Position: Front, Pitch Circle & Oslash: 108 mm	
	Terracan	3500	2001	2006	Front	MRD1312V		
	H1 Starex	2400	2008		Front	MRD1457V	Recommended Type: Vented 300 .Disc Thickness: 30, Num. of holes : 6, Height : 52.5, Centering	Fritech : DF1352, HYUNDAI : 517124H000, HYUNDAI : 517124H500, MINTEX : MDC2312, NIBK : RN1457V, NK : 203436, SBS : 1815203436, TRUSTING : DF1352
	H1 Starex	2500	2011		Front	MRD1457V	Diameter :96.2, Position: Front, Pitch Circle & Oslash: 139.7	
	Accent	1300	2000	2006	Front	MRD1221V	Recommended Type: Vented & Oslash 241, Disc Thickness: 19, Num. of holes : 4, Height : 51.9, Centering Diameter :63, Position: Front, Pitch Circle & Oslash: 100mm	AC DELCO : AC2627D, AP : 24910, AP : 24909, APEC : DSK2214, ATE : 24.0119-0114.1, BENDIX : 562227B, BRECO : BS 8514, BRECO : BS 8515, BREMBO : 09.9537.10, BREMBO : 09.9537.20, CAR : 142.1151, CAR : 142.1152, CAR RACING : HPD 1151, CAR RACING : HPD 1152, CIFAM : 800-955, DELPHI : BG3749, FERODO : DDF1632, Fritech : DF916, HYUNDAI : 5171225060, HYUNDAI : 5171225061, INTERBRAKE : HY193V, INTERBRAKE : HY191V, INTERCAR : HY193V, JURID : 562273J, LPR : H2002V, LUCAS : DF4496, MAGNETI MARELLI : 351112120600, MAGNETI MARELLI : 351112120500, Metelli : 23-0955, MINTEX : MDC1570, NIBK : RN1221V, NIPPARTS : J3300501, OEM : 5171225010, PAGID : 54285, PILENGA : V697, SBS : 1815203409, TEXTAR : 92128500, TRUSTING : DF916, TRW : DF7150, TRW : DF4496
	Accent	1600	2000	2003	Front	MRD1221V		
	Accent	1500	2000	2006	Front	MRD1221V		
	Accent	1500	2002	2006	Front	MRD1221V		
HYUNDAI	Accent	1600	2002	2006	Front	MRD1221V		
	H100	2400	1993	1997	Front	MRD1095V	Recommended Type: Vented & Oslash 253, Disc Thickness: 20, Num. of holes : 5, Height : 28.7, Centering Diameter :84, Position: Front, Pitch Circle & Oslash: 104	AC DELCO : AC2489D, AP : 24616, ATE : 24.0120-0166.1, BOSCH : 0 986 478 664, BRADI : 1.1806.2.4, BRECO : BS 8215, BREMBO : 09.6804.10, DELPHI : BG3071, FERODO : DDF826, Fritech : DF532, HYUNDAI : 5812944010, INTERCAR : HY091V, LPR : H2091V, LUCAS : DF3119, MAGNETI MARELLI : 353611806240, MINTEX : MDC1319, NECTO : WN826, NIBK : RN1095V, PAGID : 50243, PILENGA : V611, QH : BDC4585, REMSA : 6520.10, ROADHOUSE : 6520.10, SBS : 444404, SBS : 1815203404, TEXTAR : 92093700, TEXTAR : 98200 0937 0 1, TRUSTING : DF532, TRW : DF3119, VALEO : 186572, WOKING : D6520.10
	H100	2500	1993	1997	Front	MRD1095V		
	Getz	1300	2002	2004	Front	MRD1199V	Recommended Type: Vented & Oslash 256, Disc Thickness: 19, Num. of holes : 4, Height : 48, Centering Diameter :62.2, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24911, ATE : 24.0119-0116.1, BENDIX EUR : 562427B, BRECO : BS 8516, BREMBO : 09.9541.10, CAR : 142.025, CAR RACING : HPD 025, CIFAM : 800-788, DELPHI : BG3934, FERODO : DDF1636, Fritech : DF908, GRAF : DF29788, HYUNDAI : 517121C050, INTERBRAKE : HY161V, KWP : 129788, LPR : H2001V, LUCAS : DF4409, MAGNETI MARELLI : 351112220500, Metelli : 23-0788, MINTEX : MDC1723, NIBK : RN1199V, PAGID : 54447, PILENGA : V694, QH : BDC5450, REMSA : 6666.10, ROADHOUSE : 6666.10, SBS : 1815203418, TEXTAR : 92144700, TRUSTING : DF908, TRW : DF4409, VALEO : 186878, WOKING : D6666.10, ZIMMERMANN : 285.3505.00
	Getz	1500	2002		Front	MRD1199V		
	Getz	1600	2002		Front	MRD1199V		
	Getz	1100	2002		Front	MRD1199V		
	Trajet	2000	1999	2003	Front	MRD1178V	Recommended Type: Vented & Oslash 276, Disc Thickness: 26, Num. of holes : 5, Height : 47.2, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3	AP : 24883, APEC : DSK2190, ATE : 24.0126-0126.1, BOSCH : 0 986 479 124, BRECO : BS 8485, BREMBO : 09.9079.10, CAR : 142.367, CAR RACING : HPD 367, CIFAM : 800-843, DELPHI : BG3721, FERODO : DDF1239, Fritech : DF919, HYUNDAI : 5171226000, HYUNDAI : 517123B000, INTERBRAKE : HY151V, INTERCAR : HY151V, KWP : 129843, LPR : H2004V, LUCAS : DF4291, MAGNETI MARELLI : 353611120240, Metelli : 23-0843, NECTO : WN1256, NIBK : RN1178V, OEM : 5171222600, PAGID : 54310, PILENGA : V691, QH : BDC5285, REMSA : 6667.10, ROADHOUSE : 6667.10, SBS : 1815203413, SBS : 1815203416, TEXTAR : 92131000, TRUSTING : DF919, TRW : DF4291, WOKING : D6667.10
	Trajet	2700	2000	2004	Front	MRD1178V		
	Santa FE	2000	2001	2006	Front	MRD1178V		
	Santa FE	2400	2001	2006	Front	MRD1178V		
	Sonata V NF	2000	2005		Front	MRD1348V	Recommended Type: Vented & Oslash 300, Disc Thickness: 28/26, Num. of holes : 5, Height : 47.8, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3mm	CAR : 142.1383, DELPHI : BG4011, DELPHI : DF1018, Fritech : DF1018, HYUNDAI : 51712-3K110, HYUNDAI : 51712-3K150, HYUNDAI : 51712-3K100, HYUNDAI : 51712-0Z000, HYUNDAI : 51712-3K160, HYUNDAI : 517123K300, INTERBRAKE : HY361V, NIBK : RN1348V, NIPPARTS : N3300533, REMSA : 6988.10, ROADHOUSE : 6988.10, SBS : 1815203422, TRUSTING : DF1018
	Sonata V NF	3300	2008		Front	MRD1348V		
	iX 35	2000	2010		Front	MRD1348V		
	iX 35	2000	2010		Front	MRD1348V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
INFINITI	FX35	3500	2003	2008	Rear	MRD1185V	Recommended Type: Vented ,Disc Thickness: 16, Num. of holes : 5, Height : 62, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 308	ATE : 24.0116-0122.1, CAR : 142.1333, DELPHI : BG4041, FERODO : DDF1506, Fritech : DF1193, INTERBRAKE : NN081V, LPR : N2015V, LUCAS : DF4353, MINTEX : MDC1820, NIBK : RN1185V, NISSAN : 43206CA000, OEM : 43206WL000, PAGID : 54493, PILENGA : V889, QH : BDC5668, SBS : 1815202271, TEXTAR : 92149300, TRUSTING : DF1193, TRW : DF4353
	FX45	4500	2003	2008	Rear	MRD1185V		
	QX4	3300	1996	2002	Front	MRD1226V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 38, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 124mm, Outter & Oslash : 300	ATE : 24.0128-0166.1, BENDIX : 562279B, BOSCH : 0 986 479 031, CAR : 142.1046, CAR RACING : HPD1046, DELPHI : BG3972, FERODO : DDF1626, Fritech : DF382, INFINITI : 40206VE800, INTERBRAKE : NS971V, JURID : 562388J, JURID : 562279J, LPR : N2013V, LUCAS : DF4553, MINTEX : MDC1754, NIBK : RN1226V, NISSAN : 402061W600, NISSAN : 402066W500, OEM : 402061W600, PAGID : 50344, PILENGA : V573, QH : BDC5400, REMSA : 6899.10, ROADHOUSE : 6899.10, SBS : 1815202262, TEXTAR : 92109500, TRUSTING : DF382, TRW : DF4553, ZIMMERMANN : 200.2516.00
	EX 25	3700	2010		Front	MRD1427V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 49.2, Centering Diameter :68, Position: Front: brake support (2 pistons), Pitch Circle & Oslash: 114.3, Outter & Oslash : 319	Blue Print : ADN143157, INFINITI : 40206-CL70A, NIBK : RN1427V, NIPPARTS : J3301092, NISSAN : 40206CL70A
	G 37	3700	2009		Front	MRD1427V		
	FX35	3500	2003	2008	Front	MRD1427V		
	FX45	4500	2003	2008	Front	MRD1427V		
	FX35	3500	2003	2005	Front	MRD1427V		
	FX35	3700	2008		Rear	MRD1429V	Recommended Type: Vented ,Disc Thickness: 21, Num. of holes : 5, Height : 62.5, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 348	Blue Print : ADN143161, NIBK : RN1429V, NISSAN : 432061CA0A
	FX35	5000	2008		Rear			
	M37 Y50 Y51	3700	2010		Rear			
	M37 Y50 Y51	3000	2010		Rear			
	FX50	5000	2008		Rear			
	G35	3500	2006		Front	MRD1492V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 49.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 330	Blue Print : ADN143168, NIBK : RN1492V, NISSAN : 40206JK600
	EX 25	3500	2007		Front	MRD1492V		
	EX 25	3500	2007		Rear	MRD1493		Blue Print : ADN143169, NIBK : RN1493, NISSAN : 43206JK600
INFINITI	FX35	3700	2008		Front	MRD1428V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 49, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 354	INFINITI : 40206JL00A, NIBK : RN1428V, NISSAN : 40206JL00A
	FX35	5000	2008		Front	MRD1428V		
	FX50	5000	2008		Front	MRD1428V		
	FX35	3700	2008		Rear	MRD22001V	Recommended Type: Vented ,Disc Thickness: 16, Num. of holes : 5, Height : 62, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 308	Japan Parts : DP-106, NIBK : RN22001V, NIPPARTS : J3 311 046, NISSAN : 43206-EG000
	FX35	3500	2003	2005	Rear	MRD22001V		
	QX56	5600	2007	2009	Rear	MRD1431	Recommended Type: Solid ,Disc Thickness: 14, Num. of holes : 6, Height : 58, Centering Diameter :82, Position: Rear, Pitch Circle & Oslash: 139.7, Outter & Oslash : 319.5	NIBK : RN1431, NISSAN : 43206-7S000
	QX56	5600	2004	2009	Rear	MRD1431		
	JX35	3500	2012		Front	MRD1557V	Recommended Type: Vented, Num. of holes : 5, Position: Front, Outter & Oslash : 320	NIBK : RN1557V, NISSAN : 40206-3JA0A
	JX35	3500	2012		Rear	MRD1558V	Recommended Type: Vented, Num. of holes : 5, Position: Rear	NIBK : RN1558V, NISSAN : 43206-3JA0A
	QX56	5600	2007	2009	Front	MRD1430V	Recommended Type: Vented & Oslash :, Position: Front	NIBK : RN1430V, NISSAN : 402061LA1A, NISSAN : 402069FF0B, NISSAN : 40206ZR00A, NISSAN : 40206ZR01A
ISUZU	Bighorn	3000	1998	2002	Rear	MRD1105V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 6, Height : 80, Centering Diameter :101, Position: Rear, Pitch Circle & Oslash: 139.6	AC DELCO : AC2461D, AP : 24734, ATE : 24.0118-0122.1, BOSCH : 0 986 478 496, BRADI : 1.0423.6.4, BRECO : BS 8326, BREMBO : 09.7377.10, CAR : 142.488, CAR RACING : HPD 488, CIFAM : 800-511, DELPHI : BG3353, FERODO : DDF695, Fritech : DF360, GRAF : DF29511, INTERBRAKE : OP381V, INTERCAR : OP381V, ISUZU : 8970340361, ISUZU : 8943754251, ISUZU : 8970460811, ISUZU : 97034036, KWP : 129511, Lemforder : 27232 01, Lemforder : 27232, LPR : 01381V, LUCAS : DF4030, Metelli : 23-0511, MINTEX : MDC986, NIBK : RN1105V, OEM : 8943751251, OEM : 8940460810, OEM : 8970460810, OPEL : 569104, OPEL : 596106, OPEL : 569106, PAGID : 50234, PILENGA : V376, QH : BDC3958, QH : BDC4625, REMSA : 6654.20, ROADHOUSE : 6654.20, SBS : 251112, SBS : 1815203635, TEXTAR : 92091600, TRUSTING : DF360, TRW : DF4030, VALEO : 186685, VAUXHALL : 97034036, VAUXHALL : 94375425, VAUXHALL : 91151563, WOKING : D6515.10, ZIMMERMANN : 430.1480.00
	Bighorn	3100	1991	1998	Rear	MRD1105V		
	Bighorn	3200	1991	1998	Rear	MRD1105V		
	D Max	3000	2008		Front	MRD1327V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 40, Centering Diameter :88, Position: Front, Pitch Circle & Oslash: 109, Outter & Oslash : Ø 280	Blue Print : ADZ94331, CAR : 142.1125, DELPHI : BG4252, Fritech : DF1167, INTERBRAKE : BIO61V, ISUZU : 8973606760, ISUZU : 8973606780, ISUZU : 8973606770, ISUZU : 8980062590, MINTEX : MDC2078, NIBK : RN1327V, OEM : 8973606780, OEM : 8973606770, OEM : 8980062590, TRUSTING : DF1167
	D Max	3000	2003	2006	Front	MRD1327V		
	D Max	3000	2008		Front	MRD1327V		
	D Max	3000	2008		Front	MRD1327V		
	ELF	4300	1999		Front	MRD1328V	Recommended Type: Vented ,Disc Thickness: 35, Num. of holes : 5, Height : 90, Centering Diameter :104, Position: front, Pitch Circle & Oslash: M16x1.5, Outter & Oslash : 285	BOSCH : 0 986 AB6 052, ISUZU : 8970773460, NIBK : RN1328V, NISSAN : 4020689TB1, TRW : DF7400
	ELF	3100	1999	2001	Front	MRD1269V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 12, Height : 57.6, Centering Diameter :110, Position: Front, Pitch Circle & Oslash: 136mm, Outter & Oslash : 293	ISUZU : 8971735200, ISUZU : 8-97371-875-1, NIBK : RN1269V, TRW : DF7480
	ELF	3100	1999	2002	Front	MRD1269V		
	ELF	4300	1999		Front	MRD1269V		
	ELF	4600	1999		Front	MRD1269V		
	D Max	2500	2003	2006	Front	MRD24001V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 40, Centering Diameter :88, Position: Front, Pitch Circle & Oslash: 109, Outter & Oslash : 256	ISUZU : 8973088680, ISUZU : 8973705150, NIBK : RN24001V

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
ISUZU	ELF	4800	2002		Front	MRD1331V	Recommended Type: Vented 265 Disc Thickness: 35, Num. of holes : 5, Height : 90, Centering Diameter :104, Position: front, Pitch Circle & Oslash: 144 / M16x1.5	BOSCH : 0 986 AB6 053, ISUZU : 8970310080, NIBK : RN1331V, TRW : DF7401
	Bighorn	3000	1998	2002	Rear	MRD1105V	Recommended Type: Vented 313 Disc Thickness: 18, Num. of holes : 6, Height : 80, Centering Diameter :101, Position: Rear, Pitch Circle & Oslash: 139.6	AC DELCO : AC2461D, AP : 24734, ATE : 24.0118-0122.1, BOSCH : 0 986 478 496, BRADI : 1.0423.6.4, BRECO : BS 8326, BREMBO : 09.7377.10, CAR : 142.488, CAR RACING : HPD 488, CIFAM : 800-511, DELPHI : BG3353, FERODO : DDF695, Fritech : DF360, GRAF : DF29511, INTERBRAKE : OP381V, INTERCAR : OP381V, ISUZU : 8970340361, ISUZU : 8943754251, ISUZU : 8970460811, ISUZU : 97034036, KWP : 129511, Lemforder : 27232 01, Lemforder : 27232, LPR : 01381V, LUCAS : DF4030, Metelli : 23-0511, MINTEX : MDC986, NIBK : RN1105V, OEM : 8943751251, OEM : 8940460810, OEM : 8970460810, OPEL : 569104, OPEL : 596106, OPEL : 569106, PAGID : 50234, PILENGA : V376, QH : BDC3958, QH : BDC4625, REMSA : 6654.20, ROADHOUSE : 6654.20, SBS : 251112, SBS : 1815203635, TEXTAR : 92091600, TRUSTING : DF360, TRW : DF4030, VALEO : 186685, VAUXHALL : 91151563, VAUXHALL : 97034036, VAUXHALL : 94375425, WOKING : D6515.10, ZIMMERMANN : 430.1480.00
ISUZU	Bighorn	3100	1991	1998	Rear	MRD1105V		
	Bighorn	3200	1991	1998	Rear	MRD1105V		
ISUZU	ELF	2800	1990	2003	Front	MRD1326V	Recommended Type: Vented & Oslash 257 ,Disc Thickness: 22, Num. of holes : 6, Height : 36, Centering Diameter :88, Position: Front	AC DELCO : AC2457D, AP : 24368, APEC : DSK824, ATE : 24.0122-0156.1, BENDIX : 561643B, BOSCH : 0 986 478 596, BRADI : 1.0406.2.4, BRECO : BS 8056, BREMBO : 09.5577.10, CAR : 142.517, CAR RACING : HPD 517, CIFAM : 800-351, DELPHI : BG2688, DELPHI : BG2524, DELPHI : BG524, FERODO : DDF385, Fritech : DF421, GM : 94172376, GRAF : DF29351, INTERBRAKE : OP251V, INTERCAR : OP251V, ISUZU : 8941733441, ISUZU : 94172376, ISUZU : 8943619271, ISUZU : 8-94173344-0, ISUZU : 8941723761, ISUZU : 8943619270, ISUZU : 8943724350, ISUZU : 8-94173-344, JURID : 561643J, KWP : 1029351, KWP : 129351, Lemforder : 16110, Lemforder : 16110 02, LPR : 01251V, LUCAS : DF3049, MAGNETI MARELLI : 353610406240, Metelli : 23-0351, MINTEX : MDC738, NECTO : WN703, NIBK : RN1326V, OEM : 8941733450, OEM : 93589243, OEM : 9943619271, OEM : 8941723760, OEM : 89436192701, OEM : 9941723761, OPEL : 569801, PAGID : 52418, PILENGA : V370, QH : BDC3828, REMSA : 6188.10, REMSA : 6067.20, ROADHOUSE : 6188.10, ROADHOUSE : 6067.20, SBS : 1815209929, SBS : 464601, TEXTAR : 92075800, TRUSTING : DF421, TRW : DF3049, VALEO : 186303, VALEO : 186488, WOKING : D6188.10, ZIMMERMANN : 430.1472.00
	ELF	2800	1990	2003	Front	MRD1326V		
JAGUAR	X Type	2000	2002	2005	Front	MRD1134V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 47.1, Centering Diameter :63.5, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 300	AP : 24810, ATE : 24.0324-0161.1, ATE : 24.0124-0161.1, BENDIX : 562180B, BOSCH : 0 986 478 718, BRADI : 1.1756.2.4, BRECO : BS 8436, BREMBO : 09.8665.11, BREMBO : 09.8665.10, CAR : 142.218, CAR RACING : HPD 218, CIFAM : 800-684, DELPHI : BG3537, FERODO : DDF1125, FORD : 4097478, FORD : 4110587, FORD : 4179398, FORD : 4097477, FORD : 4181042, FORD : 1321488, Fritech : DF663, GRAF : DF29684, INTERBRAKE : JA061V, JAGUAR : C2S42667, JAGUAR : C2S49729, JAGUAR : C2S35270, JAGUAR : C2S4566, JURID : 562180J, JURID : 562180JC, KWP : 129684, Lemforder : 30368 01, Lemforder : 30368, LPR : F1031V, LUCAS : DF4147BP, LUCAS : DF4147, MAGNETI MARELLI : 353611756240, Metelli : 23-0684, MINTEX : MDC1503, NECTO : WN1144, NIBK : RN1134V, OEM : 1S7W1125B3D, OEM : 1S7W1125CB, OEM : 7097478, OEM : 1376118, OEM : 1S7W1125AB, OEM : 1S7W1125B3B, OEM : 1S7W1125CA, OEM : 4097427, OEM : 1388257, OEM : 1S7W1125AC, PAGID : 50345, PILENGA : V279, PILENGA : V278, QH : BDC5199, REMSA : 6912.20, REMSA : 6607.10, ROADHOUSE : 6912.20, ROADHOUSE : 6607.10, SBS : 1815202550, TEXTAR : 92109603, TEXTAR : 92109600, TEXTAR : 98200 1096 0 1, TRUSTING : DF663, TRW : DF4147, VALEO : 186750, WOKING : D6607.10, ZIMMERMANN : 250.1344.00
	X Type	2500	2001		Front	MRD1134V		
	X Type	3000	2001		Front	MRD1134V		
JAGUAR	S Type CCX	4200	2002	2007	Front	MRD1123V	Recommended Type: Vented & Oslash 300 ,Disc Thickness: 30, Num. of holes : 5, Height : 42.8, Centering Diameter :71, Position: Front, Pitch Circle & Oslash: 108	DELPHI : BG3511, FERODO : DDF1107, JAGUAR : JLM20801, NIBK : RN1123V, TRW : DF4105
	S Type CCX	2500	2002	2007	Front	MRD1123V		
	S Type CCX	2700	2004	2007	Front	MRD1123V		
	S Type CCX	3000	1999	2007	Front	MRD1123V		
	S Type CCX	4000	1999	2002	Front	MRD1123V		
JAGUAR	X Type	2000	2002	2005	Rear	MRD1164	Recommended Type: Solid & Oslash : 280 ,Disc Thickness: 12, Num. of holes : 5, Height : 34, Centering Diameter :63.5, Position: Rear	ATE : 24.0112-0154.1, BENDIX : 562193B, BOSCH : 0 986 479 176, BOSCH : 0 986 479 068, BREMBO : 08.9734.10, BREMBO : 08.9734.11, CAR : 142.219, CAR RACING : HPD 219, CIFAM : 800-683, DELPHI : BG3663, FERODO : DDF1126, FORD : 4143445, FORD : 4098428, FORD : C2S42668, FORD : 4098427, FORD : 4176921, FORD : 1323102, FORD : C2S35271, FORD : C2S9231, FORD : 4179406, Fritech : DF748, GRAF : DF29683, INTERBRAKE : JA071P, JURID : 562193JC, JURID : 562193J, KWP : 129683, Lemforder : 30369 01, LPR : F1041P, LUCAS : DF4218, LUCAS : DF4218BP, Metelli : 23-0683, MINTEX : MDC1504, NECTO : WN1145, NIBK : RN1164, OEM : 1S7W2A315AD, OEM : 1S7W2A315B3E, OEM : 1S7W2A315CB, OEM : 4141711, OEM : 1376138, OEM : 1S7W2A315B3B, OEM : 1S7W2A315CA, OEM : 4110588, PAGID : 50346, PILENGA : 5281, QH : BDC5221, REMSA : 6661.00, ROADHOUSE : 6661.00, SBS : 1815202551, TEXTAR : 92109700, TEXTAR : 92109703, TRUSTING : DF748, TRW : DF4218, VALEO : 186834, WOKING : D6661.00, ZIMMERMANN : 250.1345.00
	X Type	2500	2001		Rear	MRD1164		
	X Type	2500	2002	2005	Rear	MRD1164		
	X Type	3000	2001		Rear	MRD1164		
JEEP	Patriot	2000	2008		Rear	MRD1402	Recommended Type: 302 ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :80, Position: Rear, Pitch Circle & Oslash: 114.3	CAR : 142.1478, CHRYSLER : 04743999AA, CHRYSLER : 4615A121, CHRYSLER : 4615A010, CHRYSLER : 4743999AA, DELPHI : BG4169, Fritech : DF1412, INTERBRAKE : JP051P, MINTEX : MDC1930, NIBK : RN1402, PAGID : 54773PRO, REMSA : 61290.00, ROADHOUSE : 61290.00, TEXTAR : 92177303, TRUSTING : DF1412, WOKING : D61290.00
	Patriot	2400	2008		Rear	MRD1402		
JEEP	Grand Cherokee	2700	2001	2002	Front	MRD1147V	Recommended Type: Vented 305 ,Disc Thickness: 26, Num. of holes : 5, Height : 63.6, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 127	AP : 24812, ATE : 24.0126-0130.1, BENDIX : 562147B, BOSCH : 0 986 478 772, BRECO : BS 8438, BREMBO : 09.8852.10, BREMBO : FD.139.000, BREMBO : FS.139.000, CAR : 142.334, CAR RACING : HPD 334, CIFAM : 800-696, CIFAM : 800-697, CIFAM : 800-696C, DELPHI : BG3659, FERODO : DDF1169, Fritech : DF662, INTERBRAKE : RN541V, JEEP (CHRYSLER) : 52098672, JURID : 562147J, LPR : R1563V, LUCAS : DF4170, MAGNETI MARELLI : 353612502240, Metelli : 23-0696C, Metelli : 23-0697, MINTEX : MDC1488, NECTO : WN1192, NIBK : RN1147V, PAGID : 54136, PILENGA : V951, QH : BDC5382, REMSA : 6626.10, REMSA : 6917.20, ROADHOUSE : 6626.10, ROADHOUSE : 6917.20, SBS : 1815209303, TEXTAR : 92113600, TRUSTING : DF662, TRW : DF4170, VALEO : 186737, WOKING : D6626.10
	Grand Cherokee	3100	1999	2004	Front	MRD1147V		
	Grand Cherokee	4000	1999	2002	Front	MRD1147V		
	Grand Cherokee	4700	1999	2002	Front	MRD1147V		
	Cherokee	2500	1997	1999	Front	MRD1147V		
	Cherokee	2500	1989	1997	Front	MRD1147V		
	Cherokee	4000	1989	1996	Front	MRD1147V		
	Cherokee	4000	1997	2001	Front	MRD1147V		
	Grand Cherokee	2500	1994	1994	Front	MRD1147V		
	Grand Cherokee	2500	1994	1999	Front	MRD1147V		
	Grand Cherokee	2700	1999	2004	Front	MRD1147V		
	Grand Cherokee	3100	1999	2004	Rear	MRD1149	Recommended Type: Solid & Oslash : 305 ,Disc Thickness: 10, Num. of holes : 5, Height : 75.1, Centering Diameter :72.2, Position: Rear, Pitch Circle & Oslash: 127	AC DELCO : AC2393D, ATE : 24.0110-0299.1, BENDIX : 562148B, BOSCH : 0 986 478 771, CAR : 142.335, CAR RACING : HPD 335, DELPHI : BG3660, FERODO : DDF1553, Fritech : DF696, INTERBRAKE : RN561P, JEEP (CHRYSLER) : 52098666, JURID : 562148J, LPR : R1561P, LUCAS : DF4178, MINTEX : MDC1489, NECTO : WN1482, NIBK : RN1149, PAGID : 54137, PILENGA : 5950, QH : BDC5399, REMSA : 6628.00, REMSA : 6862.10, ROADHOUSE : 6628.00, ROADHOUSE : 6862.10, SBS : 1815209304, TEXTAR : 92113700, TRUSTING : DF696, TRW : DF4178, WOKING : D6628.00
JEEP	Grand Cherokee	4000	1999	2002	Rear	MRD1149		
	Grand Cherokee	4700	1999	2002	Rear	MRD1149		
	Cherokee	2500	1997	1999	Rear	MRD1149		
	Cherokee	4000	1997	2001	Rear	MRD1149		
	Grand Cherokee	2700	1999	2004	Rear	MRD1149		
	Grand Cherokee	4700	2005	2010	Rear	MRD1149		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
KIA	Joice	2000	1999	2002	Front	MRD1011V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter :69, Position: Front, Outter & Oslash : 256	AC DELCO : AC2307D, AC DELCO : AC2497D, AP : 24660, AP : X24398, AP : 24398E, AP : 24866, ATE : 24.0124-0136.1, ATE : 24.0124-0130.1, BENDIX : 561926B, BENDIX : 562058B, BENDIX EUR : 561926B, BOSCH : 0 986 478 897, BOSCH : 0 986 478 652, BRADI : 1.3033.2.6, BRADI : 1.6026.2.4, BRADI : 1.3049.2.4, BRADI : 1.6028.2.4, BRECO : BS 8078, BRECO : BS 8532, BRECO : BS 8275, BREMBO : 09.9617.11, BREMBO : FS.077.000, BREMBO : 09.5640.10, BREMBO : 09.5640.75, BREMBO : 09.9617.10, BREMBO : FD.077.000, BREMBO : 09.5640.14, BREMBO : 09.7043.10, CAR : 142.840, CAR : 142.670, CAR RACING : HPD 839, CAR RACING : HPD 670, CIFAM : 800-461, CIFAM : 800-653, DELPHI : BG3202, DELPHI : BG3116, DELPHI : BG2763, DELPHI : BG763, FERODO : DDF658, FERODO : DDF885, Fritch : DF410, Fritch : DF505, GRAF : DF29461, GRAF : DF29653, GRAF : DF29461L, HYUNDAI : 51712M2000, INTERBRAKE : MB401V, INTERBRAKE : DG381V, INTERBRAKE : MB403V, INTERCAR : DG381V, INTERCAR : MB403V, JAPANPARTS : DI-522, JURID : 561926J, JURID : 562058J, KWP : 129461, KWP : 1026461L, KWP : 129653, Lemforder : 19021, Lemforder : 22854, Lemforder : 19021 02, Lemforder : 22854 01, LPR : D1381V, LPR : M1602V, LPR : M1403V, LUCAS : DF4081BP, LUCAS : DF1443, LUCAS : DF4081, LUCAS : DF2798, MAGNETI MARELLI : 353613033260, MAGNETI MARELLI : 353616026240, Metelli : 23-0461, Metelli : 23-0653, MINTEX : MDC856, MITSUBISHI : MB928995, MITSUBISHI : MR955637, MITSUBISHI : MR475330, MITSUBISHI : MR128153, MITSUBISHI : MB407639, MITSUBISHI : MR205585, MITSUBISHI : MB928994, MITSUBISHI : MR389722, MITSUBISHI : MR668107, NECTO : WN885, NECTO : WN1031, NIBK : RN1011V, OEM : MB205585, OEM : MB407639, OEM : MR668107, OEM : PW820578, OEM : 60815938, OEM : MB205584, OEM : MB389722, OEM : MR205584, OEM : PW820577, OEM : 30872319, OEM : MB128153, PAGID : 54023, PILENGA : V620, PILENGA : V609, QH : BDC4886, REMSA : 6394.10, REMSA : 6697.20, REMSA : 6344.20, REMSA : 6394.11, REMSA : 6734.20, ROADHOUSE : 6344.20, ROADHOUSE : 6394.11, ROADHOUSE : 6734.20, ROADHOUSE : 6394.10, ROADHOUSE : 6697.20, SBS : 242414, SBS : 242416V, SBS : 1815203010, SBS : 242416, STOP : 561926S, TEXTAR : 92082900, TEXTAR : 98200 0829 0 1, TRUSTING : DF505, TRUSTING : DF410, TRW : DF1443, TRW : DF4081, VALEO : 186648, VOLVO : 30872926B, VOLVO : 30872926, WOKING : D6394.11, WOKING : D6394.10, ZIMMERMANN : 380.2157.00
	Joice	2000	1999	2003	Front	MRD1011V		
	Joice	2000	1999	2002	Front	MRD1011V		
	Joice	2000	1999	2002	Front	MRD1011V		
	Joice	2000	1999	2003	Front	MRD1011V		
KIA	Retona	2000	1999	2003	Front	MRD1148V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 51, Centering Diameter :96.3, Position: Front, Pitch Circle & Oslash : 139.7	AC DELCO : AC2528D, APEC : DSK2054, BOSCH : 0 986 479 020, BOSCH : 0 986 479 127, BRADI : 1.2658.2.4, CAR : 142.687, CAR RACING : HPD 687, DELPHI : BG3226, Fritch : DF828, KIA : OK01133251C, KIA : OK01133251E, KIA : OK01133251D, KIA : OK01133251C, LPR : M5825V, LUCAS : DF4172, NIBK : RN1148V, NIPPARTS : J3300302, OEM : OKX4333251, OEM : OK01133251E, PILENGA : V962, REMSA : 6790.10, ROADHOUSE : 6790.10, SBS : 1815203509, TRUSTING : DF828, TRW : DF4172, WOKING : D6790.10
	Sportage	2000	1998	2001	Front	MRD1148V		
	Sportage	2000	1998	2000	Front	MRD1148V		
	Sportage	2000	1999	2001	Front	MRD1148V		
	Sportage	2200	1998	2001	Front	MRD1148V		
KIA	Joice	2000	1999	2002	Rear	MRD1158	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 60.1, Centering Diameter :90, Position: Rear, Pitch Circle & Oslash : 114.3, Outter & Oslash : 262	AC DELCO : AC2575D, AP : 14031, AP : 14806, ATE : 24.0110-0240.1, ATE : 24.0118-0141.1, BOSCH : 0 986 478 655, BRECO : BS 7605, BREMBO : 08.8316.10, CAR : 142.100, CAR : 142.1174, CAR : 142.1005, CAR RACING : HPD 1005, CAR RACING : HPD 100, CIFAM : 800-651, DELPHI : BG3400, FERODO : DDF1141, Fritch : DF691, GRAF : DF2809, GRAF : DF29651, HYUNDAI : 58411M2050, INTERBRAKE : HY341V, INTERBRAKE : AR041P, INTERBRAKE : MB701P, JURID : 561040J, KWP : 102809, KWP : 129651, LPR : M1617P, LPR : A2041P, LUCAS : DF4193, Metelli : 23-0651, MINTEX : MDC951, MITSUBISHI : MB668083, MITSUBISHI : MB699964, NECTO : WN1159, NIBK : RN1158, OEM : 11600221504, OEM : MB669964, OEM : 116002621504, OEM : MB857978, PAGID : 50102, PAGID : 50304, PILENGA : 5607, PILENGA : V634, QH : BDC1009, QH : BDC4882, QH : BDC4589, REMSA : 6895.10, REMSA : 6838.00, REMSA : 6140.01, ROADHOUSE : 6140.01, ROADHOUSE : 6895.10, ROADHOUSE : 6838.00, SBS : 1815201004, SBS : 1815203024, TEXTAR : 92104000, TRUSTING : DF691, TRW : DF4193, WOKING : D6838.00, ZIMMERMANN : 380.2165.00
	Joice	2000	1999	2003	Rear	MRD1158		
	Joice	2000	1999	2002	Rear	MRD1158		
	Joice	2000	1999	2003	Rear	MRD1158		
	Joice	2000	1999	2002	Rear	MRD1158		
KIA	Joice	2000	1999	2002	Rear	MRD1158		
	Joice	2000	1999	2002	Rear	MRD1158		
	Joice	2000	1999	2002	Rear	MRD1158		
	Joice	2000	1999	2002	Rear	MRD1158		
	Joice	2000	1999	2002	Rear	MRD1158		
KIA	Carnival	2700	2006	2009	Front	MRD1206V	Recommended Type: Vented & Oslash 236, Disc Thickness: 20, Num. of holes : 6, Height : 41, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24856E, AP : 20238E, AP : X20238, ATE : 24.0120-0115.1, ATE : 24.0320-0115.1, BOSCH : 0 986 478 192, BRADI : 1.3406.2.4, BRADI : 1.3441.2.4, BRECO : BS 8405, BRECO : BS 7873, BRECO : BS 8522, BREMBO : 09.9607.14, BREMBO : 09.3090.10, BREMBO : 09.3090.20, BREMBO : 09.9607.10, BREMBO : 09.3090.14, BREMBO : 09.3090.75, CAR : 142.504, CAR RACING : HPD 504, CHEVROLET : 96574633, CHEVROLET : 96471274, CIFAM : 800-096, CIFAM : 800-790, DAEWOO : 96574633, DELPHI : BG278, DELPHI : BG2278, FERODO : DDF1279, FERODO : DRF151, FERODO : DDF151, Fritch : DF240, Fritch : DF922, GRAF : DF2896, GRAF : DF2896L, INTERBRAKE : OP061V, INTERCAR : OP061V, KWP : 102896L, KWP : 102896, KWP : 129790, Lemforder : 12244, Lemforder : 12244 03, LPR : O1061V, LUCAS : DF1609, LUCAS : DF4439, LUCAS : DF1609BP, MAGNETI MARELLI : 353613406240, Metelli : 23-0096, Metelli : 23-0790, MINTEX : MDC2155, MINTEX : MDC322, NECTO : WN1325, NECTO : WN397, NIBK : RN1206V, NIPPARTS : J3300912, OEM : 90121445, OEM : 90511111, OEM : 569031, OEM : 569054, OEM : 90080832, OEM : 90121445D, OEM : 569031RP, OEM : 9008006, PAGID : 52413, PAGID : 54334, PILENGA : V060, QH : BDC5351, QH : BDC3205, REMSA : 6404.20, REMSA : 6061.10, REMSA : 6655.10, ROADHOUSE : 6061.10, ROADHOUSE : 6655.10, ROADHOUSE : 6404.20, SBS : 1815205008, SBS : 1816303608, SBS : 1815203608, SBS : 1815303608, SBS : 251105, STOP : 561248S, TEXTAR : 92029600, TEXTAR : 98200 0296 0 1, TEXTAR : 92133400, TRUSTING : DF240, TRUSTING : DF922, TRW : DF7217, TRW : DF4439, VEMA : 98019, WOKING : D6655.10, WOKING : D6061.10, ZIMMERMANN : 185.3952.00
	Picanto	1000	2004		Front	MRD11001V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 4, Height : 49, Centering Diameter :62.2, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 241	AP : 24907, ATE : 24.0118-0145.1, BRECO : BS 8512, BREMBO : 09.9503.10, CAR : 142.1146, CAR RACING : HPD 1146, CIFAM : 800-926, DELPHI : BG3935, FERODO : DDF1268, Fritch : DF1027, INTERBRAKE : K1021V, LPR : K2001V, LUCAS : DF4458, LUCAS : DF4458BP, MAGNETI MARELLI : 351265920500, Metelli : 23-0926, MINTEX : MDC1725, NECTO : WN1281, NIBK : RN11001V, OEM : 5171207500, OEM : 5171207000, OEM : 517120X500, PAGID : 54471, PILENGA : V968, QH : BDC5445, REMSA : 6990.10, ROADHOUSE : 6990.10, SANGSIN : SD2010, SBS : 1815203517, TEXTAR : 92147100, TRUSTING : DF1027, ZIMMERMANN : 320.3800.00
	Picanto	1000	2011		Front	MRD11001V		
	Sorento	3300	2006	2009	Front	MRD1313V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 54, Centering Diameter :96.3, Position: Front, Pitch Circle & Oslash: 139.6mm, Outter & Oslash : 302	AP : 24913, ATE : 24.0128-0200.1, BOSCH : 0 986 479 230, BRECO : BS 8518, BRECO : BS 8519, BREMBO : 09.9545.10, CAR : 142.055, CAR RACING : HPD 055, CIFAM : 800-776, DELPHI : BG3858, FERODO : DDF1290, Fritch : DF1031, INTERBRAKE : MZ891V, JAPANPARTS : DI-K05, KIA : 517123E500, KIA : 51712-3E000, KWP : 129776, LPR : K2003V, LUCAS : DF4395S, LUCAS : DF4395, MAGNETI MARELLI : 351266620500, Metelli : 23-0776, MINTEX : MDC1797, NECTO : WN1301, NIBK : RN1313V, NIPPARTS : J3300315, PAGID : 54473, PILENGA : V967, QH : BDC5462, REMSA : 6992.10, ROADHOUSE : 6992.10, SBS : 1815203519, TEXTAR : 92147300, TRUSTING : DF1031, TRW : DF4395, TRW : DF4395S
	Sorento	3500	2002	2006	Front	MRD1313V		
	Sorento	2400	2002	2006	Front	MRD1313V		
KIA	Sorento	2500	2006	2009	Front	MRD1313V		
	Soul	1600	2009		Front	MRD1412V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 47.2, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280"	AP : 24933, APEC : DSK2251, ATE : 24.0126-0128.1, BRECO : BS 8552, BREMBO : 09.9574.40, BREMBO : 09.9574.10, BREMBO : 09.A706.14, CAR : 142.1156, CAR RACING : HPD 1156, CIFAM : 800-789, CIFAM : 800-927, Fritch : DF156, HYUNDAI : 517121H100, HYUNDAI : 517122L000, HYUNDAI : 517121H000, HYUNDAI : 517122K100, INTERBRAKE : HY231V, KWP : 129789, LPR : K2003V, LPR : K2016V, LUCAS : DF4283, LUCAS : DF4865S, LUCAS : DF4408, MAGNETI MARELLI : 353611811240, Metelli : 23-0927, Metelli : 23-0789, NECTO : WN1310, NIBK : RN1412DSET, NIBK : RN1412V, NIPPARTS : J3300530, NK : 203423, NK : 203526, OEM : 517123K050, OEM : 517121F000, OEM : 517121M000, OEM : 517122E300, OEM : 517121D100, OEM : 517121F300, OEM : 517122C000, PAGID : 54339, PILENGA : V693, QH : BDC5404, REMSA : 6663.10, ROADHOUSE : 6663.10, SBS : 1815203421, SBS : 1815203515, SBS : 1815203423, TEXTAR : 92133900, TRUSTING : DF156, TRW : DF4865S, WOKING : D6663.10
	Cee d Hatchback	1400	2007		Front	MRD1412V	"Interchangable"RN1412DSET	
	Cee d Hatchback	1600	2007		Front	MRD1412V		
	Cee d Hatchback	2000	2006		Front	MRD1412V		
	Cee d Hatchback	1400	2007		Front	MRD1412V		
	Cee d Hatchback	1600	2007		Front	MRD1412V		
	Cee d Hatchback	2000	2006		Front	MRD1412V		
	Cerato III Forte	1600	2009		Front	MRD1412V		
	Cerato III Forte	2000	2009		Front	MRD1412V		
	Cerato III Forte	1600	2009		Front	MRD1412V		
	Cerato III Forte	2000	2009		Front	MRD1412V		
	Venga	1400	2010		Front	MRD1412V		
	Venga	1600	2010		Front	MRD1412V		
	Soul	1600	2009		Front	MRD1412V		
	Soul	1600	2013		Front	MRD1412V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
KIA	Sportage	2000	2008	2009	Rear	MRD1176	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 61, Centering Diameter :76, Position: Rear, Outter & Oslash : 284	APEC : DSK2126, ATE : 24.0110-0286.1, BENDIX EUR : 5624548, BOSCH : 0 986 479 126, BREMBO : 08.A446.10, CAR : 142.1158, CAR RACING : HPD 1158, CIFAM : 800-592, DELPHI : BG3680, FERODO : DDF1493, Fritch : DF150, GRAF : DF29592, HYUNDAI : 584113A300, INTERBRAKE : HY251P, KIA : 584113A300, KWP : 129592, LPR : T2037P, LUCAS : DF4287, Metelli : 23-0592, NECTO : WN1422, NIBK : RN1176, PAGID : 54340, PILENGA : 5794, QH : BDC5408, REMSA : 6756.00, ROADHOUSE : 6756.00, SBS : 1815203414, TEXTAR : 92134000, TRUSTING : DF150, TRW : DF4287, WOKING : D6756.00
	Sportage	2000	2006	2008	Rear	MRD1176		
	Sportage	2700	2005	2007	Rear	MRD1176		
	Magentis	2000	2001	2005	Front	MRD1231V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 4, Height : 47.3, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 280	APEC : DSK2313, ATE : 24.0126-0129.1, BOSCH : 0 986 479 229, CAR : 142.1262, DELPHI : BG4013, FERODO : DDF1522, Fritch : DF920, HYUNDAI : 517123D100, HYUNDAI : 517123D300, INTERBRAKE : HY311V, LPR : H2015V, LUCAS : DF4710, MINTEX : MDC1812, NIBK : RN1231V, PAGID : 54366, PILENGA : V698, QH : BDC5407, SBS : 1815203420, TEXTAR : 92136600, TRUSTING : DF920, TRW : DF4710, VALEO : 186829, WOKING : D6668.10
	Magentis	2500	2001	2005	Front	MRD1231V		
	Magentis	2000	2006	2010	Rear	MRD1386	Recommended Type: 262 ,Disc Thickness: 10, Num. of holes : 5, Height : 61, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash: 114.3	ATE : 24.0110-0318.1, BOSCH : 0986479345, BREMBO : 08.A114.20, CAR : 142.1157, CAR RACING : HPD 1157, CIFAM : 800-869, DELPHI : BG3799, FERODO : DDF1447, Fritch : DF1114, HYUNDAI : 584110A000, HYUNDAI : 5841139600, HYUNDAI : 5841139300, INTERBRAKE : HY241P, JAPANPARTS : DP-K10, KIA : 5841139600, LPR : H2005P, LUCAS : DF4281, Metelli : 23-0869, MINTEX : MDC2125, NIBK : RN1386, OEM : 584113K300, SBS : 1815203424, TRUSTING : DF1114, TRW : DF4281
	Magentis	2700	2006	2010	Rear	MRD1386		
KIA	Cee d Hatchback	1400	2007		Rear	MRD1307	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 61.1, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 262	ATE : 24.0110-0332.1, CAR : 142.1451, CIFAM : 800-928, DELPHI : BG4082, FERODO : DDF1618, Fritch : DF1179, HYUNDAI : 58411-1K300, INTERBRAKE : HY381P, JAPANPARTS : DP-K14, KIA : 58411-1H300, LPR : K2017P, Metelli : 23-0928, MINTEX : MDC2055, NIBK : RN1307, NIPPARTS : J3310514, OEM : 584111H300, PAGID : 54617, PILENGA : 5846, SBS : 1815203527, TEXTAR : 92161700, TRUSTING : DF1179
	Cee d Hatchback	1600	2007		Rear	MRD1307		
	Cee d Hatchback	2000	2006		Rear	MRD1307		
	Cee d Hatchback	2000	2008		Rear	MRD1307		
	Cerato III Forte	1600	2009		Rear	MRD1549		ATE : 24.0110-0368.1, Blue Print : ADG043176, Blue Print : ADG043195, BOSCH : 0 986 479 052, HYUNDAI : 584113X300, HYUNDAI : 58411A6300, Jakoparts : J3310531, Jakoparts : J3310534, NIBK : RN1549
KIA	Cerato III Forte	2000	2009		Rear	MRD1549		
	Cerato	2000	2012		Rear	MRD1549		
	Cerato III Forte	1600	2014		Rear	MRD1549		
	Soul	1600	2013		Rear	MRD1549		
	Cee d Hatchback	1400	2007		Front	MRD1174V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 47.4, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 280	ATE : 24.0126-0150.1, DELPHI : BG3861, FERODO : DDF1300, FERODO : DDF1619, HYUNDAI : 517123K050, HYUNDAI : 517122C000, HYUNDAI : 517122E300, KIA : 517121F000, NIBK : RN1174V, TRW : DF4408, TRW : DF4283
KIA	Cee d Hatchback	1600	2007		Front	MRD1174V		
	Cee d Hatchback	2000	2006		Front	MRD1174V		
	Cee d Hatchback	2000	2008		Front	MRD1174V		
	Sportage	2000	2006	2008	Front	MRD1174V		
	Sportage	2700	2005	2007	Front	MRD1174V		
	Magentis	2000	2005	2010	Front	MRD1174V		
	Magentis	2700	2006	2010	Front	MRD1174V		
	Sportage	2000	2008	2009	Front	MRD1174V		
	Cee d Hatchback	1400	2007		Front	MRD1174V		
	Cee d Hatchback	1600	2007		Front	MRD1174V		
	Cee d Hatchback	2000	2006		Front	MRD1174V		
	Cee d Hatchback	2000	2008		Front	MRD1174V		
	Magentis	2000	2004	2010	Front	MRD1174V		
	Magentis	2000	2005	2010	Front	MRD1174V		
	Magentis	2700	2006	2010	Front	MRD1174V		
	Sportage	2000	2008	2009	Front	MRD1174V		
	Sportage	2000	2006	2008	Front	MRD1174V		
	Sportage	2700	2005	2007	Front	MRD1174V		
KIA	Rio	1250	2011		Front	MRD11002V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43.8, Centering Diameter :60.2, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	Blue Print : ADG043177, HYUNDAI : 51712-0U000, MINTEX : MDC2344, NIBK : RN11002V, TRW : DF 6198
	Rio	1100	2011		Front	MRD11002V		
	Rio	1400	2011		Front	MRD11002V		
KIA	Rio	1250	2011		Rear	MRD11003	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43.8, Centering Diameter :60.2, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	Blue Print : ADG043202, HYUNDAI : 58411-0U300, NIBK : RN11003, NIPPARTS : N3310524
	Rio	1100	2011		Rear	MRD11003		
	Rio	1400	2011		Rear	MRD11003		
KIA	Cerato	2000	2012		Front	MRD1562V	Recommended Type: Vented	HYUNDAI : 51712A7000, NIBK : RN1562V
	Cerato III Forte	1600	2014		Front	MRD1562V		
KIA	Cerato	1600	2006	2008	Front	MRD1230V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 46.7, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3mm	AC DELCO : AC2494D, AP : 24992, AP : 24922, AP : 25015, APEC : DSK2125, ATE : 24.0124-0184.1, ATE : 24.0124-0706.1, ATE : 24.0125-0177.1, BENDIX EUR : 562459B, BOSCH : 0 986 478 774, BOSCH : 0 986 479 207, BRECO : BS 8625, BREMBO : 09.9574.20, BREMBO : 09.9555.10, BREMBO : 09.A352.10, BREMBO : 09.A258.10, BREMBO : 09.9555.20, CAR : 142.1340, CAR : 142.1261, CAR : 142.1173, CAR RACING : HPD 1173, CIFAM : 800-787, CIFAM : 800-591, DELPHI : BG3801, DELPHI : BG3750, DELPHI : BG3863, FERODO : DDF1270, FERODO : DDF1614, FERODO : DDF1577, Fritch : DF1017, Fritch : DF716, GRAF : DF29787, GRAF : DF29591, HYUNDAI : 517122D310, HYUNDAI : 517122D370, HYUNDAI : 5171238100, HYUNDAI : 517122D300, INTERBRAKE : HY281V, INTERBRAKE : KI101V, INTERBRAKE : HY301V, JAPANPARTS : DI-H08, JAPANPARTS : DI-H18, JURID : 562459J, KIA : 517122F000, KWP : 129591, KWP : 129787, LPR : H2010V, LPR : H2126V, LUCAS : DF4698, LUCAS : DF4158, MAGNETI MARELLI : 353611124240, Metelli : 23-0591, Metelli : 23-0787, MINTEX : MDC1512, NECTO : WN1283, NIBK : RN1141V, NIBK : RN1230V, NIPPARTS : J3300518, OEM : 5171238300, OEM : 517123C100, OEM : 517123C000, PAGID : 54308, PILENGA : V695, PILENGA : V617, QH : BDC5510, QH : BDC5403, QH : BDC5406, REMSA : 6633.10, REMSA : 6928.10, REMSA : 6872.20, ROADHOUSE : 6872.20, ROADHOUSE : 6633.10, ROADHOUSE : 6928.10, SBS : 1815203410, SBS : 1815203411, TEXTAR : 92130800, TRUSTING : DF716, TRUSTING : DF1017, TRW : DF4698, TRW : DF4158, TRW : DF7197, VALEO : 186823, VALEO : 186825, WOKING : D6633.10
	Cerato	1600	2006	2008	Front	MRD1230V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
KIA	Magentis	2000	2001	2005	Rear	MRD11175	Recommended Type: Solid 262	APEC : DSK2191, ATE : 24.0110-0317.1, BOSCH : 0 986 479 125, BREMBO : 08.A114.10, CAR : 142.1211, DELPHI : BG3609, DELPHI : BG4010, FERODO : DDF1448, Fritch : DF845, HYUNDAI : 5841138310, INTERBRAKE : HY351P, KIA : 584113C000, LPR : H2009P, LUCAS : DF4286, MINTEX : MDC1854, NIBK : RN1175, PAGID : 54309, PILENGA : 5792, QH : BDC5202, REMSA : 6757.00, ROADHOUSE : 6757.00, SBS : 1815203412, TEXTAR : 92130900, TRUSTING : DF845, TRW : DF4286, WOKING : D6757.00
	Magentis	2000	2001	2006	Rear	MRD11175	,Disc Thickness: 10, Num. of holes : 4, Height : 61, Centering	
	Magentis	2500	2001	2005	Rear	MRD11175	Diameter :76, Position: Rear, Pitch Circle & Oslash : 114.3	
	Magentis	2000	2001	2005	Rear	MRD11175		
	Magentis	2000	2001	2006	Rear	MRD11175		
KIA	Retona	2000	1999	2003	Front	MRD1148V	Recommended Type: Vented 284	AC DELCO : AC2528D, APEC : DSK2054, BOSCH : 0 986 479 020, BOSCH : 0 986 479 127, BRADI : 1.2658.2.4, CAR : 142.687, CAR RACING : HPD 687, DELPHI : BG3226, Fritch : DF828, KIA : OK01133251D, KIA : OK01A33251C, KIA : OK01133251C, KIA : OK01A33251D, LPR : M5825V, LUCAS : DF4172, NIBK : RN1148V, NIPPARTS : J3300302, OEM : OK01133251A, OEM : OK4333251, PILENGA : V962, REMSA : 6790.10, ROADHOUSE : 6790.10, SBS : 1815203509, TRUSTING : DF828, TRW : DF4172, WOKING : D6790.10
	Sportage	2000	1998	2001	Front	MRD1148V	,Disc Thickness: 24, Num. of holes : 5, Height : 51, Centering	
	Sportage	2000	1998	2000	Front	MRD1148V	Diameter :96.3, Position: Front, Pitch Circle & Oslash: 139.7	
	Sportage	2000	1999	2001	Front	MRD1148V		
	Sportage	2200	1998	2001	Front	MRD1148V		
KIA							Recommended Type: Vented & Oslash 236 ,Disc Thickness: 20, Num. of holes : 6, Height : 41, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24856E, AP : 20238E, AP : X20238, ATE : 24.0120-0115.1, ATE : 24.0320-0115.1, BOSCH : 0 986 478 192, BRADI : 1.3406.2.4, BRADI : 1.3441.2.4, BRECO : BS 7873, BRECO : BS 8522, BRECO : BS 8405, BREMBO : 09.3090.10, BREMBO : 09.3090.20, BREMBO : 09.9607.10, BREMBO : 09.3090.14, BREMBO : 09.3090.75, BREMBO : 09.9607.14, CAR : 142.504, CAR RACING : HPD 504, CHEVROLET : 96471274, CHEVROLET : 96574633, CIFAM : 800-096, CIFAM : 800-790, DAEWOO : 96574633, DELPHI : BG2278, DELPHI : BG278, FERODO : DRF151, FERODO : DDF151, FERODO : DDF1279, Fritch : DF240, Fritch : DF922, GRAF : DF2896, GRAF : DF2896L, INTERBRAKE : OP061V, INTERCAR : OP061V, KWP : 102896, KWP : 102896, Lemforder : 12244 03, Lemforder : 12244, LPR : 01061V, LUCAS : DF4439, LUCAS : DF1609BP, LUCAS : DF1609, MAGNETI MARELLI : 353613406240, Metelli : 23-0096, Metelli : 23-0790, MINTEX : MDC2155, MINTEX : MDC322, NECTO : WN1325, NECTO : WN397, NIBK : RN1206V, NIPPARTS : J3300912, OEM : 90511111, OEM : 5690301, OEM : 5690504, OEM : 90008032, OEM : 90121445D, OEM : 569031RP, OEM : 90008006, OEM : 90121445, PAGID : 52413, PAGID : 54334, PILENGA : V060, QH : BDC5351, QH : BDC3205, REMSA : 6404.20, REMSA : 6061.10, REMSA : 6655.10, ROADHOUSE : 6655.10, ROADHOUSE : 6404.20, ROADHOUSE : 6061.10, SBS : 1815205008, SBS : 1816303608, SBS : 1815203608, SBS : 1815303608, SBS : 251105, STOP : 561248S, TEXTAR : 92029600, TEXTAR : 98200 0296 0 1, TEXTAR : 92133400, TRUSTING : DF240, TRUSTING : DF922, TRW : DF7217, TRW : DF4439, VEMA : 98019, WOKING : D6655.10, WOKING : D6061.10, ZIMMERMANN : 185.3952.00
	Carnival	2700	2006	2009	Front	MRD1206V		
KIA	Sephia Sedan	1500	1996	2001	Front	MRD1102V	Recommended Type: Vented & Oslash 242 ,Disc Thickness: 20, Num. of holes : 4, Height : 43.6, Centering Diameter :57, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2529D, AC DELCO : AC2526D, AP : 24783, APEC : DSK2152, ATE : 24.0120-0162.1, ATE : 24.0120-0177.1, BENDIX : 562210B, BOSCH : 0 986 478 659, BOSCH : 0 986 478 781, BRADI : 1.2654.2.4, BRECO : BS 8273, BRECO : BS 8410, BREMBO : 09.8656.10, BREMBO : 09.6984.10, CAR : 142.798, CAR RACING : HPD 798, CIFAM : 800-504, DELPHI : BG3566, DELPHI : BG3074, FERODO : DDF854, Fritch : DF412, GRAF : DF29504, INTERBRAKE : MZ611V, INTERBRAKE : MZ851V, INTERCAR : MZ611V, JURID : 562210J, KIA : OK2AA33251B, KIA : OK2AA33251A, KIA : OK2AA33251C, KIA : OK2AA33251A, KIA : OK2A133251, KWP : 129504, LPR : M5611V, LUCAS : DF4173, LUCAS : DF4020, Metelli : 23-0504, MINTEX : MDC1364, NECTO : WN1055, NIBK : RN1102V, OEM : OK20A33251B, OEM : OK2AZ33251, OEM : OK20A33251A, OEM : OK2AA33251B, OEM : OK2A43323, OEM : OK20A33251, OEM : OK2A33251A, OEM : OK2AZ33251, PAGID : 51601, PILENGA : V960, QH : BDC4377, REMSA : 6888.20, REMSA : 6523.10, ROADHOUSE : 6888.20, ROADHOUSE : 6523.10, SBS : 484803, SBS : 1815203501, TEXTAR : 92078500, TRUSTING : DF412, TRW : DF4020, VALEO : 186680, WOKING : D6523.10
	Sephia Sedan	1600	1993	2001	Front	MRD1102V		
	Sephia Sedan	1800	1996	1998	Front	MRD1102V		
	Sephia Sedan	1800	1998	2001	Front	MRD1102V		
	Shuma	1500	1998	2001	Front	MRD1102V		
	Shuma	1800	1998	2001	Front	MRD1102V		
KIA	Sorento	3300	2007	2009	Rear	MRD1197V	Recommended Type: Vented & Oslash : 315 ,Disc Thickness: 20, Num. of holes : 5, Height : 87.5, Centering Diameter :96.2, Position: Rear, Pitch Circle & Oslash: 139.6mm	ATE : 24.0120-0202.1, BOSCH : 0 986 479 232, BREMBO :

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
LAND ROVER	Discovery	2500	1989	1994	Front	MRD1284V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 70, Centering Diameter :101, Position: Front, Pitch Circle & Oslash: 127, Outter & Oslash : 298	AC DELCO : AC2317D, AP : 24338, ATE : 24.0124-0143.1, BENDIX : 561629B, BOSCH : 0 986 478 824, BRADI : 1.0326.2.4, BRECO : BS 8035, BREMBO : 09.5488.10, CAR : 142.325, CAR RACING : HPD 325, CIFAM : 800-237, DELPHI : BG612, DELPHI : BG2612, FERODO : DDF262, Fritch : DF282, INTERBRAKE : AV201V, INTERCAR : AV201V, JURID : 561629J, KWP : 1029237, LANDROVER : FTC902, Lemforder : 20369 01, Lemforder : 20369, LPR : A4201V, LUCAS : DF1803, MAGNETI MARELLI : 353610326240, Metelli : 23-0237, MINTEX : MDC565, NECTO : WN518, NIBK : RN1284V, PAGID : 52913, PILENGA : V425, QH : BDC3797, REMSA : 6340.10, REMSA : 6064.20, ROADHOUSE : 6340.10, ROADHOUSE : 6064.20, SBS : 494902, SBS : 1815204003, TEXTAR : 92061300, TRUSTING : DF282, TRW : DF1803, VALEO : 186284, WOKING : D6340.10, ZIMMERMANN : 450.1535.00
	Discovery	2500	1994	1998	Front	MRD1284V		
	Discovery	3500	1989	1994	Front	MRD1284V		
	Discovery	4000	1994	1998	Front	MRD1284V		
	Defender 110	2500	1990	1994	Front	MRD1284V		
	Defender 110	2500	1995		Front	MRD1284V		
	Defender 130	2500	1995		Front	MRD1284V		
LAND ROVER	Freelander	1800	2000		Front	MRD1165V	Recommended Type: Vented 277 ,Disc Thickness: 20.9, Num. of holes : 5, Height : 51.3, Centering Diameter :66.1, Position: Front	AP : 24786, ATE : 24.0121-0114.1, BENDIX : 562225B, BOSCH : 0 986 478 992, BRECO : BS 8413, BREMBO : 09.8609.10, CAR : 142.298, CAR RACING : HPD 298, CIFAM : 800-574, DELPHI : BG3702, FERODO : DDF1151, Fritch : DF824, GRAF : DF29574, INTERBRAKE : AV331V, JURID : 562225J, KWP : 129574, LANDROVER : SDB000080, LANDROVER : SDB101070, LPR : A4000V, LUCAS : DF4221, MAGNETI MARELLI : 351033420500, Metelli : 23-0574, MINTEX : MDC1502, NECTO : WN1170, NIBK : RN1165V, PAGID : 54157, PILENGA : V439, QH : BDC5368, SBS : 1815204020, TEXTAR : 92115700, TRUSTING : DF824, TRW : DF4221, VALEO : 186871, WOKING : D6670.10
	Freelander	2000	2000		Front	MRD1165V		
	Freelander	2500	2000		Front	MRD1165V		
LAND ROVER	Discovery	2500	1989	1994	Rear	MRD1023	Recommended Type: Solid 289.6 ,Disc Thickness: 12.6, Num. of holes : 5, Height : 61.2, Centering Diameter :101.7, Position: Rear	AC DELCO : AC2316D, AP : 14310, ATE : 24.0113-0189.1, ATE : 24.0114-0115.1, BENDIX : 561353B, BOSCH : 0 986 478 656, BRADI : 1.0321.5.4, BRECO : BS 7414, BREMBO : 08.5316.10, CAR : 142.328, CAR RACING : HPD 328, CIFAM : 800-359, DELPHI : DDF283, DELPHI : BG799, DELPHI : BG2799, FERODO : DDF283, Fritch : DF843, INTERBRAKE : AV161P, INTERCAR : AV161P, JURID : 561353J, KWP : 1029359L, LANDROVER : SDB100980, LANDROVER : FTC461, LANDROVER : FTC1381, LANDROVER : FRC9831, LANDROVER : SDB000330, LANDROVER : FTC3846, LANDROVER : 571912, Lemforder : 20368 02, Lemforder : 20368, LPR : A4161P, LUCAS : DF1802, MAGNETI MARELLI : 353610321540, MAGNETI MARELLI : 353610328540, Metelli : 23-0359, MINTEX : MDC468, NIBK : RN1023, OEM : R571912, OEM : FRC8748, PAGID : 52902, PILENGA : 5428, QH : BDC3474, QH : BDC4580, QH : BDC3769, QH : BDC4726, REMSA : 6333.00, ROADHOUSE : 6333.00, SBS : 494901, SBS : 1815204002, TRUSTING : DF843, TRW : DF1802, VALEO : 186310, ZIMMERMANN : 450.1532.00
	Discovery	2500	1994	1998	Rear	MRD1023		
	Discovery	3500	1989	1994	Rear	MRD1023		
	Discovery	4000	1994	1998	Rear	MRD1023		
	Range Rover	2500	1991	1994	Rear	MRD1023		
	Range Rover	4000	1989	1994	Rear	MRD1023		
	Range Rover	4300	1991	1994	Rear	MRD1023		
	Defender 110	2500	1990	1994	Rear	MRD1023		
	Defender 110	2500	1995		Rear	MRD1023		
	Defender 130	2500	1995		Rear	MRD1023		
LAND ROVER	Discovery	2500	1989	1994	Front	MRD1025V	Recommended Type: Solid 298.5 ,Disc Thickness: 14, Num. of holes : 5, Height : 70, Centering Diameter :101.6, Position: Front, Pitch Circle & Oslash: 127mm	AC DELCO : AC2315D, AP : 14311, ATE : 24.0114-0108.1, BENDIX : 561352B, BOSCH : 0 986 478 827, BRADI : 1.0313.1.4, BRECO : BS 7413, BREMBO : 08.5347.14, BREMBO : 08.5347.10, CAR : 142.327, CAR RACING : HPD 327, CIFAM : 800-422, DELPHI : BG297, DELPHI : BG2297, FERODO : DDF246, Fritch : DF122, INTERBRAKE : AV151P, INTERCAR : AV151P, JURID : 561352J, LANDROVER : FRC7329, LANDROVER : 571762, Lemforder : 20367 03, Lemforder : 20367, LPR : A4151P, LUCAS : DF1833, LUCAS : DF1880, MAGNETI MARELLI : 353610313140, Metelli : 23-0422, MINTEX : MDC436, NECTO : WN502, NIBK : RN1025V, OEM : FRC7392, OEM : 5711762, OEM : R511762, PAGID : 52903, PILENGA : 5427, QH : BDC3473, REMSA : 6341.00, REMSA : 6057.10, ROADHOUSE : 6057.10, ROADHOUSE : 6341.00, ROVER : R571762, SBS : 1815204001, SBS : 121210, TEXTAR : 92040600, TRUSTING : DF122, TRW : DF1833, VALEO : 186283, WOKING : D6341.00, ZIMMERMANN : 450.1531.00
	Discovery	2500	1994	1998	Front	MRD1025V		
	Discovery	3500	1989	1994	Front	MRD1025V		
	Discovery	4000	1994	1998	Front	MRD1025V		
	Range Rover	2500	1991	1994	Front	MRD1025V		
	Range Rover	4000	1989	1994	Front	MRD1025V		
	Range Rover	4300	1991	1994	Front	MRD1025V		
	Defender 110	2500	1990	1994	Front	MRD1025V		
	Defender 110	2500	1995		Front	MRD1025V		
	Defender 110	3500	1990	1994	Front	MRD1025V		
	Defender 130	2500	1995		Front	MRD1025V		
	Defender 130	2500	1990	1994	Front	MRD1025V		
	Defender 130	3500	1990	1993	Front	MRD1025V		
LEXUS	ES300	3000	1992	1996	Front	MRD1009V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49, Centering Diameter :62, Position: Front, Pitch Circle & Oslash : 114.3mm, Outter & Oslash : 275	AC DELCO : AC2509D, AP : 24379, APEC : DSK2273, ATE : 24.0128-0115.1, BENDIX : 561676B, BENDIX AUS : DBA735, BOSCH : 0 986 478 632, BRADI : 1.5275.2.4, BRECO : BS 8067, BREMBO : 09.5624.10, BREMBO : 09.A386.10, CAR : 142.777, CAR RACING : HPD 777, DELPHI : BG782, DELPHI : BG2782, FERODO : DRF501, FERODO : DDF501, Fritch : DF381, Fritch : DF1063, INTERBRAKE : TY981V, INTERCAR : TY981V, JURID : 561676J, Lemforder : 28975 01, Lemforder : 28975, LEXUS : 4351233040, LPR : T2981V, LUCAS : DF1431, LUCAS : DF4412, MAGNETI MARELLI : 353615275240, MINTEX : MDC898, NECTO : WN642, NIBK : RN1009V, NIPPARTS : J3302132, OEM : 4351206030, OEM : 4351206060, OEM : 4351206040, PAGID : 54354, PAGID : 53625, PILENGA : V660, QH : BDC4422, REMSA : 6842.10, REMSA : 6560.20, ROADHOUSE : 6842.10, ROADHOUSE : 6560.20, SBS : 1815204596, SBS : 1815204549, SBS : 333335, TEXTAR : 92077700, TEXTAR : 92135400, TOYOTA : 4351207020, TOYOTA : 4351244020, TOYOTA : 4351244011, TOYOTA : 4351233060, TOYOTA : 4351233041, TOYOTA : 4351206020, TOYOTA : 4351233042, TOYOTA : 4351244021, TOYOTA : 4351244010, TOYOTA : 4351233043, TOYOTA : 43512-33090, TOYOTA : 4351233040, TRUSTING : DF1063, TRUSTING : DF381, TRW : DF1431, WOKING : D6842.10, ZIMMERMANN : 590.2556.00
	ES300	3000	1992	1996	Front	MRD1009V		
LEXUS	GS300	3000	1992	1997	Rear	MRD1488V	Recommended Type: Vented ,Disc Thickness: 16, Num. of holes : 5, Height : 67, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash : 307	AP : 25028, BOSCH : 0 986 479 023, BRECO : BS 8622, BREMBO : 09.A138.10, FERODO : DDF1375, Fritch : DF1171, LEXUS : 4243150040, LEXUS : 4243124031, LEXUS : 4243130140, LPR : T2997V, LUCAS : DF4289, MAGNETI MARELLI : 353615289640, MINTEX : MDC906, NIBK : RN1488V, OEM : 4243124051, OEM : 4243130190, OEM : 4243130240, PAGID : 54504, QH : BDC5111, QH : BDC5080, QH : BDC5189, SBS : 1815204573, TEXTAR : 92150400, TOYOTA : 4243150050, TOYOTA : 4243140080, TRUSTING : DF1171, TRW : DF1119
	LS400	4000	1992	1994	Rear	MRD1488V		
	LS400	4000	1992	1994	Rear	MRD1488V		
	RX300	3000	2003	2009	Rear	MRD1255	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 69.4, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash : 114.3, Outter & Oslash : 288	ATE : 24.0110-0316.1, BREMBO : 08.A111.10, CAR : 142.1266, DELPHI : BG4180, DELPHI : BG3866, FERODO : DDF1545, Fritch : DF1126, INTERBRAKE : TT181P, LEXUS : 4243148050, LEXUS : 4243148041, LEXUS : 4243148040, LPR : T2018P, LUCAS : DF7257, MINTEX : MDC1857, NIBK : RN1255, OEM : 4243148041, REMSA : 6911.00, ROADHOUSE : 6911.00, TOYOTA : 4243148050, TOYOTA : 4243148040, TOYOTA : 4243148041, TRUSTING : DF1126, TRW : DF7257
	RX300	3300	2003	2009	Rear	MRD1255		
	RX350	3500	2007	2009	Rear	MRD1255		
	RX400h	3300	2006	2008	Rear	MRD1255		
	RX400h	3500	2009	2010	Rear	MRD1255	Recommended Type: 291 ,Disc Thickness: 10, Num. of holes : 5, Height : 61.3, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash : 114.3	ATE : 24.0110-0335.1, CAR : 142.1288, Fritch : DF1166, INTERBRAKE : TT161P, LPR : T2016P, MINTEX : MDC1956, NIBK : RN1438, NK : 2045135, TOYOTA : 4243130280, TRUSTING : DF1166, TRW : DF6052
	RX330	3300	2004	2006	Rear	MRD1255		
	IS250	2500	2005	2013	Rear	MRD1438		
	IS250	2500	2005		Rear	MRD1438		
	IS250	2500	2005		Rear	MRD1438		
	IS250	2200	2005		Rear	MRD1438		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
LEXUS	RX300	3000	1998	2003	Rear	MRD1251	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 60.6, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 288	ATE : 24.0110-0712.1, DELPHI : BG3864, Fritch : DF1125, LEXUS : 4243133080, LEXUS : 4243148020, LEXUS : 4243148010, NIBK : RN1251, OEM : 4243133080, OEM : 4243148020, OEM : 4243148010, TOYOTA : 4243133080, TOYOTA : 4243148020, TOYOTA : 4243133140, TOYOTA : 4243148010, TRUSTING : DF1125, TRW : DF7209
	RX300	3000	1998	2003	Rear	MRD1251		
	GS300	3000	2006	2011	Rear	MRD1439V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 67.2, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 310	ATE : 24.0118-0147.1, BOSCH : 0986479615, CAR : 142.1549, DELPHI : BG4024, Fritch : DF1124, LEXUS : 4243130290, LPR : T2044V, MINTEX : MDC2250, NIBK : RN1439V, NK : 2045106, OEM : 4243130290, PAGID : 54480, SBS : 18152045106, TEXTAR : 92148000, TOYOTA : 4243130290, TRUSTING : DF1124, TRW : DF6063
	GS430	4300	2005	2011	Rear	MRD1439V		
	GS350	3500	2005	2007	Rear	MRD1439V		
	GS460	4600	2007	2011	Rear	MRD1439V		
	GS300	3000	2006	2011	Front	MRD1244V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 50.7, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 334	ATE : 24.0130-0202.1, ATE : 24.0130-0201.1, DELPHI : BG9011, DELPHI : BG9012, Fritch : DF1032, Fritch : DF1033, LEXUS : 4351622010, LEXUS : 4351222260, LPR : T2043V, LPR : T2053V, LUCAS : DF4855S, LUCAS : DF4856S, NIBK : RN1244V, NK : 2045104, NK : 2045105, OEM : 4351622010, PAGID : 54478, PAGID : 54479, SBS : 18152045105, SBS : 18152045104, TEXTAR : 92147900, TEXTAR : 92147800, TOYOTA : 4351222260, TOYOTA : 4351622010, TRUSTING : DF1032, TRUSTING : DF1033, TRW : DF4856S, TRW : DF4855S, TRW : DF7825
	GS430	4300	2005	2009	Front	MRD1244V		
	GS450h	3500	2006		Front	MRD1244V		
LEXUS	RX300	3000	2000	2001	Front	MRD1442V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 50, Centering Diameter :62, Position: Front, Outter & Oslash : 296	ATE : 24012801861, Blue Print : ADT343253, LEXUS : 4351248031, LEXUS : 4351248020, LEXUS : 4351248050, MINTEX : MDC2107, NIBK : RN1442V, PAGID : 54854PRO
	RX300	3000	2001	2003	Front	MRD1442V		
	RX400h	3500	2009		Rear	MRD21002V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 70, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash : 114.3, Outter & Oslash : 309	Blue Print : ADT343225, LEXUS : 42431-48080, NIBK : RN21002V, TOYOTA : 42431-48080
	RX400h	3500	2008		Rear	MRD21002V		
	RX400h	3500	2009		Front	MRD1443V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 52, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 328	Blue Print : ADT343278, NIBK : RN1443V, TOYOTA : 4351248110, TOYOTA : 435120E030
	RX400h	3500	2008		Front	MRD1578V		Blue Print : ADT343289, NIBK : RN1578V, TOYOTA : 4351248120
	RX300	3000	2003	2009	Front	MRD1219V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 319	BREMBO : 09.A109.10, CAR : 142.1265, DELPHI : BG3865, FERODO : DDF1544, Fritch : DF1035, INTERBRAKE : TT191V, LPR : T2019V, LUCAS : DF4493, MINTEX : MDC1856, NIBK : RN1219V, PAGID : 54715PRO, TEXTAR : 92171503, TOYOTA : 4351248081, TOYOTA : 435120E010, TOYOTA : 4351248080, TOYOTA : 4351248100, TRUSTING : DF1035, TRW : DF7259, TRW : DF4493
	RX300	3300	2003	2009	Front	MRD1219V		
	RX350	3500	2007	2009	Front	MRD1219V		
LEXUS	RX400h	3300	2006	2008	Front	MRD1219V		
	RX400h	3500	2009	2010	Front	MRD1219V		
	IS250	2500	2005	2013	Front	MRD1258V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.3, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 296	DELPHI : BG4139, LEXUS : 4351230310, NIBK : RN1258V, TEXTAR : 92174303, TOYOTA : 4351230310, TRW : DF7340
	IS250	2500	2005		Front	MRD1258V		
	GS430	4300	2005	2011	Front	MRD1536DR	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 50.8, Centering Diameter :62, Position: Front Axle Right, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	LEXUS : 4351230320, NIBK : RN1536DR
	LS 430	4300	2000	2006	Front	MRD1472V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 50, Centering Diameter :62.2, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 315	NIBK : RN1472V, TOYOTA : 4351250190, TOYOTA : 4351250210, TOYOTA : 4351250160, TOYOTA : 4351250230, TOYOTA : 4351250191, TOYOTA : 4351250220, TRW : DF7831
	GS350	3500	2005	2007	Front	MRD1498V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 50.8, Centering Diameter :62, Position: Front, Outter & Oslash : 334	NIBK : RN1498V, TOYOTA : 4351630020, TOYOTA : 4351230330
	GS430	4300	2005	2011	Front	MRD1536DL	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 50.8, Centering Diameter :62, Position: Front Axle Left, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	NIBK : RN1536DL, TOYOTA : 4351630010
	GX460	4600	2009		Rear	MRD1553V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 6, Height : 68.4, Centering Diameter :106, Position: Rear, Pitch Circle & Oslash: 139.7, Outter & Oslash : 312	NIBK : RN1553V, NIPPARTS : J3 312 041, TOYOTA : 42431-60311, TRW : DF 6342
LEXUS	GS300	3000	1992	1997	Front	MRD1150V	Recommended Type: Vented & Oslash 296, Disc Thickness: 32, Num. of holes : 5, Height : 50.8, Centering Diameter :62, Position: Front	AP : 24639, AP : 24902, AP : 24820, ATE : 24.0125-0128.1, ATE : 24013207011, ATE : 24.0128-0139.1, BENDIX : 561644B, BRADI : 1.5270.2.4, BRECO : BS 8259, BRECO : BS 8445, BRECO : BS 8399, BREMBO : 09.9178.10, BREMBO : FS.118.000, BREMBO : 09.6907.10, BREMBO : FD.118.000, CAR : 142.1009, CAR RACING : HPD 1009, DELPHI : BG2829, DELPHI : BG2707, DJ PARTS : BD1021, FERODO : DDF938, FERODO : DDF1134, FERODO : DDF883, Fritch : DF444, INTERBRAKE : TT051V, INTERCAR : TY931V, JURID : 562248J, JURID : 561644J, LEXUS : 4351230181, LEXUS : 4351250100, LEXUS : 4351250120, LEXUS : 4351250112, LEXUS : 4351230300, LEXUS : 4351253020, LEXUS : 4351230180, LPR : T2998V, LPR : T2931V, LPR : T2136V, LUCAS : DF4015, LUCAS : DF4182S, MAGNETI MARELLI : 353615290250, MINTEX : MDC900, NECTO : WN1153, NECTO : WN883, NIBK : RN1150V, OEM : 4351250040, OEM : 4351250060, PAGID : 50340, QH : BDC4420, QH : BDC5112, QH : BDC5093, QH : BDC5188, REMSA : 6556.20, ROADHOUSE : 6556.20, TEXTAR : 92109100, TRUSTING : DF444, TRW : DF4182S, WOKING : D6793.10
	GS300	3000	1997	2000	Front	MRD1150V		
	GS300	3000	1993	1998	Front	MRD1150V		
	GS300	3000	1999	2005	Front	MRD1150V		
	IS200	2000	1999	2004	Front	MRD1150V		
	IS300	3000	2001	2005	Front	MRD1150V		
	LS400	4000	1993	1994	Front	MRD1150V		
	SC430	4300	2002	2006	Front	MRD1150V		
	GS300	3000	1999	2005	Rear	MRD1225	Recommended Type: Solid & Oslash 310, Disc Thickness: 16, Num. of holes : 5, Height : 63, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3mm	ATE : 24011207031, DELPHI : BG3907, FERODO : DDF1499, LEXUS : 4243153011, LEXUS : 4243130260, NIBK : RN1225, TRW : DF7230, TRW : DF4509
	IS200	2000	1999	2004	Rear	MRD1225		
	IS300	3000	2001	2005	Rear	MRD1225		
	SC430	4300	2002	2006	Rear	MRD1225		
	GS400	4000	1998	2000	Rear	MRD1225		
	GS430	4300	2000	2005	Rear	MRD1225		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
LEXUS	GX460	4600	2009		Front	MRD1435V	Recommended Type: Vented & Oslash 338, Disc Thickness: 32, Num. of holes : 6, Height : 68.6, Centering Diameter :108, Position: Front	MINTEX : MDC2273, NIBK : RN1435V, TOYOTA : 4351260190, TRW : DF7880, TRW : DF7918
	IS250	2500	2005		Front	MRD1536DL	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 50.8, Centering Diameter :62, Position: Front Axle Left, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	NIBK : RN1536DL, TOYOTA : 4351630010
	IS250	2500	2006		Front	MRD1536DL		
	IS250	2500	2005		Front	MRD1536DR	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 50.8, Centering Diameter :62, Position: Front Axle Right, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	LEXUS : 4351230320, NIBK : RN1536DR
	IS250	2500	2006		Front	MRD1536DR		
LINCOLN	LS	3000	1998	2001	Front	MRD1123V	Recommended Type: Vented & Oslash 300, Disc Thickness: 30, Num. of holes : 5, Height : 42.8, Centering Diameter :71, Position: Front, Pitch Circle & Oslash: 108	DELPHI : BG3511, FERODO : DDF1107, JAGUAR : JLM20801, NIBK : RN1123V, TRW : DF4105
	LS	4000	1998	2001	Front	MRD1123V		
	LS	4000	2000	2006	Front	MRD1123V		
LOTUS	Elan	1600	1989	1996	Front	MRD1017V	Recommended Type: Vented 256 ,Disc Thickness: 24, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front	AC DELCO : AC2090D, AP : 24857E, AP : 24695E, AP : X24695, ATE : 24.0111-0116.1, ATE : 24.0324-0115.1, ATE : 24.0124-0115.1, BENDIX : 561488B, BRADI : 1.3415.2.4, BRADI : 1.3401.1.4, BRECO : BS 8523, BRECO : BS 8284, BREMBO : 09.5148.24, BREMBO : 09.9608.24, BREMBO : 09.5148.20, BREMBO : 09.5148.76, CAR : 142.508, CAR RACING : HPD 508, CHEVROLET : 96179110, CIFAM : 800-166, CIFAM : 800-021, DELPHI : BG443, DELPHI : BG2443, FERODO : DRF206, FERODO : DDF206, Fritch : DF239, GRAF : DF29166, INTERBRAKE : OP171V, INTERCAR : OP171V, JURID : 561488JC, JURID : 561488J, JURID : 561003J, KWP : 1029166L, KWP : 102821, KWP : 129166, Lemforder : 12242, Lemforder : 14656, Lemforder : 12242 03, LPR : 01171V, LUCAS : DF1600, LUCAS : DF1625BP, LUCAS : DF1625, MAGNETI MARELLI : 353613415240, Metelli : 23-0166, Metelli : 23-0021, MINTEX : MDC692, NECTO : WN467, NECTO : WN105, NIBK : RN1017V, NK : 209902, OEM : 569042RP, OEM : 90065603, OEM : 96162249, OEM : 96234212, OEM : 8982484, OEM : 90272326, OEM : 96234203, OPEL : 569042, OPEL : 569001, PAGID : 52415, PILENGA : V065, QH : BDC3680, REMSA : 6412.20, REMSA : 6178.10, REMSA : 6076.00, ROADHOUSE : 6178.10, ROADHOUSE : 6076.00, ROADHOUSE : 6412.20, SBS : 1815209902, SBS : 1816303613, SBS : 251108, SBS : 1815203613, SBS : 1815303613, SBS : 251101, STOP : 561488S, TEXTAR : 92039200, TEXTAR : 98200 0392 0 1, TEXTAR : 92039203, TRUSTING : DF239, TRW : DF1625, VAUXHALL : 90295087, VAUXHALL : 90250546, VAUXHALL : 90487402, VEMA : 98020, WOKING : D6178.10, WOKING : D6076.00, ZIMMERMANN : 430.1002.00, ZIMMERMANN : 430.1461.20, ZIMMERMANN : 430.1452.00
	Elan	1600	1989	1996	Front	MRD1017V		
MAZDA	3	2000	2003	2009	Front	MRD1194V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 300	APEC : DSK2211, ATE : 24.0125-0170.1, BOSCH : 0 986 479 183, BREMBO : FD.192.000, BREMBO : 09.9468.20, BREMBO : FS.192.000, CAR : 142.1267, CIFAM : 800-730, DELPHI : BG3928, FERODO : DDF1312, Fritch : DF988, HERTH+BUSS : J3303084, INTERBRAKE : MX021V, LPR : M5006V, LUCAS : DF4385, MAZDA : BP6Y3325XE, MAZDA : C26Y3325XA, MAZDA : BP6Y3325XD, MAZDA : BP6Y3325XF, Metelli : 23-0730, MINTEX : MDC1988, NECTO : WN1318, NIBK : RN1194V, NIPPARTS : J3303084, OEM : C26Y3325XB, OEM : C26Y3325XC, PAGID : 54304, PILENGA : V523, QH : BDC5492, REMSA : 6672.10, ROADHOUSE : 6672.10, SBS : 1815203253, TEXTAR : 92130400, TRUSTING : DF988, TRW : DF4385, WOKING : D6672.10, ZIMMERMANN : 370.3077.00
	3	2300	2003	2009	Front	MRD1194V		
	5	2000	2005		Front	MRD1194V		
	5	2300	2005		Front	MRD1194V		
	Premacy	2000	2005	2010	Front	MRD1194V		
MAZDA	3	2000	2009		Rear	MRD1373	Recommended Type: solid ,Disc Thickness: 11, Num. of holes : 5, Height : 40.8, Centering Diameter :72, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280	APEC : DSK2226, ATE : 24.0111-0160.1, BOSCH : 0 986 479 181, BREMBO : 08.9975.20, BREMBO : RS.193.000, BREMBO : RD.193.000, CAR : 142.1209, CAR RACING : HPD 1209, CIFAM : 800-750, DELPHI : BG3930, FERODO : DDF1546, Fritch : DF962, INTERBRAKE : MX031P, LPR : M5007P, LUCAS : DF4420, MAZDA : BP6Y26251C, MAZDA : BP6Y26251E, MAZDA : C25Y26251B, MAZDA : BP6Y26251B, MAZDA : BP6Y26251D, MAZDA : C25Y26251A, Metelli : 23-0750, MINTEX : MDC1717, NECTO : WN1472, NIBK : RN1373, OEM : BP6Y23251B, PAGID : 54306, PILENGA : 5518, QH : BDC5493, REMSA : 6880.00, ROADHOUSE : 6880.00, SBS : 1815203252, TEXTAR : 92130600, TRUSTING : DF962, TRW : DF4420, ZIMMERMANN : 370.3079.00
MAZDA	626 Coupe	2000	1997	1999	Front	MRD1061V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 48.7, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 258	AC DELCO : AC2205D, AP : 24371E, ATE : 24.0124-0129.1, BENDIX : 561716B, BENDIX EUR : 561716B, BOSCH : 0 986 478 227, BRADI : 1.2644.2.4, BRECO : BS 8059, BREMBO : 09.5584.10, BREMBO : 09.5584.14, CAR : 142.937, CAR RACING : HPD 937, CIFAM : 800-347, DELPHI : BG2779, DELPHI : BG779, FERODO : DDF496, FORD : GA2Y3325X, FORD : 1023099, FORD : 3395510, FORD : F32Z1125AA, FORD : GA5Y3325XD, FORD : YS8J2C502AA, FORD : GA4Y3325XA, FORD : GA4Y3325XJ, FORD : GA5Y3325XC, FORD : 4146389, FORD : F32Z1125A, FORD : F42Z1125B, FORD : GA4Y3325X, FORD : YS8Z1V125AA, FORD : GA4Y3325XH, FORD : GA5Y3325X, Fritch : DF302, GRAF : DF29347, INTERBRAKE : MZ701V, INTERCAR : MZ701V, JURID : 561716J, KWP : 1029347, KWP : 129347, Lemforder : 19295, Lemforder : 19295 01, LPR : M5701V, LUCAS : DF2704, MAZDA : GA4Y3325XD, MAZDA : GA2Y3325XA, MAZDA : GA4Y3325XC, MAZDA : GA5Y3325XE, MAZDA : GA3Y3325XA, Metelli : 23-0347, MINTEX : MDC666, NECTO : WN844, NIBK : RN1061V, OEM : GA3Y3325X, OEM : 3958455, OEM : GA5Y3325XB, PAGID : 52015, PILENGA : V511, QH : BDC3951, REMSA : 6203.10, REMSA : 6277.20, ROADHOUSE : 6277.20, ROADHOUSE : 6203.10, SBS : 222210, SBS : 1815203227, STOP : 561716S, TEXTAR : 92062000, TRUSTING : DF302, TRW : DF2704, VALEO : 186457, WOKING : D6203.10, ZIMMERMANN : 370.3065.00
	Capella	1800	1997	2002	Front	MRD1061V		
	Capella	2000	1994	1997	Front	MRD1061V		
	Capella	2000	1997	2002	Front	MRD1061V		
	MS 6	2000	1992	1994	Front	MRD1061V		
	Premacy	1800	1999	2005	Front	MRD1061V		
	Premacy	1800	2001	2005	Front	MRD1061V		
	626 Coupe	2000	1991	1997	Front	MRD1061V		
	626 Coupe	2500	1991	1997	Front	MRD1061V		
MAZDA	626 Coupe	2000	1994	1997	Front	MRD1061V		
	Capella	1800	1997	1999	Front	MRD1061V		
	Capella	1800	1991	1997	Front	MRD1061V		
	Capella	2000	1994	1997	Front	MRD1061V		
	Capella	2000	1997	1999	Front	MRD1061V		
	Capella	2500	1991	1997	Front	MRD1061V		
	MS 6	1800	1991	1994	Front	MRD1061V		
	MS 6	2000	1991	1994	Front	MRD1061V		
	MX 6	2000	1991	1996	Front	MRD1061V		
	MX 6	2000	1991	1997	Front	MRD1061V		
	MX 6	2500	1991	1997	Front	MRD1061V		
	Xedos 6	1600	1992	1998	Front	MRD1061V		
	Xedos 6	2000	1992	1999	Front	MRD1061V		
	626 Coupe	1800	1999		Front	MRD1061V		
	626 Coupe	1800	1999	2002	Front	MRD1061V		
	626 Coupe	2000	1991	1994	Front	MRD1061V		
	Capella	1800	1997	2002	Front	MRD1061V		
	Premacy	1800	1999	2001	Front	MRD1061V		
	Premacy	2000	1999	2001	Front	MRD1061V		
	626 Coupe	1800	1999		Front	MRD1061V		
	626 Coupe	1800	1999	2002	Front	MRD1061V		
	626 Coupe	2000	1997	1999	Front	MRD1061V		
	626 Coupe	2000	1991	1994	Front	MRD1061V		
	626 Coupe	2000	1991	1997	Front	MRD1061V		
	626 Coupe	2500	1991	1997	Front	MRD1061V		
	626 Coupe	2000	1994	1997	Front	MRD1061V		
	Capella	1800	1994	1997	Front	MRD1061V		
	Capella	1800	1997	2002	Front	MRD1061V		
	Capella	1800	1997	1999	Front	MRD1061V		
	Capella	1800	1991	1997	Front	MRD1061V		
	Capella	2000	1994	1997	Front	MRD1061V		
	Capella	2000	1994	1997	Front	MRD1061V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MAZDA	Capella	2000	1997	2002	Front	MRD1061V		
	Capella	2000	1997	1999	Front	MRD1061V		
	Capella	2500	1991	1997	Front	MRD1061V		
	MS 6	1800	1991	1994	Front	MRD1061V		
	MS 6	2000	1991	1994	Front	MRD1061V		
	MS 6	2000	1992	1994	Front	MRD1061V		
	MX 6	2000	1991	1996	Front	MRD1061V		
	MX 6	2000	1991	1997	Front	MRD1061V		
	MX 6	2500	1991	1997	Front	MRD1061V		
	Premacy	1800	1999	2005	Front	MRD1061V		
	Premacy	1800	1999	2001	Front	MRD1061V		
	Premacy	1800	2001	2005	Front	MRD1061V		
	Premacy	2000	1999	2001	Front	MRD1061V		
	Xedos 6	1600	1992	1998	Front	MRD1061V		
	Xedos 6	2000	1992	1999	Front	MRD1061V		
	Capella	1800	1997	2002	Front	MRD1061V		
	Premacy	1800	1999	2005	Front	MRD1061V		
	Premacy	1800	1999	2001	Front	MRD1061V		
	Premacy	2000	1999	2001	Front	MRD1061V		
	Premacy	1800	2001	2005	Front	MRD1061V		
MAZDA	323	1800	1989	1994	Front	MRD1064V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 4, Height : 45, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 235	AC DELCO : AC2206D, AP : 24542E, ATE : 24.0118-0113.1, BENDIX : 561871B, BOSCH : 0 986 478 241, BRADI : 1.2645.2.4, BRECO : BS 8156, BREMBO : 09.5869.10, BREMBO : 08.2978.10, BREMBO : 09.5869.14, CAR : 142.868, CAR RACING : HPD 868, CIFAM : 800-276, DELPHI : BG2802, DELPHI : BG802, FERODO : DRF497, FERODO : DDF497, Fritch : DF297, GRAF : DF29276, INTERBRAKE : MZ711V, INTERCAR : MZ711V, JAPANPARTS : DI-342, JURID : 561871J, KWP : 129276, Lemforder : 19300, Lemforder : 19300 01, LPR : M5711V, LUCAS : DF7243, LUCAS : DF2719, MAGNETI MARELLI : 353612645240, MAZDA : NA013325XD, MAZDA : NA013325XC, MAZDA : NA013325A, MAZDA : NA013325XA, MAZDA : NA013325X, MAZDA : SA013325X, Metelli : 23-0276, MINTEX : MDC655, NECTO : WN789, NIBK : RN1064V, OEM : B4583325XD, OEM : NA013325XA, OEM : B25Y3325XB, OEM : B5Y23325XC, PAGID : 52018, PILENGA : V510, QH : BDC3960, REMSA : 6386.10, REMSA : 6278.20, ROADHOUSE : 6386.10, ROADHOUSE : 6278.20, SBS : 1815203223, SBS : 220001, STOP : 561871S, TEXTAR : 98200 0615 0 1, TEXTAR : 92061500, TRUSTING : DF297, TRW : DF2719, VALEO : 186449, WOKING : D6386.10, ZIMMERMANN : 370.3066.00
	323	1300	1994	1998	Front	MRD1064V		
	323	1300	1994	1999	Front	MRD1064V		
	323	1500	1994	1998	Front	MRD1064V		
	323	1600	1991	1994	Front	MRD1064V		
	323	1700	1991	1994	Front	MRD1064V		
	323	1800	1989	1991	Front	MRD1064V		
	323	1500	1994	1998	Front	MRD1064V		
	323	1300	1994	1998	Front	MRD1064V		
	323	1300	1994	1999	Front	MRD1064V		
	323	1600	1991	1994	Front	MRD1064V		
	323	1700	1991	1994	Front	MRD1064V		
	323	1800	1989	1991	Front	MRD1064V		
	MX 5	1600	1989	1993	Front	MRD1064V		
	MX 5	1600	1989	1993	Front	MRD1064V		
	Capella	2000	1994	1997	Rear	MRD1062	Recommended Type: Solid 261 ,Disc Thickness: 10, Num. of holes : 5, Height : 40, Centering Diameter :72, Position: Rear	AC DELCO : AC2208D, AP : 14723, ATE : 24.0110-0234.1, BENDIX : 561717B, BENDIX EUR : 561717B, BOSCH : 0 986 478 633, BRADI : 1.2651.5.4, BRECO : BS 7561, BREMBO : 08.7352.10, CAR : 142.866, CAR RACING : HPD 866, CIFAM : 800-487, CIFAM : 800-786, DELPHI : BG806, DELPHI : BG2806, FERODO : DDF524, FORD : 3415598, FORD : F3222C026A, Fritch : DF063, GRAF : DF29786, INTERBRAKE : MZ721P, INTERCAR : MZ721P, JURID : 561717J, KWP : 129786, LPR : M5721P, LUCAS : DF2705, MAGNETI MARELLI : 353612651540, MAZDA : GA4Y26251, MAZDA : GA5Y26251D, MAZDA : GA5Y26251B, MAZDA : GA8Y26251, MAZDA : GTYF26251, MAZDA : GOYN26251A, MAZDA : GTYF26251C, MAZDA : GA5Y26251, MAZDA : GA3Y26251, MAZDA : GA5Y26251C, MAZDA : GTYF26251B, MAZDA : GOYN26251, MAZDA : GA7Y26251, MAZDA : GA5Y26251A, Metelli : 23-0786, Metelli : 23-0487, MINTEX : MDC667, NECTO : WN956, NIBK : RN1062, NIPPARTS : J3313014, OEM : 4146391, OEM : GTYF26251BC, OEM : GA5Y26251ABCD, OEM : YS8J2C502BA, PAGID : 52021, PILENGA : 8019, QH : BDC3959, REMSA : 6282.10, REMSA : 6206.00, ROADHOUSE : 6206.00, ROADHOUSE : 6282.10, SBS : 1815203228, SBS : 222211, TEXTAR : 92062100, TRUSTING : DF063, TRW : DF2705, VALEO : 186458, WOKING : D6206.00
	626 Coupe	2000	1991	1997	Rear	MRD1062		
	626 Coupe	2000	1994	1997	Rear	MRD1062		
	Capella	1800	1994	1997	Rear	MRD1062		
	Capella	1800	1997	1999	Rear	MRD1062		
	Capella	1800	1991	1997	Rear	MRD1062		
	Capella	2000	1994	1997	Rear	MRD1062		
	Capella	2000	1997	1999	Rear	MRD1062		
	Capella	2500	1991	1997	Rear	MRD1062		
	MX 6	2000	1991	1996	Rear	MRD1062		
	MX 6	2000	1991	1997	Rear	MRD1062		
	MX 6	2500	1991	1997	Rear	MRD1062		
	Xedos 6	1600	1992	1998	Rear	MRD1062		
	Xedos 6	2000	1992	1999	Rear	MRD1062		
	626 Coupe	2000	1991	1997	Rear	MRD1062		
	626 Coupe	2000	1994	1997	Rear	MRD1062		
MAZDA	Capella	1800	1994	1997	Rear	MRD1062		
	Capella	1800	1997	1999	Rear	MRD1062		
	Capella	1800	1991	1997	Rear	MRD1062		
	Capella	1800	1991	1997	Rear	MRD1062		
	Capella	2000	1994	1997	Rear	MRD1062		
	Capella	2000	1997	1999	Rear	MRD1062		
	Capella	2500	1991	1997	Rear	MRD1062		
	MX 6	2000	1991	1996	Rear	MRD1062		
	MX 6	2000	1991	1997	Rear	MRD1062		
	MX 6	2500	1991	1997	Rear	MRD1062		
	Xedos 6	1600	1992	1998	Rear	MRD1062		
	Xedos 6	2000	1992	1999	Rear	MRD1062		
	626 Coupe	2000	1991	1997	Rear	MRD1062		
	626 Coupe	2000	1994	1997	Rear	MRD1062		
	Capella	1800	1994	1997	Rear	MRD1062		
	Capella	1800	1997	1999	Rear	MRD1062		
	Capella	1800	1991	1997	Rear	MRD1062		
	Capella	2000	1994	1997	Rear	MRD1062		
	Capella	2000	1997	1999	Rear	MRD1062		
	Capella	2500	1991	1997	Rear	MRD1062		
MAZDA	MX 6	2000	1991	1996	Rear	MRD1062		
	MX 6	2000	1991	1997	Rear	MRD1062		
	MX 6	2500	1991	1997	Rear	MRD1062		
	Xedos 6	1600	1992	1998	Rear	MRD1062		
	Xedos 6	2000	1992	1999	Rear	MRD1062		
	2	1200	2003	2007	Front	MRD1109V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 258	AC DELCO : AC2259D, AP : 24760E, AP : X24760, ATE : 24.0322-0172.1, ATE : 24.0122-0172.1, ATE : 422172, BENDIX : 562078B, BENDIX EUR : 562078B, BOSCH : 0 986 478 892, BOSCH : 0 986 479 129, BRADI : 1.1752.2.4, BRECO : BS 8344, BREMBO : 09.7806.14, BREMBO : FD.096.000, BREMBO : 09.7806.10, BREMBO : 09.7806.75, BREMBO : FS.096.000, CAR : 142.242, CAR RACING : HPD 242, CIFAM : 800-476, DELPHI : BG3359, FERODO : DRF1072, FERODO : DDF1072, FORD : 98AB1125BD, FORD : 3049893, FORD : 98AB1125D1E, FORD : 4077455, FORD : 98AG1125EA, FORD : 1323620, FORD : 2S611125AA, FORD : 1373771, FORD : 1388256, FORD : 98AB1125BE, FORD : 3573537, FORD : 98AG1125E1B, FORD : 3555344, FORD : 98AG1125EB, FORD : 1148202, FORD : 1320585, Fritch : DF460, GRAF : DF29476, INTERBRAKE : FR621V, INTERCAR : FR621V, JURID : 562078J, JURID : 562078J, KWP : 129476, Lemforder : 22842, Lemforder : 22842 02, LPR : F1621V, LUCAS : DF4036BP, LUCAS : DF4036, MAGNETI MARELLI : 353611752240, MAZDA : DD593325X, MAZDA : DD332325X, MAZDA : DD633325X, Metelli : 23-0476, MINTEX : MDC1030, NECTO : WN1086, NIBK : RN1109V, OEM : 272405, OEM : 98AB1125DC, OEM : XS6W1125B1B, OEM : 274172, OEM : DD593325XA, OEM : YS6W1125AA, PAGID : 51040, PILENGA : V274, REMSA : 6575.10, ROADHOUSE : 6575.10, SBS : 171716, SBS : 1815203249, SBS : 1816302549, SBS : 1815202549, SBS : 1815302549, STOP : 562078S, TEXTAR : 92096203, TEXTAR : 92096200, TEXTAR : 98200096201, TRUSTING : DF460, TRW : DF4036, VALEO : 186560, VALEO : 186741, VEMA : 98016, WOKING : D6575.10, ZIMMERMANN : 250.1343.00
	2	1400	2003	2007	Front	MRD1109V		
	2	1600	2003	2007	Front	MRD1109V		
	121	1800	1996	1998	Front	MRD1104V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 47, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 282	AC DELCO : AC2437D, ACURA : 45251SZ3E00, AP : 24671, BENDIX : 562143B, BENDIX EUR : 562143B, BOSCH : 0 986 478 667, BRADI : 1.1928.2.4, BRECO : BS 8238, BREMBO : 09.6893.14, BREMBO : FS.067.000, BREMBO : 09.6893.10, BREMBO : FD.067.000, CAR : 142.913, CAR RACING : HPD 913, CIFAM : 800-503, DELPHI : BG3061, FERODO : DRF829, FERODO : DDF829, Fritch : DF358, GRAF : DF29503, HONDA : 45251SP0000, HONDA : 45251S23000, HONDA : 45251S2HN00, INTERBRAKE : H0441V, INTERCAR : H0441V, JURID : 562143J, KWP : 129503, Lemforder : 22469 01, Lemforder : 22469, LPR : H1441V, LUCAS : DF4028, MAGNETI MARELLI : 353611928240, Metelli : 23-0503, MINTEX : MDC998, NIBK : RN1104V, OEM : 5862030550, PAGID : 50287, PILENGA : V312, QH : BDC4809, QH : BDC5001, REMSA : 6681.20, REMSA : 6586.10, ROADHOUSE : 6586.10, ROADHOUSE : 6681.20, SBS : 181816, SBS : 1815202622, TEXTAR : 92101000, TRUSTING : DF358, TRW : DF4028, VALEO : 186778, WOKING : D6586.10, ZIMMERMANN : 280.3160.00
	121	1800	1996	1998	Front	MRD1104V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MAZDA	Demio	1300	1998	2003	Front	MRD1315V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 45.1, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100 mm, Outter & Oslash : 235	AC DELCO : AC2475D, AP : 24370, ATE : 24.0122-0166.1, BENDIX : 561673B, BENDIX : 562022B, BOSCH : 0 986 478 219, BRADI : 1.2643.2.4, BRECO : BS 8258, BREMBO : 09.5581.34, BREMBO : 09.5581.30, BREMBO : 09.5581.77, CAR : 142.958, CAR RACING : HPD 958, CIFAM : 800-617, DELPHI : BG2629, DELPHI : BG629, FERODO : DDF393, FORD : F1CZ1125A, FORD : F3CZ1125B, FORD : F2CZ1125B, FORD : YS4Y12V125DA, Fritech : DF234, GRAF : DF29617, INTERBRAKE : MZ341V, INTERCAR : MZ341V, JAPANPARTS : DI-344, JURID : 561673J, JURID : 562022J, KWP : 129617, Lemforder : 22470, Lemforder : 22470 01, LPR : M5341V, LUCAS : DF3089, MAGNETI MARELLI : 353612643240, MAZDA : BR703325XD, MAZDA : BR703325XA, MAZDA : BR703325XF, MAZDA : BR703325XE, MAZDA : B26Y3325XA, MAZDA : BR703325XC, MAZDA : BR703325X, Metelli : 23-0617, MINTEX : MDC743, MOTORCRAFT : BRR82, NECTO : WN705, NIBK : RN1315V, NIPPARTS : J3303044, OEM : BR783325XD, OEM : BR703325XA, PAGID : 52014, PILENGA : V509, QH : BDC4386, REMSA : 6276.20, ROADHOUSE : 6276.20, SBS : 1815203232, SBS : 222212V, SBS : 222212, STOP : 562022S, TEXTAR : 92071500, TRUSTING : DF234, TRW : DF3089, VALEO : 186448, WOKING : D6056.10, ZIMMERMANN : 370.3064.00
	Demio	1500	1996	2003	Front	MRD1315V		
	323	1600	1991	1994	Front	MRD1315V		
	323	1800	1991	1994	Front	MRD1315V		
	Demio	1300	1996	2000	Front	MRD1315V		
	Demio	1300	1998	2003	Front	MRD1315V		
MAZDA	Demio	1500	1996	2003	Front	MRD1315V		
	MPV II	2000	2000	2002	Front	MRD1098V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 51, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 274	AP : 24681, ATE : 24.0128-0175.1, BENDIX : 562112B, BENDIX EUR : 562112B, BOSCH : 0 986 479 016, BRADI : 1.2655.2.4, BRECO : BS 8224, BREMBO : 09.6863.10, CAR : 142.359, DELPHI : BG3232, FERODO : DDF738, Fritech : DF399, INTERBRAKE : MZ951V, JURID : 562112J, LPR : M5835V, LUCAS : DF4012, MAZDA : T0023325XA, MAZDA : TY013325XA, MAZDA : TY013325X, MAZDA : T0023325X, MINTEX : MDC1229, NECTO : WN1048, NIBK : RN1098V, PILENGA : V526, QH : BDC4742, REMSA : 6840.10, ROADHOUSE : 6840.10, SBS : 1815203254, TEXTAR : 92079200, TRUSTING : DF399, TRW : DF4012, WOKING : D6840.10, ZIMMERMANN : 370.3073.00
	MPV II	2000	2002	2006	Front	MRD1098V		
	Xedos 9	2000	1993	2000	Front	MRD1098V		
	Xedos 9	2000	2000	2003	Front	MRD1098V		
	Xedos 9	2300	1993	2000	Front	MRD1098V		
	Xedos 9	2300	1999	2003	Front	MRD1098V		
	Xedos 9	2500	1993	2002	Front	MRD1098V		
	Xedos 9	2500	2000	2003	Front	MRD1098V		
	MPV II	2000	2000	2002	Front	MRD1098V		
	MPV II	2000	2002	2006	Front	MRD1098V		
	Xedos 9	2000	1993	2000	Front	MRD1098V		
	Xedos 9	2000	2000	2003	Front	MRD1098V		
	Xedos 9	2300	1993	2000	Front	MRD1098V		
MAZDA	Tribute	2000	2001	2003	Front	MRD1519V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 47, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 278	AP : 24837, BRECO : BS 8461, BREMBO : 09.8953.10, CAR : 142.048, DELPHI : BG3792, FERODO : DDF1209, Fritech : DF126, INTERBRAKE : MZ871V, LPR : F1015V, MAZDA : E1123325X, MAZDA : EF9Y3325X, MAZDA : YL8Z1128A, NECTO : WN1227, NIBK : RN1519V, NK : 203263, OEM : E1003325XA, OEM : EC023325X, OEM : YL8Z1125BA, OEM : 3L8Z1125CA, OEM : 4454777, OEM : 4360107, PAGID : 54465, QH : BDC5398, SBS : 1815203263, TEXTAR : 92146500, TRUSTING : DF126
	Tribute	3000	2001	2003	Front	MRD1519V		
	Tribute	2000	2001	2003	Front	MRD1519V		
	Tribute	3000	2001	2003	Front	MRD1519V		
MAZDA	Mazda 6 Wagon	2000	2002		Front	MRD1195V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 283	AP : 24839, APEC : DSK2206, ATE : 24.0125-0147.1, BENDIX EUR : 562449B, BOSCH : 0 986 479 132, BRECO : BS 8463, BREMBO : 09.9131.10, BREMBO : 09.9131.14, CAR : 142.1095, CAR RACING : HPD 1095, CIFAM : 800-621, DELPHI : BG3874, FERODO : DDF1210, Fritech : DF914, GRAF : DF29621, INTERBRAKE : MZ971V, INTERCAR : MZ971V, JURID : 562449J, KWP : 129621, LPR : M5002V, LPR : M5001V, LUCAS : DF4386, MAGNETI MARELLI : 353612662240, MAZDA : GJ6Y3325XA, Metelli : 23-0621, MINTEX : MDC1664, NECTO : WN1228, NIBK : RN1195V, OEM : GJ6Y3325X, PAGID : 54255, PILENGA : V524, QH : BDC5396, REMSA : 6673.10, ROADHOUSE : 6673.10, SBS : 1815203245, TEXTAR : 92125500, TRUSTING : DF914, TRW : DF4386, VALEO : 186873, ZIMMERMANN : 370.3074.00
	Mazda 6 Wagon	2300	2002		Front	MRD1195V		
	Mazda 6 Wagon	1800	2003	2005	Front	MRD1195V		
	Mazda 6	2300	2002	2005	Front	MRD1195V		
MAZDA	Premacy	1800	1999	2005	Front	MRD1513V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 47.4, Centering Diameter :72, Position: Front, Outter & Oslash : 273.6	AP : 24935E, BRECO : BS 8554, BREMBO : 09.9585.14, BREMBO : 09.9585.10, CAR : 142.358, CAR RACING : HPD 358, CIFAM : 800-901, DELPHI : BG3724, FERODO : DDF1278, Fritech : DF1037, INTERBRAKE : MZ941V, LPR : M5000V, LUCAS : DF4328, MAGNETI MARELLI : 353612665240, MAZDA : GF3Y3325X, MAZDA : GF3Y3325XA, MAZDA : G25Y3325XA, Metelli : 23-0901, MINTEX : MDC1543, NECTO : WN1290, NIBK : RN1513V, PAGID : 50353, PILENGA : V521, QH : BDC5258, SBS : 1815203241, TEXTAR : 92110400, TRUSTING : DF1037, ZIMMERMANN : 370.3072.00
	Premacy	1800	2001	2005	Front	MRD1513V		
	Premacy	2000	2001	2005	Front	MRD1513V		
	Premacy	1800	1999	2001	Front	MRD1513V		
	Premacy	2000	1999	2001	Front	MRD1513V		
MAZDA	3	1400	2003	2009	Rear	MRD1369	Recommended Type: Solid ,Disc Thickness: 11, Num. of holes : 5, Height : 41, Centering Diameter :72, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 265	APEC : DSK2196, ATE : 24.0111-0164.1, BOSCH : 0 986 479 178, BREMBO : 08.A029.10, CAR : 142.1120, CAR RACING : HPD 1120, CIFAM : 800-738, DELPHI : BG4025, FERODO : DDF1420, Fritech : DF947, INTERBRAKE : MX011P, LPR : M5004P, LUCAS : DF4419, MAZDA : BP4Y26251C, MAZDA : C24Y26251B, MAZDA : BP4Y26251B, MAZDA : BP4Y26251D, MAZDA : C24Y26251C, Metelli : 23-0738, MINTEX : MDC1908, NIBK : RN1369, PAGID : 54305, PILENGA : 5519, QH : BDC5491, REMSA : 6906.00, ROADHOUSE : 6906.00, SBS : 1815203250, TEXTAR : 92130500, TRUSTING : DF947, TRW : DF4419, ZIMMERMANN : 370.3078.00
	3	1600	2003	2009	Rear	MRD1369		
	3	2000	2003	2009	Rear	MRD1369		
	3	1400	2003	2009	Rear	MRD1369		
	3	1600	2003	2009	Rear	MRD1369		
	3	2000	2003	2009	Rear	MRD1369		
MAZDA	Mazda 6 Wagon	1800	2002		Rear	MRD1208	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 40, Centering Diameter :72, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 280	APEC : DSK2197, ATE : 24.0110-0302.1, BENDIX EUR : 562416B, BOSCH : 0 986 479 131, BREMBO : 08.A112.10, CAR : 142.1096, CAR RACING : HPD 1096, CIFAM : 800-622, DELPHI : BG3875, FERODO : DDF1500, Fritech : DF859, Fritech : DF1129, GRAF : DF29622, INTERBRAKE : MZ981P, JURID : 562416J, KWP : 129622, LPR : M5005P, LUCAS : DF4442, MAZDA : GF3Y26251A, MAZDA : N1236251A, MAZDA : G25Y26251, MAZDA : N1236251, Metelli : 23-0622, MINTEX : MDC1665, MINTEX : MDC2096, NECTO : WN1429, NIBK : RN1208, OEM : GFY26251, OEM : GK2Y26251G, OEM : N1236251, OEM : NF4726251, OEM : GFY26251, OEM : GFY26251F, OEM : GK2Y26251H, OEM : N1236251A, PAGID : 54256, PILENGA : 5520, PILENGA : 5512, QH : BDC5390, QH : BDC5397, REMSA : 6881.00, ROADHOUSE : 6881.00, SBS : 1815203246, TEXTAR : 92125600, TRUSTING : DF859, TRUSTING : DF1129, TRW : DF7687, TRW : DF4442, VALEO : 186851, ZIMMERMANN : 370.3075.00
	Mazda 6 Wagon	2000	2002		Rear	MRD1208		
	Mazda 6 Wagon	2300	2002		Rear	MRD1208		
	Mazda 6 Wagon	2300	2005		Rear	MRD1208		
	Mazda 6 Wagon	1800	2003	2005	Rear	MRD1208		
	Mazda 6 Wagon	2000	2008		Rear	MRD1208		
	Mazda 6 Wagon	2500	2008		Rear	MRD1208		
	626 Coupe	1800	1999	2002	Rear	MRD1208		
	Mazda 6	1800	2002	2007	Rear	MRD1208		
	Mazda 6	2000	2002	2007	Rear	MRD1208		
	Mazda 6	2300	2002	2005	Rear	MRD1208		
	Mazda 6	2000	2008	2010	Rear	MRD1208		
	Mazda 6	2500	2008	2010	Rear	MRD1208		
	Mazda 6	1800	2008		Rear	MRD1208		
MAZDA	Premacy	1800	2001	2005	Rear	MRD1208		
	Premacy	2000	2001	2005	Rear	MRD1208		
	626 Coupe	1800	1999	2002	Rear	MRD1208		
	Premacy	2000	2001	2005	Rear	MRD1208		
	Premacy	1800	2001	2005	Rear	MRD1208		
	Mazda 6 Wagon	1800	2002		Rear	MRD1208		
	Mazda 6 Wagon	2000	2002		Rear	MRD1208		
	Mazda 6 Wagon	2300	2002		Rear	MRD1208		
	Mazda 6 Wagon	2300	2005		Rear	MRD1208		
	Mazda 6 Wagon	1800	2003	2005	Rear	MRD1208		
	Mazda 6 Wagon	2000	2008		Rear	MRD1208		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MAZDA	Mazda 6	1800	2002	2007	Rear	MRD1208		
	Mazda 6	2000	2002	2007	Rear	MRD1208		
	Mazda 6	2300	2002	2005	Rear	MRD1208		
	Mazda 6	2000	2008	2010	Rear	MRD1208		
	Mazda 6	2500	2008	2010	Rear	MRD1208		
	Mazda 6	1800	2008		Rear	MRD1208		
	Mazda 6 Wagon	2000	2008		Rear	MRD1208		
	Mazda 6 Wagon	2500	2008		Rear	MRD1208		
	Premacy	1800	2001	2005	Rear	MRD1208		
	3	1400	2003	2009	Front	MRD1193V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 278	APEC : DSK2200, ATE : 24.0125-0165.1, BOSCH : O 986 479 179, BREMBO : 09.9464.24, CAR : 142.1119, CAR RACING : HPD 1119, CIFAM : 800-729, DELPHI : BG3927, FERODO : DDF1311, Fritech : DF227, HERTH+BUSS : J3303083, INTERBRAKE : MZ991V, INTERCAR : MZ991V, LPR : M5003V, LUCAS : DF4384, MAZDA : C24Y3325XD, J3303083, MAZDA : BP4Y3325XD, MAZDA : BP4Y3325XC, MAZDA : C24Y3325XB, Metelli : 23-0729, MINTEX : MDC1691, NECTO : WN1317, NIBK : RN1193V, NIPPARTS : J3303083, PAGID : 54303, PILENGA : V522, QH : BDC5490, SBS : 1815203251, SBS : 1815203260, TEXTAR : 92130300, TRUSTING : DF227, TRW : DF7791, TRW : DF4384, VALEO : 186872, WOKING : D6671.10, ZIMMERMANN : 370.3076.00
	3	1600	2003	2009	Front	MRD1193V		
	5	1400	2005	2010	Front	MRD1193V		
	5	1600	2005	2010	Front	MRD1193V		
	5	2000	2005	2010	Front	MRD1193V		
	Premacy	2000	2010		Front	MRD1193V		
	3	1400	2003	2009	Front	MRD1193V		
	3	1600	2003	2009	Front	MRD1193V		
	5	1400	2005	2010	Front	MRD1193V		
	5	1600	2005	2010	Front	MRD1193V		
	5	2000	2005	2010	Front	MRD1193V		
	Premacy	2000	2010		Front	MRD1193V		
MAZDA	3	2000	2003	2009	Front	MRD1194V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 300	APEC : DSK2211, ATE : 24.0125-0170.1, BOSCH : O 986 479 183, BREMBO : 09.9468.20, BREMBO : FS.192.000, BREMBO : FD.192.000, CAR : 142.1267, CIFAM : 800-730, DELPHI : BG3928, FERODO : DDF1312, Fritech : DF988, HERTH+BUSS : J3303084, INTERBRAKE : MX021V, LPR : M5006V, LUCAS : DF4385, MAZDA : BP6Y3325XD, MAZDA : BP6Y3325XF, MAZDA : BP6Y3325XE, MAZDA : C26Y3325XA, Metelli : 23-0730, MINTEX : MDC1988, NECTO : WN1318, NIBK : RN1194V, NIPPARTS : J3303084, OEM : C26Y3325XB, OEM : C26Y3325XC, PAGID : 54304, PILENGA : V523, QH : BDC5492, REMSA : 6672.10, ROADHOUSE : 6672.10, SBS : 1815203253, TEXTAR : 92130400, TRUSTING : DF988, TRW : DF4385, WOKING : D6672.10, ZIMMERMANN : 370.3077.00
	3	2300	2003	2009	Front	MRD1194V		
	5	2000	2005		Front	MRD1194V		
	5	2300	2005		Front	MRD1194V		
	Premacy	2000	2005	2010	Front	MRD1194V		
	3	1600	2009		Rear	MRD1373	Recommended Type: solid ,Disc Thickness: 11, Num. of holes : 5, Height : 40.8, Centering Diameter :72, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280	APEC : DSK2226, ATE : 24.0111-0160.1, BOSCH : O 986 479 181, BREMBO : 08.9975.20, BREMBO : RS.193.000, BREMBO : RD.193.000, CAR : 142.1209, CAR RACING : HPD 1209, CIFAM : 800-750, DELPHI : BG3930, FERODO : DDF1546, Fritech : DF962, INTERBRAKE : MX031P, LPR : M5007P, LUCAS : DF4420, MAZDA : BP6Y26251C, MAZDA : BP6Y26251E, MAZDA : C25Y26251B, MAZDA : BP6Y26251B, MAZDA : BP6Y26251D, MAZDA : C25Y26251A, Metelli : 23-0750, MINTEX : MDC1717, NECTO : WN1472, NIBK : RN1373, OEM : BP6Y23251B, PAGID : 54306, PILENGA : 5518, QH : BDC5493, REMSA : 6880.00, ROADHOUSE : 6880.00, SBS : 1815203252, TEXTAR : 92130600, TRUSTING : DF962, TRW : DF4420, ZIMMERMANN : 370.3079.00
	3	2300	2003	2009	Rear	MRD1373		
	3	2300	2003	2009	Rear	MRD1373		
	3	2000	2009		Rear	MRD1373		
	3	1600	2009		Rear	MRD1373		
	5	2000	2005		Rear	MRD25001	Recommended Type: Solid ,Disc Thickness: 11, Num. of holes : 5, Height : 40.8, Centering Diameter :72, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 302	ATE : 24.0111-0165.1, Blue Print : ADM54393, BOSCH : O 986 479 233, BREMBO : 08.A711.10, CAR : 142.1327, DELPHI : BG4026, FERODO : DDF1547, Fritech : DF1128, INTERBRAKE : MX101P, LPR : M5015P, LUCAS : DF4468, NIBK : RN25001, OEM : C23Y26251A, PAGID : 54482, QH : BDC5512, SBS : 1815203261, TEXTAR : 92148200, TRUSTING : DF1128
	5	2300	2005		Rear	MRD25001		
	Premacy	2000	2005	2010	Rear	MRD25001		
	2	1300	2007		Front	MRD1512V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 4, Height : 44, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 258	ATE : 24.0123-0112.1, BREMBO : 09.A968.14, CAR : 142.1377, CAR RACING : HPD 1377, CIFAM : 800-983, Fritech : DF1254, INTERBRAKE : MX111V, LPR : M5017V, LUCAS : DF4966, MAZDA : DF7133251, Metelli : 23-0983, MINTEX : MDC2042, NIBK : RN1512V, NK : 203267, TRUSTING : DF1254
	2	1400	2008		Front	MRD1512V		
	2	1500	2007		Front	MRD1512V		
MAZDA	Mazda 6 Wagon	2000	2008		Front	MRD1515V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 300	ATE : 24.0125-0188.1, CAR : 142.1529, CIFAM : 800-984, Fritech : DF1283, MAZDA : G33Y3325XA, Metelli : 23-0984, MINTEX : MDC2091, NIBK : RN1515V, OEM : G33Y3325X, TRUSTING : DF1283
	Mazda 6 Wagon	2500	2008		Front	MRD1515V		
	Mazda 6 Wagon	2200	2009		Front	MRD1515V		
	MPV II	3000	2002	2005	Front	MRD1518V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 51, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	ATE : 24.0128-0180.1, BENDIX : 562286B, DELPHI : BG4027, Fritech : DF231, JURID : 562286J, MAZDA : L12Y3325X, MAZDA : TY073325XA, NIBK : RN1518V, PAGID : 54481, PILENGA : V527, QH : BDC5394, REMSA : 6898.10, ROADHOUSE : 6898.10, SBS : 1815203247, TEXTAR : 92148100, TRUSTING : DF231
	Xedos 9	2500	2000	2003	Front	MRD1518V		
	CX 7	2300	2007		Front	MRD1501V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 48.3, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 295.7	ATE : 24.0128-0228.1, CAR : 142.1379, Fritech : DF1284, INTERBRAKE : MX131V, LPR : M5019V, MAZDA : L2063325XA, MAZDA : L2143325X, MAZDA : L2063325X, MINTEX : MDC2081, NIBK : RN1501V, TRUSTING : DF1284, TRW : DF4958S
	CX 7	2300	2009		Front	MRD1501V		
	CX 7	2300	2012		Front	MRD1501V		
	CX 9	3700	2007		Front	MRD1503V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 48.5, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 320	ATE : 24.0128-0233.1, Blue Print : ADM543111, Fritech : DF1451, MAZDA : TD133325X, MINTEX : MDC2359, NIBK : RN1503V, OEM : EH143325X, OEM : EH143325XA, OEM : L2323325XB, OEM : L2323325XA, TRUSTING : DF1451
	CX 7	2300	2007		Rear	MRD1502V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 57, Centering Diameter :72, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 302	Blue Print : ADM543103, CAR : 142.1380, Fritech : DF1295, INTERBRAKE : MX141V, MAZDA : L20626251C, MAZDA : L52826251, MINTEX : MDC2082, NIBK : RN1502V, NIPPARTS : N3313035, OEM : L20626251B, TRUSTING : DF1295
	CX 7	2300	2009		Rear	MRD1502V		
	CX 7	2300	2012		Rear	MRD1502V		
MAZDA	Mazda 6 Wagon	2300	2005		Front	MRD1514V	Recommended Type: Vented ,Disc Thickness: 23, Num. of holes : 5, Height : 46.3, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 320	Blue Print : ADM543112, CAR : 142.1552, Fritech : DF1255, MAZDA : G31Y3325XA, MINTEX : MDC2044, NIBK : RN1514V, TRUSTING : DF1255
	Mazda 6	2300	2005	2008	Front	MRD1514V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MAZDA	CX 5	2000	2011		Front	MRD1516V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 51.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 297	Blue Print : ADM543123, MAZDA : K01133251B, MAZDA : GHP9-33-251A, MAZDA : K01133251A, MAZDA : GHR1-33-251, NiBK : RN1516V, TRW : DF8052
	CX 5	2200	2012		Front	MRD1516V		
	Mazda 6	2000	2012		Front	MRD1516V		
	Mazda 6	2500	2012		Front	MRD1516V		
	Mazda 6	2500	2012		Front	MRD1516V		
	Mazda 6	2000	2012		Rear	MRD1552	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 39.5, Centering Diameter :68, Position: Rear, Outter & Oslash : 278	Blue Print : ADM543127, Japan Parts : DP-331, MAZDA : GHT226251, NiBK : RN1552
	Mazda 6	2500	2012		Rear	MRD1552		
	Mazda 6	2500	2012		Rear	MRD1552		
	Tribute	2300	2003	2005	Rear	MRD1521	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 56, Centering Diameter :72, Position: Rear, Outter & Oslash : 302	CAR : 142.1382, Fritch : DF1297, INTERBRAKE : MX161P, MAZDA : EF9126251, MAZDA : EF9126251A, NiBK : RN1521, TRUSTING : DF1297
	Tribute	3000	2004	2008	Rear	MRD1521		
	CX 5	2000	2011		Rear	MRD1517	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 41, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 303	Japan Parts : DP-330, MAZDA : K01126251A, NiBK : RN1517
	CX 5	2200	2012		Rear	MRD1517		
	323	1300	1998	2003	Front	MRD1253V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 4, Height : 46, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 234.8	MAZDA : B25Y3325XB, MAZDA : B5Y23325XC, MAZDA : B4583325XD, NiBK : RN1253V, TRW : DF7243
	323	1300	1998	2003	Front	MRD1253V		
MAZDA	3	2000	2013		Front	MRD1564V		MAZDA : B45A33251A, NiBK : RN1564V
	3	1500	2013		Front	MRD1564V		
	3	2000	2013		Rear	MRD1565V	Recommended Type: Vented	MAZDA : B45G26251A, NiBK : RN1565V
	3	1500	2013		Rear	MRD1565V		
	3	2000	2013		Rear	MRD1565V		
	3	2000	2013		Front	MRD1566V		MAZDA : B45G33251A, NiBK : RN1566V
	Titan	4600	1999	2000	Front	MRD1356V	Recommended Type: Vented, Num. of holes : 5, Position: Front	MAZDA : W53033251, NiBK : RN1356V
	Titan	4600	2000		Front	MRD1356V		
	MPV	3000	1991	1996	Front	MRD1314V	Recommended Type: Vented 276 ,Disc Thickness: 28, Num. of holes : 5, Height : 58, Centering Diameter :72, Position: Front, Pitch Circle & Oslash: 114.3	CAR : 142.049, FERODO : DDF1673, Fritch : DF230, INTERBRAKE : MZ881V, JAPANPARTS : DI-384, MAZDA : LB823325XA, MAZDA : LB823325X, MINTEX : MDC1986, NiBK : RN1314V, NIPPARTS : J3303064, NK : 203243, PAGID : 54300, QH : BDC5254, REMSA : 6892.10, ROADHOUSE : 6892.10, SBS : 1815203243, TEXTAR : 92130000, TRUSTING : DF230, TRW : DF7186
	MPV	2500	1995	1999	Front	MRD1314V		
	MPV	3000	1991	1999	Front	MRD1314V		
	MPV	2500	1995	1999	Front	MRD1314V		
	MPV	3000	1991	1999	Front	MRD1314V		
	MPV	3000	1991	1996	Front	MRD1314V		
	323	1400	2001	2004	Front	MRD1387V	Recommended Type: Vented & Oslash 258 ,Disc Thickness: 24, Num. of holes : 4, Height : 47, Centering Diameter :55, Position: Front	AC DELCO : AC2538D, AP : 24765, ATE : 24.0124-0164.1, BOSCH : 0 986 478 989, BRADI : 1.2661.2.4, BRECO : BS 8357, BREMBO : 09.7826.10, CAR : 142.852, CAR RACING : HPD 852, CIFAM : 800-619, DELPHI : BG3509, FERODO : DDF1105, Fritch : DF512, GRAF : DF29619, INTERBRAKE : MZ771V, JAPANPARTS : DI-320, KWP : 129619, LPR : M5840V, LUCAS : DF4119, MAZDA : B27Y3325XL1, MAZDA : BJ1Y3325X, Metelli : 23-0619, MINTEX : MDC1401, NECTO : WN1111, NiBK : RN1387V, NIPPARTS : J3303069, PAGID : 50296, PILENGA : V519, QH : BDC5149, SBS : 1815203235, SBS : 222215V, SBS : 222215, TEXTAR : 92103100, TRUSTING : DF512, TRW : DF4119, VALEO : 186810, ZIMMERMANN : 370.3071.00
	323	1600	2001	2004	Front	MRD1387V		
	323	2000	2001	2004	Front	MRD1387V		
	323	1400	2001	2004	Front	MRD1387V		
	323	1600	2001	2004	Front	MRD1387V		
	323	2000	2001	2004	Front	MRD1387V		
MERCEDES BENZ	BT 50	2500	2007	2011	Front	MRD1465V	Recommended Type: Vented & Oslash 289 ,Disc Thickness: 28, Num. of holes : 6, Height : 70.3, Centering Diameter :98, Position: Front, Pitch Circle & Oslash: 139.7	FORD : UM5133251, Fritch : DF1307, MAZDA : UM5133251, MINTEX : MDC2217, NiBK : RN1465V, NIPPARTS : N3303091, NK : 203271, OEM : UMY133251, OEM : UM5133251, OEM : UR6133251, SBS : 1815203271, TRUSTING : DF1307, TRW : DF7362
	C Class	1800	1997	2000	Front	MRD1051V	Recommended Type: Vented & Oslash : 284 ,Disc Thickness: 22, Num. of holes : 5, Height : 43.5, Centering Diameter :67, Position: Front, Pitch Circle & Oslash: 112mm	AC DELCO : AC2143D, AP : 24480E, ATE : 24.0122-0132.1, ATE : 24.0322-0132.1, BENDIX : 561697B, BENDIX EUR : 561697B, BOSCH : 0 986 478 301, BRADI : 1.2809.2.5, BRECO : BS 8311, BREMBO : 09.4869.40, BREMBO : 09.4869.20, BREMBO : 09.4869.44, CAR : 142.471, CAR RACING : HPD 471, CIFAM : 800-314, DELPHI : BG2768, DELPHI : BG768, FERODO : DRF588, FERODO : DDF588, Fritch : DF243, GRAF : DF29314, INTERBRAKE : MR371V, INTERCAR : MR371V, JURID : 561697JC, JURID : 561697J, KWP : 129314, KWP : 1029314L, Lemforder : 11073 03, Lemforder : 11073, LPR : M2371V, LUCAS : DF2656, MAGNETI MARELLI : 353612809250, MERCEDES : A2024210912, MERCEDES : 2024210912, Metelli : 23-0314, MINTEX : MDC741, NECTO : WN655, NiBK : RN1051V, OEM : 2024210712, PAGID : 52118, PILENGA : V195, QH : BDC3839, REMSA : 6296.20, REMSA : 6313.10, ROADHOUSE : 6296.20, ROADHOUSE : 6313.10, SBS : 1815203317, SBS : 1816303317, SBS : 1815303317, SBS : 232311, STOP : 561697S, TEXTAR : 92059400, TEXTAR : 92059403, TRUSTING : DF243, TRW : DF2656, VALEO : 186280, ZIMMERMANN : 400.1426.00
	C Class	2000	1997	2000	Front	MRD1051V		
	C Class	2200	1998	2000	Front	MRD1051V		
	C Class	2200	1996	2000	Front	MRD1051V		
MERCEDES BENZ	C Class	1800	1997	2000	Front	MRD1289	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 43.5, Centering Diameter :67, Position: Front, Pitch Circle & Oslash: 112mm, Outter & Oslash : 284	AC DELCO : AC2154D, AP : 14466E, ATE : 24.0112-0128.1, BENDIX : 561696B, BOSCH : 0 986 478 262, BRADI : 1.2827.1.4, BRECO : BS 7566, BREMBO : 08.4750.40, BREMBO : 08.4750.20, BREMBO : 08.4750.44, CAR : 142.470, CAR RACING : HPD 470, CIFAM : 800-313, DELPHI : BG769, DELPHI : BG2769, FERODO : DDF540, Fritch : DF131, GRAF : DF29313, INTERBRAKE : MR381P, INTERCAR : MR381P, JURID : 561696JC, JURID : 561696J, KWP : 129313, KWP : 1029313L, Lemforder : 11072 02, Lemforder : 11072, LPR : M2381P, LUCAS : DF2654, MAGNETI MARELLI : 353612827140, MERCEDES : 2024210212, MERCEDES : A2024210212, Metelli : 23-0313, MINTEX : MDC806, NECTO : WN575, NiBK : RN1289, PAGID : 52108, PILENGA : 5194, QH : BDC3838, REMSA : 6312.10, REMSA : 6310.00, ROADHOUSE : 6312.10, ROADHOUSE : 6310.00, SAMKO : N 2381P, SBS : 1815303316, SBS : 232309, SBS : 1815203316, SBS : 1816303316, STOP : 561696S, TEXTAR : 92059303, TEXTAR : 92059300, TRUSTING : DF131, TRW : DF2654, VALEO : 186298, VALEO : 186251, WOKING : D6310.00, ZIMMERMANN : 400.1425.00
	C Class	2000	1997	2000	Front	MRD1289		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MERCEDES BENZ	G Class	3000	1996	2000	Front	MRD1273V	Recommended Type: Vented ,Disc Thickness: 16, Num. of holes : 5, Height : 83, Centering Diameter :85, Position: Front, Pitch Circle & Oslash: 130mm, Outter & Oslash : 303	AC DELCO : AC2344D, AP : 14312, ATE : 24.0116-0133.1, ATE : 24.0116-0101.1, BENDIX : 561283B, BENDIX EUR : 561283B, BOSCH : 0 986 478 189, BRADI : 1.2814.1.4, BRECO : BS 7422, BRECO : BS 7584, BREMBO : 08.5444.10, CAR : 142.468, CAR RACING : HPD 468, CIFAM : 800-419, DELPHI : BG2566, FERODO : DDF250, Fritch : DF756, GRAF : DF29419, INTERBRAKE : MR211P, JURID : 561283J, KWP : 1029419, KWP : 129419, Lemforder : 12702, Lemforder : 12702 01, LPR : M2211P, LUCAS : DF1599, MERCEDES : A4604210012, MERCEDES : 4604210012, Metelli : 23-0419, MINTEX : MDC671, NECTO : WN506, NIBK : RN1273V, OEM : 424691, PAGID : 52112, PILENGA : 5190, QH : BDC3667, REMSA : 6350.00, ROADHOUSE : 6350.00, SBS : 1815203315, TEXTAR : 92020300, TRUSTING : DF756, TRW : DF1599, VALEO : 186669, VALEO : 186692, WOKING : D6350.00, ZIMMERMANN : 400.1404.00
	G Class	3200	1993	1999	Front	MRD1273V		
	G Class	5000	1997		Front	MRD1273V		
	G Class	3000	1989	1993	Front	MRD1273V		
	G Class	4000	2000		Front	MRD1273V		
	CLK Class	2000	1998	2002	Front	MRD1087V	Recommended Type: Vented & Oslash : 300 ,Disc Thickness: 28, Num. of holes : 5, Height : 46.6, Centering Diameter :67, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2416D, AP : 24905V, AP : 24904, ATE : 24.0128-0106.1, ATE : 24.0328-0106.1, BENDIX : 562066B, BENDIX : 562034B, BENDIX EUR : 562034B, BOSCH : 0 986 478 876, BRADI : 1.2830.2.E, BRECO : BV 8401, BRECO : BS 8293, BRECO : BS 8395, BREMBO : 09.7218.11, BREMBO : 09.8304.11, BREMBO : 09.8304.20, FD.081.000, BREMBO : FS.081.000, BREMBO : 09.7218.10, BREMBO : 09.8304.10, BREMBO : 09.8304.20, BREMBO : FD.116.000, BREMBO : FS.116.000, CAR : 142.443, CAR : 142.388, CAR RACING : HPD 388, CAR RACING : HPD443, CHRYSLER : 5098063AA, CHRYSLER : 5098064AA, CIFAM : 800-753, CIFAM : 800-508, CIFAM : 800-753C, CIFAM : 800-508C, DELPHI : BG2298, FERODO : DDF985, FERODO : DDF985, FERODO : DDF1136, Fritch : DF464, Fritch : DF733, GRAF : DF29508, GRAF : DF29753, INTERBRAKE : MR901V, INTERBRAKE : MR611V, INTERCAR : MR611V, JURID : 562034JC, JURID : 562034J, JURID : 562066J, KWP : 129753, KWP : 129508, Lemforder : 13505 03, Lemforder : 30972 01, Lemforder : 13505, Lemforder : 30972, LPR : M2611V, LPR : M2737V, LUCAS : DF4181, LUCAS : DF2812, MAGNETI MARELLI : 351285520500, MAGNETI MARELLI : 351283020500, MERCEDES : A2104211512, MERCEDES : 2104211212, MERCEDES : 2034210512, MERCEDES : A2104212212, MERCEDES : 2104211512, MERCEDES : A2104212512, Metelli : 23-0753C, Metelli : 23-0508C, MINTEX : MDC853, NECTO : WN939, NECTO : WN1155, NIBK : RN1087V, NK : 203341, OEM : 2104212512, OEM : 2104212212, PAGID : 54060, PAGID : 52151, PILENGA : V197, PILENGA : V291, QH : BDC4540, REMSA : 6863.20, REMSA : 6556.10, REMSA : 6315.20, ROADHOUSE : 6556.10, ROADHOUSE : 6315.20, ROADHOUSE : 6863.20, SBS : 1815303341, SBS : 1816303341, SBS : 1815203341, SBS : 1815453341, SBS : 232331, TEXTAR : 98200 0726 0 1, TRUSTING : DF464, TRW : DF2812, VALEO : 186468, VEMA : 98060
	CLK Class	2300	1998	2002	Front	MRD1087V		
	CLK Class	3200	1997	2002	Front	MRD1087V		
	E Class	2000	1997	2000	Front	MRD1087V		
	E Class	2400	1997	2000	Front	MRD1087V		
	E Class	2700	1999	2003	Front	MRD1087V		
	E Class	2700	1999	2002	Front	MRD1087V		
	E Class	2800	1997	2003	Front	MRD1087V		
	E Class	3200	1999	2003	Front	MRD1087V		
	E Class	3200	1999	2002	Front	MRD1087V		
	SLK Class	3200	1999	2004	Front	MRD1087V		
	C Class	2000	2000	2002	Front	MRD1087V		
	C Class	2000	2000	2002	Front	MRD1087V		
	C Class	2200	2000	2007	Front	MRD1087V		
	C Class	2200	2000	2007	Front	MRD1087V		
	CLK Class	1800	2002	2009	Front	MRD1087V		
	E Class	2600	2000	2002	Front	MRD1087V		
	SLK Class	2000	1997	2003	Front	MRD1087V		
	SLK Class	2300	1997	2004	Front	MRD1087V		
	SLK Class	2800	2005	2009	Front	MRD1087V		
	SLK Class	3500	2005	2011	Front	MRD1087V		
MERCEDES BENZ	C Class	1800	1997	2000	Rear	MRD1288	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 55.5, Centering Diameter :67, Position: Rear, Pitch Circle & Oslash: 112mm, Outter & Oslash : 258	AC DELCO : AC2541D, AC DELCO : AC2153D, AP : 14465E, ATE : 24.0309-0120.1, ATE : 24.0109-0120.1, BENDIX : 561698B, BENDIX EUR : 561698B, BOSCH : 0 986 478 255, BRADI : 1.2807.5.5, BRECO : BS 7472, BREMBO : 08.4738.24, BREMBO : 08.4738.20, CAR : 142.472, CAR RACING : HPD 472, CIFAM : 800-315C, CIFAM : 800-315, DELPHI : BG2761, DELPHI : BG761, FERODO : DDF539, Fritch : DF132, GRAF : DF29315, INTERBRAKE : MR401P, INTERCAR : MR771V, INTERCAR : MR401P, JURID : 561698JC, JURID : 561698J, KWP : 129315, KWP : 1029315L, KWP : 129645, Lemforder : 11074 03, Lemforder : 27228 01, Lemforder : 11074, Lemforder : 27228, LPR : M2401P, LUCAS : DF4089S, LUCAS : DF2653BP, LUCAS : DF4089BPS, LUCAS : DF2653C, Metelli : 23-0508C, MAGNETI MARELLI : 353612807550, MERCEDES : A2024230012, MERCEDES : 2024230012, Metelli : 23-0315C, MINTEX : MDC769, NECTO : WN574, NIBK : RN1288, NK : 203318, PAGID : 52106, PILENGA : 5195, QH : BDC5005, QH : BDC4543, QH : BDC3840, REMSA : 6293.10, REMSA : 6193.00, ROADHOUSE : 6293.10, ROADHOUSE : 6193.00, SBS : 232310, SBS : 1815203318, STOP : 561698S, TEXTAR : 92089800, TEXTAR : 92059500, TRUSTING : DF132, TRW : DF2653, VALEO : 186281, WOKING : D6623.10, ZIMMERMANN : 400.1427.00, ZIMMERMANN : 400.3605.00
	C Class	2000	1997	2000	Rear	MRD1288		
MERCEDES BENZ	SLK Class	2000	1997	2003	Rear	MRD1298	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 55.5, Centering Diameter :67, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 290	AC DELCO : AC2592D, AC DELCO : AC2347D, AP : 14713, AP : 14849V, AP : 14849, AP : 14872, APEC : DSK216A, ATE : 24.0112-0148.1, ATE : 24.0312-0148.1, ATE : 24.0110-0217.1, ATE : 24.0310-0217.1, BENDIX : 562014B, BENDIX : 562191B, BENDIX EUR : 562014B, BOSCH : 0 986 478 987, BOSCH : 0 986 478 626, BRADI : 1.2831.5.4, BRECO : BV 7640, BRECO : BS 7671, BRECO : BS 7558, BRECO : BS 7640, BREMBO : 08.7211.76, BREMBO : 08.7211.20, BREMBO : 08.9918.20, BREMBO : 08.7211.10, BREMBO : 08.9918.10, BREMBO : 08.7211.21, BREMBO : 08.9918.21, CAR : 142.445, CAR : 142.287, CAR RACING : HPD445, CIFAM : 800-485C, CIFAM : 800-749C, CIFAM : 800-485, CIFAM : 800-749, DELPHI : BG3674, DELPHI : BG3239, FERODO : DDF963, FERODO : DDF018, FERODO : DDF1425, Fritch : DF152, Fritch : DF767, GRAF : DF29749, INTERBRAKE : AD651P, INTERBRAKE : MR621P, INTERCAR : MR621P, JURID : 562014JC, JURID : 562191JC, JURID : 562191J, JURID : 562014J, KWP : 129749, KWP : 129485, Lemforder : 13506 03, Lemforder : 25883 01, Lemforder : 13506, Lemforder : 25883, LPR : M2621P, LPR : A1013P, LUCAS : DF2813, LUCAS : DF4211, MAGNETI MARELLI : 353610138505, MAGNETI MARELLI : 353612831540, MERCEDES : A1244231112, MERCEDES : 1244231112, MERCEDES : 2104230612, MERCEDES : A2104231012, MERCEDES : A2104230312, MERCEDES : 2004230412, MERCEDES : 2104230312, MERCEDES : 2104231012, MERCEDES : A2104230612, Metelli : 23-0485C, Metelli : 23-0749C, MINTEX : MDC1541, MINTEX : MDC854, NECTO : WN1380, NECTO : WN937, NIBK : RN1298, OEM : 8E06156010, OEM : 8E0615301AA, OEM : 8E0615601Q, PAGID : 50312, PAGID : 52139, PILENGA : 5867, PILENGA : 5197, PILENGA : 5876, QH : BDC4541, QH : BDC5308, REMSA : 6555.00, REMSA : 6731.00, ROADHOUSE : 6555.00, ROADHOUSE : 6731.00, SBS : 1815204782, SBS : 232329, SBS : 1815203342, TEXTAR : 92106300, TEXTAR : 92072700, TEXTAR : 92072703, TRUSTING : DF767, TRUSTING : DF152, TRW : DF2813, VALEO : 186856, VALEO : 186469, VEMA : 98055, WOKING : D6731.00, WOKING : D6555.00, ZIMMERMANN : 400.1437.00, ZIMMERMANN : 100.1244.00
	SLK Class	2300	1997	2004	Rear	MRD1298		
MERCEDES BENZ	SLK Class	3200	1999	2004	Rear	MRD1298		
	G Class	3000	1996	2000	Rear	MRD1274	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 96.6, Centering Diameter :85, Position: Rear, Pitch Circle & Oslash : 112mm, Outter & Oslash : 258	AP : 14811, AP : 15375, ATE : 24.0112-0142.1, BENDIX : 567771B, BENDIX : 562156B, BENDIX : 569120B, BENDIX EUR : 562473B, BOSCH : 0 986 479 073, BOSCH : 0 986 478 863, BRADI : 1.2843.5.4, BRECO : BS 7610, BRECO : BS 7575, BREMBO : 08.7724.10, BREMBO : 08.7724.20, CAR : 142.429, CAR RACING : HPD 429, CIFAM : 800-491, DELPHI : BG3235, FERODO : FCR227A, FERODO : DDF931, FERODO : FCR230A, Fritch : DF216, GRAF : DF29491, INTERBRAKE : MR661P, INTERCAR : MR661P, JURID : 567771J, JURID : 562156J, JURID : 569120J, KWP : 129491, Lemforder : 22827 02, Lemforder : 22827, LPR : M2661P, LUCAS : DF4087S, LUCAS : DF4087, MAGNETI MARELLI : 353612843540, MAGNETI MARELLI : 353612843550, MERCEDES : A9014230612, MERCEDES : 9014230612, MERCEDES : 9014230412, MERCEDES : A9014230412, MERCEDES : 9014230812, MERCEDES : A9014230812, MERCEDES : 9014231012, Metelli : 23-0491, MINTEX : MDC1074, NIBK : RN1274, OEM : 2D0615601, PAGID : 50309, PAGID : 54375, PAGID : 52142, PILENGA : 5895, QH : BDC4699, REMSA : 6565.00, ROADHOUSE : 6565.00, SBS : 1815203337, SBS : 1815203395, SBS : 1815203368, SBS : 232327, TEXTAR : 98200 0734 0 1, TEXTAR : 92105200, TEXTAR : 92137503, TEXTAR : 92073400, TEXTAR : 92137500, TRUSTING : DF216, TRW : DF4087S, VW : 2D0615601C, ZIMMERMANN : 400.6468.00, ZIMMERMANN : 400.1440.00
	G Class	3200	1993	1999	Rear	MRD1274		
	G Class	5000	1997		Rear	MRD1274		
	Sprinter	2900	1997	2006	Rear	MRD1274		
	Sprinter	2200	2000	2006	Rear	MRD1274		
	Sprinter	2200	2000	2001	Rear	MRD1274		
	Sprinter	2900	1994	1995	Rear	MRD1274		
	Sprinter	2900	1997	1998	Rear	MRD1274		
	G Class	3000	1996	2000	Rear	MRD1274		
	G Class	3200	1993	1999	Rear	MRD1274		
	G Class	5000	1997		Rear	MRD1274		
	G Class	3000	1989	1993	Rear	MRD1274		
	Sprinter	2300	2000	2006	Rear	MRD1274		
MERCEDES BENZ	Viano	2000	2006		Rear	MRD1559	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 57.7, Centering Diameter :67, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 296	AP : 14835, APEC : DSK2263, ATE : 24.0110-0280.1, BENDIX : 562263B, BOSCH : 0 986 479 138, BRECO : BS 7626, BREMBO : 08.8405.10, CAR : 142.1100, CAR RACING : HPD 1100, CIFAM : 800-712, DELPHI : BG3969, FERODO : DDF1234, Fritch : DF967, INTERBRAKE : MD061P, JURID : 562263J, Lemforder : 28704, Lemforder : 28704 01, LPR : M2013P, LUCAS : DF4356, MAGNETI MARELLI : 351286450500, MERCEDES : A639 423 01 12, Metelli : 23-0712, MINTEX : MDC1729, NECTO : WN1246, NIBK : RN1559, OEM : 6394230112, PAGID : 54235, PILENGA : 5901, QH : BDC5429, REMSA : 6678.00, ROADHOUSE : 6678.00, SBS : 1815203376, TEXTAR : 93123500, TRUSTING : DF967, VALEO : 186858, WOKING : D6678.00, ZIMMERMANN : 400.6473.00
	Viano	3200	2003		Rear	MRD1559		
	ML	3000	2011		Rear	MRD1539	Recommended Type: Solid ,Disc Thickness: 14, Num. of holes : 5, Height : 63, Centering Diameter :67, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 330	AP : 14913 V, ATE : 24.0114-0114.1, BENDIX : 562324B, BOSCH : 0 986 479 330, BRECO : BV 7689, BREMBO : 08.R101.11, CAR : 142.1243, CAR RACING : HPD 1243, DELPHI : BG4031, FERODO : DDF1530, Fritch : DF1417, INTERBRAKE : MD241P, JURID : 562324J, LPR : M2037P, LUCAS : DF4472S, LUCAS : DF4472, MERCEDES : 1644230512, MERCEDES : A1644230512, MINTEX : MDC2066, NIBK : RN1539, NK : 203391, PAGID : 54508, PILENGA : 5908, QH : BDC5586, REMSA : 61166.00, ROADHOUSE : 61166.00, SBS : 1815203391, TEXTAR : 92150800, TRUSTING : DF1417, WOKING : D61166.00, ZIMMERMANN : 400.3650.20

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MERCEDES BENZ	Viano	2000	2006		Front	MRD1588V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 58.5, Centering Diameter :67, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 300	AP : 24835, APEC : DSK2289, ATE : 24.0128-0145.1, BOSCH : 0 986 479 137, BRECO : BS 8459, BREMBO : 09.8404.10, CAR : 142.1099, CAR RACING : HPD 1099, CIFAM : 800-723, DELPHI : BG3838, Fritch : DF970, INTERBRAKE : MDO51V, JURID : 562322J, JURID : 562392J, Lemforder : 28703, Lemforder : 28703 01, LPR : M2004V, LUCAS : DF4373, MAGNETI MARELLI : 351286320500, MERCEDES : A6394210012, MERCEDES : A 639 421 03 12, Metelli : 23-0723, MINTEX : MDC1728, NECTO : WN1224, NIBK : RN1588V, PAGID : 54234, PILENGA : V912, QH : BDC5428, REMSA : 6679.10, ROADHOUSE : 6679.10, SBS : 1815203375, SBS : 1816303375, SBS : 1815303375, TEXTAR : 93123400, TRUSTING : DF970, VALEO : 186890, VALEO : 350174, WOKING : D6679.10, ZIMMERMANN : 400.6472.00
	Viano	3200	2003		Front	MRD1588V		
	ML	3000	2005		Rear	MRD1538V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 55, Centering Diameter :67, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 330	ATE : 24.0122-0226.1, BREMBO : 09.R102.11, CAR : 142.1271, CIFAM : 800-964C, CIFAM : 800-964, DELPHI : BG4030, FERODO : DDF1531, Fritch : DF1130, INTERBRAKE : MD261V, JURID : 562326J, LPR : M2039V, LUCAS : DF7352, Metelli : 23-0964, Metelli : 23-0964C, MINTEX : MDC2065, NIBK : RN1538V, OEM : 1644230612, OEM : 1644231112, PAGID : 54509, PILENGA : V931, SBS : 1815203394, TEXTAR : 92150900, TRUSTING : DF1130, ZIMMERMANN : 400.3663.00
	ML	3500	2005		Rear	MRD1538V		
	GL Class	3000	2006		Rear	MRD1538V		
	GL Class	4700	2006		Rear	MRD1538V		
	R Class	3000	2007		Rear	MRD1538V		
	R Class	3500	2007		Rear	MRD1538V		
	ML	3000	2005		Front	MRD1394V	Recommended Type: Vented 330 ,Disc Thickness: 32, Num. of holes : 5, Height : 54.7, Centering Diameter :67, Position: Front, Pitch Circle & Oslash: 112	ATE : 24.0132-0158.1, BREMBO : 09.R104.11, CAR : 142.1205, CAR RACING : HPD 1205, CIFAM : 800-937C, CIFAM : 800-937, DELPHI : BG9968, FERODO : DDF1533, FERODO : DDF1533C, Fritch : DF1043, INTERBRAKE : MD171V, JURID : 562403J, JURID : 562343J, LPR : M2029V, LUCAS : DF4471S, LUCAS : DF4471, MERCEDES : 1644210412, MERCEDES : A1644210412, MERCEDES : 1644211312, Metelli : 23-0937, Metelli : 23-0937C, MINTEX : MDC2068, NIBK : RN1394V, PAGID : 54506, PILENGA : V926, SBS : 1815343392, SBS : 1815203392, TEXTAR : 92150605, TEXTAR : 92150600, TRUSTING : DF1043, TRW : DF4471S, TRW : DF4471, ZIMMERMANN : 400.3648.00
	ML	3500	2005		Front	MRD1394V		
	R Class	3000	2007		Front	MRD1394V		
	R Class	3500	2007		Front	MRD1394V		
MERCEDES BENZ	Sprinter	2200	2000	2006	Front	MRD1388V	Recommended Type: Vented & Oslash 276 ,Disc Thickness: 22, Num. of holes : 5, Height : 77, Centering Diameter :85, Position: Front, Pitch Circle & Oslash: 130	AC DELCO : AC23340, AC DELCO : AC2331D, AC DELCO : AC2162D, AP : 14552C, AP : 14565C, AP : 24867E, AP : 24804A, AP : 14552, AP : 14565, AP : 24722E, AP : 24868E, ATE : 24.0122-0161.1, ATE : 422161, ATE : 24.0322-0161.1, ATE : 24.0110-0339.1, BENDIX : 561965B, BENDIX : 562120B, BENDIX : 569122B, BENDIX : 562086B, BENDIX : 561868B, BENDIX : 567760B, BOSCH : 0 986 478 442, BOSCH : 0 986 479 075, BOSCH : 0 986 478 849, BRADI : 1.2837.2.4, BRADI : 1.4022.5.4, BRECO : BS 8533, BRECO : BC 7483, BRECO : BS 7483, BRECO : BS 8431, BRECO : BS 8534, BRECO : BC 7484, BRECO : BS 8301, BRECO : BS 7484, BREMBO : 09.9618.10, BREMBO : 09.9618.24, BREMBO : 08.5833.10, BREMBO : 09.6916.10, BREMBO : 09.7314.14, BREMBO : 09.7314.24, BREMBO : 09.9618.14, BREMBO : 08.6814.10, BREMBO : 08.5833.15, BREMBO : 09.7314.10, BREMBO : 09.7314.20, CAR : 142.432, CAR : 142.541, CAR : 142.1548, CAR RACING : HPD 432, CIFAM : 800-198, CIFAM : 800-385, CIFAM : 800-418, CIFAM : 800-383, DELPHI : BG2008, DELPHI : BG3236, DELPHI : BG2702, DELPHI : BG3194, FERODO : DDF796, FERODO : DDF1514, FERODO : DDF1013, FERODO : DDF859, FERODO : DDF1515, FERODO : FCR153A, FERODO : FCR228A, Fritch : DF1045, Fritch : DF506, Fritch : DF688, GRAF : DF29243, GRAF : DF29385, GRAF : DF29198, GRAF : DF29418, GRAF : DF29383, INTERBRAKE : MR561V, INTERBRAKE : RN391P, INTERCAR : MR561V, JURID : 567760J, JURID : 561868J, JURID : 561965J, JURID : 569122J, JURID : 562366J, KWP : 129243, KWP : 129385, KWP : 1029418L, KWP : 129198, KWP : 129383, KWP : 129418, Lemforder : 30868 01, Lemforder : 22220, Lemforder : 31233, Lemforder : 30868, Lemforder : 10298, Lemforder : 22220 03, Lemforder : 31233 01, LPR : M2561V, LPR : 01024P, LPR : RJ391P, LUCAS : DF2729, LUCAS : DF2790, LUCAS : DF2708, LUCAS : DF2729S, LUCAS : DF4321, LUCAS : DF2708, MAGNETI MARELLI : 353612837240, MAGNETI MARELLI : 353614022540, MAGNETI MARELLI : 353612837250, MAGNETI MARELLI : 353614022550, MERCEDES : 9024210412, MERCEDES : 9014210312, MERCEDES : 9024210612, MERCEDES : 9024210312, MERCEDES : 902421091211, Metelli : 23-0383, Metelli : 23-0418, Metelli : 23-0198, Metelli : 23-0385, MINTEX : MDC1012, MINTEX : MDC1037, MINTEX : MDC1013, NECTO : WN762, NECTO : WN797, NIBK : RN1388V, NK : 203944, OEM : 5104561AA, OEM : 7701805148, OEM : 9024210712, OEM : 2D0615301, OEM : 2D0615301C, OEM : 7701204303, OEM : 9014210612, OEM : 9024210912, OEM : 569122, OEM : 2D0615301A, OEM : 7700805148, PAGID : 52816, PAGID : 54541, PAGID : 54054, PAGID : 52817, PAGID : 52143, PAGID : 54315, PILENGA : V282, QH : BDC4738, QH : BDC4544, QH : BDC4441, QH : BDC4547, QH : BDC4402, REMSA : 6074.00, REMSA : 6706.20, REMSA : 6461.10, ROADHOUSE : 6461.10, ROADHOUSE : 6706.20, ROADHOUSE : 6074.00, SBS : 1815203377, SBS : 232322, SBS : 1815203916, SBS : 1815203944, SBS : 1815203334, SBS : 1815203397, SBS : 232322V, SBS : 1815203917, STOP : 561868S, STOP : 562086S, TEXTAR : 98200 1315 0 1, TEXTAR : 92154100, TEXTAR : 92131500, TEXTAR : 98200 1054 0 1, TEXTAR : 92081200, TEXTAR : 92131503, TRUSTING : DF688, TRUSTING : DF506, TRUSTING : DF1045, TRW : DF2790, TRW : DF4321, VALEO : 186772, VALEO : 186553, VALEO : 187041, VALEO : 186309, VALEO : 186775, VALEO : 186774, VW : 2D0615301C, VW : 2D0615301B, VW : 2D0615301A, VW : 2D0615301D, WOKING : D6461.10, WOKING : D6537.00, WOKING : D6074.00, ZIMMERMANN : 400.1441.00, ZIMMERMANN : 400.1439.00, ZIMMERMANN : 400.6470.00
	Sprinter				Front	MRD1382V	Recommended Type: Vented & Oslash 300 ,Disc Thickness: 28, Num. of holes : 6, Height : 68.4, Centering Diameter :85, Position: Front, Pitch Circle & Oslash: 130	AP : 25053E, ATE : 24.0128-0203.1, BOSCH : 0 986 479 294, BRECO : BS 8649, BREMBO : 09.9508.14, CAR : 142.1330, CIFAM : 800-881, DELPHI : BG4032, FERODO : FCR310A, Fritch : DF1046, INTERBRAKE : MD291V, Lemforder : 31214, Lemforder : 31214 01, LPR : M2042V, LUCAS : DF4822S, MERCEDES : 9064210012, MERCEDES : A9064210012, Metelli : 23-0881, NIBK : RN1382V, NK : 2047123, PAGID : 59432, REMSA : 61034.10, SBS : 18152047123, TEXTAR : 93143200, TRUSTING : DF1046, TRW : DF4822S, VW : 2E0615301, ZIMMERMANN : 400.6476.00
	Sprinter	2200	2006		Front	MRD1382V		
	Sprinter	3500	2006		Front	MRD1382V		
	Sprinter		2008		Front	MRD1382V		
	Sprinter		2009		Front	MRD1382V		
	Viano	2000	1995	1997	Rear	MRD1080	Recommended Type: Solid & Oslash :80 ,Disc Thickness: 10, Num. of holes : 5, Height : 63.4, Centering Diameter :67, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2392D, AP : 14654, ATE : 24.0110-0228.1, BENDIX : 562065B, BOSCH : 0 986 478 873, BRADI : 1.2835.5.4, BRECO : BS 7539, BREMBO : 08.6968.10, CAR : 142.437, CAR RACING : HPD 437, CIFAM : 800-417, DELPHI : BG3241, FERODO : DDF861, Fritch : DF202, GRAF : DF29417L, GRAF : DF29417, INTERBRAKE : MR651P, INTERCAR : MR651P, JURID : 562065J, KWP : 129417, KWP : 1029417L, Lemforder : 22219 02, Lemforder : 22219, LPR : M2651P, LUCAS : DF2794BP, LUCAS : DF2794, MAGNETI MARELLI : 353612835540, MERCEDES : 6384230112, Metelli : 23-0417, MINTEX : MDC1040, NECTO : WN861, NIBK : RN1080, PAGID : 52149, PILENGA : 5891, QH : BDC4671, REMSA : 6705.10, REMSA : 6471.00, ROADHOUSE : 6471.00, ROADHOUSE : 6705.10, SBS : 1815203333, SBS : 232321, STOP : 562065S, TEXTAR : 98200 0745 0 1, TEXTAR : 92074500, TRUSTING : DF202, TRW : DF2794, VALEO : 186552, WOKING : D6471.00, ZIMMERMANN : 400.1449.00
	Viano	2300	1995	1997	Rear	MRD1080		
MINI	Mini Cooper	1600	2001	2003	Rear	MRD1161	Recommended Type: Solid & Oslash 259 ,Disc Thickness: 9.8, Num. of holes : 4, Height : 43.8, Centering Diameter :64.1, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2577D, AP : 14823, ATE : 24.0110-0271.1, ATE : 24.0310-0271.1, BENDIX : 562194B, BOSCH : 0 986 478 601, BRECO : BS 7622, BREMBO : 08.9163.11, BREMBO : RD.134.000, BREMBO : 08.9163.10, BREMBO : 08.9163.75, BREMBO : RS.134.000, CAR : 142.085, CAR RACING : HPD 085, CIFAM : 800-667C, CIFAM : 800-667, DELPHI : BG3662, FERODO : DRF1128, FERODO : DDF1128, Fritch : DF697, INTERBRAKE : BW561P, JURID : 562194J, Lemforder : 27179, Lemforder : 27179 01, LPR : B2009P, LUCAS : DF4198, MAGNETI MARELLI : 351065650500, Metelli : 23-0667C, MINI (BY BMW) : 34211503070, MINI (BY BMW) : 34216774987, MINTEX : MDC1499, MINTEX : MDC1804, NECTO : WN1147, NIBK : RN1161, NK : 204036, OEM : SDB101150, PAGID : 50325, PILENGA : 5132, QH : BDC5313, REMSA : 6629.00, REMSA : 6889.10, ROADHOUSE : 6629.00, ROADHOUSE : 6889.10, SBS : 1815204017, TEXTAR : 92107600, TRUSTING : DF697, TRW : DF4198, VALEO : 186812, VEMA : 98082, WOKING : D6629.00, ZIMMERMANN : 150.3446.20, ZIMMERMANN : 150.3401.00
	Mini Cooper	1600	2001	2008	Rear	MRD1161		
	Mini One I R50 52	1400	2003	2007	Rear	MRD1161		
	Mini One II	1600	2007	2010	Rear	MRD1161		
MINI	Mini Cooper	1600	2001	2003	Front	MRD1160V	Recommended Type: Vented & Oslash 276 ,Disc Thickness: 22, Num. of holes : 4, Height : 44.2, Centering Diameter :64.15, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2576D, AP : 24220, ATE : 24.0322-0204.1, ATE : 24.0122-0204.1, BENDIX : 562139B, BENDIX EUR : 562139B, BOSCH : 0 986 478 606, BRECO : BS 8403, BREMBO : 09.8655.75, BREMBO : FS.104.000, BREMBO : 09.8655.11, BREMBO : FD.104.000, BREMBO : 09.8655.10, CAR : 142.084, CAR RACING : HPD 084, CIFAM : 800-666, CIFAM : 800-666C, DELPHI : BG3661, FERODO : DDF1127, FERODO : DRF1127, Fritch : DF825, INTERBRAKE : BW551V, JURID : 562139J, Lemforder : 27178 01, Lemforder : 27178, LPR : B2008V, LUCAS : DF4197, MAGNETI MARELLI : 353610654240, Metelli : 23-0666C, MINI (BY BMW) : 34111502891, MINI (BY BMW) : 34116774984, MINTEX : MDC1129, NECTO : WN1146, NIBK : RN1160V, OEM : SDB101130, PAGID : 50324, PILENGA : V811, QH : BDC5312, REMSA : 6624.10, ROADHOUSE : 6624.10, SBS : 1815304016, SBS : 1815204016, SBS : 1816304016, TEXTAR : 92107500, TRUSTING : DF825, TRW : DF4197, VALEO : 186762, VEMA : 98081, WOKING : D6624.10, ZIMMERMANN : 150.3400.20
	Mini Cooper	1600	2001	2008	Front	MRD1160V		
	Mini One I R50 52	1400	2003	2007	Front	MRD1160V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MITSUBISHI	Colt	1300	1991	1996	Front	MRD1103V	Recommended Type: Vented & Oslash : 236 ,Disc Thickness: 18, Num. of holes : 4, Height : 45, Centering Diameter : 64, Position: Front, Pitch Circle & Oslash : 100	AC DELCO : AC2289D, AP : 24687, AP : X24687, ATE : 24.0118-0120.1, BENDIX : 562011B, BENDIX EUR : 562011B, BOSCH : 0 986 478 572, BRADI : 1.3036.2.4, BRECO : BS 8276, BREMBO : 09.7056.75, BREMBO : FS.078.000, BREMBO : 09.7056.10, BREMBO : FD.078.000, CAR : 142.870, CAR RACING : HPD 870, CIFAM : 800-505, DELPHI : BG2810, FERODO : DDF1005, FERODO : DDF924, Fritch : DF305, GRAF : DF29505, INTERBRAKE : DG321V, INTERCAR : DG321V, JURID : 562011J, KWP : 129505, LPR : D1321V, LUCAS : DF4022, MAGNETI MARELLI : 353613036240, Metelli : 23-0505, MINTEX : MDC945, MITSUBISHI : MB699282, MITSUBISHI : MB950922, MITSUBISHI : MB699283, MITSUBISHI : MR449769, NECTO : WN925, NIBK : RN1103V, PAGID : 52218, PILENGA : V607, PROTON : MB699283, QH : BDC4805, QH : BDC4629, REMSA : 6348.20, REMSA : 6557.10, REMSA : 6528.10, ROADHOUSE : 6528.10, ROADHOUSE : 6348.20, ROADHOUSE : 6557.10, SBS : 1815203021, SBS : 242423, TEXTAR : 92089400, TEXTAR : 98200 0894 0 1, TRUSTING : DF305, TRW : DF4022, VALEO : 186818, WOKING : D6557.10, ZIMMERMANN : 380.2161.00
	Colt	1300	1994	1996	Front	MRD1103V		
	Colt	1600	1991	1996	Front	MRD1103V		
	Colt	1600	1996	2004	Front	MRD1103V		
	Lancer	1300	1996	2000	Front	MRD1103V		
	Lancer	1600	1992	1999	Front	MRD1103V		
	Mirage	1300	1995	1996	Front	MRD1103V		
	Mirage	1300	1996	2000	Front	MRD1103V		
	Mirage	1500	1995	1997	Front	MRD1103V		
	Mirage	1500	1996	2000	Front	MRD1103V		
	Lancer	1600	1992	1999	Front	MRD1103V		
	Lancer	1800	1995	2000	Front	MRD1103V		
	Lancer	1600	1995	2000	Front	MRD1103V		
	Lancer	1600	1995	2000	Front	MRD1103V		
	Mirage	1600	1995	2000	Front	MRD1103V		
	Mirage	1600	1995	2000	Front	MRD1103V		
	Mirage	1300	1991	1996	Front	MRD1275		
	Mirage	2000	1995	1999	Front	MRD1275		
	Mirage	1300	1991	1996	Front	MRD1275		
	Lancer	1300	1991	1995	Front	MRD1275		
MITSUBISHI	Mirage	2000	1995	1999	Front	MRD1275	Recommended Type: Solid ,Disc Thickness: 13, Num. of holes : 4, Height : 45, Centering Diameter : 64, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 234	AC DELCO : AC2290D, AP : 14686, ATE : 24.0113-0186.1, BENDIX : 561996B, BENDIX EUR : 561996B, BOSCH : 0 986 478 636, BRADI : 1.3037.1.4, BRECO : BS 7549, BREMBO : 08.5243.30, CAR : 142.869, CAR RACING : HPD 869, CIFAM : 800-478, DELPHI : BG2809, FERODO : DDF998, Fritch : DF110, GRAF : DF29478, INTERBRAKE : DG311P, INTERCAR : DG311P, JAPANPARTS : DI-538, JURID : 561996J, KWP : 129478, LPR : D1311P, LUCAS : DF4021, MAGNETI MARELLI : 353613037140, Metelli : 23-0478, MINTEX : MDC1027, MITSUBISHI : MB699281, NECTO : WN918, NIBK : RN1275, PAGID : 52217, PROTON : MB699280, PROTON : MB699281, QH : BDC4855, REMSA : 6349.10, ROADHOUSE : 6349.10, SBS : 242422, SBS : 1815203018, TEXTAR : 92089300, TRUSTING : DF110, TRW : DF4021
	Mirage	2000	1995	1999	Front	MRD1275		
	Mirage	1300	1991	1996	Front	MRD1275		
	Lancer	1300	1991	1995	Front	MRD1275		
	Mirage	2000	1995	1999	Front	MRD1275		
	Lancer	1300	1991	1995	Front	MRD1275		
	Mirage	1300	1991	1996	Front	MRD1275		
	Galant	2000	1989	1992	Front	MRD1011V		
	Chariot	2000	1991	1999	Front	MRD1011V		
	Chariot	2000	1991	1998	Front	MRD1011V		
	Space Runner	2000	1991	1999	Front	MRD1011V		
	Galant	1800	1992	1996	Front	MRD1011V		
	Galant	2000	1992	1996	Front	MRD1011V		
	Space Runner	1800	1993	1999	Front	MRD1011V		
	Galant	2000	1996	2001	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1992	1996	Front	MRD1011V		
	Galant	2000	1987	1989	Front	MRD1011V		
	Galant	2000	1992	1996	Front	MRD1011V		
	Galant	2000	1989	1992	Front	MRD1011V		
MITSUBISHI	Galant	2000	1996	2001	Front	MRD1011V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter : 69, Position: Front, Outter & Oslash : 256	AC DELCO : AC2307D, AC DELCO : AC2497D, AP : 24660, AP : X24398, AP : 24398E, AP : 24866, ATE : 24.0124-0136.1, ATE : 24.0124-0130.1, BENDIX : 561926B, BENDIX : 562058B, BENDIX EUR : 561926B, BOSCH : 0 986 478 897, BOSCH : 0 986 478 652, BRADI : 1.3033.2.6, BRADI : 1.6026.2.4, BRADI : 1.3049.2.4, BRADI : 1.6028.2.4, BRECO : BS 8078, BRECO : BS 8532, BRECO : BS 8275, BREMBO : 09.9617.11, BREMBO : FS.077.000, BREMBO : 09.5640.10, BREMBO : 09.5640.75, BREMBO : 09.9617.10, BREMBO : FD.077.000, BREMBO : 09.5640.14, BREMBO : 09.7043.10, CAR : 142.840, CAR : 142.670, CAR RACING : HPD 670, CAR RACING : HPD 839, CIFAM : 800-461, CIFAM : 800-653, DELPHI : BG3202, DELPHI : BG3116, DELPHI : BG2763, DELPHI : BG763, FERODO : DDF658, FERODO : DDF885, Fritch : DF505, Fritch : DF410, GRAF : DF29461, GRAF : DF29653, GRAF : DF29461L, HYUNDAI : 51712M2000, INTERBRAKE : MB401V, INTERBRAKE : DG381V, INTERBRAKE : MB403V, INTERCAR : MB403V, INTERCAR : DG381V, JAPANPARTS : DI-522, JURID : 561926J, JURID : 562058J, KWP : 129461, KWP : 1026461L, KWP : 129653, Lemforder : 19021, Lemforder : 22854, Lemforder : 19021 02, Lemforder : 22854 01, LPR : M1403V, LPR : D1381V, LPR : M1602V, LUCAS : DF4081BP, LUCAS : DF1443, LUCAS : DF4081, LUCAS : DF2798, MAGNETI MARELLI : 353613033260, MAGNETI MARELLI : 353616026240, Metelli : 23-0461, Metelli : 23-0653, MINTEX : MDC856, MITSUBISHI : MB928995, MITSUBISHI : MR955637, MITSUBISHI : MR475330, MITSUBISHI : MR128153, MITSUBISHI : MB407639, MITSUBISHI : MR205585, MITSUBISHI : MB928994, MITSUBISHI : MR389722, MITSUBISHI : MB668107, NECTO : WN885, NECTO : WN1031, NIBK : RN1011V, OEM : MB205585, OEM : MB407639, OEM : MR668107, OEM : PW820578, OEM : 60815938, OEM : MB205584, OEM : MB389722, OEM : MR205584, OEM : PW820577, OEM : 30872319, OEM : MB128153, PAGID : 54023, PILENGA : V620, PILENGA : V609, QH : BDC4886, REMSA : 6394.10, REMSA : 6697.20, REMSA : 6344.20, REMSA : 6394.11, REMSA : 6734.20, ROADHOUSE : 6344.20, ROADHOUSE : 6394.11, ROADHOUSE : 6734.20, ROADHOUSE : 6394.10, ROADHOUSE : 6697.20, SBS : 242414, SBS : 242416V, SBS : 1815203010, SBS : 242416, STOP : 561926S, TEXTAR : 92082900, TEXTAR : 98200 0829 0 1, TRUSTING : DF505, TRUSTING : DF410, TRW : DF1443, TRW : DF4081, VALEO : 186648, VOLVO : 308729268, VOLVO : 30872926, WOKING : D6394.11, WOKING : D6394.10, ZIMMERMANN : 380.2157.00
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
	Galant	1800	1987	1989	Front	MRD1011V		
MITSUBISHI	Galant	1800	1989	1992	Front	MRD1334	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45.2, Centering Diameter : 69, Position: Front, Pitch Circle & Oslash : 114.3	AC DELCO : AC2484D, AP : 24341, AP : 24394, ATE : 24.0124-0114.1, BENDIX : 561579B, BENDIX : 561457B, BOSCH : 0 986 478 339, BRADI : 1.3021.2.4, BRADI : 1.3010.2.4, BRECO : BS 8077, BRECO : BS 8048, BREMBO : 09.5537.10, BREMBO : 09.5638.10, CAR : 142.844, CAR RACING : HPD 844, CIFAM : 800-279, DELPHI : BG2559, DELPHI : BG559, FERODO : DDF472, FERODO : DDF391, Fritch : DF294, GRAF : DF29279, INTERBRAKE : DG091V, INTERCAR : DG091V, JAPANPARTS : DI-517, JURID : 561457J, JURID : 561579J, KWP : 129279, Lemforder : 19018, LPR : D1091V, LPR : M1606V, LUCAS : DF2026, LUCAS : DF1433, MAGNETI MARELLI : 353613010240, Metelli : 23-0279, MINTEX : MDC931, MINTEX : MDC673, MITSUBISHI : MB500968, MITSUBISHI : MB366480, MITSUBISHI : MB500969, MITSUBISHI : MB366080, NECTO : WN718, NECTO : WN699, NIBK : RN1334, NK : 203008, OEM : MB366436, PAGID : 52211, PAGID : 52208, PILENGA : V603, QH : BDC4284, QH : BDC3918, QH : BDC4327, REMSA : 6327.20, ROADHOUSE : 6327.20, SBS : 1815203008, SBS : 242417, SBS : 1815203013, TEXTAR : 92094800, TEXTAR : 92047300, TRUSTING : DF294, TRW : DF1433, VALEO : 186635, WOKING : D6391.10, ZIMMERMANN : 380.2158.00
	Galant	2000	1989	1990	Front	MRD1334		
	Galant	2000	1989	1992	Front	MRD1334		
MITSUBISHI	Montero Pajero	2500	1999	2000	Front	MRD1297V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 6, Height : 45, Centering Diameter : 87, Position: Front, Pitch Circle & Oslash : 108, Outter & Oslash : 276	AC DELCO : AC2487D, AP : 24634, ATE : 24.0124-0140.1, BENDIX : 562067B, BENDIX EUR : 562067B, BOSCH : 0 986 478 844, BRECO : BS 8388, BRECO : BS 8222, BREMBO : 09.8071.10, BREMBO : 09.6840.10, CAR : 142.856, CAR RACING : HPD 856, CIFAM : 800-463, DELPHI : BG3099, FERODO : DDF974, FERODO : DDF1109, FERODO : DDF714, Fritch : DF917, GRAF : DF29463, INTERBRAKE : DG411V, JURID : 562067J, KWP : 129463, LPR : D1411V, MAGNETI MARELLI : 353613043240, Metelli : 23-0463, MINTEX : MDC1473, MITSUBISHI : MB618716, MITSUBISHI : MB928697, NIBK : RN1297V, OEM : MR129648, OEM : MB699761, OEM : MR129649, PAGID : 50219, PILENGA : V608, QH : BDC4774, QH : BDC4980, REMSA : 6462.10, ROADHOUSE : 6462.10, SBS : 242427, SBS : 1815203016, TEXTAR : 92079800, TRUSTING : DF917, TRW : DF3118, VALEO : 186719, WOKING : D6462.10, ZIMMERMANN : 380.2160.00
	Montero Pajero	2500	1999	2000	Front	MRD1297V		
	Montero Pajero	2500	1999	2000	Front	MRD1297V		
	Montero Pajero	2500	1999	2000	Front	MRD1297V		
	Pajero	2500	1990	1993	Front	MRD1297V		
	Pajero	2500	1990	1993	Front	MRD1297V		
	Montero Pajero	3000	1990	1999	Front	MRD1297V		
	Montero Pajero	3500	1993	1999	Front	MRD1297V		
	Montero Pajero	3000	1990	1999	Front	MRD1297V		
	Montero Pajero	3000	1990	1999	Front	MRD1297V		
	Montero Pajero	3500	1993	1999	Front	MRD1297V		
	Pajero	2500	1990	1993	Front	MRD1297V		
	Pajero	2500	1990	1993	Front	MRD1297V		
	Pajero	2500	1990	1993	Front	MRD1297V		
	Pajero	2500	1990	1993	Front	MRD1297V		
	L200	2500	1997	2006	Front	MRD1297V		
	L200	2500	1995	1996	Front	MRD1297V		
	Montero Pajero	3000	1990	1999	Front	MRD1297V		
	Montero Pajero	3500	1993	1999	Front	MRD1297V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS	
	Montero	3000	1990	1999	Front	MRD1297V			
	Pajero L200	2500	1996	2001	Front	MRD1297V			
	Montero Pajero	3000	1990	1999	Front	MRD1297V			
	Montero Pajero	3500	1993	1999	Front	MRD1297V			
	Montero Pajero	3000	1990	1999	Front	MRD1297V			
	Montero Pajero	3000	1990	1999	Front	MRD1297V			
	Montero Pajero	3000	1990	1999	Front	MRD1297V			
	Montero Pajero	3500	1993	1999	Front	MRD1297V			
	L200	2500	1995	1996	Front	MRD1297V			
L200	2500	1996	2001	Front	MRD1297V				
MITSUBISHI	Space Gear	2500	1994	2000	Front	MRD1121V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 40, Centering Diameter : 87, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2490D, AC DELCO : AC2498D, ATE : 24.0124-0220.1, BOSCH : 0 986 478 714, BOSCH : 0 986 478 663, BREMBO : 09.9149.10, BREMBO : 09.A145.10, CAR : 142.293, CAR : 142.368, CIFAM : 800-596, DELPHI : BG3590, DELPHI : BG4098, FERODO : DDF1404, Fritech : DF727, Fritech : DF724, GRAF : DF29596, HYUNDAI : 581294A000, INTERBRAKE : HY181V, INTERBRAKE : MB681V, JAPANPARTS : DI-H03, KWP : 129596, LPR : M1603V, LPR : H2124V, LUCAS : DF4076, LUCAS : DF4102, Metelli : 23-0596, MINTEX : MDC964, MITSUBISHI : MB895464, NIBK : RN1121V, NIPPARTS : J3300514, OEM : MR895464, PAGID : 50290, PILENGA : V621, PILENGA : V612, QH : BDC5167, QH : BDC4978, REMSA : 6636.10, REMSA : 6794.10, REMSA : 6769.20, REMSA : 6791.20, ROADHOUSE : 6791.20, ROADHOUSE : 6769.20, ROADHOUSE : 6636.10, ROADHOUSE : 6794.10, SBS : 1815203029, SBS : 1815203405, TEXTAR : 92102500, TRUSTING : DF727, TRUSTING : DF724, TRW : DF4102, TRW : DF4076, WOKING : D6794.10, WOKING : D6636.10	
MITSUBISHI	Chariot	1800	1991	1999	Front	MRD1106V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter : 69, Position: Front, Pitch Circle & Oslash: 114.3	AC DELCO : AC2493D, AP : 24805, ATE : 24.0124-0146.1, BENDIX : 561824B, BENDIX EUR : 561824B, BOSCH : 0 986 478 654, BOSCH : 0 986 478 531, BRADI : 1.3033.2.7, BRECO : BS 8432, BREMBO : 09.7043.20, CAR : 142.839, CIFAM : 800-652, DELPHI : BG3401, FERODO : DDF741, Fritech : DF680, GRAF : DF29652, HYUNDAI : 51712M2010, JURID : 561824J, KWP : 129652, LPR : M1401V, LUCAS : DF4032, MAGNETI MARELLI : 353613033270, Metelli : 23-0652, MINTEX : MDC977, MITSUBISHI : MB950569, MITSUBISHI : MB668886, MITSUBISHI : MB950570, NECTO : WN1180, NIBK : RN1106V, NIPPARTS : J3305028, PAGID : 50303, PILENGA : V616, QH : BDC4666, QH : BDC4330, QH : BDC4775, REMSA : 6345.20, REMSA : 6625.10, ROADHOUSE : 6345.20, ROADHOUSE : 6625.10, SBS : 1815203025, TEXTAR : 92103900, TRUSTING : DF680, TRW : DF4032, VALEO : 186475, WOKING : D6625.10	
	Chariot	1800	1991	1999	Front	MRD1106V			
	Chariot	2000	1991	1999	Front	MRD1106V			
	Chariot	2000	1991	1998	Front	MRD1106V			
	Chariot	1800	1991	1999	Front	MRD1106V			
MITSUBISHI	Chariot	2000	1991	1999	Front	MRD1011V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter : 69, Position: Front, Outter & Oslash : 256	AC DELCO : AC2497D, AC DELCO : AC2307D, AP : 24398E, AP : 24866, AP : 24660, AP : X24398, ATE : 24.0124-0136.1, ATE : 24.0124-0130.1, BENDIX : 562058B, BENDIX : 561926B, BENDIX EUR : 561926B, BOSCH : 0 986 478 897, BOSCH : 0 986 478 652, BRADI : 1.6028.2.4, BRADI : 1.3033.2.6, BRADI : 1.6026.2.4, BRADI : 1.3049.2.4, BRECO : BS 8275, BRECO : BS 8078, BRECO : BS 8532, BREMBO : 09.5640.14, BREMBO : 09.7043.10, BREMBO : 09.9617.11, BREMBO : FS.077.000, BREMBO : 09.5640.10, BREMBO : 09.5640.75, BREMBO : 09.9617.10, BREMBO : FD.077.000, CAR : 142.670, CAR : 142.840, CAR RACING : HPD 670, CAR RACING : HPD 839, CIFAM : 800-461, CIFAM : 800-653, DELPHI : BG3116, DELPHI : BG2763, DELPHI : BG763, DELPHI : BG3202, FERODO : DDF658, FERODO : DDF885, Fritech : DF505, Fritech : DF410, GRAF : DF29461L, GRAF : DF29461, GRAF : DF29653, HYUNDAI : 51712M2000, INTERBRAKE : DG381V, INTERBRAKE : MB403V, INTERBRAKE : MB401V, INTERCAR : MB403V, INTERCAR : DG381V, JAPANPARTS : DI-522, JURID : 562058J, JURID : 561926J, KWP : 129461, KWP : 1026461L, KWP : 129653, Lemforder : 19021 02, Lemforder : 22854 01, Lemforder : 19021, Lemforder : 22854, LPR : M1403V, LPR : D1381V, LPR : M1602V, LUCAS : DF2798, LUCAS : DF4081BP, LUCAS : DF1443, LUCAS : DF4081, MAGNETI MARELLI : 353616026240, MAGNETI MARELLI : 353613033260, Metelli : 23-0653, Metelli : 23-0461, MINTEX : MDC856, MITSUBISHI : MB928994, MITSUBISHI : MR389722, MITSUBISHI : MB668107, MITSUBISHI : MB928995, MITSUBISHI : MR955637, MITSUBISHI : MR475330, MITSUBISHI : MR128153, MITSUBISHI : MB407639, MITSUBISHI : MR205585, NECTO : WN885, NECTO : WN1031, NIBK : RN1011V, OEM : PW820577, OEM : 30872319, OEM : MB128153, OEM : MB205585, OEM : MB4076339, OEM : MR668107, OEM : PW820578, OEM : 60815938, OEM : MB205584, OEM : MB389722, OEM : MR205584, PAGID : 54023, PILENGA : V620, PILENGA : V609, QH : BDC4886, REMSA : 6734.20, REMSA : 6394.10, REMSA : 6697.20, REMSA : 6344.20, REMSA : 6394.11, ROADHOUSE : 6394.10, ROADHOUSE : 6697.20, ROADHOUSE : 6344.20, ROADHOUSE : 6394.11, ROADHOUSE : 6734.20, SBS : 242414, SBS : 242416, SBS : 242416V, SBS : 1815203010, STOP : 561926B, TEXTAR : 98200 0829 0 1, TEXTAR : 92082900, TRUSTING : DF505, TRUSTING : DF410, TRW : DF4081, TRW : DF1443, VALEO : 186648, VOLVO : 30872926B, VOLVO : 30872926, WOKING : D6394.11, WOKING : D6394.10, ZIMMERMANN : 380.2157.00	
	Chariot	2000	1991	1998	Front	MRD1011V			
	Chariot	2000	1991	1999	Front	MRD1011V			
	Space Runner	2000	1991	1999	Front	MRD1011V			
	Space Runner	2000	1991	1999	Front	MRD1011V			
	Chariot	2000	1991	1999	Front	MRD1011V			
	Chariot	2000	1991	1998	Front	MRD1011V			
	Galant	1800	1992	1996	Front	MRD1011V			
	Galant	2000	1992	1996	Front	MRD1011V			
	Galant	2000	1996	2001	Front	MRD1011V			
	Space Runner	1800	1993	1999	Front	MRD1011V			
	Chariot	2000	1991	1999	Front	MRD1011V			
	Chariot	2000	1991	1999	Front	MRD1011V			
	MITSUBISHI	Montero Pajero	2500	1999	2000	Front	MRD1188V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 46.4, Centering Diameter : 94, Position: Front, Outter & Oslash : 290	AC DELCO : AC2499D, APEC : DSK2198, ATE : 24.0126-0124.1, ATE : 24.0126-0145.1, BOSCH : 0 986 478 990, BREMBO : 09.9996.10, BREMBO : 09.A911.10, CAR : 142.028, CAR RACING : HPD 028, CIFAM : 800-777, DELPHI : BG3812, FERODO : DDF1384, Fritech : DF730, GRAF : DF29777, INTERBRAKE : MB631V, KWP : 129777, LPR : M1604V, LPR : M1016V, LUCAS : DF4369, LUCAS : DF4159, LUCAS : DF4942, Metelli : 23-0777, MINTEX : MDC2040, MINTEX : MDC1576, MITSUBISHI : MR407116, MITSUBISHI : MR407289, MITSUBISHI : 4615A061, NECTO : WN1348, NIBK : RN1188V, NIPPARTS : J3305052, NK : 203054, OEM : ZB403101, OEM : MN116706, PAGID : 54288, PILENGA : V622, QH : BDC5266, REMSA : 6639.10, REMSA : 6873.20, ROADHOUSE : 6873.20, ROADHOUSE : 6639.10, SBS : 1815203033, TEXTAR : 92128800, TRUSTING : DF730, TRW : DF4369, TRW : DF4870, VALEO : 186813, WOKING : D6639.10, ZIMMERMANN : 380.2169.00
		Montero Pajero	3200	1999	2005	Front	MRD1188V		
Montero Pajero		3200	1999	2005	Front	MRD1188V			
Montero Pajero		2500	1999	2000	Front	MRD1188V			
Montero Pajero		2500	1999	2000	Front	MRD1188V			
Montero Pajero		3200	1999	2005	Front	MRD1188V			
Montero Pajero		3200	1999	2005	Front	MRD1188V			
MITSUBISHI	Canter	3000	2001	2005	Front	MRD1451V	Recommended Type: Vented & Oslash 293, Disc Thickness: 38, Num. of holes : 5, Height : 54, Centering Diameter : 110, Position: Front, Pitch Circle & Oslash: 136	Blue Print : ADC44397, MITSUBISHI : MC894847, NIBK : RN1451V, REMSA : 61408.10, TRW : DF7852	
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			
	Canter	3000	2001	2005	Front	MRD1451V			

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MITSUBISHI	Montero Pajero	2500	1999	2000	Front	MRD1188V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 46.4, Centering Diameter :94, Position: Front, Outter & Oslash : 290	AC DELCO : AC2499D, APEC : DSK2198, ATE : 24.0126-0124.1, ATE : 24.0126-0145.1, BOSCH : 0 986 478 990, BREMBO : 09.9996.10, BREMBO : 09.A911.10, CAR : 142.028, CAR RACING : HPD 028, CIFAM : 800-777, DELPHI : BG3812, FERODO : DDF1384, Fritech : DF730, GRAF : DF29777, INTERBRAKE : MB631V, KWP : 129777, LPR : M1604V, LPR : M1016V, LUCAS : DF4369, LUCAS : DF4159, LUCAS : DF4942, Metelli : 23-0777, MINTEX : MDC2040, MINTEX : MDC1576, MITSUBISHI : MR407289, MITSUBISHI : 4615A061, MITSUBISHI : MR407116, NECTO : WN1348, NIBK : RN1188V, NIPPARTS : J3305052, NK : 203054, OEM : MN116706, OEM : ZB403101, PAGID : 54288, PILENGA : V622, QH : BDC5266, REMSA : 6639.10, REMSA : 6873.20, ROADHOUSE : 6873.20, ROADHOUSE : 6639.10, SBS : 1815203033, TEXTAR : 92128800, TRUSTING : DF730, TRW : DF4870, TRW : DF4369, VALEO : 186813, WOKING : D6639.10, ZIMMERMANN : 380.2169.00
	Montero Pajero	2500	1999	2000	Front	MRD1188V		
	Montero Pajero	3200	1999	2005	Front	MRD1188V		
	Montero Pajero	3200	1999	2005	Front	MRD1188V		
	Montero Pajero	2500	1999	2000	Front	MRD1188V	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 60.1, Centering Diameter :90, Position: Rear, Pitch Circle & Oslash : 114.3, Outter & Oslash : 262	AC DELCO : AC2575D, AP : 14031, AP : 14806, ATE : 24.0110-0240.1, ATE : 24.0118-0141.1, BOSCH : 0 986 478 655, BRECO : BS 7605, BREMBO : 08.8316.10, CAR : 142.100, CAR : 142.1174, CAR : 142.1005, CAR RACING : HPD 1005, CAR RACING : HPD 100, CIFAM : 800-651, DELPHI : BG3400, FERODO : DDF1141, Fritech : DF691, GRAF : DF2809, GRAF : DF29651, HYUNDAI : 58411M2050, INTERBRAKE : HY341V, INTERBRAKE : AR041P, INTERBRAKE : MB701P, JURID : 561040J, KWP : 102809, KWP : 129651, LPR : M1617P, LPR : A2041P, LUCAS : DF4193, Metelli : 23-0651, MINTEX : MDC951, MITSUBISHI : MB668083, MITSUBISHI : MB699964, NECTO : WN1159, NIBK : RN1158, OEM : 11600221504, OEM : MB669964, OEM : 116002621504, OEM : MB857978, PAGID : 50102, PAGID : 50304, PILENGA : 5607, PILENGA : V634, QH : BDC1009, QH : BDC482, QH : BDC4589, REMSA : 6895.10, REMSA : 6838.00, REMSA : 6140.01, ROADHOUSE : 6140.01, ROADHOUSE : 6895.10, ROADHOUSE : 6838.00, SBS : 1815201004, SBS : 1815203024, TEXTAR : 92104000, TRUSTING : DF691, TRW : DF4193, WOKING : D6838.00, ZIMMERMANN : 380.2165.00
	Chariot	2000	1992	1998	Rear	MRD1158		
	Chariot	2400	1995	1998	Rear	MRD1158		
	Chariot	2000	1992	1998	Rear	MRD1158		
	Galant	1800	1992	1996	Rear	MRD1158		
	Lancer	1600	2003		Rear	MRD1158		
	Lancer	2000	2003	2007	Rear	MRD1158		
	Galant	2000	2000	2005	Rear	MRD1158		
	Galant	2400	2000	2002	Rear	MRD1158		
	Galant	2400	2000	2002	Rear	MRD1158		
	Galant	1800	1992	1996	Rear	MRD1158		
	Galant	2000	2000	2005	Rear	MRD1158		
	Galant	2000	1992	1996	Rear	MRD1158		
	Galant	2000	1992	1997	Rear	MRD1158		
	Galant	2400	2000	2002	Rear	MRD1158		
	Galant	2400	2000	2002	Rear	MRD1158		
	Lancer	1600	2003		Rear	MRD1158		
	Lancer	2000	2003	2007	Rear	MRD1158		
	Chariot	2000	1992	1998	Rear	MRD1158		
	Chariot	2400	1995	1998	Rear	MRD1158		
	Chariot	2000	1992	1998	Rear	MRD1158		
MITSUBISHI	L300	2000	1986	1994	Front	MRD1335V	Recommended Type: Vented 277 Disc Thickness: 22/20.4, Num. of holes : 6, Height : 45, Centering Diameter :87, Position: Front, Pitch Circle & Oslash : 108	AC DELCO : AC2643D, AP : 24620, ATE : 24.0122-0175.1, BENDIX : 561765B, BOSCH : 0 986 478 635, BRADI : 1.3014.2.4, BRECO : BS 8217, BREMBO : 09.6817.10, CAR : 142.846, CAR : 142.680, CAR RACING : HPD 846, DELPHI : BG2561, DODGE : MB407038, FERODO : DDF460, Fritech : DF353, INTERBRAKE : DG181V, INTERCAR : DG181V, JURID : 561765J, LPR : D1181V, LUCAS : DF3031, MAGNETI MARELLI : 353613014240, MINTEX : MDC929, MITSUBISHI : MB407039, MITSUBISHI : MB407038, MITSUBISHI : MN116706, NECTO : WN951, NIBK : RN1335V, NIPPARTS : J3305020, OEM : 527615H000, OEM : HB403101, PAGID : 52219, PILENGA : V625, QH : BDC3916, REMSA : 6331.20, REMSA : 6464.10, ROADHOUSE : 6331.20, ROADHOUSE : 6464.10, SBS : 242430, SBS : 1815203017, TEXTAR : 92074600, TRUSTING : DF353, TRW : DF3031, VALEO : 186653, WOKING : D6464.10
	L300	2000	1986	1994	Front	MRD1335V		
	Pajero	2600	1983	1991	Front	MRD1335V		
	Pajero	2600	1983	1991	Front	MRD1335V		
	L400	2500	1996	2002	Rear	MRD1119	Recommended Type: Solid ,Disc Thickness: 18, Num. of holes : 6, Height : 84, Centering Diameter :108, Position: Rear, Pitch Circle & Oslash : 139.7, Outter & Oslash : 315	AP : 14692, ATE : 24.0118-0130.1, ATE : 24.0118-0140.1, BENDIX : 562114B, BENDIX EUR : 562114B, BOSCH : 0 986 478 713, BRADI : 1.3045.5.4, BRECO : BS 7551, BREMBO : 08.7106.10, CAR : 142.857, CAR RACING : HPD 857, CIFAM : 800-464, DELPHI : BG3105, FERODO : DDF715, Fritech : DF111, GRAF : DF29464, INTERBRAKE : DG331P, INTERCAR : DG331P, JURID : 562380J, JURID : 562114J, KWP : 129464, LPR : D1331P, LUCAS : DF4075, Metelli : 23-0464, MINTEX : MDC952, MITSUBISHI : MB618797, NECTO : WN895, NIBK : RN1119, PAGID : 50238, QH : BDC4773, REMSA : 6552.00, ROADHOUSE : 6552.00, SBS : 242432, SBS : 1815203022, TEXTAR : 92093100, TRUSTING : DF111, TRW : DF4075, VALEO : 186691
	Montero Pajero	2800	1993	1999	Rear	MRD1119		
	Montero Pajero	3000	1990	1999	Rear	MRD1119		
	Montero Pajero	3500	1993	1999	Rear	MRD1119		
	Montero Pajero	3000	1990	1999	Rear	MRD1119		
	Montero Pajero	3000	1990	1999	Rear	MRD1119		
	Montero Pajero	3500	1993	1999	Rear	MRD1119		
	Montero Pajero	2800	1993	1999	Rear	MRD1119		
	Pajero	2500	1990	1993	Rear	MRD1119		
	Pajero	2500	1990	1993	Rear	MRD1119		
	Pajero	2500	1990	1997	Rear	MRD1119		
	Pajero	2500	1990	1997	Rear	MRD1119		
	Montero Pajero	3000	1990	1999	Rear	MRD1119		
	Montero Pajero	3000	1990	1999	Rear	MRD1119		
	Pajero	2500	1990	1997	Rear	MRD1119		
	Pajero	2500	1990	1997	Rear	MRD1119		
	Montero Pajero	2800	1993	1999	Rear	MRD1119		
	Montero Pajero	3500	1993	1999	Rear	MRD1119		
MITSUBISHI	Montero Pajero	3000	1998	2003	Front	MRD1217V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 6, Height : 45.2, Centering Diameter :87, Position: Front, Pitch Circle & Oslash : 107.95mm, Outter & Oslash : 314	AP : 24840, ATE : 24012407241, BRECO : BS 8464, BREMBO : 09.9132.10, CAR : 142.372, CAR RACING : HPD 372, DELPHI : BG3847, FERODO : DDF1212, Fritech : DF368, HERTH+BUSS : J3305059, INTERBRAKE : MB621V, LPR : M1002V, LUCAS : DF4485, MAGNETI MARELLI : 353613052240, MITSUBISHI : MB699716, NECTO : WN1230, NIBK : RN1217V, NIPPARTS : J3305059, PAGID : 54448, QH : BDC5200, REMSA : 6953.10, ROADHOUSE : 6953.10, SBS : 1815203044, TEXTAR : 92144800, TRUSTING : DF368, TRW : DF7179, TRW : DF4485
	Montero Pajero	2800	1993	1999	Front	MRD1217V		
	Montero Pajero	3000	1990	1999	Front	MRD1217V		
	Montero Pajero	3000	1990	1999	Front	MRD1217V		
	Montero Pajero	3000	1990	1999	Front	MRD1217V		
	Montero Pajero	2800	1993	1999	Front	MRD1217V		
	Pajero	2500	1990	1997	Front	MRD1217V		
	Pajero	2500	1990	1997	Front	MRD1217V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MITSUBISHI	Pajero IV	3200	2007	2013	Rear	MRD1249V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 6, Height : 72.9, Centering Diameter :94, Position: Rear, Pitch Circle & Oslash: 139.7mm, Outter & Oslash : 299.8	APEC : DSK2255, ATE : 24.0122-0724.1, CAR : 142.1272, CIFAM : 800-778, DELPHI : BG3813, FERODO : DDF1385, Fritech : DF371, INTERBRAKE : MB751V, KWP : 129778, LPR : M1007V, Metelli : 23-0778, MINTEX : MDC1794, MITSUBISHI : MR418067, NECTO : WN1349, NIBK : RN1249V, OEM : MR418067, PAGID : 54351, REMSA : 6955.10, ROADHOUSE : 6955.10, SBS : 1815203041, TEXTAR : 92135100, TRUSTING : DF371, TRW : DF7061S
	Pajero IV	3800	2007	2013	Rear	MRD1249V		
	Pajero IV	3800	2007	2013	Rear	MRD1249V		
	Pajero IV	3200	2007	2013	Rear	MRD1249V		
	Montero Pajero	2500	1999	2000	Rear	MRD1249V		
	Montero Pajero	3000	2006		Rear	MRD1249V		
	Montero Pajero	3200	1999	2005	Rear	MRD1249V		
	Montero Pajero	3200	1999	2005	Rear	MRD1249V		
	Montero Pajero	3000	2006		Rear	MRD1249V		
	Montero Pajero	2500	1999	2000	Rear	MRD1249V		
MITSUBISHI	Colt VI	1100	2004		Front	MRD1212V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45.6, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 256	APEC : DSK2269, ATE : 24.0124-0192.1, BOSCH : O 986 479 187, BREMBO : 09.9991.10, CAR : 142.1011, CAR RACING : HPD 1011, CIFAM : 800-623, DELPHI : BG3987, FERODO : DDF1621, Fritech : DF419, INTERBRAKE : MDO21V, LPR : M2026V, LUCAS : DF4457BP, LUCAS : DF4457, LUCAS : DF4704, Metelli : 23-0623, MINTEX : MDC1753, MITSUBISHI : M4605A068, MITSUBISHI : 4605A068, NIBK : RN1212V, OEM : 45442000101, PAGID : 54348, PILENGA : V990, QH : BDC5452, REMSA : 6680.10, ROADHOUSE : 6680.10, SBS : 1815203035, SMART : 4544200001, TEXTAR : 92134800, TRUSTING : DF419, TRW : DF4457, WOKING : D6680.10, ZIMMERMANN : 380.2166.00
	Colt VI	1300	2004		Front	MRD1212V		
	Colt VI	1500	2004		Front	MRD1212V		
	Colt VI	1100	2004		Front	MRD1212V		
	Colt VI	1300	2004		Front	MRD1212V		
	Colt VI	1500	2004		Front	MRD1212V		
	Galant	2500	1996	2002	Front	MRD1403V		
	Legnum	2500	1996	2002	Front	MRD1403V		
	Airtrek	2400	2003	2004	Front	MRD1403V		
	Outlander	2000	2003	2005	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
	Airtrek	2000	2001	2005	Front	MRD1403V		
	Airtrek	2400	2001	2004	Front	MRD1403V		
	Airtrek	2400	2003	2004	Front	MRD1403V		
	Airtrek	2400	2003	2004	Front	MRD1403V		
	Galant	2500	1996	2002	Front	MRD1403V		
	Lancer	2000	1992	1996	Front	MRD1403V		
	Lancer	2000	2000	2007	Front	MRD1403V		
	Lancer	2000	1992	1996	Front	MRD1403V		
	Legnum	2500	1996	2002	Front	MRD1403V		
	Outlander	2000	2003	2005	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
	Lancer Evolution	2000	2011		Front	MRD1403V		
	Lancer	2000	1992	1996	Front	MRD1403V		
	Lancer	2000	2000	2007	Front	MRD1403V		
	Airtrek	2000	2001	2005	Front	MRD1403V		
	Airtrek	2400	2001	2004	Front	MRD1403V		
	Airtrek	2400	2003	2004	Front	MRD1403V		
	Galant	2500	1996	2002	Front	MRD1403V		
	Lancer	2000	1992	1996	Front	MRD1403V		
	Lancer	2000	2000	2007	Front	MRD1403V		
	Lancer	2000	1992	1996	Front	MRD1403V		
	Legnum	2500	1996	2002	Front	MRD1403V		
	Outlander	2000	2003	2005	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
	Lancer Evolution	2000	2011		Front	MRD1403V		
	Lancer Evolution	2000	2011		Front	MRD1403V		
	Lancer	2000	1992	1996	Front	MRD1403V		
	Lancer	2000	1992	1996	Front	MRD1403V		
	Galant	2500	1996	2002	Front	MRD1403V		
	Legnum	2500	1996	2002	Front	MRD1403V		
	Lancer	2000	2000	2007	Front	MRD1403V		
	Airtrek	2000	2001	2005	Front	MRD1403V		
	Airtrek	2400	2001	2004	Front	MRD1403V		
	Airtrek	2000	2001	2005	Front	MRD1403V		
	Airtrek	2400	2001	2004	Front	MRD1403V		
	Airtrek	2400	2003	2004	Front	MRD1403V		
	Outlander	2000	2003	2005	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
	Outlander	2400	2005	2012	Front	MRD1403V		
MITSUBISHI	Eclipse	2000	1995	1999	Rear	MRD1242	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :90, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 262	APEC : DSK2317, ATE : 24.0110-0281.1, ATE : 24.0110-0704.1, CAR : 142.1353, CHRYSLER : MB928716, CHRYSLER : MB895200, DELPHI : BG3815, FERODO : DDF1410, Fritech : DF341, Fritech : DF1137, INTERBRAKE : MB811P, LPR : M1011P, LPR : M1020P, LUCAS : DF4845, MITSUBISHI : MB928716, NECTO : WN1368, NIBK : RN1242, OEM : MB928716, OEM : MR493489, OEM : MB895200, PAGID : 54486, PAGID : 54361, PILENGA : 5604, REMSA : 61230.00, REMSA : 6903.00, ROADHOUSE : 61230.00, ROADHOUSE : 6903.00, SBS : 1815203042, SBS : 1815203049, TEXTAR : 92136100, TEXTAR : 92148600, TRUSTING : DF1137, TRUSTING : DF341, TRW : DF7122, TRW : DF4845
	Eclipse	2400	1996	2000	Rear	MRD1242		
	Eclipse	2000	1995	1999	Rear	MRD1242		
	Airtrek	2000	2002	2005	Rear	MRD1242		
	Airtrek	2400	2003	2004	Rear	MRD1242		
	Airtrek	2400	2003	2005	Rear	MRD1242		
	Outlander	2000	2003	2005	Rear	MRD1242		
	Eclipse	2000	1995	1999	Rear	MRD1242		
	Eclipse	2000	1995	1999	Rear	MRD1242		
	Eclipse	2400	1996	2000	Rear	MRD1242		
	Airtrek	2000	2002	2005	Rear	MRD1242		
	Airtrek	2400	2003	2004	Rear	MRD1242		
	Outlander	2000	2003	2005	Rear	MRD1242		
	Outlander	2000	2003	2005	Rear	MRD1242		
	Airtrek	2400	2003	2005	Rear	MRD1242		
	Outlander	2000	2003	2005	Rear	MRD1242		
	Airtrek	2000	2002	2005	Rear	MRD1242		
	Airtrek	2400	2003	2005	Rear	MRD1242		
	Outlander	2000	2003	2005	Rear	MRD1242		
	Outlander	2000	2005	2009	Rear	MRD1242		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MITSUBISHI	Lancer Evolution	2000	2011		Rear	MRD1404	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 58.7, Centering Diameter :80, Position: Rear, Outter & Oslash : 302	ATE : 24.0110-0330.1, BREMBO : 08.A755.10, CAR : 142.1314, DELPHI : BG4161, Fritech : DF1298, INTERBRAKE : CR471P, LPR : M1018P, MINTEX : MDC2041, MITSUBISHI : 4615A035, NIBK : RN1404, OEM : 4249F4, PEUGEOT : 4249.62, PEUGEOT : 4249.61, SBS : 1815203053, TEXTAR : 92167000, TRUSTING : DF1298, TRW : DF4963
	Pajero	3200	2008	2010	Rear	MRD1401	Recommended Type: Solid ,Disc Thickness: 18, Num. of holes : 6, Height : 74.4, Centering Diameter :94, Position: Rear, Pitch Circle & Oslash : 139.7, Outter & Oslash : 332	ATE : 24.0118-0146.1, Fritech : DF1247, JAPANPARTS : DP-516, LPR : M1021V, MINTEX : MDC2038, MITSUBISHI : 4615A037, NIBK : RN1401, NIPPARTS : N3315029, NK : 203056, OEM : 4615A037, PILENGA : V638, TEXTAR : 92167300, TRUSTING : DF1247, TRW : DF4944S
	Pajero	3800	2006	2012	Rear	MRD1401		
	Pajero	3200	2009	2010	Rear	MRD1401		
	Galant	2000	2000	2005	Front	MRD1237V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 4, Height : 45.5, Centering Diameter :69, Position: Front, Pitch Circle & Oslash : 114.3mm, Outter & Oslash : 276	ATE : 24.0126-0131.1, CAR : 142.1247, DELPHI : BG4068, Fritech : DF989, INTERBRAKE : MB731V, JAPANPARTS : DI-527, LPR : M1005V, LUCAS : DF4809, MINTEX : MDC2306, MITSUBISHI : MR510742, MITSUBISHI : MR510741, NIBK : RN1237V, OEM : MR510742, PAGID : 54487, PILENGA : V635, REMSA : 6890.10, ROADHOUSE : 6890.10, TEXTAR : 92148700, TRUSTING : DF989, TRW : DF4809, ZIMMERMANN : 380.2168.00
	Galant	2400	2000	2002	Front	MRD1237V		
	Galant	2400	2000	2002	Front	MRD1237V		
	Lancer	1600	2003		Front	MRD1237V		
	Lancer	2000	2003	2007	Front	MRD1237V		
	Lancer	1600	2003		Front	MRD1237V		
	Lancer	1800	2003	2007	Front	MRD1237V		
	Lancer	2000	2003	2007	Front	MRD1237V		
	Lancer	1800	2000	2003	Front	MRD1237V		
	Lancer	1800	2000	2003	Front	MRD1237V		
	Galant	2500	1996	2000	Front	MRD1237V		
	Galant	2000	2000	2005	Front	MRD1237V		
	Galant	2000	1997	2000	Front	MRD1237V		
	Galant	2400	1998	2000	Front	MRD1237V		
	Galant	2400	2000	2002	Front	MRD1237V		
	Galant	2500	1997	2000	Front	MRD1237V		
MITSUBISHI	Galant	2500	1997	2000	Front	MRD1237V		
	Galant	2400	2000	2002	Front	MRD1237V		
	Galant	2400	1998	2000	Front	MRD1237V		
	Galant	2500	1996	2000	Front	MRD1237V		
	Airtrek	2000	2002	2005	Front	MRD1365V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 45.5, Centering Diameter :69, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 276	ATE : 24.0126-0134.1, BREMBO : 09.A148.10, BREMBO : FS.184.000, BREMBO : FD.184.000, CAR : 142.1274, DELPHI : BG4147, FERODO : DDF1599, Fritech : DF1051, INTERBRAKE : MB761V, JAPANPARTS : DI-537, LPR : M1008V, LUCAS : DF4495, MINTEX : MDC2119, MITSUBISHI : 4615A069, MITSUBISHI : MR510743, MITSUBISHI : MR510967, MITSUBISHI : MR510966, MITSUBISHI : MR493551, NIBK : RN1365V, NK : 203060, PILENGA : V636, TRUSTING : DF1051, TRW : DF7252
	Airtrek	2400	2003	2005	Front	MRD1365V		
	Lancer	1800	2004	2007	Front	MRD1365V		
	Outlander	2000	2003	2005	Front	MRD1365V		
	Outlander	2000	2005	2009	Front	MRD1365V		
	Lancer	1800	2004	2007	Front	MRD1365V		
	Canter	4900	2007	2010	Front	MRD1550V		Blue Print : ADC443117, MITSUBISHI : MK356572, MITSUBISHI : MK529567, NIBK : RN1550V
	Canter	4900	2006		Front	MRD1550V		
	Canter	4900	2006		Front	MRD1550V		
	Canter	2800	1993	1999	Front	MRD1262V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 60, Centering Diameter :110, Position: Front, Pitch Circle & Oslash : 136mm, Outter & Oslash : 288	Blue Print : ADC443127, MITSUBISHI : MB334308, NIBK : RN1262V, TRW : DF7420
	Canter	4200	1993	1999	Front	MRD1262V		
	Canter	4200	1996	1999	Front	MRD1262V		
	Canter	4200	1993	1999	Front	MRD1262V		
MITSUBISHI	Canter	4200	1993	1999	Front	MRD1262V		
	Lancer	1600	2003	2007	Front	MRD1222V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45.4, Centering Diameter :64, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	BREMBO : 09.A116.10, DELPHI : BG3612, FERODO : DDF1193, Fritech : DF356, LPR : M1003V, LUCAS : DF4498, MINTEX : MDC944, MITSUBISHI : MR449771, MITSUBISHI : MB699285, NIBK : RN1222V, NIPPARTS : J3305033, PAGID : 54350, PROTON : MB699285, PROTON : MR449771, QH : BDC4879, SBS : 1815203039, TEXTAR : 92135000, TRUSTING : DF356, TRW : DF4498
	Lancer	1300	1996	2001	Front	MRD1222V		
	Lancer	1800	1996	2000	Front	MRD1222V		
	Lancer	2000	1996	1999	Front	MRD1222V		
	Lancer	1300	1996	2001	Front	MRD1222V		
	Lancer	1800	1996	2000	Front	MRD1222V		
	Lancer	2000	1996	1999	Front	MRD1222V		
	Lancer	1600	1996	2000	Front	MRD1222V		
	Lancer	1600	2003	2007	Front	MRD1222V		
	Lancer	1600	1996	2000	Front	MRD1222V		
	Lancer	1300	1995	2003	Front	MRD1222V		
	Lancer	1500	1995	2003	Front	MRD1222V		
	Lancer	1600	1995	2003	Front	MRD1222V		
	Lancer	1600	2003	2007	Front	MRD1222V		
	Lancer	1300	1996	2001	Front	MRD1222V		
	Galant	2000	1997	2000	Front	MRD1184V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter :69, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 276	CAR : 142.399, CAR RACING : HPD 399, DELPHI : BG3810, Fritech : DF1170, INTERBRAKE : MB691V, LPR : M1010V, LUCAS : DF4345, MINTEX : MDC1181, MITSUBISHI : MR389725, MITSUBISHI : MB895098, MITSUBISHI : MR475331, NIBK : RN1184V, OEM : MB618340, PAGID : 50354, QH : BDC5160, REMSA : 6775.10, ROADHOUSE : 6775.10, SBS : 1815203032, TEXTAR : 92110500, TRUSTING : DF1170, TRW : DF4345, ZIMMERMANN : 380.2162.00
	Galant	2400	1998	2000	Front	MRD1184V		
	Galant	2500	1997	2000	Front	MRD1184V		
	Galant	2500	1997	2000	Front	MRD1184V		
	Galant	2400	1998	2000	Front	MRD1184V		
	Lancer	1500	2007		Front	MRD1366V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 46, Centering Diameter :69, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 276	CHRYSLER : 5105513AA, DODGE : 5105513AA, MITSUBISHI : MN116329, MITSUBISHI : 4615A115, MITSUBISHI : MN116330, NIBK : RN1366V, NIPPARTS : N3305066, TEXTAR : 92197403, TRW : DF4933
	Lancer	1800	2008		Front	MRD1366V		
	Sportback	1800	2008		Front	MRD1366V		
	Lancer Sportback	1800	2008		Front	MRD1366V		
	Lancer Sportback	1800	2008		Front	MRD1366V		
	Lancer Sportback	1800	2008		Front	MRD1366V		
	Lancer Evolution X EX	1500	2007		Front	MRD1366V		
	Lancer Evolution X EX	1800	2007		Front	MRD1366V		
	Lancer Evolution X EX	1800	2007		Front	MRD1366V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MITSUBISHI	Lancer Sportback	1800	2008		Rear	MRD1367	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :80, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 262	DELPHI : BG4037, DONGNAN (SOU EAST) : 4615A1024, MITSUBISHI : 4615A119, MITSUBISHI : MN116332, MITSUBISHI : 4615A194, NIBK : RN1367, TEXTAR : 92227400, TRW : DF4973
	Lancer Sportback	1800	2008		Rear	MRD1367		
	Lancer Sportback	1800	2008		Rear	MRD1367		
	Lancer Sportback	1800	2008		Rear	MRD1367		
	Lancer Evolution X EX	1500	2007		Rear	MRD1367		
	Lancer Evolution X EX	1800	2007		Rear	MRD1367		
	Lancer Evolution X EX	1800	2007		Rear	MRD1367		
	Lancer Sportback	1800	2008		Rear	MRD1367		
	Lancer Sportback	1800	2008		Rear	MRD1367		
	Lancer Sportback	1800	2008		Rear	MRD1367		
	Lancer Evolution X EX	1500	2007		Rear	MRD1367		
	Lancer Evolution X EX	1800	2007		Rear	MRD1367		
	Lancer Evolution X EX	1800	2007		Rear	MRD1367		
	Lancer Evolution X EX	1800	2007		Rear	MRD1367		
MITSUBISHI	Eclipse	2400	2004	2005	Rear	MRD1537	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 60, Centering Diameter :80, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 262	MITSUBISHI : 4615A110, NIBK : RN1537
	Galant USA	2400	2003	2005	Rear	MRD1537		
	Galant	2400	1999	2008	Rear	MRD1537		
	Galant	2400	2003		Rear	MRD1537		
	Outlander	2000	2012		Rear	MRD1567		MITSUBISHI : 4615A125, MITSUBISHI : YH12036, NIBK : RN1567
	Outlander	2400	2012		Rear	MRD1567		
	Outlander	2400	2005	2012	Rear	MRD1567		
	Canter	2800	1989	1993	Front	MRD1260V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 6, Height : 34, Centering Diameter :98, Position: Front, Pitch Circle & Oslash: 122mm, Outter & Oslash : 273.3	MITSUBISHI : MB295968, NIBK : RN1260V, TRW : DF7366
	Canter	2800	1989	1993	Front	MRD1260V		
	Canter	2800	2002	2004	Front	MRD1261V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 6, Height : 46, Centering Diameter :104, Position: Front, Pitch Circle & Oslash: 126mm, Outter & Oslash : 266	MITSUBISHI : MK356524, NIBK : RN1261V, TRW : DF7481
	Canter	2800	2002	2004	Front	MRD1261V		
	L200	2500	2005	2010	Front	MRD1247V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 46.4, Centering Diameter :94, Position: Front, Pitch Circle & Oslash: 139.7mm, Outter & Oslash : 294	MITSUBISHI : MN102276, NIBK : RN1247V, TRW : DF4920
	L200	2500	2010		Front	MRD1247V		
	L200	2500	2007		Front	MRD1247V		
MITSUBISHI	Space Runner	2000	1999	2000	Front	MRD1252V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 45, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 276	MITSUBISHI : MR449818, MITSUBISHI : MR449817, NIBK : RN1252V, TRW : DF7231
	Space Runner	2400	1999	2000	Front	MRD1252V		
	Chariot	2000	1998	2002	Front	MRD1252V		
	Chariot	2400	1998	2003	Front	MRD1252V		
	Chariot	2400	1998	2003	Front	MRD1252V		
	L400	2500	1996	2002	Front	MRD1121V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 40, Centering Diameter :87, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2498D, AC DELCO : AC2490D, ATE : 24.0124-0220.1, BOSCH : 0 986 478 714, BOSCH : 0 986 478 663, BREMBO : 09.9149.10, BREMBO : 09.A145.10, CAR : 142.293, CAR : 142.368, CIFAM : 800-596, DELPHI : BG3590, DELPHI : BG4098, FERODO : DDF1404, Fritech : DF727, Fritech : DF724, GRAF : DF29596, HYUNDAI : 581294A000, INTERBRAKE : MB681V, INTERBRAKE : HY181V, JAPANPARTS : DI-H03, KWP : 129596, LPR : M1603V, LPR : H2124V, LUCAS : DF4102, LUCAS : DF4076, Metelli : 23-0596, MINTEX : MDC964, MITSUBISHI : MB895464, NIBK : RN1121V, NIPPARTS : J3300514, OEM : MR895464, PAGID : 50290, PILENGA : V612, PILENGA : V621, QH : BDC4978, QH : BDC5167, REMSA : 6769.20, REMSA : 6791.20, REMSA : 6636.10, REMSA : 6794.10, ROADHOUSE : 6636.10, ROADHOUSE : 6794.10, ROADHOUSE : 6791.20, ROADHOUSE : 6769.20, SBS : 1815203405, SBS : 1815203029, TEXTAR : 92102500, TRUSTING : DF724, TRUSTING : DF727, TRW : DF4076, TRW : DF4102, WOKING : D6794.10, WOKING : D6636.10
	L300	2000	1995	2003	Front	MRD1121V		
	L300	2500	1994	1999	Front	MRD1121V		
	L400	2500	1996	2002	Front	MRD1121V		
	Space Gear	2000	1994	2000	Front	MRD1121V		
	Space Gear	2400	1994	2000	Front	MRD1121V		
	Space Gear	2500	1994	2000	Front	MRD1121V		
	L300	2000	1995	2003	Front	MRD1121V		
	L300	2500	1994	1999	Front	MRD1121V		
	L400	2500	1996	2002	Front	MRD1121V		
	Space Gear	2000	1994	2000	Front	MRD1121V		
	Space Gear	2400	1994	2000	Front	MRD1121V		
	Chariot	2000	1991	1999	Front	MRD1106V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3	AC DELCO : AC2493D, AP : 24805, ATE : 24.0124-0146.1, BENDIX : 561824B, BENDIX EUR : 561824B, BOSCH : 0 986 478 654, BOSCH : 0 986 478 531, BRADI : 1.3033.2.7, BRECO : BS 8432, BREMBO : 09.7043.20, CAR : 142.839, CIFAM : 800-652, DELPHI : BG3401, FERODO : DDF741, Fritech : DF680, GRAF : DF29652, HYUNDAI : 51712M2010, JURID : 561824J, KWP : 129652, LPR : M1401V, LUCAS : DF4032, MAGNETI MARELLI : 353613033270, Metelli : 23-0652, MINTEX : MDC977, MITSUBISHI : MB950569, MITSUBISHI : MB668886, MITSUBISHI : MB950570, NECTO : WN1180, NIBK : RN1106V, NIPPARTS : J3305028, PAGID : 50303, PILENGA : V616, QH : BDC4666, QH : BDC4330, QH : BDC4775, REMSA : 6345.20, REMSA : 6625.10, ROADHOUSE : 6345.20, ROADHOUSE : 6625.10, SBS : 1815203025, TEXTAR : 92103900, TRUSTING : DF680, TRW : DF4032, VALEO : 186475, WOKING : D6625.10
	Chariot	2000	1991	1999	Front	MRD1106V		
	Canter	2800	1996	2001	Front	MRD1450V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 6, Height : 45, Centering Diameter :104, Position: Front, Pitch Circle & Oslash: 126	DJ PARTS : BD2048, MITSUBISHI : MC838750, NIBK : RN1450V

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MITSUBISHI	Galant	1800	1989	1992	Front	MRD1334	Recommended Type: Vented 266.2 ,Disc Thickness: 24, Num. of holes : 4, Height : 45.2, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3	AC DELCO : AC2484D, AP : 24341, AP : 24394, ATE : 24.0124-0114.1, BENDIX : 561579B, BENDIX : 561457B, BOSCH : 0 986 478 339, BRADI : 1.3021.2.4, BRADI : 1.3010.2.4, BRECO : BS 8077, BRECO : BS 8048, BREMBO : 09.5537.10, BREMBO : 09.5638.10, CAR : 142.844, CAR RACING : HPD 844, CIFAM : 800-279, DELPHI : BG2559, DELPHI : BG559, FERODO : DDF472, FERODO : DDF391, Fritch : DF294, GRAF : DF29279, INTERBRAKE : DGO91V, INTERCAR : DGO91V, JAPANPARTS : DI-517, JURID : 561579J, JURID : 561457J, KWP : 129279, Lemforder : 19018, LPR : D1091V, LPR : M1606V, LUCAS : DF1433, LUCAS : DF2026, MAGNETI MARELLI : 353613010240, Metelli : 23-0279, MINTEX : MDC931, MINTEX : MDC673, MITSUBISHI : MB366480, MITSUBISHI : MB500969, MITSUBISHI : MB366080, MITSUBISHI : MB500968, NECTO : WN718, NECTO : WN699, NIBK : RN1334, NK : 203008, OEM : MB366436, PAGID : 52211, PAGID : 52208, PILENGA : V603, QH : BDC4284, QH : BDC3918, QH : BDC4327, REMSA : 6327.20, ROADHOUSE : 6327.20, SBS : 1815203008, SBS : 242417, SBS : 1815203013, TEXTAR : 92094800, TEXTAR : 92047300, TRUSTING : DF294, TRW : DF1433, VALEO : 186635, WOKING : D6391.10, ZIMMERMANN : 380.2158.00
	Galant	2000	1989	1990	Front	MRD1334		
	Galant	2000	1989	1992	Front	MRD1334		
	Galant	1800	1989	1992	Front	MRD1334		
	Galant	2000	1989	1990	Front	MRD1334		
	Galant	2000	1989	1992	Front	MRD1334		
	L300	2000	1986	1994	Front	MRD1335V	Recommended Type: Vented 277	AC DELCO : AC2643D, AP : 24620, ATE : 24.0122-0175.1, BENDIX : 561765B, BOSCH : 0 986 478 635, BRADI : 1.3014.2.4, BRECO : BS 8217, BREMBO : 09.6817.10, CAR : 142.680, CAR : 142.846, CAR RACING : HPD 846, DELPHI : BG2561, DODGE : MB407038, FERODO : DDF460, Fritch : DF353, INTERBRAKE : DG181V, INTERCAR : DG181V, JURID : 561765J, LPR : D1181V, LUCAS : DF3031, MAGNETI MARELLI : 353613014240, MINTEX : MDC929, MITSUBISHI : MB407038, MITSUBISHI : MN116706, MITSUBISHI : MB407039, NECTO : WN951, NIBK : RN1334, NIBK : 203008, OEM : MB366436, PAGID : 52211, PAGID : 52208, PILENGA : V603, QH : BDC4284, QH : BDC3916, REMSA : 6464.10, REMSA : 6331.20, ROADHOUSE : 6464.10, ROADHOUSE : 6331.20, SBS : 242430, SBS : 1815203017, TEXTAR : 92074600, TRUSTING : DF353, TRW : DF3031, VALEO : 186653, WOKING : D6464.10
	L300	2500	1986	1994	Front	MRD1335V	,Disc Thickness: 22/20.4, Num. of	
	L300	2500	1994	1999	Front	MRD1335V	holes : 6, Height : 45, Centering	
	L300	2500	1994	1999	Front	MRD1335V	Diameter :87, Position: Front, Pitch	
	L300	2000	1986	1994	Front	MRD1335V	Circle & Oslash: 108	
	L300	2500	1994	1999	Front	MRD1335V		
	Montero	2500	1989	1990	Front	MRD1335V		
	Pajero	2600	1983	1991	Front	MRD1335V		
	Pajero	2600	1983	1991	Front	MRD1335V		
	L300	2400	1994	2003	Front	MRD1335V		
	L300	2400	1994	2003	Front	MRD1335V		
	L300	2000	1986	1994	Front	MRD1335V		
	L300	2400	1994	2003	Front	MRD1335V		
	L300	2500	1986	1994	Front	MRD1335V		
	L300	2500	1994	1999	Front	MRD1335V		
	L300	2500	1994	1999	Front	MRD1335V		
MITSUBISHI	L300	2000	1986	1994	Front	MRD1335V		
	L300	2400	1994	2003	Front	MRD1335V		
	L300	2400	1994	2003	Front	MRD1335V		
	L300	2000	1986	1994	Front	MRD1335V		
	L300	2400	1994	2003	Front	MRD1335V		
	L300	2500	1986	1994	Front	MRD1335V		
	L300	2500	1994	1999	Front	MRD1335V		
	L300	2500	1994	1999	Front	MRD1335V		
	L300	2000	1986	1994	Front	MRD1335V		
	L300	2400	1994	2003	Front	MRD1335V		
	L300	2500	1994	1999	Front	MRD1335V		
	Montero	2500	1989	1990	Front	MRD1335V		
	Pajero	2600	1983	1991	Front	MRD1335V		
	Pajero	2600	1983	1991	Front	MRD1335V		
	Pajero IO	1800	1999	2000	Front	MRD1256V	Recommended Type: Vented 285	ATE : 24.0122-0230.1, DELPHI : BG3814, FERODO : DDF1399, Fritch : DF1050, LPR : M1015V, LUCAS : DF7276, MITSUBISHI : MR334996, NECTO : WN1360, NIBK : RN1256V, PAGID : 54485, PILENGA : V633, REMSA : 61137.10, ROADHOUSE : 61137.10, SBS : 1815203048, TEXTAR : 92148500, TRUSTING : DF1050, TRW : DF7276
	Pajero IO	2000	2000	2002	Front	MRD1256V	,Disc Thickness: 22, Num. of holes	
	Pajero IO	2000	2000	2007	Front	MRD1256V	: 5, Height : 38.6, Centering	
	Pajero IO	1800	2000	2002	Front	MRD1256V	Diameter :94, Position: Front, Pitch	
	Pajero IO	1800	1999	2000	Front	MRD1256V	Circle & Oslash: 114.3mm	
	Pajero IO	2000	2000	2002	Front	MRD1256V		
	Pajero IO	2000	2000	2007	Front	MRD1256V		
	Pajero	3200	2008	2010	Front	MRD1400V	Recommended Type: Vented 332	ATE : 24.0128-0215.1, CAR : 142.1485, DELPHI : BG4228, Fritch : DF1246, INTERBRAKE : MB821V, LPR : M1017V, MINTEX : MDC2039, MITSUBISHI : 4615A038, NIBK : RN1400V, NIPPARTS : N3305067, NK : 203055, PILENGA : V637, TEXTAR : 92167200, TRUSTING : DF1246, TRW : DF4943S
	Pajero	3800	2006	2012	Front	MRD1400V	,Disc Thickness: 28, Num. of holes	
	Pajero	3200	2009	2010	Front	MRD1400V	: 6, Height : 56.2, Centering	
MITSUBISHI	Pajero	3200	2009	2010	Front	MRD1400V	Diameter :69, Position: Front, Pitch	
	Pajero	3200	2009	2010	Front	MRD1400V	Circle & Oslash: 139.7	
	Pajero	3200	2009	2010	Front	MRD1400V		
	Canter	4200	1999	2002	Front	MRD1449V	Recommended Type: Vented & Oslash , Position: Front	MITSUBISHI : MC862078, NIBK : RN1449V
	Canter	4200	1993	1999	Front	MRD1263V	Recommended Type: Vented & Oslash , Num. of holes : 5, Position: Front	MITSUBISHI : MC838751, NIBK : RN1263V, TRW : DF7430
	Canter	5200	1999	2002	Front	MRD1263V		
	Canter	5200	1999	2002	Front	MRD1263V		
	Canter	5200	1999	2002	Front	MRD1263V		
	Canter	5200	1999	2002	Front	MRD1263V		
	Colt	1600	1991	1996	Front	MRD1103V	Recommended Type: Vented & Oslash 236 ,Disc Thickness: 18, Num. of holes : 4, Height : 45, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2289D, AP : 24687, AP : X24687, ATE : 24.0118-0120.1, BENDIX : 562011B, BENDIX EUR : 562011B, BOSCH : 0 986 478 572, BRADI : 1.3036.2.4, BRECO : BS 8276, BREMBO : 09.7056.75, BREMBO : FS.078.000, BREMBO : 09.7056.10, BREMBO : FD.078.000, CAR : 142.870, CAR RACING : HPD 870, CIFAM : 800- 505, DELPHI : BG2810, FERODO : DDF1005, FERODO : DDF924, Fritch : DF305, GRAF : DF29505, INTERBRAKE : DG321V, INTERCAR : DG321V, JURID : 562011J, KWP : 129505, LPR : D1321V, LUCAS : DF4022, MAGNETI MARELLI : 353613036240, Metelli : 23-0505, MINTEX : MDC945, MITSUBISHI : MB699282, MITSUBISHI : MB950922, MITSUBISHI : MB699283, MITSUBISHI : MR449769, NECTO : WN925, NIBK : RN1103V, PAGID : 52218, PILENGA : V607, PROTON : MB699283, QH : BDC4805, QH : BDC4629, REMSA : 6348.20, REMSA : 6557.10, REMSA : 6528.10, ROADHOUSE : 6528.10, ROADHOUSE : 6348.20, ROADHOUSE : 6557.10, SBS : 242423, SBS : 1815203021, TEXTAR : 98200 0894 0 1, TEXTAR : 92089400, TRUSTING : DF305, TRW : DF4022, VALEO : 186818, WOKING : D6557.10, ZIMMERMANN : 380.2161.00
	Lancer	1300	1996	2000	Front	MRD1103V		
	Lancer	1600	1992	1999	Front	MRD1103V		
	Mirage	1300	1996	2000	Front	MRD1103V		
	Mirage	1500	1996	2000	Front	MRD1103V		
	Mirage	1300	1996	2000	Front	MRD1103V		
	Mirage	1500	1996	2000	Front	MRD1103V		
	Mirage	2000	1997	1999	Front	MRD1103V		
	Carisma	1600	2000	2002	Front	MRD1103V		
	Carisma	1900	2001	2002	Front	MRD1103V		
	Carisma	1900	2000	2002	Front	MRD1103V		
	Colt	1300	1991	1996	Front	MRD1103V		
	Colt	1300	1994	1996	Front	MRD1103V		
	Colt	1600	1996	2004	Front	MRD1103V		
	Lancer	1600	1992	1999	Front	MRD1103V		
	Lancer	1600	1992	2003	Front	MRD1103V		
	Lancer	1800	1995	2000	Front	MRD1103V		
	Lancer	2000	1992	1998	Front	MRD1103V		
	Lancer	1300	1995	1996	Front	MRD1103V		
	Lancer	1300	1996	2000	Front	MRD1103V		
	Lancer	1300	1995	1996	Front	MRD1103V		
	Lancer	1500	1996	2000	Front	MRD1103V		
	Lancer	1500	1996	2000	Front	MRD1103V		
	Lancer	1600	1995	2000	Front	MRD1103V		
	Lancer	1600	1995	2000	Front	MRD1103V		
	Lancer	1500	1995	1997	Front	MRD1103V		
	Lancer	1500	1995	1997	Front	MRD1103V		
	Mirage	1300	1995	1996	Front	MRD1103V		
	Mirage	1500	1995	1997	Front	MRD1103V		
	Mirage	1600	1995	2000	Front	MRD1103V		
	Mirage	2000	1997	1999	Front	MRD1103V		
	Mirage	1300	1995	1996	Front	MRD1103V		
	Mirage	1600	1995	2000	Front	MRD1103V		
	Mirage	1500	1995	1997	Front	MRD1103V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
MITSUBISHI	L200	2000	1988	1996	Front	MRD1329V	Recommended Type: Vented & Oslash 258, Disc Thickness: 22, Num. of holes : 6, Height : 34, Centering Diameter :84, Position: Front	MITSUBISHI : MB407031, NIBK : RN1329V, TRW : DF1416
	L200	1600	1987	1992	Front	MRD1329V		
	L200	2000	1986	1996	Front	MRD1329V		
	L200	2500	1986	1996	Front	MRD1329V		
	L200	2000	1986	1996	Front	MRD1329V		
	L200	2000	1986	1996	Front	MRD1329V		
	L200	2500	1986	1996	Front	MRD1329V		
	Canter	3000	2001	2005	Front	MRD1451V	Recommended Type: Vented & Oslash 293, Disc Thickness: 38, Num. of holes : 5, Height : 54, Centering Diameter :110, Position: Front, Pitch Circle & Oslash: 136	Blue Print : ADC44397, MITSUBISHI : MC894847, NIBK : RN1451V, REMSA : 61408.10, TRW : DF7852
	Carisma	1600	2000	2002	Rear	MRD1079	Recommended Type: Solid & Oslash : 260, Disc Thickness: 10, Num. of holes : 4, Height : 41, Centering Diameter :90, Position: Rear, Pitch Circle & Oslash: 114.3	AC DELCO : AC2308D, AP : 14661, ATE : 24.0110-0229.1, BENDIX : 562059B, BOSCH : 0 986 478 716, BOSCH : 0 986 478 898, BRADI : 1.6027.5.4, BRECO : BS 7544, BREMBO : 08.7042.11, BREMBO : 08.7042.10, CAR : 142.673, CAR RACING : HPD 673, CIFAM : 800-434, DELPHI : BG3112, DELPHI : BG3203, FERODO : DDF886, Fritch : DF192, GRAF : DF29434L, GRAF : DF29434, INTERBRAKE : VV341P, INTERCAR : VV341P, JAPANPARTS : DP-511, JURID : 562059J, KWP : 129434, Lemforder : 28976, Lemforder : 28976 01, LPR : M1610P, LPR : V1341P, LUCAS : DF2784, LUCAS : DF4082, LUCAS : DF2784BP, MAGNETI MARELLI : 353616027540, Metelli : 23-0434, MINTEX : MDC1021, MITSUBISHI : MR913846, MITSUBISHI : MB699289, MITSUBISHI : MB699288, NECTO : WN886, NIBK : RN1079, OEM : MR249356, OEM : MR249358, PAGID : 54024, PAGID : 54127, PILENGA : 5265, PROTON : PW820195, QH : BDC4632, QH : BDC4634, REMSA : 6793.10, REMSA : 6735.10, REMSA : 6735.10, ROADHOUSE : 6447.00, ROADHOUSE : 6793.10, ROADHOUSE : 6735.10, SBS : 1815204840, SBS : 1815203027, SBS : 383818, STOP : 562059S, TEXTAR : 92083000, TEXTAR : 98200 0830 0 1, TEXTAR : 92112700, TRUSTING : DF192, TRW : DF2784, VALEO : 186647, VOLVO : 308729409, VOLVO : 30872940, WOKING : D6447.00, ZIMMERMANN : 610.1198.00
	Carisma	1900	2001	2002	Rear	MRD1079		
	Carisma	1900	2000	2002	Rear	MRD1079		
	Carisma	1800	2000	2002	Rear	MRD1079		
	Colt Space	1300	2000	2002	Rear	MRD1079		
	Colt Space	1600	2001	2002	Rear	MRD1079		
	Space Star	1300	1998		Rear	MRD1079		
	Space Star	1300	1998	2002	Rear	MRD1079		
	Space Star	1800	1998		Rear	MRD1079		
	Space Star	1800	1998		Rear	MRD1079		
	Space Star	1900	2000		Rear	MRD1079		
	Space Star	1900	2000	2002	Rear	MRD1079		
NISSAN	Kubistar	1600	2003		Front	MRD1037V	Recommended Type: Vented & Oslash : 259, Disc Thickness: 21, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2096D, AP : 24768E, AP : X24768, ATE : 24.0121-0106.1, ATE : 421106, ATE : 24.0120-0145.1, ATE : 24.0121-0108.1, BENDIX : 561997B, BENDIX EUR : 561997B, BOSCH : 0 986 478 124, BRADI : 1.4023.2.4, BRECO : BS 8362, BRECO : BS 8253, BREMBO : FD.052.000, BREMBO : 09.5349.10, BREMBO : 09.5802.14, BREMBO : 09.5802.24, BREMBO : 09.5802.76, BREMBO : FS.052.000, BREMBO : 09.5802.10, BREMBO : 09.5802.20, BREMBO : 09.5802.75, CAR : 142.552, CAR : 142.549, CAR RACING : HPD 552, CAR RACING : HPD 549, CIFAM : 800-549, DACIA : 6001548578, DACIA : 7701206339, DACIA : 7701205653, DELPHI : BG2625, DELPHI : BG625, FERODO : DDF798, FERODO : DDF257, FERODO : DRF798, FERODO : DRF1096, FERODO : DDF1096, Fritch : DF836, GRAF : DF29549, INTERBRAKE : RN301V, INTERBRAKE : RN511V, INTERCAR : RN301V, JURID : 561997J, KWP : 129549, KWP : 1029197, Lemforder : 18155 01, Lemforder : 18155, LPR : R1301V, LPR : R1511V, LUCAS : DF4332, LUCAS : DF2586, MAGNETI MARELLI : 353614023240, Metelli : 23-0549, MINTEX : MDC811, NIBK : RN1037V, NISSAN : 4020600QAA, OEM : 77012.05339, OEM : 7711130038, OEM : 7700780892RP, OEM : 7701205828, PAGID : 52830, PAGID : 50286, PILENGA : V787, PILENGA : V741, QH : BDC4312, QH : BDC3899, REMSA : 6462.20, RENAULT : 7701205653, RENAULT : 7701204828, RENAULT : 7700780892, RENAULT : 7701204304, RENAULT : 7700813549, RENAULT : 7701206339, RENAULT : 7700842131, RENAULT : 7701204228, ROADHOUSE : 6462.20, SBS : 1815203910, SBS : 1815303910, SBS : 272731, SBS : 1815203928, SBS : 1816303910, STOP : 561997S, TEXTAR : 92100900, TEXTAR : 98200 0549 0 1, TEXTAR : 92054900, TEXTAR : 92100903, TRUSTING : DF836, TRW : DF2586, VALEO : 186208, VEMA : 98100, WOKING : D6144.10, ZIMMERMANN : 470.2409.00
	Terrano	2400	1996	1999	Front	MRD1028V	Recommended Type: Vented, Disc Thickness: 26, Num. of holes : 6, Height : 39, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 124, Outter & Oslash : 277	AC DELCO : AC2291D, AP : 24205, ATE : 24.0126-0109.1, BENDIX : 561523B, BOSCH : 0 986 478 532, BRADI : 1.3275.2.4, BRADI : 1.3252.2.4, BRECO : BS 7943, BREMBO : 09.5055.10, CAR : 142.880, CAR RACING : HPD 880, CIFAM : 800-349, DELPHI : BG418, DELPHI : BG3422, FERODO : DDF464, FORD : 1954433, Fritch : DF335, GRAF : DF29349, INTERBRAKE : NS371V, INTERCAR : NS371V, JAPANPARTS : DI-144, JURID : 561523J, KWP : 129349, KWP : 1029465L, LPR : N2825V, LPR : N2371V, LUCAS : DF1965, MAGNETI MARELLI : 353613252240, Metelli : 23-0349, MINTEX : MDC859, NECTO : WN669, NIBK : RN1028V, NISSAN : 402060F001, NISSAN : 4020631G01, NISSAN : 402060F000, NISSAN : 4020631G00, NISSAN : 40206VJ200, OEM : 1954434, PAGID : 52321, PILENGA : V890, QH : BDC4309, QH : BDC3921, REMSA : 6710.20, REMSA : 6384.20, ROADHOUSE : 6710.20, ROADHOUSE : 6384.20, SBS : 151535, SBS : 1815202250, SBS : 151535V, TEXTAR : 92059000, TRUSTING : DF335, TRW : DF1965, VALEO : 186484, WOKING : D6466.10, ZIMMERMANN : 200.2512.00
	Terrano	2400	1999	2002	Front	MRD1028V		
	Terrano	2700	1993	1996	Front	MRD1028V		
	Terrano	2700	1998	2002	Front	MRD1028V		
	Terrano	2700	1996	2000	Front	MRD1028V		
NISSAN	Kubistar	1200	2003		Front	MRD1002V	Recommended Type: Vented, Disc Thickness: 20.1, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 238	AC DELCO : AC2027D, AC DELCO : AC2071D, AP : 10219, AP : X24156, AP : 24156E, ATE : 24.0113-0167.1, ATE : 420125, ATE : 24.0120-0125.1, BENDIX : 561336B, BENDIX : 561266B, BOSCH : 0 986 478 276, BOSCH : 0 986 478 029, BRADI : 1.0613.1.4, BRADI : 1.4013.2.4, BRECO : BS 7325, BRECO : BS 7877, BREMBO : 09.3148.10, BREMBO : 09.3148.75, BREMBO : FS.027.000, BREMBO : 08.3068.10, BREMBO : 09.3148.14, BREMBO : FD.027.000, CAR : 142.126, CAR : 142.573, CAR RACING : HPD 126, CAR RACING : HPD 573, CIFAM : 800-122, CIFAM : 800-110, DELPHI : BG282, DELPHI : BG252, DELPHI : BG2282, DELPHI : BG2252, FERODO : DRF158, FERODO : DDF158, FERODO : DDF062, Fritch : DF272, Fritch : DF022, GRAF : DF29122, GRAF : DF29110, INTERBRAKE : RN111V, INTERBRAKE : BW121P, INTERCAR : BW121P, INTERCAR : RN111V, JURID : 561266J, JURID : 561336J, KWP : 1029110, KWP : 129122, KWP : 129110, KWP : 1029122, Lemforder : 10403, Lemforder : 18151, Lemforder : 10403 03, Lemforder : 18151 03, LPR : R1111V, LPR : B2121P, LUCAS : DF1569, LUCAS : DF1016BP, LUCAS : DF1016, MAGNETI MARELLI : 353610613140, MAGNETI MARELLI : 353614013240, Metelli : 23-0122, Metelli : 23-0110, MINTEX : MDC956, MINTEX : MDC336, NECTO : WN385, NECTO : WN403, NIBK : RN1002V, NISSAN : 4020600QAJ, OEM : 8431154, OEM : 34111154747, OEM : 34116752434, OEM : 34111154749RP, PAGID : 52820, PAGID : 50403, PILENGA : 5121, PILENGA : V147, QH : BDC3464, QH : BDC3546, REMSA : 6080.10, REMSA : 6058.00, REMSA : 6450.20, RENAULT : 7700756572, RENAULT : 7701204286, ROADHOUSE : 6058.00, ROADHOUSE : 6450.20, ROADHOUSE : 6080.10, SAMKO : R 1111 V, SBS : 1816303909, SBS : 131604, SBS : 1815303909, SBS : 272713, SBS : 1815201516, SBS : 1815203909, STOP : 561266S, STOP : 561336S, TEXTAR : 98200 0264 0 1, TEXTAR : 92036200, TEXTAR : 92026400, TEXTAR : 98200 0362 0 1, TEXTAR : 92036203, TRUSTING : DF272, TRUSTING : DF022, TRW : DF1016, VALEO : 186119, VALEO : 186229, VALEO : 186118, VEMA : 98099, WOKING : D6080.10, WOKING : D6058.00, ZIMMERMANN : 150.1257.00, ZIMMERMANN : 470.2403.00
	Kubistar	1500	2003		Front	MRD1002V		
	Kubistar	1600	2003		Front	MRD1002V		
	Kubistar	1200	2003		Front	MRD1002V		
	Kubistar	1500	2003		Front	MRD1002V		
	Kubistar	1600	2003		Front	MRD1002V		
NISSAN	Prairie	2000	1990	1995	Front	MRD1039V	Recommended Type: Vented, Disc Thickness: 22, Num. of holes : 4, Height : 49, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 257	AC DELCO : AC2077D, AP : 24314E, ATE : 24.0122-0146.1, BENDIX : 561582B, BOSCH : 0 986 478 567, BRADI : 1.3256.2.4, BRECO : BS 8026, BREMBO : 09.5449.14, BREMBO : 09.5449.10, CAR : 142.895, CAR RACING : HPD 895, CIFAM : 800-249, DELPHI : BG2567, DELPHI : BG567, FERODO : DRF260, FERODO : DDF260, Fritch : DF350, GRAF : DF29249, INFINITI : 4020671E01, INFINITI : 4020671E06, INFINITI : 4020671E05, INTERBRAKE : NS641V, INTERCAR : NS641V, JAPANPARTS : DI-015, JURID : 561582J, KWP : 129249, KWP : 1029249L, Lemforder : 19033, Lemforder : 19033 02, LPR : N2641V, LUCAS : DF2591BP, LUCAS : DF2591, MAGNETI MARELLI : 353613256240, Metelli : 23-0249, MINTEX : MDC584, NECTO : WN516, NIBK : RN1039V, NISSAN : 4020693J00, NISSAN : 402067100, NISSAN : 4020693J01, NISSAN : 4020671E02, OEM : 4020671, OEM : 402067100000, OEM : 4020671E00, OEM : 4020693B01, OEM : 4214031100, OEM : 402064M402, OEM : 40206710, OEM : 4020671000000, OEM : 4020671E015, OEM : 4214031000, OEM : 402064M401, PAGID : 52329, PILENGA : V333, QH : BDC5067, QH : BDC3775, REMSA : 6386.20, REMSA : 6179.10, ROADHOUSE : 6386.20, ROADHOUSE : 6179.10, SBS : 1815202231, SBS : 151520, STOP : 561582S, TEXTAR : 92056300, TRUSTING : DF350, TRW : DF2591, VALEO : 186485, VALEO : 186301, VEMA : 98053, WOKING : D6179.10, ZIMMERMANN : 200.2504.00
	Prairie	2000	1988	1995	Front	MRD1039V		
	Prairie	2400	1990	1992	Front	MRD1039V		
	Primera	2000	1991	1998	Front	MRD1039V		
	Primera	2000	1990	1998	Front	MRD1039V		
	Almera	1800	2000	2006	Front	MRD1039V		
	Almera	2200	2000	2006	Front	MRD1039V		
	Almera	1500	2000	2001	Front	MRD1039V		
	Almera	1500	2001	2002	Front	MRD1039V		
	Bluebird Sylphy	2000	2000	2005	Front	MRD1039V		
	Prairie	2000	1990	1995	Front	MRD1039V		
	Prairie	2000	1988	1995	Front	MRD1039V		
	Prairie	2400	1990	1992	Front	MRD1039V		
	Primera	2000	1991	1998	Front	MRD1039V		
	Almera	1500	2001	2002	Front	MRD1039V		
	Almera	1600	1998	2002	Front	MRD1039V		
	Almera	2000	1998	2001	Front	MRD1039V		
	Almera	1800	2000	2006	Front	MRD1039V		
	Almera	2200	2000	2006	Front	MRD1039V		
	Almera	1500	2000	2002	Front	MRD1039V		
	Almera	1500	2000	2001	Front	MRD1039V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
NISSAN	Primera	1600	1990	2002	Front	MRD1039V		
	Primera	2000	1990	1998	Front	MRD1039V		
	Primera	2000	1990	1998	Front	MRD1039V		
	Almera	1500	2000	2002	Front	MRD1039V		
	Almera	1800	2000	2002	Front	MRD1039V		
	Almera	1500	2002	2006	Front	MRD1039V		
	Bluebird Sylphy	2000	2000	2005	Front	MRD1039V		
	Prairie	2000	1988	1995	Front	MRD1039V		
	Prairie	2000	1990	1995	Front	MRD1039V		
	Prairie	2400	1990	1992	Front	MRD1039V		
	Primera	2000	1991	1998	Front	MRD1039V		
	Primera	2000	1990	1998	Front	MRD1039V		
	Bluebird Sylphy	2000	2000	2005	Front	MRD1039V		
NISSAN	Kubistar	1200	2003		Front	MRD1037V	Recommended Type: Vented & Oslash : 259 ,Disc Thickness: 21, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2096D, AP : 24768E, AP : X24768, ATE : 24.0121-0106.1, ATE : 4211106, ATE : 24.0120-0145.1, ATE : 24.0121-0108.1, BENDIX : 561997B, BENDIX EUR : 561997B, BOSCH : 0 986 478 124, BRADI : 1.4023.2.4, BRECO : BS 8362, BRECO : BS 8253, BREMBO : FD.052.000, BREMBO : 09.5349.10, BREMBO : 09.5802.14, BREMBO : 09.5802.24, BREMBO : 09.5802.76, BREMBO : FS.052.000, BREMBO : 09.5802.10, BREMBO : 09.5802.20, BREMBO : 09.5802.75, CAR : 142.552, CAR : 142.549, CAR RACING : HPD 552, CAR RACING : HPD 549, CIFAM : 800-549, DACIA : 6001548578, DACIA : 7701206339, DACIA : 7701205653, DELPHI : BG2625, DELPHI : BG625, FERODO : DDF798, FERODO : DDF257, FERODO : DRF798, FERODO : DRF1096, FERODO : DDF1096, Fritch : DF836, GRAF : DF29549, INTERBRAKE : RN301V, INTERBRAKE : RN511V, INTERCAR : RN301V, JURID : 561997J, KWP : 129549, KWP : 1029197, Lemforder : 18155 01, Lemforder : 18155, LPR : R1301V, LPR : R1511V, LUCAS : DF4332, LUCAS : DF2586, MAGNETI MARELLI : 353614023240, Metelli : 23-0549, MINTEX : 7700780892RP, OEM : 7701205828, PAGID : 52830, PAGID : 50286, PILENGA : V787, PILENGA : V741, QH : BDC4312, QH : BDC3899, REMSA : 6462.20, RENAULT : 7701205653, RENAULT : 7701204828, RENAULT : 7700780892, RENAULT : 7701204304, RENAULT : 7700813549, RENAULT : 7701206339, RENAULT : 7700842131, RENAULT : 7701204228, ROADHOUSE : 6462.20, SBS : 1815203910, SBS : 1815303910, SBS : 272731, SBS : 1815203928, SBS : 1816303910, STOP : 561997S, TEXTAR : 92100900, TEXTAR : 98200 0549 0 1, TEXTAR : 92054900, TEXTAR : 92100903, TRUSTING : DF836, TRW : DF2586, VALEO : 186208, VEMA : 98100, WOKING : D6144.10, ZIMMERMANN : 470.2409.00
	Kubistar	1500	2003		Front	MRD1037V		
NISSAN	Terrano	2400	1996	1999	Front	MRD1028V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 39, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 124, Outter & Oslash : 277	AC DELCO : AC2291D, AP : 24205, ATE : 24.0126-0109.1, BENDIX : 561523B, BOSCH : 0 986 478 532, BRADI : 1.3252.2.4, BRADI : 1.3275.2.4, BRECO : BS 7943, BREMBO : 09.5055.10, CAR : 142.880, CAR RACING : HPD 880, CIFAM : 800-349, DELPHI : BG418, DELPHI : BG3422, FERODO : DDF464, FORD : 1954433, Fritch : DF335, GRAF : DF29349, INTERBRAKE : NS371V, INTERCAR : NS371V, JAPANPARTS : DI-144, JURID : 561523J, KWP : 1029465L, KWP : 129349, LPR : N2371V, LPR : N2825V, LUCAS : DF1965, MAGNETI MARELLI : 353613252240, Metelli : 23-0349, MINTEX : MDC859, NECTO : WN669, NIBK : RN1028V, NISSAN : 4020631G00, NISSAN : 40206VJ200, NISSAN : 402060F001, NISSAN : 4020631G01, NISSAN : 402060F000, OEM : 1954434, PAGID : 52321, PILENGA : V890, QH : BDC4309, QH : BDC3921, REMSA : 6710.20, REMSA : 6384.20, ROADHOUSE : 6710.20, ROADHOUSE : 6384.20, SBS : 151535, SBS : 1815202250, SBS : 151535V, TEXTAR : 92059000, TRUSTING : DF335, TRW : DF1965, VALEO : 186484, WOKING : D6466.10, ZIMMERMANN : 200.2512.00
	Terrano	2700	1993	1996	Front	MRD1028V		
	Terrano	2700	1996	2000	Front	MRD1028V		
	Terrano	2700	1998	2002	Front	MRD1028V		
NISSAN	March	1000	1997	1999	Front	MRD1043	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 45.2, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 234	AC DELCO : AC2293D, AP : 14407, AP : X14407, ATE : 24.0112-0137.1, BENDIX : 561663B, BENDIX EUR : 561663B, BOSCH : 0 986 478 288, BRADI : 1.3267.1.4, BRECO : BS 7454, BREMBO : 08.5691.75, BREMBO : 08.5691.10, CAR : 142.893, CAR RACING : HPD 893, CIFAM : 800-348, DELPHI : BG683, DELPHI : BG2683, FERODO : DDF442, Fritch : DF138, GRAF : DF29348, INTERBRAKE : NS661P, INTERCAR : NS661P, JURID : 561663J, KWP : 129348, KWP : 1029348L, Lemforder : 19043 02, Lemforder : 19043, LPR : N2661P, LUCAS : DF2611, MAGNETI MARELLI : 353613267140, Metelli : 23-0348, MINTEX : MDC740, NECTO : WN618, NIBK : RN1043, NISSAN : 402065F001, NISSAN : 402065F003, PAGID : 52315, PILENGA : 5326, QH : BDC3820, REMSA : 6395.10, REMSA : 6047.00, ROADHOUSE : 6047.00, ROADHOUSE : 6395.10, SBS : 151524, SBS : 1815202237, STOP : 561663S, TEXTAR : 92063300, TRUSTING : DF138, TRW : DF2611, VALEO : 186300, VEMA : 98112, WOKING : D6047.00, ZIMMERMANN : 200.2509.00
	March	1300	1997	1999	Front	MRD1043		
	March	1000	1992	1997	Front	MRD1043		
	March	1300	1992	1997	Front	MRD1043		
	March	1300	1992	1997	Front	MRD1043		
NISSAN	Serena	1600	1992	1998	Front	MRD1094V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 52, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 257	AC DELCO : AC2449D, AP : 24603, ATE : 24.0126-0108.1, BENDIX : 562115B, BENDIX EUR : 562115B, BOSCH : 0 986 478 485, BRADI : 1.3276.2.4, BRECO : BS 8210, BREMBO : 09.6816.10, BREMBO : 09.6816.10, CAR : 142.873, CAR RACING : HPD 873, CIFAM : 800-449, DELPHI : BG3127, FERODO : DDF722, Fritch : DF529, GRAF : DF29449, INTERBRAKE : NS751V, INTERCAR : NS751V, JURID : 562115J, KWP : 1029449L, KWP : 129449, Lemforder : 22223, Lemforder : 22223 01, LPR : N2751V, LUCAS : DF3112, MAGNETI MARELLI : 353613276240, Metelli : 23-0449, MINTEX : MDC1056, NECTO : WN820, NIBK : RN1094V, NISSAN : 402069C100, OEM : 40206Y9502, PAGID : 50206, PILENGA : V339, QH : BDC4396, REMSA : 6444.10, REMSA : 6709.20, ROADHOUSE : 6444.10, ROADHOUSE : 6709.20, SBS : 1815202243, SBS : 151533, STOP : 562115S, TRUSTING : DF529, TRW : DF3112, VALEO : 186563, VEMA : 98051, WOKING : D6444.10
	Serena	2000	1992	1998	Front	MRD1094V		
	Serena	2300	1992	1998	Front	MRD1094V		
	Vanette	1600	1994	2001	Front	MRD1094V		
	Vanette	2300	1994	2001	Front	MRD1094V		
	Serena	1600	1994	2000	Front	MRD1094V		
	Serena	2000	1994	2001	Front	MRD1094V		
	Serena	2300	1994	2001	Front	MRD1094V		
	Serena	1600	1992	1998	Front	MRD1094V		
	Serena	2000	1992	1998	Front	MRD1094V		
	Serena	2300	1992	1998	Front	MRD1094V		
NISSAN	Vanette	1600	1994	2001	Front	MRD1094V		
	Vanette	2300	1994	2001	Front	MRD1094V		
	Patrol	2800	1997	1999	Rear	MRD1240V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 6, Height : 80, Centering Diameter :111, Position: Rear, Pitch Circle & Oslash: 139.7mm, Outter & Oslash : 316	AC DELCO : AC2521D, ATE : 24.0118-0136.1, BENDIX : 562223B, BOSCH : 0986479385, BREMBO : 09.A451.10, CAR : 142.043, CAR RACING : HPD 043, DELPHI : BG3117, FERODO : DDF976, Fritch : DF798, INTERBRAKE : NS891V, JAPANPARTS : DP-116, JAPANPARTS : DP-105, JURID : 562223J, LPR : N2804V, LUCAS : DF4814, MINTEX : MDC1298, NIBK : RN1240V, NISSAN : 4320605J03, NISSAN : 4320605J04, NISSAN : 43206VB000, PAGID : 54299, PILENGA : V891, QH : BDC4830, REMSA : 6926.10, ROADHOUSE : 6926.10, SBS : 1815202255, TEXTAR : 92129900, TRUSTING : DF798, TRW : DF4814
	Patrol	2800	1997	2000	Rear	MRD1240V		
	Patrol	4800	1997	2010	Rear	MRD1240V		
	Patrol	2800	1997	1999	Rear	MRD1240V		
	Patrol	2800	1997	2000	Rear	MRD1240V		
	Patrol	4800	1997	2010	Rear	MRD1240V		
	Patrol	2800	1988	1997	Rear	MRD1240V		
	Patrol	2800	1997	1999	Rear	MRD1240V		
	Patrol	2800	1997	2000	Rear	MRD1240V		
NISSAN	Patrol	4200	1991	1997	Rear	MRD1240V		
	Patrol	4800	1997	2010	Rear	MRD1240V		
	Cedric	2000	1994	1998	Front	MRD1036V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 49, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 280	AC DELCO : AC2522D, AP : 24263, ATE : 24.0122-0174.1, BENDIX : 561536B, BENDIX EUR : 561536B, BOSCH : 0 986 478 833, BRADI : 1.3254.2.4, BRECO : BS 7987, BREMBO : 09.5254.10, CAR : 142.801, CAR RACING : HPD 801, DELPHI : BG2682, DELPHI : BG682, FERODO : DDF600, Fritch : DF331, INTERBRAKE : NS361V, JAPANPARTS : DI-140, JURID : 561536J, LPR : N2361V, LUCAS : DF2574, MAGNETI MARELLI : 353613254240, MINTEX : MDC860, NECTO : WN689, NIBK : RN1036V, NISSAN : 402068800000, NISSAN : 40206880, NISSAN : 4020688E04, NISSAN : 4020688E03, NISSAN : 40206880, OEM : 4214051200, OEM : 4020688000, OEM : 402062L903, PAGID : 52326, PILENGA : V892, QH : BDC3813, REMSA : 6385.20, REMSA : 6529.10, ROADHOUSE : 6385.20, ROADHOUSE : 6529.10, SBS : 1815202247, SBS : 151534, TEXTAR : 92069900, TRUSTING : DF331, TRW : DF2574, VALEO : 186636, ZIMMERMANN : 200.2508.00
	Maxima QX	2000	1994	2000	Front	MRD1036V		
	Maxima QX	3000	1991	1994	Front	MRD1036V		
	Cedric	2000	1994	1998	Front	MRD1036V		
	Maxima QX	2000	1994	2000	Front	MRD1036V		
	Maxima QX	3000	1991	1994	Front	MRD1036V		
NISSAN	Cedric	2000	1994	1998	Front	MRD1036V		
	Maxima QX	2000	1994	2000	Front	MRD1036V		
	Maxima QX	3000	1991	1994	Front	MRD1036V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
NISSAN	Primera	1800	1995	1997	Front	MRD1146V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 49.2, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 280	AC DELCO : AC2523D, AC DELCO : AC2574D, AP : 24482, ATE : 24.0122-0179.1, BENDIX : 562232B, BENDIX EUR : 562232B, BOSCH : 0 986 478 728, BRADI : 1.3254.2.5, BRECO : BS 8117, BREMBO : 09.5254.20, CAR : 142.374, CAR RACING : HPD 374, CIFAM : 800-545, DELPHI : BG3246, DELPHI : BG3596, FERODO : DDF959, Fritech : DF722, GRAF : DF29545, INTERBRAKE : NS841V, JURID : 562232J, KWP : 129545, LPR : N2812V, LPR : N2827V, LUCAS : DF4169, LUCAS : DF7095, MAGNETI MARELLI : 353613254250, Metelli : 23-0545, MINTEX : MDC1080, NECTO : WN1205, NIBK : RN1146V, NISSAN : 402062F501, NISSAN : 4020655F03, NISSAN : 402062F500, NISSAN : 4020655F01, NISSAN : 4020673L01, PAGID : 52344, PAGID : 50342, PILENGA : V893, PILENGA : V896, QH : BDC4850, QH : BDC5004, REMSA : 6632.20, REMSA : 6885.20, ROADHOUSE : 6632.20, ROADHOUSE : 6885.20, SBS : 1815202251, SBS : 151551, TEXTAR : 92109300, TEXTAR : 92094900, TRUSTING : DF722, TRW : DF4169, VALEO : 186663, VALEO : 186889, WOKING : D6610.10, ZIMMERMANN : 200.2514.00
	200SX	1800	1991	1994	Front	MRD1146V		
	Almera	1500	2001	2002	Front	MRD1146V		
	Almera	1800	2000	2001	Front	MRD1146V		
	Almera	1800	2001	2002	Front	MRD1146V		
	200SX	1800	1991	1994	Front	MRD1146V		
	Almera	1600	1995	1997	Front	MRD1146V		
	200SX	1800	1991	1994	Front	MRD1146V		
	Almera	1500	2001	2002	Front	MRD1146V		
	Almera	1800	2000	2001	Front	MRD1146V		
	Almera	1800	2001	2002	Front	MRD1146V		
	Almera	1800	2002	2006	Front	MRD1146V		
	Almera	2200	2003	2006	Front	MRD1146V		
	Primera	1600	1998	2002	Front	MRD1146V		
	Primera	1800	1995	1997	Front	MRD1146V		
	Primera	2000	1998	2002	Front	MRD1146V		
	Primera	2000	1998	2001	Front	MRD1146V		
	Primera	2000	1998	2002	Front	MRD1146V		
NISSAN	Tiida	1600	2007		Front	MRD1187V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 44, Centering Diameter : 61, Position: Front, Outter & Oslash : 260	AC DELCO : AC2653D, AP : 24825, APEC : DSK2277, ATE : 422216, ATE : 24.0122-0216.1, BENDIX : 562230B, BENDIX : 562268B, BOSCH : 0 986 479 080, BOSCH : 0 986 479 103, BRECO : BS 8450, BREMBO : 09.9078.10, BREMBO : FS.154.000, BREMBO : FD.154.000, CAR : 142.593, CAR RACING : HPD 593, CIFAM : 800-641, DACIA : 7701207795, DELPHI : BG3887, DELPHI : BG3762, Fritech : DF972, GRAF : DF29641, INTERBRAKE : NS871V, JAPANPARTS : DI-013, JURID : 562268J, JURID : 562230J, KWP : 129641, LPR : N2003V, LUCAS : DF4364, LUCAS : DF4267, MAGNETI MARELLI : 353613286240, Metelli : 23-0641, MINTEX : MDC1607, NECTO : WN1222, NIBK : RN1187V, NIPPARTS : J3301088, NISSAN : 40206AX602, NISSAN : 40206AX600, NISSAN : 40206AX603, PAGID : 54192, PILENGA : V885, QH : BDC5369, REMSA : 6683.10, RENAULT : 7701207795, ROADHOUSE : 6683.10, SBS : 1815203936, SBS : 1815202264, TEXTAR : 92119203, TRUSTING : DF972, TRW : DF4267, TRW : DF4364, VALEO : 186764, WOKING : D6683.10, ZIMMERMANN : 470.2416.00
	Tiida	1800	2007		Front	MRD1187V		
	Tiida	1600	2007		Front	MRD1187V		
	Tiida	1800	2007		Front	MRD1187V		
	Note	1500	2005		Front	MRD1187V		
	Tiida	1600	2007		Front	MRD1187V		
	Tiida	1800	2007		Front	MRD1187V		
	Micra	1000	2003	2010	Front	MRD1187V		
	Micra	1200	2003	2010	Front	MRD1187V		
	Micra	1400	2003	2010	Front	MRD1187V		
	Micra	1500	2003	2010	Front	MRD1187V		
	Micra	1200	2003	2010	Front	MRD1187V		
	Micra	1400	2003	2010	Front	MRD1187V		
	Tiida	1600	2007		Front	MRD1187V		
	Tiida	1800	2007		Front	MRD1187V		
	Tiida	1600	2007		Front	MRD1187V		
	Tiida	1800	2007		Front	MRD1187V		
	Tiida	1600	2007		Front	MRD1187V		
	Tiida	1800	2007		Front	MRD1187V		
NISSAN	Almera	1400	1995	1997	Rear	MRD1277	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 4, Height : 44.6, Centering Diameter : 68, Position: Rear, Pitch Circle & Oslash : 100mm, Outter & Oslash : 258	AP : 14469, ATE : 24.0109-0134.1, BOSCH : 0 986 478 836, BRADI : 1.3280.5.5, BRECO : BS 7465, BREMBO : 08.5443.40, CAR : 142.920, CAR RACING : HPD 920, DELPHI : BG3125, FERODO : DDF717, Fritech : DF100, INTERBRAKE : NS801P, JAPANPARTS : DP-126, JURID : 561726J, LPR : N2815P, LUCAS : DF4000, MINTEX : MDC1055, NIBK : RN1277, NIPPARTS : J3311026, NISSAN : 4320654C01, OEM : 4320654C00, PAGID : 52339, PILENGA : 5395, QH : BDC4892, QH : BDC5071, REMSA : 6531.00, ROADHOUSE : 6531.00, SBS : 1815202263, TEXTAR : 92079900, TRUSTING : DF100, TRW : DF4000, VALEO : 186564, WOKING : D6531.00
	Almera	1600	1995	1997	Rear	MRD1277		
NISSAN	X Trail	2000	2001	2003	Front	MRD1180V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 280	AP : 22019, AP : 24899, AP : 24898, APEC : DSK356, APEC : DSK2127, ATE : 24.0128-0140.1, ATE : 428140, BENDIX : 562281B, BOSCH : 0 986 479 030, BRECO : BS 8504, BRECO : BS 8503, BRECO : BS 8375, BREMBO : 09.9368.20, BREMBO : 09.9368.10, CAR : 142.609, CAR : 142.601, CAR RACING : HPD 601, CIFAM : 800-764, DELPHI : BG3816, DELPHI : BG3730, DELPHI : BG3766, FERODO : DDF1249, FERODO : DDF1494, FERODO : DDF1250, Fritech : DF789, Fritech : DF915, GRAF : DF29764, INTERBRAKE : NS881V, JURID : 562281J, KWP : 129764, LPR : N2002V, LUCAS : DF4091, LUCAS : DF4542, LUCAS : DF4316, LUCAS : DF4744, MAGNETI MARELLI : 353613288240, Metelli : 23-0764, MINTEX : MDC1578, MINTEX : MDC1947, NECTO : WN1423, NIBK : RN1180V, NISSAN : 40206 4U101, NISSAN : 40206 4U107, NISSAN : 40206 3Y502, NISSAN : 40206 4U103, NISSAN : 402063Y503, OEM : 4020640U02, OEM : 402064U105, OEM : 402062Y502, OEM : 402062Y505, OEM : 4020640U12, OEM : 402068H300, OEM : 402060V101, OEM : 402062Y503, PAGID : 50343, PILENGA : V886, QH : BDC5213, QH : BDC5323, QH : BDC5237, QH : BDC5346, REMSA : 6937.10, REMSA : 6681.10, ROADHOUSE : 6681.10, ROADHOUSE : 6937.10, SBS : 1815202258, SBS : 1815202267, SBS : 1815202256, SBS : 1815202259, TEXTAR : 92109400, TRUSTING : DF789, TRUSTING : DF915, TRW : DF4316, TRW : DF4744, VALEO : 186728, WOKING : D6681.10, ZIMMERMANN : 200.2515.00
	X Trail	2200	2001	2003	Front	MRD1180V		
	X Trail	2500	2002	2007	Front	MRD1180V		
	Almera Tino	1800	2002	2006	Front	MRD1180V		
	Almera Tino	2200	2003	2006	Front	MRD1180V		
	Cedric	2000	2000	2001	Front	MRD1180V		
	Cedric	3000	2000	2001	Front	MRD1180V		
	Maxima QX	2000	2000	2001	Front	MRD1180V		
	Maxima QX	2500	2000		Front	MRD1180V		
	Maxima QX	3000	2000	2001	Front	MRD1180V		
	Primera	1600	2002	2005	Front	MRD1180V		
	Primera	1800	2002	2005	Front	MRD1180V		
	Primera	1800	2002	2003	Front	MRD1180V		
	Primera	2000	2002	2005	Front	MRD1180V		
	Primera	1600	2002	2005	Front	MRD1180V		
	Primera	1800	2002	2005	Front	MRD1180V		
	Primera	1800	2002	2003	Front	MRD1180V		
	X Trail	2000	2001	2003	Front	MRD1180V		
	X Trail	2200	2001	2003	Front	MRD1180V		
	X Trail	2500	2002	2007	Front	MRD1180V		
NISSAN	Pick Up	2400	1992	2001	Front	MRD1088V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 36.9, Centering Diameter : 81, Position: Front, Pitch Circle & Oslash : 103, Outter & Oslash : 260	AP : 24576, Blue Print : ADN14337, BRECO : BS 8196, BREMBO : 09.6744.10, DELPHI : BG3242, FERODO : DDF443, FERODO : DDF601, Fritech : DF1265, JAPANPARTS : DI-143, LPR : N2711V, LUCAS : DF3001, MAGNETI MARELLI : 353613244240, MINTEX : MDC689, NECTO : WN816, NIBK : RN1088V, NISSAN : 4020602N00, NISSAN : 4020602N01, NISSAN : 4020609G03, NISSAN : 40206-5T500, PAGID : 50205, PILENGA : V882, QH : BDC4247, REMSA : 6450.10, ROADHOUSE : 6450.10, SBS : 1815202236, TEXTAR : 92074700, TRUSTING : DF1265, TRW : DF3001, WOKING : D6450.10
	Urvan	2400	1989	1997	Front	MRD1088V		
	Urvan	2500	1988	1997	Front	MRD1088V		
	Pathfinder	3500	2000	2005	Front	MRD1088V		
	Pick Up	2500	2001	2006	Front	MRD1088V		
	Pathfinder	2500	1997	2002	Front	MRD1088V		
	Pick Up	2400	2001	2006	Front	MRD1088V		
NISSAN	Navara	2400	2002	2005	Front	MRD1088V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash : 114.3, Outter & Oslash : 280	AP : 24898, AP : 22019, AP : 24899, APEC : DSK2127, APEC : DSK356, ATE : 428140, ATE : 24.0128-0140.1, BENDIX : 562281B, BOSCH : 0 986 479 030, BRECO : BS 8375, BRECO : BS 8504, BRECO : BS 8503, BREMBO : 09.9368.10, BREMBO : 09.9368.20, CAR : 142.601, CAR : 142.609, CAR RACING : HPD 601, CIFAM : 800-764, DELPHI : BG3730, DELPHI : BG3766, DELPHI : BG3816, FERODO : DDF1250, FERODO : DDF1249, FERODO : DDF1494, Fritech : DF915, Fritech : DF789, GRAF : DF29764, INTERBRAKE : NS881V, JURID : 562281J, KWP : 129764, LPR : N2002V, LUCAS : DF4316, LUCAS : DF4744, LUCAS : DF4091, LUCAS : DF4542, MAGNETI MARELLI : 353613288240, Metelli : 23-0764, MINTEX : MDC1947, MINTEX : MDC1578, NECTO : WN1423, NIBK : RN1180V, NISSAN : 40206 3Y502, NISSAN : 40206 4U103, NISSAN : 402063Y503, NISSAN : 40206 4U101, NISSAN : 40206 4U107, OEM : 4020640U12, OEM : 402068H300, OEM : 402060V101, OEM : 402062Y503, OEM : 4020640U02, OEM : 402064U105, OEM : 402062Y502, OEM : 402062Y505, PAGID : 50343, PILENGA : V886, QH : BDC5237, QH : BDC5346, QH : BDC5213, QH : BDC5323, REMSA : 6937.10, REMSA : 6681.10, ROADHOUSE : 6681.10, ROADHOUSE : 6937.10, SBS : 1815202256, SBS : 1815202258, SBS : 1815202259, SBS : 1815202259, TEXTAR : 92109400, TRUSTING : DF915, TRUSTING : DF789, TRW : DF4744, TRW : DF4316, VALEO : 186728, WOKING : D6681.10, ZIMMERMANN : 200.2515.00
	Almera Tino	1800	2002	2006	Front	MRD1180V		
	Primera	1600	2002	2005	Front	MRD1180V		
	Primera	1800	2002	2005	Front	MRD1180V		
	Primera	1800	2002	2003	Front	MRD1180V		
	Primera	2000	2002	2005	Front	MRD1180V		
	Cedric	2000	2000	2001	Front	MRD1180V		
	Cedric	3000	2000	2001	Front	MRD1180V		
	Maxima QX	2000	2000	2001	Front	MRD1180V		
	Maxima QX	2500	2000		Front	MRD1180V		
	Maxima QX	3000	2000	2001	Front	MRD1180V		
	X Trail	2000	2001	2003	Front	MRD1180V		
	X Trail	2200	2001	2003	Front	MRD1180V		
NISSAN	X Trail	2500	2002	2007	Front	MRD1180V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 6, Height : 47, Centering Diameter : 109, Position: Front, Pitch Circle & Oslash : 137, Outter & Oslash : 306	APEC : DSK2100, BREMBO : 09.A055.10, CAR : 142.1275, DELPHI : BG3817, FERODO : DDF1552, Fritech : DF877, INTERBRAKE : NN011V, LPR : N2005V, MINTEX : MDC1509, NECTO : WN1478, NIBK : RN1421V, NISSAN : 40206VB001, NISSAN : 40206VB001, OEM : 40206VB000, OEM : 40206VB001, PAGID : 54383, REMSA : 6925.10, ROADHOUSE : 6925.10, SBS : 1815202265, TEXTAR : 92138300, TRUSTING : DF877, TRW : DF7305, TRW : DF7305S
	Patrol	2800	1997	1999	Front	MRD1421V		
	Patrol	3000	2000	2009	Front	MRD1421V		
	Patrol	4800	1997	2010	Front	MRD1421V		
	Patrol	2800	1997	1999	Front	MRD1421V		
	Patrol	3000	2000	2009	Front	MRD1421V		
	Patrol	4800	1997	2010	Front	MRD1421V		
	Patrol	2800	1997	1999	Front	MRD1421V		
	Patrol	4800	1997	2010	Front	MRD1421V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
NISSAN	Qashqai	1600	2007		Rear	MRD1302	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 62, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 291	Ashika : 61-01-120, DELPHI : BG4108, FERODO : DDF1590, JAPANPARTS : DP-120, NIBK : RN1302, NIPPARTS : J3311047, NISSAN : 43206JA008, NISSAN : 432069W100, NISSAN : 43206JD00A, NISSAN : 432067Y000, NISSAN : 432069Y000, PAGID : 54675, TEXTAR : 92167500, TRW : DF6051
	Qashqai	2000	2007		Rear	MRD1302		
	Qashqai	2200	2007		Rear	MRD1302		
	Qashqai	2500	2007		Rear	MRD1302		
	Qashqai	1500	2007		Rear	MRD1302		
	Qashqai	2000	2008		Rear	MRD1302		
	Juke	1600	2011		Rear	MRD1302		
	Qashqai	1600	2007		Rear	MRD1302		
	Qashqai	2000	2007		Rear	MRD1302		
	Qashqai	1500	2007		Rear	MRD1302		
	Qashqai	2000	2008		Rear	MRD1302		
	Juke	1600	2011		Rear	MRD1302		
NISSAN	Qashqai	2200	2007		Rear	MRD1302		
	Almera Tino	1800	2002	2006	Rear	MRD1186	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 45, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 278	ATE : 24.0110-0285.1, BENDIX : 562264B, BOSCH : 0 986 479 067, BREMBO : 08.9461.20, CIFAM : 800-762, DELPHI : BG3761, FERODO : DDF1383, Fritch : DF375, GRAF : DF29762, INTERBRAKE : NS921P, JURID : 562264J, KWP : 129762, LPR : N2004P, LUCAS : DF4357, Metelli : 23-0762, MINTEX : MDC1606, NECTO : WN1347, NIBK : RN1186, NIPPARTS : J3311040, NISSAN : 432064U103, NISSAN : 432064U101, PAGID : 54257, PILENGA : 5394, QH : BDC5238, REMSA : 6820.00, ROADHOUSE : 6820.00, SBS : 1815202257, TEXTAR : 92125700, TEXTAR : 92125703, TRUSTING : DF375, TRW : DF4357, ZIMMERMANN : 200.2517.00
	Almera Tino	2200	2003	2006	Rear	MRD1186		
	Primera	1600	2002	2005	Rear	MRD1186		
	Primera	1800	2002	2005	Rear	MRD1186		
	Primera	1800	2002	2003	Rear	MRD1186		
	Primera	2000	2002	2005	Rear	MRD1186		
	Primera	2000	2003	2005	Rear	MRD1186		
	Primera	2200	2003	2005	Rear	MRD1186		
	Almera Tino	1800	2002	2006	Rear	MRD1186		
	Almera Tino	2200	2003	2006	Rear	MRD1186		
	Primera	1600	2002	2005	Rear	MRD1186		
	Primera	1800	2002	2005	Rear	MRD1186		
	Primera	1800	2002	2003	Rear	MRD1186		
	Primera	2000	2002	2005	Rear	MRD1186		
	Primera	2000	2003	2005	Rear	MRD1186		
	Primera	2200	2003	2005	Rear	MRD1186		
	Primera	1600	2002	2005	Rear	MRD1186		
	Primera	1800	2002	2005	Rear	MRD1186		
	Primera	1800	2002	2003	Rear	MRD1186		
	Primera	2000	2002	2005	Rear	MRD1186		
	Primera	2000	2003	2005	Rear	MRD1186		
	Primera	2200	2003	2005	Rear	MRD1186		
NISSAN	Murano	3500	2004	2008	Rear	MRD1185V	Recommended Type: Vented ,Disc Thickness: 16, Num. of holes : 5, Height : 62, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 308	ATE : 24.0116-0122.1, CAR : 142.1333, DELPHI : BG4041, FERODO : DDF1506, Fritch : DF1193, INTERBRAKE : NN081V, LPR : N2015V, LUCAS : DF4353, MINTEX : MDC1820, NIBK : RN1185V, NISSAN : 43206CA000, OEM : 43206WL000, PAGID : 54493, PILENGA : V889, QH : BDC5668, SBS : 1815202271, TEXTAR : 92149300, TRUSTING : DF1193, TRW : DF4353
	Murano	3500	2004	2008	Rear	MRD1185V		
	Murano	3500	2008		Rear	MRD1185V		
NISSAN	Qashqai	1600	2007		Front	MRD1303V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 44, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 295.5	ATE : 24.0126-0154.1, BOSCH : 0 986 479 358, BREMBO : 09.A716.14, BREMBO : 09.A716.20, CAR : 142.1320, CAR : 142.1474, CAR RACING : HPD 1320, CIFAM : 800-902, DELPHI : BG4109, FERODO : DDF1589, Fritch : DF1288, INTERBRAKE : NN031V, JAPANPARTS : DI-157, LPR : N2016V, LUCAS : DF4989S, Metelli : 23-0902, MINTEX : MDC1905, MINTEX : MDC1906, NIBK : RN1303V, NIBK : RN1422V, NIPPARTS : J3301094, NISSAN : 40206-JE20A, NISSAN : 40206-JG00A, NISSAN : 40206-JD00A, NISSAN : 402061KC1B, NK : 203968, TEXTAR : 92167400, TRUSTING : DF1288, TRW : DF4964
	Qashqai	2000	2007		Front	MRD1303V		
	Qashqai	1500	2007		Front	MRD1303V		
	Qashqai	2000	2008		Front	MRD1303V		
	X Trail	2000	2007		Front	MRD1303V		
	X Trail	2500	2007		Front	MRD1303V		
	Qashqai	2200	2007		Front	MRD1303V		
	Qashqai	2500	2007		Front	MRD1303V		
	Qashqai	1600	2007		Front	MRD1303V		
	Qashqai	2000	2007		Front	MRD1303V		
	Qashqai	2200	2007		Front	MRD1303V		
	Qashqai	2500	2007		Front	MRD1303V		
	Qashqai	1500	2007		Front	MRD1303V		
	Qashqai	2000	2008		Front	MRD1303V		
	X Trail	2000	2007		Front	MRD1303V		
	X Trail	2500	2007		Front	MRD1303V		
NISSAN	Murano	3500	2008		Front	MRD1423V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 320	ATE : 24.0128-0153.1, CAR : 142.1324, FERODO : DDF1505, Fritch : DF1053, INTERBRAKE : NN071V, LPR : N2014V, MINTEX : MDC1829, NIBK : RN1423V, NISSAN : 40206EG000, NISSAN : 40206CA010, PILENGA : V575, SBS : 1815202270, TEXTAR : 92162400, TRUSTING : DF1053, TRW : DF4983S
	Murano	2500	2010		Front	MRD1423V		
	Pathfinder	3300	1997	2000	Front	MRD1226V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 49.2, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 124mm, Outter & Oslash : 300	ATE : 24.0128-0166.1, BENDIX : 562279B, BOSCH : 0 986 479 031, CAR : 142.1046, CAR RACING : HPD1046, DELPHI : BG3972, FERODO : DDF1626, Fritch : DF382, INFINITI : 40206VE800, INTERBRAKE : NS971V, JURID : 562388J, JURID : 562279J, LPR : N2013V, LUCAS : DF4553, MINTEX : MDC1754, NIBK : RN1226V, NISSAN : 402061W600, NISSAN : 402066W500, OEM : 402061W600, PAGID : 50344, PILENGA : V573, QH : BDC5400, REMSA : 6899.10, ROADHOUSE : 6899.10, SBS : 1815202262, TEXTAR : 92109500, TRUSTING : DF382, TRW : DF4553, ZIMMERMANN : 200.2516.00
	Pathfinder	3500	2000	2005	Front	MRD1226V		
	Pick Up	2500	2001	2006	Front	MRD1226V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 44, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 259.8	Blue Print : ADN143137, BOSCH : 0 986 AB6 388, NIBK : RN22003V, NISSAN : 40206-3U800, NISSAN : 40206-3U80A, NISSAN : 402063U300, TRW : DF7330
	Pathfinder	3500	2000	2005	Front	MRD1226V		
	Pick Up	2500	2001	2006	Front	MRD1226V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 44, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 259.8	Blue Print : ADN143138, BOSCH : 0 986 AB9 701, Fritch : DF1374, NIBK : RN1544V, NIPPARTS : J3301011, NISSAN : 40206-1W200, NISSAN : 40206-VE400, OEM : 402060W001, OEM : 5861186400, TRUSTING : DF1374, TRW : DF7554
	Cube	1500	2008		Front	MRD22003V		
	Wingroad	1500	2005	2010	Front	MRD22003V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 44, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 259.8	Blue Print : ADN143142, DJ PARTS : BD1466, NIBK : RN1417V, NISSAN : 40206AM800, NISSAN : 402069J400
	Wingroad	1500	2005	2010	Front	MRD22003V		
	Sylphy	1500	2005		Front	MRD22003V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43.7, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 23.7	Blue Print : ADN143148, NIBK : RN22004V, NISSAN : 40206-AX000, NISSAN : 40206-CT40A, TRW : DF 7222
	Sylphy	2000	2006		Front	MRD22003V		
NISSAN	Sylphy	1500	2005		Front	MRD22003V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43.7, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 23.7	Blue Print : ADN143148, NIBK : RN22004V, NISSAN : 40206-AX000, NISSAN : 40206-CT40A, TRW : DF 7222
	Cube	1500	2008		Front	MRD22003V		
	Elgrand	3200	1997	1999	Front	MRD1544V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 38, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 124, Outter & Oslash : 283	Blue Print : ADN143138, BOSCH : 0 986 AB9 701, Fritch : DF1374, NIBK : RN1544V, NIPPARTS : J3301011, NISSAN : 40206-1W200, NISSAN : 40206-VE400, OEM : 402060W001, OEM : 5861186400, TRUSTING : DF1374, TRW : DF7554
	Elgrand	3300	1997	2002	Front	MRD1544V		
	Elgrand	3200	1997	1999	Front	MRD1544V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 49.3, Centering Diameter :68, Position: Font, Pitch Circle & Oslash: 114.3, Outter & Oslash : 295.7	Blue Print : ADN143142, DJ PARTS : BD1466, NIBK : RN1417V, NISSAN : 40206AM800, NISSAN : 402069J400
	Elgrand	3300	1997	2002	Front	MRD1544V		
	Skyline	3500	2002	2006	Front	MRD1417V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 49.3, Centering Diameter :68, Position: Font, Pitch Circle & Oslash: 114.3, Outter & Oslash : 295.7	Blue Print : ADN143142, DJ PARTS : BD1466, NIBK : RN1417V, NISSAN : 40206AM800, NISSAN : 402069J400
	Teana	2300	2003	2008	Front	MRD1417V		
	Teana	3500	2003	2008	Front	MRD1417V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 49.3, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 23.7	Blue Print : ADN143148, NIBK : RN22004V, NISSAN : 40206-AX000, NISSAN : 40206-CT40A, TRW : DF 7222
	Latio	1500	2004	2007	Front	MRD22004V		
NISSAN	Latio	1500	2004	2007	Front	MRD22004V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 43.7, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 23.7	Blue Print : ADN143148, NIBK : RN22004V, NISSAN : 40206-AX000, NISSAN : 40206-CT40A, TRW : DF 7222
	Latio	1800	2005	2007	Front	MRD22004V		
	Latio	1800	2007		Front	MRD22004V		
	March	1500	2010		Front	MRD22004V		
	Note	1400	2006		Front	MRD22004V		
NISSAN	Note	1600	2006		Front	MRD22004V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
	Juke	1600	2011		Front	MRD1469V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 44, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	Blue Print : ADN143155, DELPHI : BG4283, NIBK : RN1469V, NIPPARTS : N3301100, NISSAN : 40206-1KC2A, NISSAN : 40206-1KC3A
	Pathfinder	4000	2005	2009	Front	MRD1416V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 38.4, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 320	BOSCH : 0 986 479 357, CAR : 142.1323, DELPHI : BG4176, FERODO : DDF1611, Fritech : DF1373, INTERBRAKE : NN061V, MINTEX : MDC1834, NIBK : RN1416V, NISSAN : 202065X00A, NISSAN : 402065X01A, NISSAN : 402063X00B, NISSAN : 40206EB320, NISSAN : 402065X00A, PILENGA : V567, QH : BDC5540, SBS : 1815202276, TEXTAR : 92164400, TRUSTING : DF1373
	Pathfinder	3000	2010		Front	MRD1416V		
	Navara	2500	2006	2009	Front	MRD1416V		
	Pathfinder	4000	2005	2009	Front	MRD1416V		
NISSAN	Pathfinder	3000	2010		Front	MRD1416V		
	Tiida	1600	2007		Front	MRD1424V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 44, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280	BOSCH : 0 986 479 737, Fritech : DF1454, NIBK : RN1424V, NIPPARTS : N3301098, NISSAN : 40206EM10A, OEM : 40206ET00A, OEM : 40206EW81A, PILENGA : V566, TRUSTING : DF1454, ZIMMERMANN : 200.2520.20
	Tiida	1800	2007		Front	MRD1424V		
	Cube	1600	2010		Front	MRD1424V		
	Cube	1600	2010		Front	MRD1424V		
NISSAN	Cube	1500	2010		Front	MRD1424V		
	Tiida	1600	2007		Front	MRD1424V		
	Tiida	1800	2007		Front	MRD1424V		
	Pick Up	2400	2002	2005	Front	MRD1452V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 6, Height : 40, Centering Diameter :92.2, Position: Front, Pitch Circle & Oslash: 115, Outter & Oslash : 260	BREMB0 : 09.8066.10, BREMB0 : 09.8066.14, Fritech : DF386, MINTEX : MDC2110, NIBK : RN1452V, NISSAN : 402062S400, OEM : 402062S400, OEM : 402062S401, REMSA : 6949.10, ROADHOUSE : 6949.10, TRUSTING : DF386
	Pick Up	2500	2002	2005	Front	MRD1452V		
NISSAN	Pick Up	2400	2002	2005	Front	MRD1452V		
	Pick Up	2500	2002	2005	Front	MRD1452V		
	Navara	2500	2006	2009	Rear	MRD1420V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 6, Height : 63, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 307	CAR : 142.1546, DELPHI : BG4174, Fritech : DF1423, MINTEX : MDC2098, NIBK : RN1420V, NIPPARTS : J3311048, NISSAN : 43206EA000, NISSAN : 43206EB300, PAGID : 54816PRO, TEXTAR : 92181603, TRUSTING : DF1423
	Pathfinder	4000	2005	2009	Rear	MRD1420V		
	Pathfinder	3000	2010		Rear	MRD1420V		
NISSAN	Pathfinder	2500	2005	2009	Rear	MRD1420V		
	Maxima QX	2000	1994	2000	Rear	MRD1363	Recommended Type: 278 ,Disc Thickness: 9, Num. of holes : 5, Height : 44.6, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3	DELPHI : BG3904, NIBK : RN1363, NISSAN : 432062Y503, NISSAN : 432064U001, NISSAN : 4320631U12, NISSAN : 4320631U10, NISSAN : 43206WA201, TRW : DF7028
	Maxima QX	2000	2000	2001	Rear	MRD1363		
	Maxima QX	3000	2000	2001	Rear	MRD1363		
	Cefiro	2000	1997	2000	Rear	MRD1363		
NISSAN	Cefiro	2500	1994	2000	Rear	MRD1363		
	Maxima QX	2000	1994	2000	Rear	MRD1363		
	Maxima QX	2000	2000	2001	Rear	MRD1363		
	Maxima QX	3000	2000	2001	Rear	MRD1363		
	Cefiro	2000	1997	2000	Rear	MRD1363		
NISSAN	Cefiro	2500	1994	2000	Rear	MRD1363		
	Altima	3500	2005	2007	Front	MRD1419V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 49, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 295.8	DJ PARTS : BD1564, NIBK : RN1419V, NISSAN : 40206JA00A, NISSAN : 40206-JN90A, NISSAN : 40206JN01A, TRW : DF7246
	Altima	2500	2006	2010	Front	MRD1419V		
	Qashqai	2000	2010		Front	MRD1470V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 44, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 320	Fritech : DF1313, JURID : 562578JC, NIBK : RN1470V, NISSAN : 40206ET01A, RENAULT : 402069828R, TRUSTING : DF1313, TRW : DF4989S
	Qashqai	1600	2011		Front	MRD1470V		
NISSAN	Altima	2500	2001	2006	Front	MRD1545V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 49, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 297	INFINITI : 40206AL501, NIBK : RN1545V, NISSAN : 402069W100, NISSAN : 40206-9Y000, NISSAN : 40206-8J007, NISSAN : 402063Z600, NISSAN : 4214052100, NISSAN : 40206-AL500
	Maxima	3000	2001	2003	Front	MRD1545V		
	Skyline	2500	2001	2004	Front	MRD1545V		
	Teana	2500	2003	2008	Front	MRD1545V		
	Maxima	3000	2001	2003	Front	MRD1545V		
NISSAN	Skyline	2500	2001	2004	Front	MRD1545V		
	Teana	2500	2003	2008	Front	MRD1545V		
	Fairlady Z	3700	2008		Front	MRD1428V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 49, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 354	INFINITI : 40206JL00A, NIBK : RN1428V, NISSAN : 40206JL00A
	Juke	1600	2010		Front	MRD1426V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 44, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280	JAPANPARTS : DI-154, NIBK : RN1426V, NIPPARTS : N3301099, NISSAN : 40206-1KA3A
	Juke	1600	2010		Front	MRD1426V		
NISSAN	Juke	1500	2010		Front	MRD1426V		
	Navara	2500	2006	2009	Front	MRD1317V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 38.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	NIBK : RN1317V, NISSAN : 40206EA00A, NISSAN : 40206EB300
	Navara	2500	2005	2009	Front	MRD1317V		
	Pathfinder	2500	2006		Front	MRD1317V		
	Pathfinder	2500	2005	2009	Front	MRD1317V		
NISSAN	Patrol	5600	2010		Front	MRD1494V		NIBK : RN1494V, NISSAN : 40206-1LB1A
	Patrol	5600	2010		Rear	MRD1495		NIBK : RN1495, NISSAN : 432061LB0A
	Pathfinder	3500	2000	2005	Front	MRD1557V	Recommended Type: Vented, Num. of holes : 5, Position: Front, Outter & Oslash : 320	NIBK : RN1557V, NISSAN : 40206-3JA0A
	Pathfinder	3500	2000	2005	Rear	MRD1558V	Recommended Type: Vented, Num. of holes : 5, Position: Rear	NIBK : RN1558V, NISSAN : 43206-3JA0A
	Altima	2500	2013		Front	MRD1568V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	NIBK : RN1568V, NISSAN : 402063TA0A

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
NISSAN	Qashqai	1600	2014		Front	MRD1569V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	NIBK : RN1569V, NISSAN : 402064EA0A
	Qashqai	2000	2014		Front	MRD1569V		
	Qashqai	1200	2014		Front	MRD1569V		
	Qashqai	1600	2014		Rear	MRD1570	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	NIBK : RN1570, NISSAN : 432064EA0A
	Qashqai	2000	2014		Rear	MRD1570		
	Qashqai	1200	2014		Rear	MRD1570		
	Almera	1400	1998	1999	Front	MRD1100V	Recommended Type: Vented 247 ,Disc Thickness: 18, Num. of holes : 4, Height : 45.2, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2525D, AC DELCO : AC2524D, AP : 24629, ATE : 24.0118-0117.1, BENDIX : 562025B, BOSCH : 0 986 478 459, BRADI : 1.3279.2.4, BRECO : BS 8264, BREMBO : 09.6942.10, BREMBO : FD.070.000, CAR : 142.881, CAR RACING : HPD 881, CIFAM : 800-456, DELPHI : BG3134, FERODO : DDF867, Fritch : DF436, GRAF : DF29456, INTERBRAKE : NS731V, INTERCAR : NS731V, JURID : 562025J, KWP : 1029456, KWP : 129456, Lemforder : 22847, Lemforder : 22847 01, LPR : N2731V, LUCAS : DF4018, MAGNETI MARELLI : 35361327240, Metelli : 23-0456, MINTEX : MDC1042, NECTO : WN867, NIBK : RN1100V, NISSAN : 402060M801, NISSAN : 402060M802, PAGID : 50232, PILENGA : V894, QH : BDC4622, REMSA : 6430.10, REMSA : 6708.20, ROADHOUSE : 6708.20, ROADHOUSE : 6430.10, SBS : 151528, SBS : 1815202245, STOP : 562025S, TEXTAR : 92091000, TRUSTING : DF436, TRW : DF4018, VALEO : 186577, WOKING : D6430.10, ZIMMERMANN : 200.2511.00
	Almera	1400	1995	1997	Front	MRD1100V		
	Almera	1400	1998	1999	Front	MRD1100V		
	Almera	2000	1995	1998	Front	MRD1100V		
NISSAN	Almera	1400	1995	1997	Front	MRD1100V		
	Almera	1400	1995	1997	Front	MRD1100V		
	Almera	1400	1998	1999	Front	MRD1100V		
	Almera	2000	1995	1998	Front	MRD1100V		
	Pick Up	2400	1992	1998	Front	MRD1333V	Recommended Type: Vented 250 ,Disc Thickness: 22, Num. of holes : 6, Height : 37, Centering Diameter :81, Position: Front, Pitch Circle & Oslash: 103	AC DELCO : AC2447D, AP : 24212, ATE : 24.0122-0176.1, BENDIX : 561500B, BOSCH : 0 986 478 709, BRADI : 1.3232.2.4, BRECO : BS 7954, BREMBO : 09.5059.10, CAR : 142.879, CAR RACING : HPD 879, DELPHI : BG2457, DELPHI : BG457, FERODO : DDF421, Fritch : DF321, INTERBRAKE : NS631V, INTERCAR : NS631V, JAPANPARTS : DI-131, JURID : 561500J, Lemforder : 19044, Lemforder : 19044 02, Lemforder : 19044 01, LPR : N2631V, LUCAS : DF1414, MAGNETI MARELLI : 353613232240, MINTEX : MDC858, NIBK : RN1333V, NISSAN : 40206-01G01, NISSAN : 40206-01G00, NISSAN : 40206-01G03, OEM : 4020604G00, PAGID : 52907, PILENGA : V336, QH : BDC3808, REMSA : 6432.10, REMSA : 6372.20, ROADHOUSE : 6432.10, ROADHOUSE : 6372.20, SBS : 1815202233, SBS : 151525, TRUSTING : DF321, TRW : DF1414, VALEO : 186700, VALEO : 186701, WOKING : D6432.10
	Pick Up	2500	1987	1998	Front	MRD1333V		
	Pick Up	2500	1988	1998	Front	MRD1333V		
	Pick Up	2400	1992	1998	Front	MRD1333V		
	Pick Up	2500	1987	1998	Front	MRD1333V		
	Pick Up	2500	1988	1998	Front	MRD1333V		
NISSAN	Almera	1400	1995	1997	Front	MRD1170V	Recommended Type: Vented 252 ,Disc Thickness: 20, Num. of holes : 4, Height : 45, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	ATE : 24.0120-0203.1, BOSCH : 0 986 479 238, CAR : 142.1037, CAR RACING : HPD 1037, DELPHI : BG3932, Fritch : DF906, INTERBRAKE : NS961V, JURID : 562424J, LPR : N2000V, LUCAS : DF4254BP, LUCAS : DF4254, MINTEX : MDC1730, NIBK : RN1170V, NISSAN : 402062N301, NK : 202269, PAGID : 54488, QH : BDC5026, REMSA : 6761.10, ROADHOUSE : 6761.10, SBS : 1815202269, TEXTAR : 92148800, TRUSTING : DF906, TRW : DF4254, WOKING : D6761.10
	Almera	1600	1995	1997	Front	MRD1170V		
	Almera	2000	1998	1999	Front	MRD1170V		
	Urvan	2000	1982	1994	Front	MRD1357V	Recommended Type: Vented 252 ,Disc Thickness: 20, Num. of holes : 6, Height : 29, Centering Diameter :81, Position: Front	DELPHI : BG2684, DJ PARTS : BD1101, FERODO : DDF382, LUCAS : DF1968, NIBK : RN1357V, OEM : 40206R8200, OEM : 40206R8211, OEM : 40206R8210, TOYOTA : 40206R8200, TOYOTA : 40206R8211, TOYOTA : 40206R8210, TRW : DF1968
	Urvan	2000	1982	1994	Front	MRD1357V		
	Primera	2000	1991	1998	Rear	MRD1040	Recommended Type: Solid 258 ,Disc Thickness: 10, Num. of holes : 4, Height : 45, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3	AC DELCO : AC2292D, AP : 14305, ATE : 24.0110-0215.1, BENDIX : 562032B, BENDIX : 561615B, BOSCH : 0 986 478 564, BRADI : 1.3261.5.6, BRECO : BS 7421, BREMBO : 08.5443.10, CAR : 142.872, CAR RACING : HPD 872, CIFAM : 800-633, DELPHI : BG633, DELPHI : BG2633, FERODO : DDF267, Fritch : DF195, GRAF : DF29633, INTERBRAKE : NS553P, INTERCAR : NS553P, JURID : 562032J, JURID : 561615J, KWP : 129633, KWP : 129633, LEMFORDER : 19048, Lemforder : 19048 02, LPR : N2553P, LUCAS : DF2592, MAGNETI MARELLI : 353613261560, Metelli : 23-0633, MINTEX : MDC1006, NECTO : WN524, NIBK : RN1040, NIPPARTS : J3311028, NISSAN : 4320699J00, NISSAN : 532065M311, NISSAN : 4320699J01, OEM : 4320699B01, OEM : 432065M311, OEM : 4320659J01, PAGID : 52311, PILENGA : 5327, QH : BDC3792, REMSA : 6200.00, REMSA : 6391.10, ROADHOUSE : 6200.00, ROADHOUSE : 6391.10, SBS : 1815202229, SBS : 151529, TEXTAR : 92056400, TRUSTING : DF195, TRW : DF2592, VALEO : 186487, VEMA : 98050, WOKING : D6200.00, ZIMMERMANN : 200.2505.00
	Primera	2000	1990	1998	Rear	MRD1040		
	Almera	1800	2000	2006	Rear	MRD1040		
	Almera	2200	2000	2006	Rear	MRD1040		
	Almera	1800	2000	2001	Rear	MRD1040		
NISSAN	Almera	1800	2001	2002	Rear	MRD1040		
	Almera	2200	2001	2003	Rear	MRD1040		
	Primera	2000	1991	1998	Rear	MRD1040		
	Primera	2000	1990	1998	Rear	MRD1040		
	Primera	2000	1991	1998	Rear	MRD1040		
	Primera	2000	1998	2001	Rear	MRD1040		
	Primera	1600	1990	2002	Rear	MRD1040		
	Primera	2000	1990	1998	Rear	MRD1040		
	Almera	1500	2000	2002	Rear	MRD1040		
	Almera	1800	2000	2002	Rear	MRD1040		
NISSAN	Cabstar	3000	2006		Front	MRD1321V	Recommended Type: Vented 290 ,Disc Thickness: 26, Num. of holes : 6, Height : 53, Centering Diameter :96, Position: Front	BREMBO : 09.8965.10, DELPHI : BG4039, FERODO : FCR339A, JAPANPARTS : DI-105, NIBK : RN1321V, NISSAN : 402069X403
	Cabstar	2500	2006		Front	MRD1321V		
	Patrol	3000	1991	1993	Front	MRD1029V	Recommended Type: Vented 295 ,Disc Thickness: 20, Num. of holes : 6, Height : 29, Centering Diameter :104, Position: Front	AC DELCO : AC2311D, AP : 24255, ATE : 24.0120-0119.1, BENDIX : 561450B, BOSCH : 0 986 478 257, BRADI : 1.3219.2.4, BRECO : BS 7970, BREMBO : 09.5194.10, CAR : 142.909, CAR RACING : HPD 909, CIFAM : 800-247, DELPHI : BG365, DELPHI : BG2365, FERODO : DDF218, Fritch : DF383, Fritch : DF432, GRAF : DF29247, INTERBRAKE : NS291V, INTERCAR : NS291V, JURID : 561450J, KWP : 129247, KWP : 1029247, Lemforder : 19040 02, Lemforder : 19040, LPR : N2291V, LUCAS : DF1967, MAGNETI MARELLI : 3536132719240, Metelli : 23-0247, MINTEX : MDC753, NECTO : WN488, NIBK : RN1029V, NISSAN : 40206C7000, NISSAN : 40206G9500, NISSAN : 40206C7001, OEM : 4020637J01, PAGID : 52322, PILENGA : V321, QH : BDC4936, QH : BDC3358, REMSA : 6337.10, REMSA : 6362.20, ROADHOUSE : 6337.10, ROADHOUSE : 6362.20, SBS : 1815202227, SBS : 151530, STOP : 561450S, TEXTAR : 92035600, TRUSTING : DF432, TRUSTING : DF383, TRW : DF1967, VEMA : 98052, WOKING : D6337.10, ZIMMERMANN : 200.2049.00
	Patrol	2800	1983	1997	Front	MRD1029V		
	Patrol	3300	1983	1997	Front	MRD1029V		
	Patrol	2800	1983	1997	Front	MRD1029V		
	Patrol	2800	1988	1997	Front	MRD1029V		
	Patrol	3000	1991	1993	Front	MRD1029V		
	Patrol	3300	1983	1997	Front	MRD1029V		
	Almera	1400	1995	1997	Front	MRD1101V	Recommended Type: Vented & Oslash 232 ,Disc Thickness: 18, Num. of holes : 4, Height : 45.2, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2573D, AP : 24630, AP : X24630, ATE : 24.0118-0118.1, BENDIX : 562024B, BENDIX EUR : 562024B, BOSCH : 0 986 478 650, BRADI : 1.3278.2.4, BRECO : BS 8265, BREMBO : 09.6943.75, BREMBO : FS.071.000, BREMBO : 09.6943.10, BREMBO : FD.071.000, CAR : 142.882, CAR RACING : HPD 882, CIFAM : 800-457, DELPHI : BG3206, FERODO : DDF866, Fritch : DF397, GRAF : DF29457, INTERBRAKE : NS721V, INTERCAR : NS721V, JURID : 562024J, KWP : 129457, KWP : 1029457, Lemforder : 22225 02, Lemforder : 22225, LPR : N2721V, LUCAS : DF4019, MAGNETI MARELLI : 353613278240, Metelli : 23-0457, MINTEX : MDC1041, NECTO : WN866, NIBK : RN1101V, NISSAN : 402060M601, NISSAN : 402060M602, OEM : 402060M602, OEM : 402060M01, PAGID : 52334, PILENGA : V897, QH : BDC4621, REMSA : 6707.20, REMSA : 6423.10, ROADHOUSE : 6707.20, ROADHOUSE : 6423.10, SBS : 1815202244, SBS : 151527, TEXTAR : 92090900, TRUSTING : DF397, TRW : DF4019, VALEO : 186576, WOKING : D6423.10, ZIMMERMANN : 200.2510.00
	Almera	1400	1995	1997	Front	MRD1101V		
NISSAN	Almera	1400	1997	1997	Front	MRD1101V		
	100NX	1600	1990	1996	Rear	MRD1096	Recommended Type: Solid & Oslash 234 ,Disc Thickness: 7, Num. of holes : 4, Height : 39.6, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2638D, AP : 14666, AP : 24452, AP : 24451, ATE : 24.0118-0128.1, ATE : 24.0107-0108.1, BENDIX : 561728B, BENDIX : 561587B, BOSCH : 0 986 478 865, BRADI : 1.3271.5.4, BRADI : 1.3247.2.4, BRECO : BS 7521, BRECO : BS 8116, BRECO : BS 8120, BRECO : 09.5746.20, BRECO : 09.5746.10, BREMBO : 08.6899.10, CAR : 142.803, CAR : 142.883, CAR RACING : HPD 803, CAR RACING : HPD883, CIFAM : 800-661, DELPHI : BG2822, DELPHI : BG3126, DELPHI : BG822, FERODO : DDF615, FERODO : DDF790, Fritch : DF328, Fritch : DF112, GRAF : DF29661, INTERBRAKE : NS481V, INTERBRAKE : NS781P, INTERCAR : NS481V, INTERCAR : NS781P, JURID : 561587J, JURID : 561728J, KWP : 129661, Lemforder : 22844 01, Lemforder : 22844, LPR : N2481V, LPR : N2781P, LUCAS : DF4006, LUCAS : DF2675, MAGNETI MARELLI : 353613271540, Metelli : 23-0661, MINTEX : MDC1007, MINTEX : MDC1204, NECTO : WN961, NIBK : RN1096, NIPPARTS : J3311030, NISSAN : 4320658Y01, NISSAN : 4320658Y02, OEM : 4320658Y00, PAGID : 52342, PAGID : 50220, PILENGA : 5392, QH : BDC4586, QH : BDC3809, REMSA : 6630.20, REMSA : 6424.00, REMSA : 6396.10, ROADHOUSE : 6630.20, ROADHOUSE : 6424.00, ROADHOUSE : 6396.10, SBS : 151536, SBS : 1815202246, TEXTAR : 92080100, TEXTAR : 92080000, TRUSTING : DF328, TRUSTING : DF112, TRW : DF4006, VALEO : 186654, WOKING : D6424.00
	100NX	1600	1990	1996	Rear	MRD1096		
	Almera	1400	1995	1997	Rear	MRD1096		
	Almera	1600	1995	1997	Rear	MRD1096		
	100NX	1600	1990	1996	Rear	MRD1096		
	Almera	1400	1995	1997	Rear	MRD1096		
	Almera	1600	1995	1997	Rear	MRD1096		
	Almera	2000	1998	2002	Rear	MRD1096		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
NISSAN	March	1000	2000	2002	Front	MRD1233V	Recommended Type: Vented & Oslash 238 ,Disc Thickness: 18, Num. of holes : 4, Height : 46.2, Centering Diameter :59, Position: Front, Pitch Circle & Oslash: 100mm	AC DELCO : AC2448D, AP : 24529, AP : 24531, APEC : DSK235, ATE : 24.0115-0106.1, BENDIX : 561971B, BENDIX : 561972B, BOSCH : 0 986 478 591, BOSCH : 0 986 478 637, BRADI : 1.3257.2.5, BRADI : 1.3257.2.4, BRECO : BS 8160, BRECO : BS 8159, BREMBO : 09.5919.20, BREMBO : 09.5919.10, CAR : 142.877, CAR : 142.810, CAR RACING : HPD 810, CAR RACING : HPD 877, CIFAM : 800-659, DELPHI : BG3548, DELPHI : BG3763, FERODO : DDF807, FERODO : DDF770, Fritech : DF457, GRAF : DF29659, INTERBRAKE : NS621V, INTERBRAKE : NS701V, INTERCAR : NS621V, INTERCAR : NS701V, JAPANPARTS : DI-113, JURID : 561972J, JURID : 561971J, KWP : 129659, LPR : N2621V, LPR : N2701V, LUCAS : DF2726, LUCAS : DF2725, MAGNETI MARELLI : 353613257240, MAGNETI MARELLI : 353613257250, Metelli : 23-0659, MINTEX : MDC1508, MINTEX : MDC861, NECTO : WN791, NECTO : WN1073, NIBK : RN1233V, NIPPARTS : J3301079, NISSAN : 4020672800, NK : 202235, OEM : 4020617B05, OEM : 4020617B00, OEM : 4020617B01, OEM : 4020627B01, OEM : 4020617B001, PAGID : 52332, PILENGA : V338, QH : BDC4393, REMSA : 6387.20, ROADHOUSE : 6387.20, SBS : 1815202235, SBS : 151537, SBS : 1815202241, SUZUKI : 4020672B01, TEXTAR : 92068000, TEXTAR : 92069800, TRUSTING : DF457, TRW : DF4743, VALEO : 186486, VALEO : 186419
	March	1300	2000	2002	Front	MRD1233V		
	Micra	1500	2000	2002	Front	MRD1233V		
NISSAN	100NX	1600	1990	1996	Front	MRD1378V	Recommended Type: Vented & Oslash 240 ,Disc Thickness: 18, Num. of holes : 4, Height : 46, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2443D, AP : 24274, ATE : 24.0118-0107.1, BENDIX : 561486B, BOSCH : 0 986 478 533, BRADI : 1.3233.2.4, BRECO : BS 7991, BREMBO : 09.5253.10, CAR : 142.892, CAR RACING : HPD 892, CIFAM : 800-282, DELPHI : BG2565, DELPHI : BG565, FERODO : DDF227, Fritech : DF295, GRAF : DF29282, INTERBRAKE : NS441V, INTERCAR : NS441V, JAPANPARTS : DI-139, JURID : 561486J, KWP : 1029282, KWP : 129232, Lemforder : 19026, Lemforder : 19026 01, LPR : N2441V, LUCAS : DF2576, MAGNETI MARELLI : 353613233240, Metelli : 23-0282, MINTEX : MDC685, NECTO : WN481, NIBK : RN1378V, NIPPARTS : J3301039, NISSAN : 4020658A00, NISSAN : 4020660Y01, NISSAN : 4020658A01, PAGID : 52325, PILENGA : V329, QH : BDC3833, QH : BDC3675, REMSA : 6373.20, ROADHOUSE : 6373.20, SBS : 151523, SBS : 1815202232, STOP : 561486S, TEXTAR : 98200 0632 0 1, TEXTAR : 92063200, TRUSTING : DF295, TRW : DF2576, VALEO : 186482, WOKING : D6105.10, ZIMMERMANN : 200.2507.00
	Sunny	1400	1990	1995	Front	MRD1378V		
	100NX	1600	1990	1996	Front	MRD1378V		
	Sunny	1700	1990	1993	Front	MRD1378V		
	Sunny	1400	1990	1995	Front	MRD1378V		
	Sunny	1600	1988	1990	Front	MRD1378V		
	Sunny	1600	1986	1990	Front	MRD1378V		
	Sunny	1700	1990	1993	Front	MRD1378V		
NISSAN	Sunny	1600	1988	1990	Front	MRD1378V		
	Vanette	2000	1990	1994	Front	MRD1455V	Recommended Type: Vented & Oslash 250 ,Disc Thickness: 22, Num. of holes : 4, Height : 30, Centering Diameter :73, Position: Front	AC DELCO : AC2446D, AP : 24257, AP : 24436, BENDIX : 561222B, BRADI : 1.3222.2.4, BRECO : BS 7982, BREMBO : 09.5232.10, CAR : 142.793, CAR RACING : HPD 884, CAR RACING : HPD 793, DELPHI : BG2685, Fritech : DF896, INTERBRAKE : NS301V, INTERBRAKE : NS241V, JURID : 561222J, KWP : 129253, Lemforder : 19045 01, Lemforder : 19045, LPR : N2241V, MAGNETI MARELLI : 353613231240, MINTEX : MDC690, NECTO : WN685, NIBK : RN1455V, OEM : 4020603N01, OEM : 40206Y9503, OEM : 4020604C01, PAGID : 52324, PAGID : 50247, PILENGA : V322, QH : BDC3774, QH : BDC3750, QH : BDC5106, REMSA : 6435.10, ROADHOUSE : 6435.10, SBS : 1815202225, SBS : 1815202238, TEXTAR : 92094500, TRUSTING : DF896, TRW : DF7067, WOKING : D6145.10, WOKING : D6435.10
	Vanette	1500	1988	1994	Front	MRD1455V		
	Vanette	2000	1985	1993	Front	MRD1455V		
	Vanette	2000	1985	1994	Front	MRD1455V		
NISSAN	Vanette	2000	1990	1994	Front	MRD1455V		
	Atlas Condor	3000	1993	1995	Front	MRD1359V	Recommended Type: Vented & Oslash 268.8 ,Disc Thickness: 35, Num. of holes : 5, Height : 90, Centering Diameter :113, Position: Front, Pitch Circle & Oslash: 114	BOSCH : 0 986 AB6 054, NIBK : RN1359V, NISSAN : 402060T301
	Atlas Condor	4200	1991	1995	Front	MRD1359V		
NISSAN	Atlas Condor	3000	1991	1993	Front	MRD1359V		
	Caravan	2000	2001	2007	Front	MRD1447V	Recommended Type: Vented & Oslash 278.7 ,Disc Thickness: 30, Num. of holes : 6, Height : 46.5, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 124	BOSCH : 0 986 AB9 710, DJ PARTS : BD1955, NIBK : RN1447V, NISSAN : 40206VW000, TRW : DF7220
	Caravan	2400	2001	2007	Front	MRD1447V		
	Caravan	3000	2001	2004	Front	MRD1447V		
NISSAN	X Trail	2000	2001	2003	Rear	MRD1234V	Recommended Type: Vented & Oslash 292 ,Disc Thickness: 16, Num. of holes : 5, Height : 62, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3mm	ATE : 24.0116-0119.1, BENDIX : 562280B, CAR : 142.1277, CIFAM : 800-797, DELPHI : BG3765, FERODO : DDF1579, Fritech : DF1139, INTERBRAKE : NN021V, JAPANPARTS : DP-158, JURID : 562280J, KWP : 129797, LPR : N2006V, LUCAS : DF4745, Metelli : 23-0797, MINTEX : MDC1786, NIBK : RN1234V, NIPPARTS : J3311043, NISSAN : 432068H305, NISSAN : 432068H701, NISSAN : 432068H700, OEM : GW6167, PAGID : 54440, PILENGA : V888, REMSA : 6998.10, ROADHOUSE : 6998.10, SBS : 1815202261, TEXTAR : 92144000, TRUSTING : DF1139, TRW : DF4745, TRW : DF7213
	X Trail	2200	2001	2003	Rear	MRD1234V		
	X Trail	2500	2002	2007	Rear	MRD1234V		
	X Trail	2000	2001	2003	Rear	MRD1234V		
	X Trail	2000	2007		Rear	MRD1234V		
	X Trail	2200	2001	2003	Rear	MRD1234V		
	X Trail	2500	2002	2007	Rear	MRD1234V		
	X Trail	2000	2007		Rear	MRD1234V		
	X Trail	2500	2007		Rear	MRD1234V		
	X Trail	2000	2001	2003	Rear	MRD1234V		
NISSAN	X Trail	2200	2001	2003	Rear	MRD1234V		
	X Trail	2500	2002	2007	Rear	MRD1234V		
	Kubistar	1200	2003		Front	MRD1037V	Recommended Type: Vented & Oslash : 259 ,Disc Thickness: 21, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2096D, AP : 24768E, AP : X24768, ATE : 24.0121-0106.1, ATE : 421106, ATE : 24.0120-0145.1, ATE : 24.0121-0108.1, BENDIX : 561997B, BENDIX EUR : 561997B, BOSCH : 0 986 478 124, BRADI : 1.4023.2.4, BRECO : BS 8362, BRECO : BS 8253, BREMBO : 09.5802.75, BREMBO : FD.052.000, BREMBO : 09.5349.10, BREMBO : 09.5802.14, BREMBO : 09.5802.24, BREMBO : 09.5802.76, BREMBO : FS.052.000, BREMBO : 09.5802.10, BREMBO : 09.5802.20, CAR : 142.552, CAR : 142.549, CAR RACING : HPD 552, CAR RACING : HPD 549, CIFAM : 800-549, DACIA : 6001548578, DACIA : 7701206339, DACIA : 7701205653, DELPHI : BG2625, DELPHI : BG625, FERODO : DDF798, FERODO : DDF257, FERODO : DRF798, FERODO : DRF1096, FERODO : DDF1096, Fritech : DF836, GRAF : DF29549, INTERBRAKE : RN301V, INTERBRAKE : RN511V, INTERCAR : RN301V, JURID : 561997J, KWP : 129549, KWP : 1029197, Lemforder : 18155 01, Lemforder : 18155, LPR : R1301V, LPR : R1511V, LUCAS : DF4332, LUCAS : DF2586, MAGNETI MARELLI : 353614023240, Metelli : 23-0549, MINTEX : MDC811, NIBK : RN1037V, NISSAN : 4020600QA, OEM : 7701205828, OEM : 77012.05339, OEM : 7711130038, OEM : 7700780892RP, PAGID : 52830, PAGID : 50286, PILENGA : V787, PILENGA : V741, QH : BDC4312, QH : BDC3899, REMSA : 6462.20, RENAULT : 7701205653, RENAULT : 7701204828, RENAULT : 7700780892, RENAULT : 7701204304, RENAULT : 7700813549, RENAULT : 7701206339, RENAULT : 7700842131, RENAULT : 7701204228, ROADHOUSE : 6462.20, SBS : 1815203910, SBS : 1815303910, SBS : 272731, SBS : 1815203928, SBS : 1816303910, STOP : 561997S, TEXTAR : 92100903, TEXTAR : 92100900, TEXTAR : 98200 0549 0 1, TEXTAR : 92054900, TRUSTING : DF836, TRW : DF2586, VALEO : 186208, VEMA : 98100, WOKING : D6144.10, ZIMMERMANN : 470.249.00
	Kubistar	1500	2003		Front	MRD1037V		
	Kubistar	1600	2003		Front	MRD1037V		
	Primera	2000	1998	2002	Rear	MRD1168	Recommended Type: Solid & Oslash : 278 ,Disc Thickness: 10, Num. of holes : 4, Height : 45, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 114.3	AP : 14846, APEC : DSK2162, ATE : 24.0110-0310.1, BENDIX : 562227B, BOSCH : 0 986 479 105, BRECO : BS 7637, BREMBO : 08.9461.10, CAR : 142.613, CIFAM : 800-672, DELPHI : BG3764, FERODO : DDF1235, Fritech : DF701, GRAF : DF29672, INTERBRAKE : NS901P, JURID : 562227J, KWP : 129672, LPR : N2010P, LUCAS : DF4240, LUCAS : DF4240BP, MAGNETI MARELLI : 353613287540, Metelli : 23-0672, NIBK : RN1168, NISSAN : 4320699J04, PAGID : 54287, PILENGA : 5393, QH : BDC5039, REMSA : 6788.00, REMSA : 6987.10, ROADHOUSE : 6987.10, ROADHOUSE : 6788.00, SBS : 1815202252, TEXTAR : 92128700, TRUSTING : DF701, TRW : DF4240, VALEO : 186845, WOKING : D6788.00
	Primera	1600	1998	2001	Rear	MRD1168		
	Primera	1800	1999	2001	Rear	MRD1168		
	Primera	2000	1999	2001	Rear	MRD1168		
OPEL	Omega	2300	1986	1994	Front	MRD1020V	Recommended Type: Vented 280 ,Disc Thickness: 24, Num. of holes : 5, Height : 58.4, Centering Diameter :70, Position: Front	AC DELCO : AC2269D, AC DELCO : AC2286D, AP : 24248, AP : 29012, ATE : 24.0125-0125.1, ATE : 24.0124-0110.1, BENDIX : 561534B, BENDIX : 561405B, BENDIX EUR : 561405B, BOSCH : 0 986 478 505, BOSCH : 0 986 478 326, BOSCH : 0 986 478 720, BRADI : 1.3414.2.E, BRADI : 1.4308.2.4, BRECO : BS 7978, BRECO : BS 7979, BREMBO : 09.5221.10, CAR : 142.498, CAR : 142.584, CAR RACING : HPD 498, CAR RACING : HPD 584, CIFAM : 800-381, DELPHI : BG2619, DELPHI : BG619, DELPHI : BG2497, FERODO : DDF398, FERODO : DDF217, Fritech : DF373, GRAF : DF29381, INTERBRAKE : SA091V, INTERBRAKE : OP191V, INTERCAR : SA091V, INTERCAR : OP191V, JURID : 561405J, JURID : 561534J, KWP : 129381, KWP : 1029381, Lemforder : 14741 01, Lemforder : 25214 01, Lemforder : 14741, Lemforder : 25214, LPR : S1091V, LPR : O1191V, LUCAS : DF1627, LUCAS : DF1694, MAGNETI MARELLI : 353614308240, MAGNETI MARELLI : 353612201140, Metelli : 23-0381, MINTEX : MDC970, MINTEX : MDC759, NECTO : WN214, NECTO : WN683, NECTO : WN213, NECTO : WN493, NIBK : RN1020V, NK : 204108, NK : 203612, OEM : 596038, OEM : 8965980, OEM : 4002143, OEM : 8965890, OPEL : 569038, PAGID : 53009, PAGID : 52416, PILENGA : V203, PILENGA : V064, QH : BDC3696, QH : BDC3682, REMSA : 6476.20, REMSA : 6302.10, ROADHOUSE : 6302.10, ROADHOUSE : 6476.20, SBS : 1815203612, SBS : 291248, SBS : 1815204108, TEXTAR : 92053800, TEXTAR : 92039300, TEXTAR : 98200 0538 0 1, TRUSTING : DF373, TRW : DF1694, VALEO : 186500, VAUXHALL : 90223918, VAUXHALL : 90271133, WOKING : D6302.10, WOKING : D6300.10, ZIMMERMANN : 480.1545.00, ZIMMERMANN : 430.1462.00

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
OPEL	Vectra	2000	1995	2003	Rear	MRD1286	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 69.5, Centering Diameter :57, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 260	AC DELCO : AC2271D, AP : 14365, ATE : 24.0110-0204.1, BENDIX : 561652B, BOSCH : 0 986 478 086, BRADI : 1.3420.5.4, BRECO : BS 7431, BREMBO : 08.5559.10, CAR : 142.512, CAR RACING : HPD 512, CIFAM : 800-350, DELPHI : BG2635, DELPHI : BG635, FERODO : DDF331, FERODO : DRF331, Fritech : DF176, GRAF : DF29350, INTERBRAKE : OP231P, INTERCAR : OP231P, JURID : 561652J, KWP : 1029350, KWP : 129350, Lemforder : 14874 01, Lemforder : 14874 01, LPR : 01231P, LUCAS : DF2614, MAGNETI MARELLI : 353613420540, Metelli : 23-0350, MINTEX : MDC786, NECTO : WN599, NIBK : RN1286, OEM : 569119, OEM : 93182284, OPEL : 569206, PAGID : 52408, PILENGA : 5069, QH : BDC3827, REMSA : 6207.00, ROADHOUSE : 6207.00, SBS : 1815203618, SBS : 252506, TEXTAR : 98200 0570 0 1, TEXTAR : 92057000, TRUSTING : DF176, TRW : DF2614, VALEO : 186490, VAUXHALL : 90421872, VAUXHALL : 90345699, WOKING : D6207.00, ZIMMERMANN : 430.1467.00
	Vectra	2000	1995	2003	Rear	MRD1286		
	Astra	1800	1994	2000	Rear	MRD1286		
	Astra	1800	1994	2001	Rear	MRD1286		
	Vectra	2000	1995	2003	Rear	MRD1286		
OPEL	Astra	1400	1995	2000	Front	MRD1282	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 236	AC DELCO : AC2055D, AP : 10170, AP : X10170, AP : 14645, ATE : 24.0113-0161.1, BENDIX EUR : 561158B, BRADI : 1.3440.1.4, BRADI : 1.3405.1.4, BRECO : BS 7275, BRECO : BS 7280, BREMBO : 08.4475.10, BREMBO : 08.4475.75, BREMBO : FS.006.000, BREMBO : 08.3638.10, BREMBO : 08.4475.30, BREMBO : FD.006.000, CAR : 142.503, CAR RACING : HPD 503, CHEVROLET : 90008005, CIFAM : 800-080, DELPHI : BG148, DELPHI : BG2148, FERODO : DRF116, FERODO : DDF116, Fritech : DF009, GRAF : DF2880, INTERBRAKE : OP051P, INTERCAR : OP051P, KWP : 102880, Lemforder : 12243 02, Lemforder : 12243, LPR : 01051P, LUCAS : DF1608, LUCAS : DF1608BP, MAGNETI MARELLI : 353613405140, Metelli : 23-0080, MINTEX : MDC266, NIBK : RN1282, OPEL : 569030, PAGID : 52404, PILENGA : 5770, PILENGA : 5063, PONTIAC : 90111242, QH : BDC3388, REMSA : 6403.10, ROADHOUSE : 6403.10, SBS : 1815203606, SBS : 1816303606, SBS : 1815303606, SBS : 251103, TEXTAR : 98200 0209 0 1, TEXTAR : 92020900, TRUSTING : DF009, TRW : DF1608, VALEO : 186757, VALEO : 186187, VEMA : 98018, WOKING : D6059.00
	Astra	1600	1995	2000	Front	MRD1282		
	Vectra	1600	1988	1993	Front	MRD1282		
	Corsa A	1200	1985	1993	Front	MRD1282		
	Corsa A	1400	1985	1993	Front	MRD1282		
	Kadett E	1600	1989	1993	Front	MRD1282		
	Kadett E	1700	1992	1994	Front	MRD1282		
	Kadett E	2000	1986	1993	Front	MRD1282		
	Vectra	1400	1993	1995	Front	MRD1282		
	Corsa A	1200	1985	1993	Front	MRD1282		
	Corsa A	1400	1985	1993	Front	MRD1282		
	Kadett E	2000	1986	1993	Front	MRD1282		
	Vectra	1600	1988	1993	Front	MRD1282		
	Kadett E	1600	1989	1993	Front	MRD1282		
	Kadett E	1700	1992	1994	Front	MRD1282		
	Vectra	1400	1993	1995	Front	MRD1282		
	Corsa	1200	1994	2001	Front	MRD1282		
	Corsa	1400	1994	2001	Front	MRD1282		
	Astra	1400	1995	2000	Front	MRD1282		
OPEL	Astra	1400	1995	2000	Front	MRD1282	Recommended Type: Vented 256 ,Disc Thickness: 24, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front	AC DELCO : AC2090D, AP : 24857E, AP : 24695E, AP : X24695, ATE : 24.0111-0116.1, ATE : 24.0324-0115.1, ATE : 24.0124-0115.1, BENDIX : 561488B, BRADI : 1.3415.2.4, BRADI : 1.3401.1.4, BRECO : BS 8523, BRECO : BS 8284, BREMBO : 09.5148.24, BREMBO : 09.9608.24, BREMBO : 09.5148.20, BREMBO : 09.5148.76, CAR : 142.508, CAR RACING : HPD 508, CHEVROLET : 96179110, CIFAM : 800-166, CIFAM : 800-021, DELPHI : BG2443, DELPHI : BG443, FERODO : DRF206, FERODO : DDF206, Fritech : DF239, GRAF : DF29166, INTERBRAKE : OP171V, INTERCAR : OP171V, JURID : 561488JC, JURID : 561488J, JURID : 561003J, KWP : 1029166L, KWP : 102821, KWP : 129166, Lemforder : 12242, Lemforder : 14656, Lemforder : 12242 03, LPR : 01171V, LUCAS : DF1600, LUCAS : DF1625BP, LUCAS : DF1625, MAGNETI MARELLI : 353613415240, Metelli : 23-0166, Metelli : 23-0021, MINTEX : MDC692, NECTO : WN467, NECTO : WN105, NIBK : RN1017V, NK : 209902, OEM : 569042RP, OEM : 90065603, OEM : 96162249, OEM : 96234212, OEM : 8982484, OEM : 90272326, OEM : 96234203, OPEL : 569042, OPEL : 569001, PAGID : 52415, PILENGA : V065, QH : BDC3680, REMSA : 6412.20, REMSA : 6178.10, REMSA : 6076.00, ROADHOUSE : 6178.10, ROADHOUSE : 6076.00, ROADHOUSE : 6412.20, SBS : 1815209902, SBS : 1816303613, SBS : 251108, SBS : 1815203613, SBS : 1815303613, SBS : 251101, STOP : 561488S, TEXTAR : 92039200, TEXTAR : 98200 0392 0 1, TEXTAR : 92039203, TRUSTING : DF239, TRW : DF1625, VAUXHALL : 90295087, VAUXHALL : 90250546, VAUXHALL : 90487402, VEMA : 98020, WOKING : D6178.10, WOKING : D6076.00, ZIMMERMANN : 430.1002.00, ZIMMERMANN : 430.1461.20, ZIMMERMANN : 430.1452.00
	Astra	1400	1995	2000	Front	MRD1017V		
	Astra	1600	1995	2000	Front	MRD1017V		
	Astra	1700	1995	2000	Front	MRD1017V		
	Vectra	2000	1995	2003	Front	MRD1017V		
	Vectra	1600	1988	1993	Front	MRD1017V		
	Vectra	1800	1990	1995	Front	MRD1017V		
OPEL	Omega	1800	1986	1994	Front	MRD1020V	Recommended Type: Vented 280 ,Disc Thickness: 24, Num. of holes : 5, Height : 58.4, Centering Diameter :70, Position: Front	AC DELCO : AC2269D, AC DELCO : AC2286D, AP : 24248, AP : 29012, ATE : 24.0125-0125.1, ATE : 24.0124-0110.1, BENDIX : 561534B, BENDIX : 561405B, BENDIX EUR : 561405B, BOSCH : 0 986 478 505, BOSCH : 0 986 478 326, BOSCH : 0 986 478 720, BRADI : 1.3414.2.E, BRADI : 1.4308.2.4, BRECO : BS 7978, BRECO : BS 7979, BREMBO : 09.5221.10, CAR : 142.498, CAR : 142.584, CAR RACING : HPD 498, CAR RACING : HPD 584, CIFAM : 800-381, DELPHI : BG2619, DELPHI : BG619, DELPHI : BG2497, FERODO : DDF398, FERODO : DDF217, Fritech : DF373, GRAF : DF29381, INTERBRAKE : SA091V, INTERBRAKE : OP191V, INTERCAR : SA091V, INTERCAR : OP191V, JURID : 561405J, JURID : 561534J, KWP : 129381, KWP : 1029381, Lemforder : 14741 01, Lemforder : 25214 01, Lemforder : 14741, Lemforder : 25214, LPR : S1091V, LPR : O1191V, LUCAS : DF1627, LUCAS : DF1694, MAGNETI MARELLI : 353614308240, MAGNETI MARELLI : 353612201140, Metelli : 23-0381, MINTEX : MDC970, MINTEX : MDC759, NECTO : WN214, NECTO : WN683, NECTO : WN213, NECTO : WN493, NIBK : RN1020V, NK : 204108, NK : 203612, OEM : 596038, OEM : 8965980, OEM : 4002143, OEM : 8965890, OPEL : 569038, PAGID : 53009, PAGID : 52416, PILENGA : V203, PILENGA : V064, QH : BDC3696, QH : BDC3682, REMSA : 6476.20, REMSA : 6302.10, ROADHOUSE : 6302.10, ROADHOUSE : 6476.20, SBS : 1815203612, SBS : 291248, SBS : 1815204108, TEXTAR : 92053800, TEXTAR : 92039300, TEXTAR : 98200 0538 0 1, TRUSTING : DF373, TRW : DF1694, VALEO : 186500, VAUXHALL : 90223918, VAUXHALL : 90271133, WOKING : D6302.10, WOKING : D6300.10, ZIMMERMANN : 480.1545.00, ZIMMERMANN : 430.1462.00
	Omega	2000	1986	1994	Front	MRD1020V		
	Omega	2000	1986	1994	Front	MRD1020V		
OPEL	Vectra	2000	1995	2003	Rear	MRD1286	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 69.5, Centering Diameter :57, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 260	AC DELCO : AC2271D, AP : 14365, ATE : 24.0110-0204.1, BENDIX : 561652B, BOSCH : 0 986 478 086, BRADI : 1.3420.5.4, BRECO : BS 7431, BREMBO : 08.5559.10, CAR : 142.512, CAR RACING : HPD 512, CIFAM : 800-350, DELPHI : BG2635, DELPHI : BG635, FERODO : DDF331, FERODO : DRF331, Fritech : DF176, GRAF : DF29350, INTERBRAKE : OP231P, INTERCAR : OP231P, JURID : 561652J, KWP : 1029350, KWP : 129350, Lemforder : 14874 01, Lemforder : 14874, LPR : 01231P, LUCAS : DF2614, MAGNETI MARELLI : 353613420540, Metelli : 23-0350, MINTEX : MDC786, NECTO : WN599, NIBK : RN1286, OEM : 569119, OEM : 93182284, OPEL : 569206, PAGID : 52408, PILENGA : 5069, QH : BDC3827, REMSA : 6207.00, ROADHOUSE : 6207.00, SBS : 1815203618, SBS : 252506, TEXTAR : 98200 0570 0 1, TEXTAR : 92057000, TRUSTING : DF176, TRW : DF2614, VALEO : 186490, VAUXHALL : 90421872, VAUXHALL : 90345699, WOKING : D6207.00, ZIMMERMANN : 430.1467.00
	Astra	1800	1994	2000	Rear	MRD1286		
	Astra	1800	1994	2001	Rear	MRD1286		
	Vectra	2000	1995	2003	Rear	MRD1286		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
OPEL	Vectra	2000	1995	2003	Front	MRD1076V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 7, Height : 41.1, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 110	AC DELCO : AC2275D, AP : 24656, AP : 24658, ATE : 24.0325-0119.1, ATE : 24.0125-0119.1, BENDIX : 561960B, BENDIX EUR : 561960B, BOSCH : 0 986 478 449, BOSCH : 0 986 478 423, BOSCH : 0 986 478 588, BRADI : 1.3426.2.4, BRECO : BS 8274, BRECO : BS 8350, BREMBO : FS.072.000, BREMBO : 09.6997.10, BREMBO : 09.6997.20, BREMBO : 09.6997.24, BREMBO : FD.073.000, BREMBO : FS.073.000, BREMBO : 09.6997.11, BREMBO : 09.6997.21, BREMBO : FD.072.000, CAR : 142.492, CAR RACING : HPD 492, CHEVROLET : 90512029, CHEVROLET : 90496327, CIFAM : 800-605, DELPHI : BG3142, FERODO : DRF1082, FERODO : DDF1082, Fritch : DF719, GRAF : DF29605, INTERBRAKE : OP321V, INTERCAR : OP321V, JURID : 561960J, JURID : 561960J, KWP : 129605, Lemforder : 21247 03, Lemforder : 21247, LOTUS : B117J0028F, LPR : S1113V, LPR : O1321V, LUCAS : DF2778S, LUCAS : DF2778BPS, LUCAS : DF2778, MAGNETI MARELLI : 353613426240, Metelli : 23-0605, MINTEX : MDC1009, NECTO : WN906, NECTO : WN1093, NIBK : RN1076V, OEM : 4566840, OPEL : 569056, PAGID : 52426, PILENGA : V760, PILENGA : V204, QH : BDC4678, REMSA : 6712.20, REMSA : 6494.10, REMSA : 6908.20, ROADHOUSE : 6494.10, ROADHOUSE : 6908.20, ROADHOUSE : 6712.20, SAAB : 4837019, SAAB : 4839320, SAAB : 5390786, SAAB : 4839007, SBS : 1815203625, SBS : 1816303625, SBS : 252515V, SBS : 1815303625, SBS : 252515, STOP : 561960S, TEXTAR : 92075603, TEXTAR : 92075600, TEXTAR : 98200 0756 0 1, TRUSTING : DF719, TRW : DF2778S, VALEO : 186649, WOKING : D6494.10, ZIMMERMANN : 430.1473.20
	Vectra	2000	1996	1999	Front	MRD1076V		
	Calibra	2000	1994	1996	Front	MRD1076V		
	Calibra	2500	1994	1998	Front	MRD1076V		
	Vectra	1600	2000		Front	MRD1076V		
	Vectra	1800	2000		Front	MRD1076V		
	Vectra	2000	1995	2003	Front	MRD1076V		
	Vectra	2200	2000	2003	Front	MRD1076V		
	Vectra	2500	1995	2000	Front	MRD1076V		
OPEL	Vectra	2000	1996	1999	Rear	MRD1292	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 69.5, Centering Diameter :57, Position: Rear, Outter & Oslash : 270	AC DELCO : AC2276D, AP : 14657, ATE : 24.0110-0225.1, ATE : 24.0310-0225.1, BENDIX : 561961B, BENDIX EUR : 561961B, BOSCH : 0 986 478 420, BRADI : 1.3427.5.4, BRECO : BS 7540, BREMBO : 08.7014.10, CAR : 142.493, CAR RACING : HPD 493, CIFAM : 800-606, DELPHI : BG3141, FERODO : DDF814, Fritch : DF190, GRAF : DF29606, INTERBRAKE : OP311P, INTERCAR : OP311P, JURID : 561961J, JURID : 561961J, KWP : 129606, Lemforder : 22836 02, Lemforder : 22836, LPR : O1311P, LUCAS : DF2772, LUCAS : DF2772B, MAGNETI MARELLI : 353613427540, Metelli : 23-0606, MINTEX : MDC1057, NECTO : WN908, NIBK : RN1292, OEM : 569117, OPEL : 569209, PAGID : 52427, PILENGA : 5760, QH : BDC4596, REMSA : 6454.00, ROADHOUSE : 6454.00, SBS : 252512, SBS : 1815203623, STOP : 561961S, TEXTAR : 98200 0755 0 1, TEXTAR : 92075500, TRUSTING : DF190, TRW : DF2772, VALEO : 186565, VAUXHALL : 90512909, WOKING : D6454.00, ZIMMERMANN : 430.1474.00
	Vectra	1600	1995	1998	Rear	MRD1292		
	Vectra	1600	2000	2002	Rear	MRD1292		
	Vectra	1800	2000		Rear	MRD1292		
	Vectra	2200	2000	2003	Rear	MRD1292		
	Vectra	1800	2000		Rear	MRD1292		
	Vectra	2200	2000	2003	Rear	MRD1292		
	Vectra	1600	2000	2002	Rear	MRD1292		
	Vectra	2000	1996	1999	Rear	MRD1292		
	Vectra	1600	1995	1998	Rear	MRD1292		
OPEL	Astra	1400	2004		Front	MRD1110V	Recommended Type: Vented & Oslash 256 ,Disc Thickness: 23.9, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2322D, AP : 24738E, AP : X24738, ATE : 24.0324-0152.1, ATE : 24.0124-0152.1, BENDIX : 562069B, BENDIX EUR : 562069B, BOSCH : 0 986 478 881, BRADI : 1.3431.2.4, BRECO : BS 8324, BREMBO : 09.7628.14, BREMBO : FD.089.000, BREMBO : 09.7628.10, BREMBO : 09.7628.75, BREMBO : FS.089.000, CAR : 142.497, CAR RACING : HPD 497, CHEVROLET : 9117677, CHEVROLET : 90497879, CIFAM : 800-490, DELPHI : BG3404, FERODO : DRF1041, FERODO : DDF1041, Fritch : DF528, GRAF : DF29490, INTERBRAKE : OP401V, INTERCAR : OP401V, JURID : 562069J, JURID : 562069JC, KWP : 129490, Lemforder : 22837, Lemforder : 22837 01, LPR : O1401V, LUCAS : DF4042BP, LUCAS : DF4042, MAGNETI MARELLI : 353613431240, Metelli : 23-0430, MINTEX : MDC1049, NECTO : WN1063, NIBK : RN1110V, OPEL : 569059, PAGID : 52430, PILENGA : V372, QH : BDC4813, REMSA : 6572.10, ROADHOUSE : 6572.10, SBS : 1815203629, SBS : 252513V, SBS : 1815303629, SBS : 252513, STOP : 562069S, TEXTAR : 92091803, TEXTAR : 92091800, TEXTAR : 98200 0918 0 1, TRUSTING : DF528, TRW : DF4042, VALEO : 186592, VAUXHALL : 90497879, VEMA : 98063, ZIMMERMANN : 430.1482.20
	Astra	1600	2001	2004	Front	MRD1110V		
	Astra	1800	2001		Front	MRD1110V		
	Astra	2000	2001	2009	Front	MRD1110V		
	Astra	2200	2001		Front	MRD1110V		
	Zafira	2000	2001	2005	Front	MRD1110V		
	Zafira	1800	2001	2005	Front	MRD1110V		
	Astra	1200	1998	2000	Front	MRD1110V		
OPEL	Astra	2000	2002	2004	Front	MRD1112V	Recommended Type: Vented & Oslash 250 ,Disc Thickness: 25, Num. of holes : 7, Height : 42, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 110	AC DELCO : AC2323D, AP : X24739, AP : 24739, APEC : DSK2188, ATE : 425131, ATE : 24.0325-0131.1, ATE : 24.0125-0131.1, BENDIX : 562070B, BENDIX EUR : 562070B, BOSCH : 0 986 478 883, BRADI : 1.3432.2.4, BRECO : BS 8325, BREMBO : 09.7629.11, BREMBO : FD.090.000, BREMBO : 09.7629.10, BREMBO : 09.7629.75, BREMBO : FS.090.000, CAR : 142.496, CAR RACING : HPD 496, CHEVROLET : 90539466, CHEVROLET : 9117678, CIFAM : 800-514, DELPHI : BG3405, FERODO : DDF1042, FERODO : DRF1042, Fritch : DF841, GRAF : DF29514, INTERBRAKE : OP411V, JURID : 562070J, JURID : 562070JC, KWP : 129514, Lemforder : 22838 02, Lemforder : 22838, LPR : O1411V, LUCAS : DF4048, MAGNETI MARELLI : 353613432240, Metelli : 23-0514, MINTEX : MDC1050, NECTO : WN1064, NIBK : RN1112V, OEM : 917678, OPEL : 569066, OPEL : 569060, PAGID : 52431, PILENGA : V373, QH : BDC4814, SBS : 1815203630, SBS : 1816303630, SBS : 1815303630, STOP : 562070S, TEXTAR : 98200 0919 0 1, TEXTAR : 92091903, TEXTAR : 92091900, TRUSTING : DF841, TRW : DF4048, VALEO : 186684, VAUXHALL : 90539466, VAUXHALL : 9117678, VAUXHALL : 93197592, VEMA : 98097, ZIMMERMANN : 430.1483.20
	Combo	1400	2005		Front	MRD1112V		
	Combo	1600	2006		Front	MRD1112V		
	Combo	1700	2004		Front	MRD1112V		
	Astra	1600	2001	2004	Front	MRD1112V		
	Astra	1700	2004		Front	MRD1112V		
	Astra	2000	2001	2009	Front	MRD1112V		
	Astra	2200	2001		Front	MRD1112V		
	Zafira	2000	2001	2005	Front	MRD1112V		
	Zafira	1800	2001	2005	Front	MRD1112V		
OPEL	Astra	2000	2002	2004	Rear	MRD1380	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 42.2, Centering Diameter :65.5, Position: Rear, Pitch Circle & Oslash: 110, Outter & Oslash : 264	AC DELCO : AC2324D, AP : 15373, ATE : 24.0118-0250.1, ATE : 410250, ATE : 24.0110-0250.1, ATE : 24.0310-0250.1, BENDIX : 562072B, BENDIX EUR : 569109B, BOSCH : 0 986 478 884, BRADI : 1.3435.5.4, BRECO : BS 7574, BREMBO : 08.7627.10, BREMBO : 08.7627.75, CAR : 142.494, CAR RACING : HPD 494, CHEVROLET : 90575113, CIFAM : 800-489, DELPHI : BG3406, FERODO : DRF1044, FERODO : DDF1044, Fritch : DF840, GM : 9117772, GRAF : DF29489, INTERBRAKE : OP431P, JURID : 562072C, JURID : 562072J, JURID : 569109J, KWP : 129489, Lemforder : 22839, Lemforder : 22839 01, LPR : O1431P, LUCAS : DF4051, LUCAS : DF4051BP, MAGNETI MARELLI : 353613435540, Metelli : 23-0489, MINTEX : MDC1052, NECTO : WN1065, NIBK : RN1380, OEM : 4079000700, OPEL : 569109, PAGID : 59056, PAGID : 52433, PILENGA : 5765, QH : BDC4816, SBS : 1815203631, STOP : 562072S, TEXTAR : 92092103, TEXTAR : 98200 0921 0 1, TEXTAR : 92092100, TEXTAR : 93105600, TRUSTING : DF840, TRW : DF4051, VALEO : 186595, VALEO : 186593, VEMA : 98114, ZIMMERMANN : 490.6654.00, ZIMMERMANN : 430.1485.00
	Astra	1200	2001		Rear	MRD1380		
	Astra	1600	2001	2004	Rear	MRD1380		
	Astra	2000	2002	2004	Rear	MRD1380		
	Astra	1400	2004		Rear	MRD1380		
	Astra	1400	2004		Rear	MRD1380		
	Astra	2000	2002	2004	Rear	MRD1380		
	Astra	1600	2001	2004	Rear	MRD1380		
	Astra	1200	2001		Rear	MRD1380		
OPEL	Agila A	1000	2000	2003	Front	MRD1131	Recommended Type: Solid 246.5 ,Disc Thickness: 12, Num. of holes : 4, Height : 44, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2382D, AP : 14809, APEC : DSK2110, ATE : 24.0112-0153.1, BENDIX : 562124B, BOSCH : 0 986 478 729, BRADI : 1.3442.1.4, BRECO : BS 7608, BREMBO : 08.8705.10, CAR : 142.540, CAR RACING : HPD 540, CIFAM : 800-603, DELPHI : BG3769, FERODO : DDF1148, Fritch : DF659, GRAF : DF29603, INTERBRAKE : OP461P, JURID : 562124J, KWP : 129603, Lemforder : 29615, Lemforder : 29615 01, LPR : O1461P, LUCAS : DF4131, MAGNETI MARELLI : 353613442140, Metelli : 23-0603, MINTEX : MDC1490, NECTO : WN1164, NIBK : RN1131, OEM : 4351183E50, OEM : 4704595, OEM : 4351183E00, OEM : 4704579, OPEL : 4700711, PAGID : 50357, PILENGA : 5766, REMSA : 6621.00, REMSA : 6857.10, ROADHOUSE : 6857.10, ROADHOUSE : 6621.00, SBS : 1815203642, STOP : 562124S, SUZUKI : 5531183E00, TEXTAR : 92110800, TRUSTING : DF659, TRW : DF4131, VALEO : 186784, VAUXHALL : 9193872, WOKING : D6621.00, ZIMMERMANN : 430.1487.00
	Agila A	1200	2000	2003	Front	MRD1131		
OPEL	Frontera	2000	1995	1998	Rear	MRD1105V	Recommended Type: Vented 313 ,Disc Thickness: 18, Num. of holes : 6, Height : 80, Centering Diameter :101, Position: Rear, Pitch Circle & Oslash: 139.6	AC DELCO : AC2461D, AP : 24734, ATE : 24.0118-0122.1, BOSCH : 0 986 478 496, BRADI : 1.0423.6.4, BRECO : BS 8326, BREMBO : 09.7377.10, CAR : 142.488, CAR RACING : HPD 488, CIFAM : 800-511, DELPHI : BG3353, FERODO : DDF695, Fritch : DF360, GRAF : DF29511, INTERBRAKE : OP381V, INTERCAR : OP381V, ISUZU : 8970340361, ISUZU : 8943754251, ISUZU : 8970460811, ISUZU : 97034036, KWP : 129511, Lemforder : 27232 01, Lemforder : 27232, LPR : O1381V, LUCAS : DF4030, Metelli : 23-0511, MINTEX : MDC986, NIBK : RN1105V, OEM : 8943751251, OEM : 8940460810, OEM : 8970460810, OPEL : 569104, OPEL : 569106, OPEL : 569106, PAGID : 50234, PILENGA : V376, QH : BDC3958, QH : BDC4625, REMSA : 6654.20, ROADHOUSE : 6654.20, SBS : 251112, SBS : 1815203635, TEXTAR : 92091600, TRUSTING : DF360, TRW : DF4030, VALEO : 186685, VAUXHALL : 97034036, VAUXHALL : 94375425, VAUXHALL : 91151563, WOKING : D6515.10, ZIMMERMANN : 430.1480.00
	Frontera	2200	1998	2004	Rear	MRD1105V		
	Frontera	2200	1995	1998	Rear	MRD1105V		
	Frontera	2500	1996	1998	Rear	MRD1105V		
	Frontera	2800	1995	1998	Rear	MRD1105V		
	Frontera	3200	1998	2004	Rear	MRD1105V		
OPEL	Corsa	1000	2000	2003	Front	MRD1166V	Recommended Type: Vented & Oslash : 240 ,Disc Thickness: 20, Num. of holes : 4, Height : 35.1, Centering Diameter :60, Position: Front	AC DELCO : AC2616D, AC DELCO : AC2428D, AP : 24221, ATE : 24.0120-0174.1, BENDIX : 561248B, BENDIX : 562290B, BOSCH : 0 986 479 190, BREMBO : 09.8635.75, BREMBO : 09.8635.10, CAR : 142.383, CAR RACING : HPD 383, CIFAM : 800-569, DELPHI : BG3568, FERODO : DDF1130, Fritch : DF953, GRAF : DF29569, INTERBRAKE : OP521V, JURID : 562290J, JURID : 561248J, KWP : 129569, LPR : O1591V, LUCAS : DF4236BP, LUCAS : DF4236, MAGNETI MARELLI : 353613441240, Metelli : 23-0569, MINTEX : MDC1454, NECTO : WN1149, NIBK : RN1166V, OEM : 569021, OPEL : 9195985, PAGID : 50363, PILENGA : V762, REMSA : 6665.10, ROADHOUSE : 6665.10, SBS : 1815203640, TEXTAR : 92029603, TEXTAR : 92111403, TEXTAR : 92111400, TRUSTING : DF953, TRW : DF4236, VALEO : 186790, VALEO : 186188
	Corsa	1200	2000		Front	MRD1166V		
	Corsa	1700	2000	2003	Front	MRD1166V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
OPEL	Vectra	1600	2002		Rear	MRD1172	Recommended Type: Solid 278 Disc Thickness: 11.9, Num. of holes : 7, Height : 41.4, Centering Diameter :65.5, Position: Rear, Pitch Circle & Oslash: 110	AP : 14853, APEC : DSK2091, ATE : 24.0112-0157.1, ATE : 24.0312-0157.1, BENDIX : 562229B, BOSCH : 0 986 479 106, BRECO : BS 7644, BREMBO : 08.9511.10, BREMBO : 08.9511.11, CAR : 142.034, CAR RACING : HPD 034, CHEVROLET : 93171848, CIFAM : 800-609, DELPHI : BG3731, FERODO : DDF1288, FIAT : 468364890, FIAT : 46836489, Fritch : DF966, INTERBRAKE : OP551P, INTERCAR : OP551P, JURID : 562229J, KWP : 129609, Lemforder : 29624 01, Lemforder : 29624, LPR : 01014P, LUCAS : DF4266, MAGNETI MARELLI : 353613454540, Metelli : 23-0609, MINTEX : MDC1560, NECTO : WN1299, NIBK : RN1172, OEM : 931718481, OEM : 9156787, OPEL : 569115, PAGID : 54185, PILENGA : 5772, QH : BDC5413, REMSA : 6688.00, ROADHOUSE : 6688.00, SAAB : 9156785, SBS : 1815203646, TEXTAR : 98200 1185 0 1, TEXTAR : 92118500, TRUSTING : DF966, TRW : DF4266, VALEO : 186854, WOKING : D6688.00, ZIMMERMANN : 430.1497.00
	Vectra	1800	2002		Rear	MRD1172		
	Vectra	3000	2003	2003	Rear	MRD1172		
	Vectra	2000	2003		Rear	MRD1172		
OPEL	Vectra	1600	2002		Front	MRD1390V	Recommended Type: Vented & Oslash 285, Disc Thickness: 25, Num. of holes : 5, Height : 42, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 110	AP : 24846, ATE : 24.0325-0141.1, ATE : 24.0125-0141.1, BENDIX : 562216B, BOSCH : 0 986 479 107, BRECO : BS 8470, BREMBO : 09.9165.11, BREMBO : 09.9165.10, BREMBO : 09.9165.14, CAR : 142.031, CAR RACING : HPD 031, CHEVROLET : 93171497, CIFAM : 800-608, DELPHI : BG3713, FERODO : DDF1191, FIAT : 46844071, FIAT : 468364910, Fritch : DF974, GRAF : DF29608, GRAF : DF29609, INTERBRAKE : OP531V, INTERCAR : OP531V, JURID : 562216J, KWP : 129608, Lemforder : 29620 01, Lemforder : 29620, LPR : S1001V, LPR : 01009V, LUCAS : DF4293, MAGNETI MARELLI : 351344620500, Metelli : 23-0608, MINTEX : MDC1632, NIBK : RN1390V, OEM : 46836491, OEM : 9156807, OPEL : 569003, PAGID : 54187, PILENGA : V764, QH : BDC5412, REMSA : 6689.10, ROADHOUSE : 6689.10, SAAB : 93171497, SBS : 1815203645, SBS : 1815343645, TEXTAR : 98200 1187 0 1, TEXTAR : 92118700, TEXTAR : 92118703, TRUSTING : DF974, TRW : DF4293, VALEO : 186881, VAUXHALL : 93171497, WOKING : D6689.10, ZIMMERMANN : 430.1498.20
	Vectra	1600	2002		Front	MRD1390V		
OPEL	Astra	2000	2002	2004	Front	MRD1392V	Recommended Type: Vented & Oslash 308, Disc Thickness: 25, Num. of holes : 5, Height : 42, Centering Diameter :70, Position: Front	AP : 24927, ATE : 24.0325-0142.1, ATE : 24.0125-0142.1, BENDIX : 562240B, BRECO : BS 8546, BREMBO : 09.9369.11, BREMBO : 09.9369.10, CAR : 142.030, CAR RACING : HPD 030, CIFAM : 800-826, DELPHI : BG3770, FERODO : DDF1261, Fritch : DF1087, INTERBRAKE : OP561V, JURID : 562240J, KWP : 129826, Lemforder : 30869 01, Lemforder : 30869, LPR : 01015V, LUCAS : DF4246, LUCAS : DF4246BP, MAGNETI MARELLI : 353613452240, Metelli : 23-0826, MINTEX : MDC1500, NECTO : WN1278, NIBK : RN1392V, OPEL : 4567798, OPEL : 5084769, OPEL : 5391560, OPEL : 9184405, OPEL : 5055389, OPEL : 5122833, OPEL : 569061, OPEL : 9194477, PAGID : 50358, PILENGA : V380, QH : BDC5276, REMSA : 6729.10, ROADHOUSE : 6729.10, SBS : 1815203654, TEXTAR : 92110900, TEXTAR : 92110903, TRUSTING : DF1087, TRW : DF4246, TRW : DF4246BP, VALEO : 186870, ZIMMERMANN : 430.1488.20
	Astra H	2000	2004		Front	MRD1392V		
OPEL	Astra	1400	2004		Front	MRD1202V	Recommended Type: Vented & Oslash 280, Disc Thickness: 25, Num. of holes : 4, Height : 43.3, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 98mm	AP : 27601, AP : 24884, ATE : 24.0125-0148.1, ATE : 24.0125-0198.1, ATE : 24.0325-0148.1, BENDIX : 562278B, BENDIX EUR : 562315B, BOSCH : 0 986 479 077, BRECO : BS 8486, BRECO : BS 8602, BREMBO : 09.9159.20, BREMBO : 09.9159.11, BREMBO : 09.9159.10, CAR : 142.035, CAR RACING : HPD 035, CIFAM : 800- 825, CIFAM : 800-800, DELPHI : BG3933, DELPHI : BG3989, FERODO : DDF1374, FERODO : DDF1236, Fritch : DF391, Fritch : DF388, GM : 93197712, GRAF : DF29800, INTERBRAKE : OP581V, JURID : 562315J, JURID : 562278J, KWP : 129800, Lemforder : 29617, Lemforder : 29618, Lemforder : 29617 01, Lemforder : 29618 01, LPR : 01006V, LUCAS : DF4426, LUCAS : DF4318, MAGNETI MARELLI : 351344720500, Metelli : 23-0825, Metelli : 23-0800, MINTEX : MDC1673, MINTEX : MDC1703, NECTO : WN1342, NIBK : RN1202V, OEM : 93175376, OEM : 569006, OPEL : 569006, OPEL : 569007, OPEL : 569067, PAGID : 54293, PAGID : 54246, PILENGA : V379, QH : BDC5455, REMSA : 6685.10, REMSA : 6684.10, ROADHOUSE : 6685.10, ROADHOUSE : 6684.10, SBS : 1815203652, SBS : 1815203651, TEXTAR : 92124600, TEXTAR : 92129300, TRUSTING : DF388, TRUSTING : DF391, TRW : DF4318, TRW : DF4426, VALEO : 186869, VAUXHALL : 93175376, VAUXHALL : 93181113, WOKING : D6685.10, WOKING : D6684.10, ZIMMERMANN : 430.2606.00, ZIMMERMANN : 430.2600.00
	Astra H	1400	2004		Front	MRD1202V		
	Astra H	1600	2004		Front	MRD1202V		
	Astra H	1800	2004		Front	MRD1202V		
	Combo	1400	2005		Front	MRD1202V		
	Combo	1600	2006		Front	MRD1202V		
	Combo	1700	2004		Front	MRD1202V		
	Meriva	1600	2003		Front	MRD1202V		
	Meriva	1700	2003		Front	MRD1202V		
	Astra	1400	2012		Rear	MRD34002	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 45, Centering Diameter :60, Position: Rear, Pitch Circle & Oslash: 139, Outter & Oslash : 268	ATE : 24.0112-0188.1, BOSCH : 0 986 479 645, CAR : 142.1557, DELPHI : BG4199, FORD : 13502136, Fritch : DF1424, GM : 13502864, NIBK : RN34002, NK : 205014, OEM : 13502135, OEM : 569072, OPEL : 05 69 074, PILENGA : 5779, TEXTAR : 92205503, TRUSTING : DF1424, TRW : DF 6340, ZIMMERMANN : 430.2622.20
	Astra	1600	2012		Rear	MRD34002		
	Astra	1700	2012		Rear	MRD34002		
	Astra	2000	2012		Rear	MRD34002		
	Zafira	1400	2012		Rear	MRD34004	Recommended Type: Solid ,Disc Thickness: 12.5, Num. of holes : 5, Height : 45, Centering Diameter :70.7, Position: Rear, Pitch Circle & Oslash: 115, Outter & Oslash : 292	ATE : 24.0112-0189.1, BOSCH : 0 986 479 646, CAR : 142.1556, Fritch : DF1400, GM : 13502139, GM : 13502138, NIBK : RN34004, NK : 205016, OEM : 569071, OPEL : 05 69 075, SBS : 1815205016, TEXTAR : 92205703, TRUSTING : DF1400
	Astra J	1400	2009		Rear	MRD34004		
	Astra J	1700	2009		Rear	MRD34004		
	Astra J	2000	2009		Rear	MRD34004		
	Astra	2000	2012		Rear	MRD34004		
	Zafira	1400	2012		Front	MRD34001V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 45.5, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 139, Outter & Oslash : 276	ATE : 24.0126-0165.1, BOSCH : 0 986 479 643, CAR : 142.1554, DELPHI : BG4191, FERODO : DDF 1869, Fritch : DF1340, GM : 13502045, NIBK : RN34001V, NIPPARTS : N3300916, NK : 205013, OEM : 569069, OPEL : 05 69 073, PAGID : 54989PRO, PILENGA : V774, SBS : 1815205013, TEXTAR : 92198903, TRUSTING : DF1340, ZIMMERMANN : 430.2621.20
	Zafira	1800	2012		Front	MRD34001V		
	Zafira	2000	2012		Front	MRD34001V		
	Astra	1400	2012		Front	MRD34001V		
	Astra	1600	2012		Front	MRD34001V		
	Astra	1700	2012		Front	MRD34001V		
	Astra	2000	2012		Front	MRD34001V		
OPEL	Astra J	1400	2009		Front	MRD34003V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 45.5, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 115, Outter & Oslash : 300	ATE : 24.0126-0166.1, BOSCH : 0 986 479 644, CAR : 142.1555, DELPHI : BG4278, FERODO : DDF 1870, Fritch : DF1341, GM : 13502052, NIBK : RN34003V, NIPPARTS : N3300917, NK : 205015, OEM : 569070, PILENGA : V773, SBS : 1815205015, TEXTAR : 92205603, TRUSTING : DF1341, ZIMMERMANN : 430.2623.20
	Astra J	1700	2009		Front	MRD34003V		
	Astra J	2000	2009		Front	MRD34003V		
	Astra	2000	2012		Front	MRD34003V		
	Astra	2000	2012		Front	MRD34003V		
OPEL	Agila A	1000	2000	2003	Front	MRD1131	Recommended Type: Solid 246.5 Disc Thickness: 12, Num. of holes : 4, Height : 44, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2382D, AP : 14809, APEC : DSK2110, ATE : 24.0112-0153.1, BENDIX : 562124B, BOSCH : 0 986 478 729, BRADI : 1.3442.1.4, BRECO : BS 7608, BREMBO : 08.8705.10, CAR : 142.540, CAR RACING : HPD 540, CIFAM : 800-603, DELPHI : BG3769, FERODO : DDF1148, Fritch : DF659, GRAF : DF29603, INTERBRAKE : OP461P, JURID : 562124J, KWP : 129603, Lemforder : 29615 01, Lemforder : 29615, LPR : 01461P, LUCAS : DF4131, MAGNETI MARELLI : 353613442140, Metelli : 23-0603, MINTEX : MDC1490, NECTO : WN1164, NIBK : RN1131, OEM : 4351183E00, OEM : 4704579, OEM : 4351183E50, OEM : 4704595, OPEL : 4700711, PAGID : 50357, PILENGA : 5766, REMSA : 6857.10, REMSA : 6621.00, ROADHOUSE : 6621.00, ROADHOUSE : 6857.10, SBS : 1815203642, STOP : 562124S, SUZUKI : 5531183E00, TEXTAR : 92110800, TRUSTING : DF659, TRW : DF4131, VALEO : 186784, VAUXHALL : 9193872, WOKING : D6621.00, ZIMMERMANN : 430.1487.00
	Agila A	1200	2000	2003	Front	MRD1131		
OPEL	Astra	1400	1995	2000	Front	MRD1017V	Recommended Type: Vented 256 Disc Thickness: 24, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front	AC DELCO : AC2090D, AP : 24695E, AP : X24695, AP : 24857E, ATE : 24.0111-0116.1, ATE : 24.0324-0115.1, ATE : 24.0124-0115.1, BENDIX : 561488B, BRADI : 1.3415.2.4, BRADI : 1.3401.1.4, BRECO : BS 8523, BRECO : BS 8284, BREMBO : 09.5148.24, BREMBO : 09.9608.24, BREMBO : 09.5148.20, BREMBO : 09.5148.76, CAR : 142.508, CAR RACING : HPD 508, CHEVROLET : 96179110, CIFAM : 800-021, CIFAM : 800-166, DELPHI : BG443, DELPHI : BG2443, FERODO : DRF206, FERODO : DDF206, Fritch : DF239, GRAF : DF29166, INTERBRAKE : OP171V, INTERCAR : OP171V, JURID : 561003J, JURID : 561488J, JURID : 561488J, KWP : 1029166L, KWP : 102821, KWP : 129166, Lemforder : 12242, Lemforder : 14656, Lemforder : 12242 03, LPR : 01171V, LUCAS : DF1625, LUCAS : DF1600, LUCAS : DF1625BP, MAGNETI MARELLI : 353613415240, Metelli : 23-0021, Metelli : 23-0166, MINTEX : MDC692, NECTO : WN105, NECTO : WN467, NIBK : RN1017V, NK : 209902, OEM : 96234203, OEM : 569042RP, OEM : 90065603, OEM : 96162249, OEM : 96234212, OEM : 8982484, OEM : 90272326, OPEL : 569042, OPEL : 569001, PAGID : 52415, PILENGA : V065, QH : BDC3680, REMSA : 6076.00, REMSA : 6412.20, REMSA : 6178.10, ROADHOUSE : 6178.10, ROADHOUSE : 6076.00, ROADHOUSE : 6412.20, SBS : 1815203613, SBS : 1815303613, SBS : 251101, SBS : 1815209902, SBS : 1816303613, SBS : 251108, STOP : 561488S, TEXTAR : 92039200, TEXTAR : 98200 0392 0 1, TEXTAR : 92039203, TRUSTING : DF239, TRW : DF1625, VAUXHALL : 90250546, VAUXHALL : 90487402, VAUXHALL : 90295087, VEMA : 98020, WOKING : D6076.00, WOKING : D6178.10, ZIMMERMANN : 430.1002.00, ZIMMERMANN : 430.1461.20, ZIMMERMANN : 430.1452.00
	Astra	1600	1995	2000	Front	MRD1017V		
	Astra	1700	1995	2000	Front	MRD1017V		
	Vectra	2000	1995	2003	Front	MRD1017V		
	Vectra	1600	1988	1993	Front	MRD1017V		
	Vectra	1800	1990	1995	Front	MRD1017V		
	Astra	1600	1995	2000	Front	MRD1017V		
	Astra	1700	1995	2000	Front	MRD1017V		
	Vectra	1600	1988	1993	Front	MRD1017V		
	Vectra	1800	1990	1995	Front	MRD1017V		
	Astra	1400	1995	2000	Front	MRD1017V		
	Vectra	2000	1995	2003	Front	MRD1017V		
	Vectra	2000	1995	2003	Front	MRD1017V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
OPEL	Signum	1900	2003		Rear	MRD1172	Recommended Type: Solid 278 Disc Thickness: 11.9, Num. of holes : 7, Height : 41.4, Centering Diameter :65.5, Position: Rear, Pitch Circle & Oslash: 110	AP : 14853, APEC : DSK2091, ATE : 24.0312-0157-1, ATE : 24.0112-0157-1, BENDIX : 562229B, BOSCH : 0 986 479 106, BRECO : BS 7644, BREMBO : 08.9511.11, BREMBO : 08.9511.10, CAR : 142.034, CAR RACING : HPD 034, CHEVROLET : 93171848, CIFAM : 800-609, DELPHI : BG3731, FERODO : DDF1288, FIAT : 46836489, FIAT : 468364890, Fritch : DF966, INTERBRAKE : OP551P, INTERCAR : OP551P, JURID : 562229P, KWP : 129609, Lemforder : 29624, Lemforder : 29624 01, LPR : 01014P, LUCAS : DF4266, MAGNETI MARELLI : 353613454540, Metelli : 23-0609, MINTEX : MDC1560, NECTO : WN1299, NIBK : RN1172, OEM : 9156787, OEM : 931718481, OPEL : 569115, PAGID : 54185, PILENGA : 5772, QH : BDC5413, REMSA : 6688.00, ROADHOUSE : 6688.00, SAAB : 9156785, SBS : 1815203646, TEXTAR : 98200 1185 0 1, TEXTAR : 92118500, TRUSTING : DF966, TRW : DF4266, VALEO : 186854, WOKING : D6688.00, ZIMMERMANN : 430.1497.00
	Signum	2000	2003		Rear	MRD1172		
	Vectra	1600	2002		Rear	MRD1172		
	Vectra	1800	2002		Rear	MRD1172		
	Vectra	2000	2003		Rear	MRD1172		
	Vectra	3000	2003	2003	Rear	MRD1172		
	Vectra	2000	2002	2008	Rear	MRD1172		
OPEL	Signum	1900	2003		Rear	MRD1172		
	Omega	1800	1986	1994	Front	MRD1020V	Recommended Type: Vented 280 Disc Thickness: 24, Num. of holes : 5, Height : 58.4, Centering Diameter :70, Position: Front	AC DELCO : AC2286D, AC DELCO : AC2269D, AP : 24248, AP : 29012, ATE : 24.0125-0125-1, ATE : 24.0124-0110-1, BENDIX : 561405B, BENDIX : 561534B, BENDIX EUR : 561405B, BOSCH : 0 986 478 505, BOSCH : 0 986 478 326, BOSCH : 0 986 478 720, BRADI : 1.3414.2.E, BRADI : 1.4308.2.4, BRECO : BS 7978, BRECO : BS 7979, BREMBO : 09.5221.10, CAR : 142.584, CAR : 142.498, CAR RACING : HPD 584, CAR RACING : HPD 498, CIFAM : 800-381, DELPHI : BG619, DELPHI : BG2497, DELPHI : BG2619, FERODO : DDF398, FERODO : DDF217, Fritch : DF373, GRAF : DF29381, INTERBRAKE : SA091V, INTERBRAKE : OP191V, INTERCAR : SA091V, INTERCAR : OP191V, JURID : 561534J, JURID : 561405J, KWP : 129381, KWP : 1029381, Lemforder : 14741, Lemforder : 25214, Lemforder : 14741 01, Lemforder : 25214 01, LPR : S1091V, LPR : O1191V, LUCAS : DF1694, LUCAS : DF1627, MAGNETI MARELLI : 353612201140, MAGNETI MARELLI : 353614308240, Metelli : 23-0381, MINTEX : MDC970, MINTEX : MDC759, NECTO : WN214, NECTO : WN683, NECTO : WN213, NECTO : WN493, NIBK : RN1020V, NK : 204108, NK : 203612, OEM : 4002143, OEM : 8965890, OEM : 596038, OEM : 8965980, OPEL : 569038, PAGID : 52416, PAGID : 53009, PILENGA : V064, PILENGA : V203, QH : BDC3682, QH : BDC3696, REMSA : 6476.20, REMSA : 6302.10, ROADHOUSE : 6302.10, ROADHOUSE : 6476.20, SBS : 1815203612, SBS : 291248, SBS : 1815204108, TEXTAR : 92053800, TEXTAR : 92039300, TEXTAR : 98200 0538 0 1, TRUSTING : DF373, TRW : DF1694, VALEO : 186500, VAUXHALL : 90223918, VAUXHALL : 90271133, WOKING : D6302.10, WOKING : D6300.10, ZIMMERMANN : 480.1545.00, ZIMMERMANN : 430.1462.00
	Omega	2000	1986	1994	Front	MRD1020V		
	Omega	2300	1986	1994	Front	MRD1020V		
OPEL	Omega	2000	1994	1999	Rear	MRD1063	Recommended Type: Solid 285.8 Disc Thickness: 12, Num. of holes : 5, Height : 69.45, Centering Diameter :65.5, Position: Rear	AC DELCO : AC2274D, AP : 14508, ATE : 24.0112-0131.1, BENDIX : 561870B, BENDIX EUR : 561870B, BOSCH : 0 986 478 609, BRADI : 1.3424.5.4, BRECO : BS 7492, BREMBO : 08.5891.10, CADILLAC (GM) : 90444513, CAR : 142.514, CAR RACING : HPD 514, CIFAM : 800-480, DELPHI : BG2986, DELPHI : BG986, FERODO : DDF698, Fritch : DF185, GRAF : DF29480, INTERBRAKE : OP271P, INTERCAR : OP271P, JURID : 561870J, KWP : 129480, Lemforder : 21397, Lemforder : 21397 02, LPR : O1217P, LUCAS : DF2714, MAGNETI MARELLI : 353613424540, Metelli : 23-0480, MINTEX : MDC867, NECTO : WN795, NIBK : RN1063, OEM : 93182292, OEM : 569121, OPEL : 569208, PAGID : 52412, PILENGA : 5762, QH : BDC4581, REMSA : 6488.00, REMSA : 6420.10, ROADHOUSE : 6488.00, ROADHOUSE : 6420.10, SBS : 252507, SBS : 1815203621, TEXTAR : 98200 0670 0 1, TEXTAR : 92067000, TRUSTING : DF185, TRW : DF2714, VALEO : 186639, VAUXHALL : 90444513, WOKING : D6488.00, ZIMMERMANN : 430.1471.00
	Omega	2000	1994	2000	Rear	MRD1063		
	Omega	2200	1999	2003	Rear	MRD1063		
	Omega	2500	1994	2003	Rear	MRD1063		
	Omega	2600	2000	2003	Rear	MRD1063		
	Omega	3000	1994	2000	Rear	MRD1063		
	Omega	3200	2001	2003	Rear	MRD1063		
	Omega	2000	1994	1999	Rear	MRD1063		
	Omega	2000	1994	2000	Rear	MRD1063		
	Omega	2200	1999	2003	Rear	MRD1063		
	Omega	2500	1994	2003	Rear	MRD1063		
	Omega	2600	2000	2003	Rear	MRD1063		
	Omega	3000	1994	2000	Rear	MRD1063		
	Omega	3200	2001	2003	Rear	MRD1063		
OPEL	Frontera	2000	1995	1998	Rear	MRD1105V	Recommended Type: Vented 313 Disc Thickness: 18, Num. of holes : 6, Height : 80, Centering Diameter :101, Position: Rear, Pitch Circle & Oslash: 139.6	AC DELCO : AC2461D, AP : 24734, ATE : 24.0118-0122.1, BOSCH : 0 986 478 496, BRADI : 1.0423.6.4, BRECO : BS 8326, BREMBO : 09.7377.10, CAR : 142.488, CAR RACING : HPD 488, CIFAM : 800-511, DELPHI : BG3353, FERODO : DDF695, Fritch : DF360, GRAF : DF29511, INTERBRAKE : OP381V, INTERCAR : OP381V, ISUZU : 8970340361, ISUZU : 8943754251, ISUZU : 8970460811, ISUZU : 97034036, KWP : 129511, Lemforder : 27232 01, Lemforder : 27232, LPR : O1381V, LUCAS : DF4030, Metelli : 23-0511, MINTEX : MDC986, NIBK : RN1105V, OEM : 8943751251, OEM : 8940460810, OEM : 8970460810, OPEL : 569104, OPEL : 569106, OPEL : 569106, PAGID : 50234, PILENGA : V376, QH : BDC3958, QH : BDC4625, REMSA : 6654.20, ROADHOUSE : 6654.20, SBS : 251112, SBS : 1815203635, TEXTAR : 92091600, TRUSTING : DF360, TRW : DF4030, VALEO : 186685, VAUXHALL : 91151563, VAUXHALL : 97034036, VAUXHALL : 94375425, WOKING : D6515.10, ZIMMERMANN : 430.1480.00
	Frontera	2200	1998	2004	Rear	MRD1105V		
	Frontera	2200	1995	1998	Rear	MRD1105V		
	Frontera	2500	1996	1998	Rear	MRD1105V		
	Frontera	2800	1995	1998	Rear	MRD1105V		
	Frontera	3200	1998	2004	Rear	MRD1105V		
	Frontera	2200	1998	2004	Rear	MRD1105V		
	Frontera	3200	1998	2004	Rear	MRD1105V		
	Frontera	2000	1995	1998	Rear	MRD1105V		
	Frontera	2800	1995	1998	Rear	MRD1105V		
OPEL	Astra	2000	2002	2004	Front	MRD1112V	Recommended Type: Vented & Oslash 250 Disc Thickness: 25, Num. of holes : 7, Height : 42, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 110	AC DELCO : AC2323D, AP : X24739, AP : 24739, APEC : DSK2188, ATE : 24.0125-0131.1, ATE : 425131, ATE : 24.0325-0131.1, BENDIX : 562070B, BENDIX EUR : 562070B, BOSCH : 0 986 478 883, BRADI : 1.3432.2.4, BRECO : BS 8325, BREMBO : FS.090.000, BREMBO : 09.7629.11, BREMBO : FD.090.000, BREMBO : 09.7629.10, BREMBO : 09.7629.75, CAR : 142.496, CAR RACING : HPD 496, CHEVROLET : 90539466, CHEVROLET : 9117678, CIFAM : 800-514, DELPHI : BG3405, FERODO : DDF1042, FERODO : DRF1042, Fritch : DF841, GRAF : DF29514, INTERBRAKE : OP411V, JURID : 562070J, JURID : 562070JC, KWP : 129514, Lemforder : 22838 02, Lemforder : 22838, LPR : O1411V, LUCAS : DF4048, MAGNETI MARELLI : 353613432240, Metelli : 23-0514, MINTEX : MDC1050, NECTO : WN1064, NIBK : RN1112V, OEM : 917678, OPEL : 569066, OPEL : 569066, PAGID : 52431, PILENGA : V373, QH : BDC4814, SBS : 1815303630, SBS : 1815203630, SBS : 1816303630, STOP : 562070S, TEXTAR : 92091900, TEXTAR : 98200 0919 0 1, TEXTAR : 92091903, TRUSTING : DF841, TRW : DF4048, VALEO : 186684, VAUXHALL : 90539466, VAUXHALL : 9117678, VAUXHALL : 93197592, VEMA : 98097, ZIMMERMANN : 430.1483.20
	Combo	1400	2005		Front	MRD1112V		
	Combo	1600	2006		Front	MRD1112V		
	Combo	1700	2004		Front	MRD1112V		
	Astra	1600	2001	2004	Front	MRD1112V		
	Astra	2000	2001	2009	Front	MRD1112V		
	Astra	2200	2001		Front	MRD1112V		
	Zafira	2000	2001	2005	Front	MRD1112V		
	Zafira	1800	2001	2005	Front	MRD1112V		
	Zafira	1600	1999	2000	Front	MRD1112V		
OPEL	Astra	1700	2004		Front	MRD1112V		
	Campo	2200	1992	1996	Front	MRD1326V	Recommended Type: Vented & Oslash 257 Disc Thickness: 22, Num. of holes : 6, Height : 36, Centering Diameter :88, Position: Front	AC DELCO : AC2457D, AP : 24368, APEC : DSK824, ATE : 24.0122-0156.1, BENDIX : 561643B, BOSCH : 0 986 478 596, BRADI : 1.0406.2.4, BRECO : BS 8056, BREMBO : 09.5577.10, CAR : 142.517, CAR RACING : HPD 517, CIFAM : 800-514, DELPHI : BG2688, DELPHI : BG2524, DELPHI : BG524, FERODO : DDF385, Fritch : DF421, GM : 94172376, GRAF : DF29351, INTERBRAKE : OP251V, INTERCAR : OP251V, ISUZU : 8941733441, ISUZU : 94172376, ISUZU : 8943619271, ISUZU : 8-94173344-0, ISUZU : 8941723761, ISUZU : 8943619270, ISUZU : 8943724350, ISUZU : 8-94173-344, JURID : 561643J, KWP : 1029351, KWP : 129351, Lemforder : 16110, Lemforder : 16110 02, LPR : O1251V, LUCAS : DF3049, MAGNETI MARELLI : 353610406240, Metelli : 23-0351, MINTEX : MDC738, NECTO : WN703, NIBK : RN1326V, OEM : 8941733450, OEM : 93589243, OEM : 9943619271, OEM : 8941723760, OEM : 89436192701, OEM : 9941723761, OEM : 569801, PAGID : 52418, PILENGA : V370, QH : BDC3828, REMSA : 6188.10, REMSA : 6067.20, ROADHOUSE : 6188.10, ROADHOUSE : 6067.20, SBS : 1815209929, SBS : 464601, TEXTAR : 92075800, TRUSTING : DF421, TRW : DF3049, VALEO : 186303, VALEO : 186488, WOKING : D6188.10, ZIMMERMANN : 430.1472.00
	Campo	2300	1992	1996	Front	MRD1326V		
	Campo	2500	2001		Front	MRD1326V		
OPEL	Campo	3100	1992	2001	Front	MRD1326V		
	Astra	1400	2004		Front	MRD1202V	Recommended Type: Vented & Oslash 280 Disc Thickness: 25, Num. of holes : 4, Height : 43.3, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 98mm	AP : 24884, AP : 27601, ATE : 24.0125-0198.1, ATE : 24.0325-0148.1, ATE : 24.0125-0148.1, BENDIX : 562278B, BENDIX EUR : 562315B, BOSCH : 0 986 479 077, BRECO : BS 8602, BRECO : BS 8486, BREMBO : 09.9159.10, BREMBO : 09.9159.20, BREMBO : 09.9159.11, CAR : 142.035, CAR RACING : HPD 035, CIFAM : 800-800, CIFAM : 800-825, DELPHI : BG3933, DELPHI : BG3989, FERODO : DDF1374, FERODO : DDF1236, Fritch : DF388, Fritch : DF391, GM : 93197712, GRAF : DF29800, INTERBRAKE : OP581V, JURID : 562315J, JURID : 562278J, KWP : 129800, Lemforder : 29617, Lemforder : 29618, Lemforder : 29617 01, Lemforder : 29618 10, LPR : O1006V, LUCAS : DF4318, LUCAS : DF4426, MAGNETI MARELLI : 351344720500, Metelli : 23-0825, Metelli : 23-0800, MINTEX : MDC1673, MINTEX : MDC1703, NECTO : WN1342, NIBK : RN1202V, OEM : 93175376, OEM : 569006, OPEL : 569006, OPEL : 569007, OPEL : 569007, PAGID : 54246, PAGID : 54293, PILENGA : V379, QH : BDC5455, REMSA : 6684.10, REMSA : 6685.10, ROADHOUSE : 6684.10, ROADHOUSE : 6685.10, SBS : 1815203651, SBS : 1815203652, TEXTAR : 92124600, TEXTAR : 92129300, TRUSTING : DF391, TRUSTING : DF388, TRW : DF4426, TRW : DF4318, VALEO : 186869, VAUXHALL : 93181113, VAUXHALL : 93175376, WOKING : D6684.10, WOKING : D6685.10, ZIMMERMANN : 430.2600.00, ZIMMERMANN : 430.2606.00
	Astra H	1400	2004		Front	MRD1202V		
	Astra H	1600	2004		Front	MRD1202V		
	Astra H	1800	2004		Front	MRD1202V		
	Combo	1400	2005		Front	MRD1202V		
	Combo	1600	2006		Front	MRD1202V		
	Combo	1700	2004		Front	MRD1202V		
	Meriva	1600	2003		Front	MRD1202V		
	Meriva	1700	2003		Front	MRD1202V		
OPEL	Signum	1900	2003		Front	MRD1390V	Recommended Type: Vented & Oslash 285 Disc Thickness: 25, Num. of holes : 5, Height : 42, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 110	AP : 24846, ATE : 24.0325-0141.1, ATE : 24.0125-0141.1, BENDIX : 562216B, BOSCH : 0 986 479 107, BRECO : BS 8470, BREMBO : 09.9165.11, BREMBO : 09.9165.10, BREMBO : 09.9165.14, CAR : 142.031, CAR RACING : HPD 031, CHEVROLET : 93171497, CIFAM : 800-608, DELPHI : BG3713, FERODO : DDF1191, FIAT : 46844071, FIAT : 468364910, Fritch : DF974, GRAF : DF29608, GRAF : DF29609, INTERBRAKE : OP531V, INTERCAR : OP531V, JURID : 562216J, KWP : 129608, Lemforder : 29620 01, Lemforder : 29620, LPR : S1001V, LPR : O1009V, LUCAS : DF4293, MAGNETI MARELLI : 351344620500, Metelli : 23-0608, MINTEX : MDC1632, NIBK : RN1390V, OEM : 46836491, OEM : 9156807, OPEL : 569003, PAGID : 54187, PILENGA : V764, QH : BDC5412, REMSA : 6689.10, ROADHOUSE : 6689.10, SAAB : 93171497, SBS : 1815203645, SBS : 1815343645, TEXTAR : 92118700, TEXTAR : 92118703, TEXTAR : 98200 1187 0 1, TRUSTING : DF974, TRW : DF4293, VALEO : 186881, VAUXHALL : 93171497, WOKING : D6689.10, ZIMMERMANN : 430.1498.20
	Signum	1900	2003		Front	MRD1390V		
	Vectra	1600	2002		Front	MRD1390V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
OPEL	Astra	2000	2002	2004	Front	MRD1392V	Recommended Type: Vented & Oslash 308 ,Disc Thickness: 25, Num. of holes : 5, Height : 42, Centering Diameter :70, Position: Front	AP : 24927, ATE : 24.0325-0142.1, ATE : 24.0125-0142.1, BENDIX : 562240B, BRECO : BS 8546, BREMBO : 09.9369.11, BREMBO : 09.9369.10, CAR : 142.030, CAR RACING : HPD 030, CIFAM : 800-826, DELPHI : BG3770, FERODO : DDF1261, Fritch : DF1087, INTERBRAKE : OP561V, JURID : 562240J, KWP : 129826, Lemforder : 30869, Lemforder : 30869 01, LPR : 01015V, LUCAS : DF4246BP, LUCAS : DF4246, MAGNETI MARELLI : 353613452240, Metelli : 23-0826, MINTEX : MDC1500, NECTO : WN1278, NIBK : RN1392V, OPEL : 569061, OPEL : 9194477, OPEL : 4567798, OPEL : 5084769, OPEL : 5391560, OPEL : 9184405, OPEL : 5055389, OPEL : 5122833, PAGID : 50358, PILENGA : V380, QH : BDC5276, REMSA : 6729.10, ROADHOUSE : 6729.10, SBS : 1815203654, TEXTAR : 92110903, TEXTAR : 92110900, TRUSTING : DF1087, TRW : DF4246BP, TRW : DF4246, VALEO : 186870, ZIMMERMANN : 430.1488.20
	Astra H	2000	2004		Front	MRD1392V		
	Astra	2000	2002	2004	Front	MRD1392V		
	Astra H	2000	2004		Front	MRD1392V		
	Astra	2000	2002	2004	Front	MRD1392V		
OPEL	Corsa	1700	2000	2003	Front	MRD1166V	Recommended Type: Vented & Oslash : 240 ,Disc Thickness: 20, Num. of holes : 7, Height : 35.1, Centering Diameter :70, Position: Front	AC DELCO : AC2616D, AC DELCO : AC2428D, AP : 24221, ATE : 24.0120-0174.1, BENDIX : 562290B, BENDIX : 561248B, BOSCH : 0 986 479 190, BREMBO : 09.8635.75, BREMBO : 09.8635.10, CAR : 142.383, CAR RACING : HPD 383, CIFAM : 800-569, DELPHI : BG3568, FERODO : DDF1130, Fritch : DF953, GRAF : DF29569, INTERBRAKE : OP521V, JURID : 561248J, JURID : 562290J, KWP : 129569, LPR : 01591V, LUCAS : DF4236, LUCAS : DF4236BP, MAGNETI MARELLI : 353613441240, Metelli : 23-0569, MINTEX : MDC1454, NECTO : WN1149, NIBK : RN1166V, OEM : 569021, OPEL : 9195985, PAGID : 50363, PILENGA : V762, REMSA : 6665.10, ROADHOUSE : 6665.10, SBS : 1815203640, TEXTAR : 92029603, TEXTAR : 92111403, TEXTAR : 92111400, TRUSTING : DF953, TRW : DF4236, VALEO : 186188, VALEO : 186790
	Corsa	1000	2000	2003	Front	MRD1166V		
	Corsa	1200	2000		Front	MRD1166V		
	Corsa	1000	2000	2003	Front	MRD1166V		
	Corsa	1200	2000		Front	MRD1166V		
	Corsa	1700	2000	2003	Front	MRD1166V		
OPEL	Vectra	2000	1995	2003	Front	MRD1076V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 7, Height : 41.1, Centering Diameter :70, Position: Front, Pitch Circle & Oslash : 110	AC DELCO : AC2275D, AP : 24656, AP : 24658, ATE : 24.0125-0119.1, ATE : 24.0325-0119.1, BENDIX : 561960B, BENDIX EUR : 561960B, BOSCH : 0 986 478 449, BOSCH : 0 986 478 423, BOSCH : 0 986 478 588, BRADI : 1.3426.2.4, BRECO : BS 8350, BRECO : BS 8274, BREMBO : 09.6997.10, BREMBO : 09.6997.20, BREMBO : 09.6997.24, BREMBO : FD.073.000, BREMBO : FS.073.000, BREMBO : FS.073.000, BREMBO : 09.6997.11, BREMBO : 09.6997.21, BREMBO : FD.072.000, BREMBO : FS.072.000, CAR : 142.492, CAR RACING : HPD 492, CHEVROLET : 90496327, CHEVROLET : 90512029, CIFAM : 800-605, DELPHI : BG3142, FERODO : DRF1082, FERODO : DDF1082, Fritch : DF719, GRAF : DF29605, INTERBRAKE : OP321V, INTERCAR : OP321V, JURID : 561960J, JURID : 561960J, KWP : 129605, Lemforder : 21247 03, Lemforder : 21247, LOTUS : B117J0028F, LPR : 01321V, LPR : 51113V, LUCAS : DF2778BP, LUCAS : DF2778, LUCAS : DF2778, MAGNETI MARELLI : 353613426240, Metelli : 23-0605, MINTEX : MDC1009, NECTO : WN1093, NECTO : WN906, NIBK : RN1076V, OEM : 4566840, OPEL : 569056, PAGID : 52426, PILENGA : V760, PILENGA : V204, QH : BDC4678, REMSA : 6494.10, REMSA : 6908.20, REMSA : 6712.20, ROADHOUSE : 6494.10, ROADHOUSE : 6908.20, ROADHOUSE : 6712.20, SAAB : 4837019, SAAB : 4839320, SAAB : 5390786, SAAB : 4839007, SBS : 1816303625, SBS : 252515V, SBS : 1815303625, SBS : 252515, SBS : 1815203625, STOP : 5619605, TEXTAR : 92075603, TEXTAR : 92075600, TEXTAR : 98200 0756 0 1, TRUSTING : DF719, TRW : DF2778S, VALEO : 186649, WOKING : D6494.10, ZIMMERMANN : 430.1473.20
	Vectra	2000	1996	1999	Front	MRD1076V		
	Astra	2000	1998	2001	Front	MRD1076V		
	Astra	2000	1998	2000	Front	MRD1076V		
	Vectra	2000	1995	2003	Front	MRD1076V		
	Calibra	2000	1994	1996	Front	MRD1076V		
	Calibra	2500	1994	1998	Front	MRD1076V		
	Vectra	1600	2000		Front	MRD1076V		
	Vectra	1800	2000		Front	MRD1076V		
	Vectra	2200	2000	2003	Front	MRD1076V		
OPEL	Vectra	2500	1995	2000	Front	MRD1076V		
	Astra	1400	2004		Front	MRD1110V	Recommended Type: Vented & Oslash 256 ,Disc Thickness: 23.9, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front, Pitch Circle & Oslash : 100	AC DELCO : AC2322D, AP : 24738E, AP : X24738, ATE : 24.0124-0152.1, ATE : 24.0324-0152.1, BENDIX : 562069B, BENDIX EUR : 562069B, BOSCH : 0 986 478 881, BRADI : 1.3431.2.4, BRECO : BS 8324, BREMBO : 09.7628.14, BREMBO : FD.089.000, BREMBO : 09.7628.10, BREMBO : 09.7628.75, BREMBO : FS.089.000, CAR : 142.497, CAR RACING : HPD 497, CHEVROLET : 9117677, CHEVROLET : 9049789, CIFAM : 800-490, DELPHI : BG3404, FERODO : DRF1041, FERODO : DDF1041, Fritch : DF528, GRAF : DF29490, INTERBRAKE : OP401V, INTERCAR : OP401V, JURID : 562069J, JURID : 562069J, KWP : 129490, Lemforder : 22837, Lemforder : 22837 01, LPR : 01401V, LUCAS : DF4042, LUCAS : DF4042BP, MAGNETI MARELLI : 353613431240, Metelli : 23-0490, MINTEX : MDC1049, NECTO : WN1063, NIBK : RN1110V, OPEL : 569059, PAGID : 52430, PILENGA : V372, QH : BDC4813, REMSA : 6572.10, ROADHOUSE : 6572.10, SBS : 1815303629, SBS : 252513V, SBS : 1815203629, SBS : 1816303629, SBS : 252513V, STOP : 562069S, TEXTAR : 98200 0918 0 1, TEXTAR : 92091803, TEXTAR : 92091800, TRUSTING : DF528, TRW : DF4042, VALEO : 186592, VAUXHALL : 90497879, VEMA : 98063, ZIMMERMANN : 430.1482.20
	Astra	1200	1998	2000	Front	MRD1110V		
	Astra	1600	2001	2004	Front	MRD1110V		
	Astra	1700	1998	2001	Front	MRD1110V		
	Astra	1800	1998	2000	Front	MRD1110V		
	Astra	1800	2001		Front	MRD1110V		
	Astra	2000	1998	2000	Front	MRD1110V		
	Astra	2000	2001	2009	Front	MRD1110V		
	Astra	2200	2001		Front	MRD1110V		
	Zafira	2000	2001	2005	Front	MRD1110V		
OPEL Vauxhall	Zafira	1800	2001	2005	Front	MRD1110V		
	Corsa Van	1700	1993	2001	Front	MRD1282	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 236	AC DELCO : AC2055D, AP : 10170, AP : X10170, AP : 14645, ATE : 24.0113-0161.1, BENDIX EUR : 561158B, BRADI : 1.3440.1.4, BRADI : 1.3405.1.4, BRECO : BS 7280, BRECO : BS 7275, BREMBO : 08.4475.10, BREMBO : 08.4475.75, BREMBO : FS.006.000, BREMBO : 08.3638.10, BREMBO : 08.4475.30, BREMBO : FD.006.000, CAR : 142.503, CAR RACING : HPD 503, CHEVROLET : 90008005, CIFAM : 800-080, DELPHI : BG148, DELPHI : BG2148, FERODO : DRF116, FERODO : DDF116, Fritch : DF009, GRAF : DF2880, INTERBRAKE : OP051P, INTERCAR : OP051P, KWP : 102880, Lemforder : 12243 02, Lemforder : 12243, LPR : 01051P, LUCAS : DF1608BP, LUCAS : DF1608, MAGNETI MARELLI : 353613405140, Metelli : 23-0080, MINTEX : MDC266, NIBK : RN1282, OPEL : 569030, PAGID : 52404, PILENGA : 5063, PILENGA : 5770, PONTIAC : 90111242, QH : BDC3388, REMSA : 6403.10, ROADHOUSE : 6403.10, SBS : 1815303606, SBS : 251103, SBS : 1815203606, SBS : 1816303606, TEXTAR : 92020900, TEXTAR : 98200 0209 0 1, TRUSTING : DF009, TRW : DF1608, VALEO : 186757, VALEO : 186187, VEMA : 98018, WOKING : D6059.00
	Corsa	1200	1994	2000	Front	MRD1282		
	Corsa	1600	1994	2000	Front	MRD1282		
	Corsa	1200	1994	2000	Front	MRD1282		
	Corsa	1600	1994	2000	Front	MRD1282		
OPEL Vauxhall	Corsa Van	1700	1993	2001	Front	MRD1282		
	Vectra	1800	2000	2002	Front	MRD1017V	Recommended Type: Vented 256 ,Disc Thickness: 24, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front	AC DELCO : AC2090D, AP : 24857E, AP : 24695E, AP : X24695, ATE : 24.0111-0116.1, ATE : 24.0324-0115.1, ATE : 24.0124-0115.1, BENDIX : 561488B, BRADI : 1.3415.2.4, BRADI : 1.3401.1.4, BRECO : BS 8523, BRECO : BS 8284, BREMBO : 09.5148.24, BREMBO : 09.9608.24, BREMBO : 09.5148.20, BREMBO : 09.5148.76, CAR : 142.508, CAR RACING : HPD 508, CHEVROLET : 96179110, CIFAM : 800-166, CIFAM : 800-021, DELPHI : BG2443, DELPHI : BG443, FERODO : DRF206, FERODO : DDF206, Fritch : DF231P, GRAF : DF29166, INTERBRAKE : OP171V, INTERCAR : OP171V, JURID : 561488J, JURID : 561488J, JURID : 561003J, KWP : 1029166, KWP : 102821, KWP : 129166, Lemforder : 12242, Lemforder : 14656, Lemforder : 12242 03, LPR : 01171V, LUCAS : DF1600, LUCAS : DF1625BP, LUCAS : DF1625, MAGNETI MARELLI : 353613415240, Metelli : 23-0166, Metelli : 23-0021, MINTEX : MDC692, NECTO : WN467, NECTO : WN105, NIBK : RN1017V, NIBK : 209902, OEM : 569042RP, OEM : 90065603, OEM : 96162249, OEM : 96234212, OEM : 8982484, OEM : 90272326, OEM : 96234203, OPEL : 569042, OPEL : 569001, PAGID : 52415, PILENGA : V065, QH : BDC3680, REMSA : 6412.20, REMSA : 6178.10, REMSA : 6076.00, ROADHOUSE : 6178.10, ROADHOUSE : 6076.00, ROADHOUSE : 6412.20, SBS : 1815209902, SBS : 1816303613, SBS : 251108, SBS : 1815203613, SBS : 1815303613, SBS : 251101, STOP : 561488S, TEXTAR : 92039200, TEXTAR : 98200 0392 0 1, TEXTAR : 92039203, TRUSTING : DF239, TRW : DF1625, VAUXHALL : 90295087, VAUXHALL : 90250546, VAUXHALL : 90487402, VEMA : 98020, WOKING : D6178.10, WOKING : D6076.00, ZIMMERMANN : 430.1002.00, ZIMMERMANN : 430.1461.20, ZIMMERMANN : 430.1452.00
	Vectra	2200	2000	2002	Front	MRD1017V		
	Vectra	1800	2000	2002	Front	MRD1017V		
	Vectra	2200	2000	2002	Front	MRD1017V		
OPEL Vauxhall	Astra	1800	1994	1996	Rear	MRD1286	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 69.5, Centering Diameter :57, Position: Rear, Pitch Circle & Oslash : 100, Outter & Oslash : 260	AC DELCO : AC2271D, AP : 14365, ATE : 24.0110-0204.1, BENDIX : 561652B, BOSCH : 0 986 478 086, BRADI : 1.3420.5.4, BRECO : BS 7431, BREMBO : 08.5559.10, CAR : 142.512, CAR RACING : HPD 512, CIFAM : 800-350, DELPHI : BG635, DELPHI : BG2635, FERODO : DRF331, FERODO : DDF331, Fritch : DF176, GRAF : DF29350, INTERBRAKE : OP231P, INTERCAR : OP231P, JURID : 561652J, KWP : 129350, KWP : 1029350, Lemforder : 14874 01, Lemforder : 14874, LPR : 01231P, LUCAS : DF2614, MAGNETI MARELLI : 353613420540, Metelli : 23-0350, MINTEX : MDC786, NECTO : WN599, NIBK : RN1286, OEM : 93182284, OEM : 569119, OPEL : 569206, PAGID : 52408, PILENGA : 5069, QH : BDC3827, REMSA : 6207.00, ROADHOUSE : 6207.00, SBS : 252506, SBS : 1815203618, TEXTAR : 92057000, TEXTAR : 98200 0570 0 1, TRUSTING : DF176, TRW : DF2614, VALEO : 186490, VAUXHALL : 90345699, VAUXHALL : 90421872, WOKING : D6207.00, ZIMMERMANN : 430.1467.00
	Astra	1800	1994	1996	Rear	MRD1286		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
OPEL Vauxhall	Vectra	1800	2000	2002	Front	MRD1017V	Recommended Type: Vented 256 Disc Thickness: 24, Num. of holes : 6, Height : 41, Centering Diameter :60, Position: Front	AC DELCO : AC2090D, AP : 24695E, AP : X24695, AP : 24857E, ATE : 24.0111-0116.1, ATE : 24.0324-0115.1, ATE : 24.0124-0115.1, BENDIX : 561488B, BRADI : 1.3415.2.4, BRADI : 1.3401.1.4, BRECO : BS 8523, BRECO : BS 8284, BREMBO : 09.5148.24, BREMBO : 09.9608.24, BREMBO : 09.5148.20, BREMBO : 09.5148.76, CAR : 142.508, CAR RACING : HPD 508, CHEVROLET : 96179110, CIFAM : 800-021, CIFAM : 800-166, DELPHI : BG443, DELPHI : BG2243, FERODO : DRF206, FERODO : DDF206, Fritch : DF239, GRAF : DF29166, INTERBRAKE : OP171V, INTERCAR : OP171V, JURID : 561003J, JURID : 561488JC, JURID : 561488J, KWP : 1029166L, KWP : 102821, KWP : 129166, Lemforder : 12242, Lemforder : 14656, Lemforder : 12242 03, LPR : 01171V, LUCAS : DF1625, LUCAS : DF1600, LUCAS : DF1625BP, MAGNETI MARELLI : 353613415240, Metelli : 23-0021, Metelli : 23-0166, MINTEX : MDC692, NECTO : WN105, NECTO : WN467, NIBK : RN1017V, NK : 209902, OEM : 96234203, OEM : 569042RP, OEM : 90065603, OEM : 96162249, OEM : 96234212, OEM : 8982484, OEM : 90272326, OPEL : 569042, OPEL : 569001, PAGID : 52415, PILENGA : V065, QH : BDC3680, REMSA : 6076.00, REMSA : 6412.20, REMSA : 6178.10, ROADHOUSE : 6178.10, ROADHOUSE : 6076.00, ROADHOUSE : 6412.20, SBS : 1815203613, SBS : 1815303613, SBS : 251101, SBS : 1815209902, SBS : 1816303613, SBS : 251108, STOP : 561488S, TEXTAR : 92039200, TEXTAR : 98200 0392 0 1, TEXTAR : 92039203, TRUSTING : DF239, TRW : DF1625, VAUXHALL : 90250546, VAUXHALL : 90487402, VAUXHALL : 90295087, VEMA : 98020, WOKING : D6076.00, WOKING : D6178.10, ZIMMERMANN : 430.1002.00, ZIMMERMANN : 430.1461.20, ZIMMERMANN : 430.1452.00
	Vectra	2200	2000	2002	Front	MRD1017V		
	Vectra	1800	2000	2002	Front	MRD1017V		
	Vectra	2200	2000	2002	Front	MRD1017V		
	Vectra	1800	2000	2002	Front	MRD1017V		
	Vectra	2200	2000	2002	Front	MRD1017V		
PEUGEOT	107	1000	2005		Front	MRD1214V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 35.15, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 250	A.B.S : HFHMJ, ATE : 24.0120-0180.1, BOSCH : 0 986 479 239, BREMBO : 09.9928.14, CAR : 142.1123, CAR RACING : HPD 1123, CIFAM : 800-834, CITROEN : 00004246J0, CITROEN : 4246J0, DELPHI : BG3976, FERODO : DDF1527, Fritch : DF999, INTERBRAKE : CR451V, JAPANPARTS : DI-269, JURID : 562311J, LPR : C1004V, LUCAS : DF4469, LUCAS : DF4469BP, MAGNETI MARELLI : 353610935240, Metelli : 23-0834, MINTEX : MDC1733, NECTO : WN1453, NIBK : RN1214V, NK : 2045102, OEM : 4246F0, PAGID : 54419, PEUGEOT : 4246F0, PILENGA : V097, QH : BDC5518, REMSA : 61003.10, ROADHOUSE : 61003.10, SBS : 18152045102, TEXTAR : 92141903, TEXTAR : 92141900, TOYOTA : 435120H010, TRUSTING : DF999, TRW : DF4469, ZIMMERMANN : 180.3021.00
	107	1400	2005		Front	MRD1214V		
	107	1000	2005		Front	MRD1214V		
	107	1400	2005		Front	MRD1214V		
PEUGEOT	Boxer	2000	2002		Front	MRD1065V	Recommended Type: Vented & Oslash : 300 ,Disc Thickness: 24, Num. of holes : 5, Height : 66, Centering Diameter :80, Position: Front	AC DELCO : AC2179D, AP : 24534E, AP : 24864E, AP : 24814, ATE : 24.0124-0138.1, BENDIX : 561969B, BENDIX EUR : 561969B, BOSCH : 0 986 478 842, BRADI : 1.1526.2.4, BRECO : BS 8166, BRECO : BS 8530, BRECO : BS 8440, BREMBO : 09.5906.14, BREMBO : 09.9614.14, BREMBO : 09.5906.10, BREMBO : 09.8932.10, BREMBO : 09.9615.14, CAR : 142.169, CAR RACING : HPD 169, CIFAM : 800-341, CITROEN : 00004246Y3, CITROEN : 4246Y3, CITROEN : 4246K3, DELPHI : BG2847, DELPHI : BG847, DELPHI : BG3842, FERODO : DDF768, FERODO : DDF1171, FIAT : 46806234, FIAT : 1307356080, Fritch : DF547, GRAF : DF29341, INTERBRAKE : FT181V, INTERCAR : FT181V, JURID : 561969J, KWP : 1029341, KWP : 129341, Lemforder : 30878, Lemforder : 30878 01, LPR : F2007V, LPR : F2181V, LUCAS : DF4753S, LUCAS : DF2722, MAGNETI MARELLI : 353611526240, Metelli : 23-0341, MINTEX : MDC840, MINTEX : MDC1978, NECTO : WN778, NECTO : WN1194, NIBK : RN1065V, OEM : 13007356080, OEM : 71739637, OEM : 51728378, PAGID : 54167, PAGID : 50917, PEUGEOT : 4246K2, PEUGEOT : 4246Y5, PILENGA : V038, QH : BDC4400, QH : BDC4362, REMSA : 6152.20, ROADHOUSE : 6152.20, SBS : 1815209946, SBS : 272737, STOP : 561969S, TEXTAR : 92116700, TEXTAR : 92073900, TEXTAR : 98200 0739 0 1, TRUSTING : DF547, TRW : DF2722, VEMA : 98040, WOKING : D6504.10, ZIMMERMANN : 180.3011.00
	Boxer	2200	2001	2002	Front	MRD1065V		
	Boxer	2800	2000	2001	Front	MRD1065V		
	Boxer	2800	2001		Front	MRD1065V		
	Boxer	2800	2001	2002	Front	MRD1065V		
PEUGEOT	Partner	1100	1996	2001	Front	MRD1086	Recommended Type: Solid 266 Disc Thickness: 13, Num. of holes : 4, Height : 27, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2182D, AP : 14711, ATE : 413184, ATE : 24.0113-0184.1, BENDIX : 562044B, BOSCH : 0 986 478 847, BRADI : 1.3619.1.4, BRECO : BS 7557, BREMBO : 08.7238.10, CAR : 142.152, CAR RACING : HPD 152, CIFAM : 800-401, CITROEN : 4246.R2, CITROEN : 4246.R4, DELPHI : BG3421, FERODO : DDF1000, Fritch : DF835, GRAF : DF29401, INTERBRAKE : CR331P, JURID : 562044J, KWP : 1029401, KWP : 129401, Lemforder : 22841 01, Lemforder : 22841, LPR : C1331P, LUCAS : DF2808, MAGNETI MARELLI : 353613619140, Metelli : 23-0401, MINTEX : MDC1011, NECTO : WN920, NIBK : RN1086, PAGID : 52515, PILENGA : 5098, QH : BDC4676, REMSA : 6536.00, ROADHOUSE : 6536.00, SBS : 1815201925, STOP : 562044S, TEXTAR : 92089103, TEXTAR : 92089100, TEXTAR : 98200 0891 0 1, TRUSTING : DF835, TRW : DF2808, VALEO : 186599, WOKING : D6536.00, ZIMMERMANN : 180.3006.00
	Partner	1400	1996	2001	Front	MRD1086		
	Partner	1600	2000	2001	Front	MRD1086		
	Partner	1800	1996	2000	Front	MRD1086		
	Partner	1900	1996	2001	Front	MRD1086		
	Partner	2000	1999	2001	Front	MRD1086		
PEUGEOT	207	1600	2007		Front	MRD1151V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 4, Height : 34.2, Centering Diameter :66, Position: Front, Outter & Oslash : 283	AC DELCO : AC2567D, AP : 24788, AP : 24869, ATE : 24.0126-0120.1, ATE : 426120, ATE : 24.0326-0120.1, BENDIX : 562129B, BOSCH : 0 986 478 979, BOSCH : 0 986 478 616, BRADI : 1.0930.2.4, BRECO : BS 8415, BRECO : BS 8535, BREMBO : 09.8760.11, BREMBO : 09.9619.10, BREMBO : FS.114.000, BREMBO : 09.8760.10, BREMBO : 09.8760.75, BREMBO : FD.114.000, CAR : 142.477, CAR RACING : HPD 477, CIFAM : 800-556, CIFAM : 800-566, CITROEN : 424918, CITROEN : 4246W2, DELPHI : BG3654, DELPHI : BG3622, FERODO : DDF1152, FERODO : DRF1152, Fritch : DF687, GRAF : DF29556, GRAF : DF29566, INTERBRAKE : PG221V, JURID : 562129J, JURID : 562129JC, KWP : 129566, KWP : 129556, Lemforder : 30881, Lemforder : 30881 01, LPR : P1003V, LUCAS : DF4183, LUCAS : DF4786, LUCAS : DF4183BP, MAGNETI MARELLI : 353610930240, Metelli : 23-0556, Metelli : 23-0566, MINTEX : MDC1492, NECTO : WN1171, NIBK : RN1151V, PAGID : 50365, PEUGEOT : 4246W8, PEUGEOT : 424917, PILENGA : V751, PILENGA : V091, QH : BDC5241, REMSA : 6955.20, REMSA : 6932.20, REMSA : 6604.10, ROADHOUSE : 6932.20, ROADHOUSE : 6604.10, ROADHOUSE : 6955.20, SBS : 1815201927, STOP : 562129S, TEXTAR : 92111600, TEXTAR : 98200 1116 0 1, TEXTAR : 92111603, TRUSTING : DF687, TRW : DF4786, TRW : DF4183, VALEO : 186693, WOKING : D6604.10, ZIMMERMANN : 440.3106.00
	207	1600	2007		Front	MRD1151V		
	207	1600	2007		Front	MRD1151V		
	207	1600	2007		Front	MRD1151V		
	207	1600	2007		Front	MRD1151V		
	207	1600	2007		Front	MRD1151V		
PEUGEOT	206 CC	1600	2000		Front	MRD1152V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 34.3, Centering Diameter :66.1, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 266	AC DELCO : AC2569D, AC DELCO : AC2582D, AP : 24787, ATE : 24.0122-0194.1, ATE : 422194, ATE : 24.0122-0205.1, BENDIX : 562128B, BENDIX EUR : 562128B, BOSCH : 0 986 478 099, BOSCH : 0 986 478 618, BRADI : 1.0928.2.4, BRECO : BS 8414, BREMBO : 09.8695.10, BREMBO : 09.8695.75, BREMBO : FS.113.000, BREMBO : 09.8695.14, BREMBO : FD.113.000, CAR : 142.476, CAR RACING : HPD 476, CIFAM : 800-555, CITROEN : 00004246W1, CITROEN : 424916, CITROEN : 4246W1, DELPHI : BG3706, DELPHI : BG3620, FERODO : DRF1140, FERODO : DDF1140, Fritch : DF666, GRAF : DF29555, INTERBRAKE : PG231V, JURID : 562128JC, JURID : 562128J, KWP : 129555, Lemforder : 30879 01, Lemforder : 30879, LPR : P1002V, LUCAS : DF4184, LUCAS : DF4184BP, MAGNETI MARELLI : 353610928240, Metelli : 23-0555, MINTEX : MDC1491, NECTO : WN1167, NIBK : RN1152V, PAGID : 50364, PEUGEOT : 424915, PEUGEOT : 4246W7, PILENGA : V092, QH : BDC5240, REMSA : 6603.10, REMSA : 6901.20, ROADHOUSE : 6901.20, ROADHOUSE : 6603.10, SBS : 1815201929, STOP : 562128S, TEXTAR : 92111500, TEXTAR : 98200 1115 0 1, TEXTAR : 92111503, TRUSTING : DF666, TRW : DF4184, VALEO : 186695, WOKING : D6603.10, ZIMMERMANN : 440.3105.00
	206 CC	2000	2000		Front	MRD1152V		
	207	1400	2007		Front	MRD1152V		
	207	1600	2001		Front	MRD1152V		
	206 CC	1600	2000		Front	MRD1152V		
	206 CC	2000	2000		Front	MRD1152V		
	Partner	1400	2001	2008	Front	MRD1152V		
	Partner	1600	2001	2008	Front	MRD1152V		
	307	1400	2000	2004	Front	MRD1152V		
	206 CC	1600	2000		Front	MRD1152V		
	206 CC	2000	2000		Front	MRD1152V		
	307	1400	2001	2008	Front	MRD1152V		
	Partner	1400	2001	2008	Front	MRD1152V		
	Partner	1600	2001	2008	Front	MRD1152V		
	307	1400	2004	2008	Front	MRD1152V		
	307	1600	2004	2008	Front	MRD1152V		
	1007	1400	2005		Front	MRD1152V		
	1007	1400	2006		Front	MRD1152V		
PEUGEOT	207	1600	2007		Front	MRD1152V		
	307	1400	2007		Front	MRD1152V		
	307	1600	2007		Front	MRD1152V		
	307	1400	2000	2004	Front	MRD1152V		
	307	1600	2001		Front	MRD1152V		
	307	1400	2004	2008	Front	MRD1152V		
	307	1600	2004	2008	Front	MRD1152V		
	207	1600	2007		Front	MRD1152V		
	307	1400	2007		Front	MRD1152V		
	307	1600	2007		Front	MRD1152V		
	307	1400	2000	2004	Front	MRD1152V		
	307	1600	2001		Front	MRD1152V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
PEUGEOT	206 CC	1600	2000		Front	MRD1152V		
	206 CC	2000	2000		Front	MRD1152V		
	207	1400	2007		Front	MRD1152V		
	207	1600	2007		Front	MRD1152V		
	307	1400	2007		Front	MRD1152V		
	307	1400	2000	2004	Front	MRD1152V		
	307	1400	2004	2008	Front	MRD1152V		
	307	1600	2007		Front	MRD1152V		
	307	1600	2001		Front	MRD1152V		
	307	1600	2004	2008	Front	MRD1152V		
	1007	1400	2005		Front	MRD1152V		
	1007	1400	2006		Front	MRD1152V		
	Partner	1400	2001	2008	Front	MRD1152V		
	Partner	1600	2001	2008	Front	MRD1152V		
PEUGEOT	4007	2200	2007		Front	MRD1403V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 45.6, Centering Diameter :69, Position: Front, Outter & Oslash : 294	APEC : DSK2297, ATE : 24.0124-0215.1, BREMBO : 09.A738.14, CAR : 142.1313, CAR : 142.1352, CAR RACING : HPD 1313, CIFAM : 800-939C, CIFAM : 800-939, DELPHI : BG4038, FERODO : DDF1642, Fritech : DF366, INTERBRAKE : CR461V, JAPANPARTS : DI-526, LPR : M1012V, Metelli : 23-0939C, Metelli : 23-0939, MINTEX : MDC1385, MITSUBISHI : MR307376, MITSUBISHI : 4615A006, MITSUBISHI : MR128659, MITSUBISHI : MR205215, NIBK : RN1403V, NIBK : RN1332V, NIPPARTS : J3305063, OEM : 424958, OEM : 4615A113, OEM : 424959, PAGID : 54352, QH : BDC5448, REMSA : 6896.10, ROADHOUSE : 6896.10, SBS : 1815203043, TEXTAR : 92135203, TEXTAR : 92135200, TRUSTING : DF366
	4007	2400	2008		Front	MRD1403V		
	4007	2200	2007		Front	MRD1403V		
	4007	2400	2008		Front	MRD1403V		
	4007	2200	2007		Front	MRD1403V		
PEUGEOT	4007	2200	2007		Rear	MRD1404	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 58.7, Centering Diameter :80, Position: Rear, Outter & Oslash : 302	ATE : 24.0110-0330.1, BREMBO : 08.A755.10, CAR : 142.1314, DELPHI : BG4161, Fritech : DF1298, INTERBRAKE : CR471P, LPR : M1018P, MINTEX : MDC2041, MITSUBISHI : 4615A035, NIBK : RN1404, OEM : 4249F4, PEUGEOT : 4249.62, PEUGEOT : 4249.61, SBS : 1815203053, TEXTAR : 92167000, TRUSTING : DF1298, TRW : DF4963
	4007	2400	2008		Rear	MRD1404		
PEUGEOT	405	1800	1992	1992	Front	MRD1004V	Recommended Type: Vented ,Disc Thickness: 20.5, Num. of holes : 4, Height : 27.4, Centering Diameter :66, Position: Front, Outter & Oslash : 266	CITROEN : 4246R5, CITROEN : 95632048, CITROEN : 169002, CITROEN : 4246W6, CITROEN : 95667809, NIBK : RN1004V, PEUGEOT : 4246R3, PEUGEOT : 4246W5, PEUGEOT : 4246B1, PEUGEOT : 424697, TRW : DF1220
	405	1900	1988	1992	Front	MRD1004V		
	405	1900	1988	1992	Front	MRD1004V		
	405	1900	1988	1992	Front	MRD1004V		
	405	1800	1992	1992	Front	MRD1004V		
	405	1800	1992	1992	Front	MRD1004V		
	306	1800	1997	1999	Front	MRD1004V		
	306	1900	1997	2000	Front	MRD1004V		
	306	2000	1997	2001	Front	MRD1004V		
	306	1800	1997	1999	Front	MRD1004V		
	306	1900	1997	2000	Front	MRD1004V		
	306	2000	1997	2001	Front	MRD1004V		
	206	1600	2000		Front	MRD1004V		
	206	2000	2000		Front	MRD1004V		
	306	2000	2000	2002	Front	MRD1004V		
	206 CC	1600	2000		Front	MRD1004V		
	206 CC	2000	2000		Front	MRD1004V		
	206	1600	2000		Front	MRD1004V		
	206	2000	2000		Front	MRD1004V		
	306	2000	2000	2002	Front	MRD1004V		
	206 CC	1600	2000		Front	MRD1004V		
	206 CC	2000	2000		Front	MRD1004V		
	306	1800	1997	1999	Front	MRD1004V		
	306	1900	1997	2000	Front	MRD1004V		
	206	1600	2000		Front	MRD1004V		
	206	2000	2000		Front	MRD1004V		
	306	2000	2000	2002	Front	MRD1004V		
	306	2000	1997	2001	Front	MRD1004V		
	206 CC	1600	2000		Front	MRD1004V		
	206 CC	2000	2000		Front	MRD1004V		
	405	1900	1988	1992	Front	MRD1004V		
	405	1800	1992	1992	Front	MRD1004V		
	206	1600	2000		Front	MRD1004V		
	206	2000	2000		Front	MRD1004V		
	306	1800	1997	1999	Front	MRD1004V		
	306	1900	1997	2000	Front	MRD1004V		
	306	2000	2000	2002	Front	MRD1004V		
	306	2000	1997	2001	Front	MRD1004V		
PEUGEOT	405	1800	1992	1992	Front	MRD1004V		
	405	1900	1988	1992	Front	MRD1004V		
	206 CC	1600	2000		Front	MRD1004V		
	206 CC	2000	2000		Front	MRD1004V		
	Partner	1100	1996	2001	Front	MRD1086	Recommended Type: Solid 266 ,Disc Thickness: 13, Num. of holes : 4, Height : 27, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2182D, AP : 14711, ATE : 413184, ATE : 24.0113-0184.1, BENDIX : 562044B, BOSCH : 0 986 478 847, BRADI : 1.3619.1.4, BRECO : BS 7557, BREMBO : 08.7238.10, CAR : 142.152, CAR RACING : HPD 152, CIFAM : 800-401, CITROEN : 4246.R2, CITROEN : 4246.R4, DELPHI : BG3421, FERODO : DDF1000, Fritech : DF835, GRAF : DF29401, INTERBRAKE : CR331P, JURID : 562044J, KWP : 129401, KWP : 1029401, Lemforder : 22841 01, Lemforder : 22841, LPR : C1331P, LUCAS : DF2808, MAGNETI MARELLI : 353613619140, Metelli : 23-0401, MINTEX : MDC1011, NECTO : WN920, NIBK : RN1086, PAGID : 52515, PILENGA : 5098, QH : BDC4676, REMSA : 6536.00, ROADHOUSE : 6536.00, SBS : 1815201925, STOP : 562044S, TEXTAR : 92089103, TEXTAR : 92089100, TEXTAR : 98200 0891 0 1, TRUSTING : DF835, TRW : DF2808, VALEO : 186599, WOKING : D6536.00, ZIMMERMANN : 180.3006.00
	Partner	1400	1996	2001	Front	MRD1086		
	Partner	1600	2000	2001	Front	MRD1086		
	Partner	1800	1996	2000	Front	MRD1086		
	Partner	1900	1996	2001	Front	MRD1086		
	Partner	2000	1999	2001	Front	MRD1086		
	Partner	1100	1996	2001	Front	MRD1086		
	Partner	1400	1996	2001	Front	MRD1086		
	Partner	1600	2000	2001	Front	MRD1086		
	Partner	1800	1996	2000	Front	MRD1086		
	Partner	1900	1996	2001	Front	MRD1086		
	Partner	2000	1999	2001	Front	MRD1086		
PEUGEOT	406	1600	1995	2000	Front	MRD1077V	Recommended Type: Vented & Oslash : 260 ,Disc Thickness: 24, Num. of holes : 4, Height : 28.4, Centering Diameter :66, Position: Front, Pitch Circle & Oslash: 108	AC DELCO : AC2174D, AP : 24648, ATE : 24.0124-0139.1, BENDIX : 562027B, BENDIX EUR : 562027B, BOSCH : 0 986 478 830, BRADI : 1.3616.2.4, BRECO : BS 8268, BREMBO : 09.6932.10, CAR : 142.521, CAR RACING : HPD 521, CIFAM : 800-455, DELPHI : BG2871, FERODO : DRF870, FERODO : DDF870, Fritech : DF474, GRAF : DF29455, INTERBRAKE : PG201V, INTERCAR : PG201V, JURID : 562027J, KWP : 129455, KWP : 1029455L, Lemforder : 19305 01, Lemforder : 19305, LPR : P1201V, LUCAS : DF2782BP, LUCAS : DF2782, MAGNETI MARELLI : 353613616240, Metelli : 23-0455, MINTEX : MDC868, NECTO : WN870, NIBK : RN1077V, PAGID : 52517, PEUGEOT : 4246L9, PILENGA : V083, QH : BDC4664, REMSA : 6714.20, REMSA : 6449.10, ROADHOUSE : 6714.20, ROADHOUSE : 6449.10, SBS : 1815203719, SBS : 1816303719, SBS : 1815303719, SBS : 272733, STOP : 562027S, TEXTAR : 98200 0786 0 1, TEXTAR : 92078600, TRUSTING : DF474, TRW : DF2782, VALEO : 186532, WOKING : D6449.10, ZIMMERMANN : 440.3104.00
	406	1800	1995	1999	Front	MRD1077V		
	406	1900	1996	1999	Front	MRD1077V		
	406	1900	1995	1999	Front	MRD1077V		
	406	2000	1999	2004	Front	MRD1077V		
	406	2200	2000	2004	Front	MRD1077V		
PEUGEOT	406	2000	1997	2004	Front	MRD1077V		
	406	2200	2002	2004	Front	MRD1077V		

B R A K E S

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
PORSCHE	Cayenne	3200	2002	2010	Front	MRD1235V	Recommended Type: Vented 329.8 ,Disc Thickness: 32, Num. of holes : 5, Height : 68.5, Centering Diameter :84.5, Position: Front, Pitch Circle & Oslash: 130mm	APEC : DSK2308, APEC : DSK2309, ATE : 24.0132-0117.1, ATE : 24.0132-0118.1, BOSCH : 0 986 479 248, BOSCH : 0 986 479 250, BREMBO : 09.9867.11, BREMBO : 09.9868.11, CAR : 142.1036, CAR : 142.1035, CAR RACING : HPD 1036, CAR RACING : HPD 1035, CIFAM : 800-920C, CIFAM : 800-919, CIFAM : 800-920, CIFAM : 800-919C, DELPHI : BG9773, DELPHI : BG3773, DELPHI : BG9949, FERODO : DDF1591, Fritech : DF557, Fritech : DF559, INTERBRAKE : PH091V, INTERBRAKE : PH081V, Lemforder : 30491, Lemforder : 30490 01, Lemforder : 30491 01, Lemforder : 30490, LPR : P2009V, LPR : P2010V, LUCAS : DF4763S, LUCAS : DF4762S, LUCAS : DF4307S, LUCAS : DF4306S, Metelli : 23-0920, Metelli : 23-0919C, Metelli : 23-0920C, Metelli : 23-0919, NIBK : RN1235V, NIBK : RN1236V, NK : 2047102, NK : 2047104, OEM : 95535140140, PAGID : 54215, PAGID : 54216, PILENGA : V858L, PILENGA : V858R, PORSCHE : 95535140240, QH : BDC5370, REMSA : 6773.11, REMSA : 6773.10, ROADHOUSE : 6773.11, ROADHOUSE : 6773.10, SBS : 18152047104, SBS : 18152047102, TEXTAR : 92121505, TEXTAR : 92121600, TEXTAR : 92121500, TEXTAR : 92121605, TRUSTING : DF557, TRUSTING : DF559, TRW : DF4306S, TRW : DF4307S, TRW : DF4762S, TRW : DF4763S, VW : 7L6615302D, VW : 7L6615302N, VW : 7L6615301J, VW : 7L6615302J, VW : 7L6615301D, VW : 7L6615301N, ZIMMERMANN : 600.3225.00, ZIMMERMANN : 600.3224.00
PROTON	Jumbuck	1500	2002		Front	MRD1103V	Recommended Type: Vented & Oslash 236 ,Disc Thickness: 18, Num. of holes : 4, Height : 45, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2289D, AP : 24687, AP : X24687, ATE : 24.0118-0120.1, BENDIX : 562011B, BENDIX EUR : 562011B, BOSCH : 0 986 478 572, BRADI : 1.3036.2.4, BRECO : BS 8276, BREMBO : 09.7056.75, BREMBO : FS.078.000, BREMBO : 09.7056.10, BREMBO : FD.078.000, CAR : 142.870, CAR RACING : HPD 870, CIFAM : 800-505, DELPHI : BG2810, FERODO : DDF1005, FERODO : DDF924, Fritech : DF305, GRAF : DF29505, INTERBRAKE : DG321V, INTERCAR : DG321V, JURID : 562011J, KWP : 129505, LPR : D1321V, LUCAS : DF4022, MAGNETI MARELLI : 353613036240, Metelli : 23-0505, MINTEX : MDC945, MITSUBISHI : MB699282, MITSUBISHI : MB950922, MITSUBISHI : MB699283, MITSUBISHI : MR449769, NECTO : WN925, NIBK : RN1103V, PAGID : 52218, PILENGA : V607, PROTON : MB699283, QH : BDC4805, QH : BDC4629, REMSA : 6348.20, REMSA : 6557.10, REMSA : 6528.10, ROADHOUSE : 6528.10, ROADHOUSE : 6348.20, ROADHOUSE : 6557.10, SBS : 1815203021, SBS : 242423, TEXTAR : 92089400, TEXTAR : 98200 0894 0 1, TRUSTING : DF305, TRW : DF4022, VALEO : 186818, WOKING : D6557.10, ZIMMERMANN : 380.2161.00
	Persona	1500	1993	1996	Front	MRD1103V		
	Persona	2000	1996	2000	Front	MRD1103V		
	Wira	1300	2000	2007	Front	MRD1103V		
	Wira	1500	2000		Front	MRD1103V		
	Persona	1600	1993	1999	Front	MRD1103V		
PROTON	Persona	1800	1996	2000	Front	MRD1103V		
	Wira	1500	2005		Front	MRD1275	Recommended Type: Solid ,Disc Thickness: 13, Num. of holes : 4, Height : 45, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 234	AC DELCO : AC2290D, AP : 14686, ATE : 24.0113-0186.1, BENDIX : 561996B, BENDIX EUR : 561996B, BOSCH : 0 986 478 636, BRADI : 1.3037.1.4, BRECO : BS 7549, BREMBO : 08.5243.30, CAR : 142.869, CAR RACING : HPD 869, CIFAM : 800-478, DELPHI : BG2809, FERODO : DDF998, Fritech : DF110, GRAF : DF29478, INTERBRAKE : DG311P, INTERCAR : DG311P, JAPANPARTS : DI-538, JURID : 561996J, KWP : 129505, LUCAS : DF4021, MAGNETI MARELLI : 353613037140, Metelli : 23-0478, MINTEX : MDC1027, MITSUBISHI : MB699281, NECTO : WN918, NIBK : RN1275, PAGID : 52217, PROTON : MB699280, PROTON : MB699281, QH : BDC4855, REMSA : 6349.10, ROADHOUSE : 6349.10, SBS : 242422, SBS : 1815203018, TEXTAR : 92089300, TRUSTING : DF110, TRW : DF4021
PROTON	Wira	1500	2005		Front	MRD1275		
	Jumbuck	1500	2002		Front	MRD1103V	Recommended Type: Vented & Oslash 236 ,Disc Thickness: 18, Num. of holes : 4, Height : 45, Centering Diameter :64, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2289D, AP : 24687, AP : X24687, ATE : 24.0118-0120.1, BENDIX : 562011B, BENDIX EUR : 562011B, BOSCH : 0 986 478 572, BRADI : 1.3036.2.4, BRECO : BS 8276, BREMBO : 09.7056.75, BREMBO : FS.078.000, BREMBO : 09.7056.10, BREMBO : FD.078.000, CAR : 142.870, CAR RACING : HPD 870, CIFAM : 800-505, DELPHI : BG2810, FERODO : DDF1005, FERODO : DDF924, Fritech : DF305, GRAF : DF29505, INTERBRAKE : DG321V, INTERCAR : DG321V, JURID : 562011J, KWP : 129505, LPR : D1321V, LUCAS : DF4022, MAGNETI MARELLI : 353613036240, Metelli : 23-0505, MINTEX : MDC945, MITSUBISHI : MB699282, MITSUBISHI : MB950922, MITSUBISHI : MB699283, MITSUBISHI : MR449769, NECTO : WN925, NIBK : RN1103V, PAGID : 52218, PILENGA : V607, PROTON : MB699283, QH : BDC4805, QH : BDC4629, REMSA : 6348.20, REMSA : 6557.10, REMSA : 6528.10, ROADHOUSE : 6528.10, ROADHOUSE : 6348.20, ROADHOUSE : 6557.10, SBS : 242423, SBS : 1815203021, TEXTAR : 98200 0894 0 1, TEXTAR : 92089400, TRUSTING : DF305, TRW : DF4022, VALEO : 186818, WOKING : D6557.10, ZIMMERMANN : 380.2161.00
	Persona	1500	1993	1996	Front	MRD1103V		
	Persona	1600	1993	1999	Front	MRD1103V		
	Persona	1800	1996	2000	Front	MRD1103V		
	Persona	2000	1996	2000	Front	MRD1103V		
PROTON	Wira	1300	2000	2007	Front	MRD1103V		
	Wira	1500	2000		Front	MRD1103V		
PROTON	Impian	1600	2001	2003	Rear	MRD1079	Recommended Type: Solid & Oslash : 260 ,Disc Thickness: 10, Num. of holes : 4, Height : 41, Centering Diameter :90, Position: Rear, Pitch Circle & Oslash: 114.3	AC DELCO : AC2308D, AP : 14661, ATE : 24.0110-0229.1, BENDIX : 562059B, BOSCH : 0 986 478 716, BOSCH : 0 986 478 898, BRADI : 1.6027.5.4, BRECO : BS 7544, BREMBO : 08.7042.11, BREMBO : 08.7042.10, CAR : 142.673, CAR RACING : HPD 673, CIFAM : 800-434, DELPHI : BG3112, DELPHI : BG3203, FERODO : DDF886, Fritech : DF192, GRAF : DF29434L, GRAF : DF29434, INTERBRAKE : VV341P, INTERCAR : VV341P, JAPANPARTS : DP-511, JURID : 562059J, KWP : 129434, Lemforder : 28976, Lemforder : 28976 01, LPR : M1610P, LPR : V1341P, LUCAS : DF2784, LUCAS : DF4082, LUCAS : DF2784BP, MAGNETI MARELLI : 353616027540, Metelli : 23-0434, MINTEX : MDC1021, MITSUBISHI : MR913846, MITSUBISHI : MB699289, MITSUBISHI : MB699288, NECTO : WN886, NIBK : RN1079, OEM : MR249356, OEM : MR249358, PAGID : 54024, PAGID : 54127, PILENGA : 5265, PROTON : PW820195, QH : BDC4632, QH : BDC4634, REMSA : 6793.10, REMSA : 6735.10, REMSA : 6447.00, ROADHOUSE : 6447.00, ROADHOUSE : 6793.10, ROADHOUSE : 6735.10, SBS : 1815204840, SBS : 1815203027, SBS : 383818, STOP : 562059S, TEXTAR : 92083000, TEXTAR : 98200 0830 0 1, TEXTAR : 92112700, TRUSTING : DF192, TRW : DF2784, VALEO : 186647, VOLVO : 308729409, VOLVO : 30872940, WOKING : D6447.00, ZIMMERMANN : 610.1198.00
	Logan	1400	2004		Front	MRD1000	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 238	AC DELCO : AC2023D, AP : 14068E, AP : X14068, AP : 34068, ATE : 412116, ATE : 24.0112-0116.1, BENDIX : 561235B, BENDIX : 561335B, BENDIX EUR : 561235B, BOSCH : 0 986 479 165, BOSCH : 0 986 478 105, BRADI : 1.4008.1.4, BRADI : 1.4005.1.5, BRECO : BS 7318, BRECO : BS 7310, BRECO : BS 7324, BREMBO : 08.2958.10, BREMBO : 08.2958.75, BREMBO : 08.2958.14, CAR : 142.568, CAR RACING : HPD 568, CIFAM : 800-105, CIFAM : 800-082, CIFAM : 800-114, DACIA : 2677509716, DELPHI : BG217, DELPHI : BG2217, FERODO : DDF108, FERODO : DRF055, FERODO : DDF055, Fritech : DF003, GRAF : DF2882, INTERBRAKE : RN081P, INTERCAR : RN081P, JURID : 561235J, JURID : 561335J, KWP : 1029114, KWP : 102882, Lemforder : 18146 03, Lemforder : 18146, LPR : R1081P, LPR : R1053P, LPR : R1587P, LUCAS : DF1013BP, LUCAS : DF4382, LUCAS : DF1013, LUCAS : DF1014, MAGNETI MARELLI : 353614008140, Metelli : 23-0082, Metelli : 23-0114, Metelli : 23-0105, MINTEX : MDC297, NECTO : WN364, NIBK : RN1000, NIBK : RN1192, NK : 203938, OEM : 8427370, OEM : 2677509716, OEM : 7701204282, OEM : 8932000060, OEM : 7700704705, PAGID : 52803, PILENGA : 5741, PILENGA : 5146, QH : BDC3545, QH : BDC3249, REMSA : 6446.10, REMSA : 6067.00, RENAULT : 6001549211, RENAULT : 7701204282, RENAULT : 6001547684, RENAULT : 7700704705, ROADHOUSE : 6446.10, ROADHOUSE : 6067.00, SAMKO : R 1081P, SBS : 1815203938, SBS : 1816303908, SBS : 1815203908, SBS : 1815303908, SBS : 271113, STOP : 561235S, TEXTAR : 92036100, TEXTAR : 98200 0361 0 1, TRUSTING : DF003, TRW : DF4382, TRW : DF1013, VALEO : 188803, VALEO : 186230, VALEO : 186212, VEMA : 98021, WOKING : D6067.00, ZIMMERMANN : 470.1079.00
RENAULT	Logan	1600	2004	2008	Front	MRD1000		
	Megane	1400	1995	1999	Front	MRD1000		
	Megane	1600	1999	2000	Front	MRD1000		
	Megane	1900	1999	2002	Front	MRD1000		
	Sandero	1400	2010		Front	MRD1000		
RENAULT	Clio MK II	1200	2005		Rear	MRD1173	Recommended Type: Vented & Oslash 240 ,Disc Thickness: 8, Num. of holes : 4, Height : 80.6, Centering Diameter :52.3, Position: Rear	ATE : 24.0108-0112.1, ATE : 408114, ATE : 24.0108-0114.2, BOSCH : 0 986 479 278, BOSCH : 0 986 479 007, BREMBO : 08.A141.17, BREMBO : 08.A141.10, CAR : 142.1059, CAR : 142.1219, CAR RACING : HPD 1059, CAR RACING : HPD 1219, CIFAM : 800-722, DELPHI : BG3888, FERODO : DDF1369, FERODO : DDF1571, Fritech : DF416, INTERBRAKE : RN753P, INTERBRAKE : RN751P, JURID : 562376J, LPR : R1005PCA, LPR : R1005PC, LUCAS : DF4274, LUCAS : DF4274BS, LUCAS : DF4274BPS, LUCAS : DF4274S, Metelli : 23-0722, MINTEX : MDC1707, MINTEX : MDC1762, NECTO : WN1339, NIBK : RN1173, NK : 203964, PAGID : 54193, PILENGA : 5752, QH : BDC5474, REMSA : 6750.20, REMSA : 6750.00, RENAULT : 7701207823, ROADHOUSE : 6750.00, SBS : 1815203937, TEXTAR : 92119300, TRUSTING : DF416, TRW : DF4274S, VALEO : 186796, WOKING : D6750.00, ZIMMERMANN : 470.2417.00, ZIMMERMANN : 470.2428.00
	Clio MK II	1400	2005		Rear	MRD1173		
	Clio MK II	2000	2006		Rear	MRD1173		
	Megane Coupe	2000	2008		Rear	MRD1173		
	Clio Grandtour	1200	2008		Rear	MRD1173		
RENAULT	Clio Grandtour	1400	2010		Rear	MRD1173		
	Clio Grandtour	1500	2010		Rear	MRD1173		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
RENAULT	Twingo	1200	1996	2000	Front	MRD1001	Recommended Type: Solid ,Disc Thickness: 8.2, Num. of holes : 4, Height : 41, Centering Diameter :61, Pitch Circle & Oslash: 100mm, Outter & Oslash : 238	AC DELCO : AC2022D, AP : 14082E, ATE : 24.0108-0104.1, ATE : 408104, BENDIX : 561257B, BOSCH : 0 986 478 273, BRADI : 1.4009.1.4, BRECO : BS 7336, BREMBO : 08.3147.10, BREMBO : 08.3147.14, CAR : 142.569, CAR RACING : HPD 569, CIFAM : 800-107, DELPHI : BG2258, DELPHI : BG258, FERODO : DRF070, FERODO : DDF070, Fritech : DF030, GRAF : DF29107, INTERBRAKE : RN101P, INTERCAR : RN101P, JURID : 561257J, KWP : 129107, KWP : 1029107, Lemforder : 18149, Lemforder : 18149 01, LPR : R1101P, LUCAS : DF1015, LUCAS : DF1015BP, MAGNETI MARELLI : 353614009140, Metelli : 23-0107, MINTEX : MDC364, NECTO : WN405, NiBK : RN1001, OEM : 8427371, PAGID : 52804, PILENGA : 5048, PILENGA : 5148, QH : BDC3449, REMSA : 6066.00, REMSA : 6447.10, RENAULT : 7701204285, RENAULT : 7700716947, RENAULT : 7701716947, ROADHOUSE : 6447.10, ROADHOUSE : 6066.00, SAMKO : R 1001P, SBS : 1815203906, SBS : 271112, STOP : 561257S, TEXTAR : 98200 0360 0 1, TEXTAR : 92036003, TEXTAR : 92036000, TRUSTING : DF030, TRW : DF1015, VALEO : 186228, VEMA : 98005, WOKING : D6066.00, ZIMMERMANN : 470.2402.00
	Twingo	1200	1998	2000	Front	MRD1001		
	5 Super cinque	1100	1987	1996	Front	MRD1001		
	5 Super cinque	1600	1992	1996	Front	MRD1001		
	Clio MK II	1100	1994	1998	Front	MRD1001		
	Twingo	1200	1996	2000	Front	MRD1001		
	Twingo	1200	1998	2000	Front	MRD1001		
	5 Super cinque	1100	1987	1996	Front	MRD1001		
	Twingo	1200	1998	2000	Front	MRD1001		
	5 Super cinque	1600	1992	1996	Front	MRD1001		
RENAULT	Clio MK II	1100	1994	1998	Front	MRD1001	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 238	AC DELCO : AC2023D, AP : 14068E, AP : X14068, AP : 34068, ATE : 412116, ATE : 24.0112-0116.1, BENDIX : 561235B, BENDIX : 561335B, BENDIX EUR : 561235B, BOSCH : 0 986 479 165, BOSCH : 0 986 478 105, BRADI : 1.4008.1.4, BRADI : 1.4005.1.5, BRECO : BS 7318, BRECO : BS 7310, BRECO : BS 7324, BREMBO : 08.2958.10, BREMBO : 08.2958.75, BREMBO : 08.2958.14, CAR : 142.568, CAR RACING : HPD 568, CIFAM : 800-105, CIFAM : 800-082, CIFAM : 800-114, DACIA : 2677509716, DELPHI : BG217, DELPHI : BG2217, FERODO : DDF108, FERODO : DRF055, FERODO : DDF055, Fritech : DF003, GRAF : DF2882, INTERBRAKE : RN081P, INTERCAR : RN081P, JURID : 561235J, JURID : 561335J, KWP : 1029114, KWP : 102882, Lemforder : 18146 03, Lemforder : 18146, LPR : R1081P, LPR : R1053P, LPR : R1587P, LUCAS : DF1013BP, LUCAS : DF4382, LUCAS : DF1013, LUCAS : DF1014, MAGNETI MARELLI : 353614008140, Metelli : 23-0082, Metelli : 23-0114, Metelli : 23-0105, MINTEX : MDC297, NECTO : WN364, NiBK : RN1000, NiBK : RN1192, NK : 203938, OEM : 8427370, OEM : 2677509716, OEM : 7701204282, OEM : 8932000060, OEM : 7700704705, PAGID : 52803, PILENGA : 5741, PILENGA : 5146, QH : BDC3545, QH : BDC3249, REMSA : 6446.10, REMSA : 6067.00, RENAULT : 6001549211, RENAULT : 7701204282, RENAULT : 6001547684, RENAULT : 7700704705, ROADHOUSE : 6446.10, ROADHOUSE : 6067.00, SAMKO : R 1081P, SBS : 1815203938, SBS : 1816303908, SBS : 1815203908, SBS : 1815303908, SBS : 271113, STOP : 561235S, TEXTAR : 92036100, TEXTAR : 98200 0361 0 1, TRUSTING : DF003, TRW : DF4382, TRW : DF1013, VALEO : 186803, VALEO : 186230, VALEO : 186212, VEMA : 98021, WOKING : D6067.00, ZIMMERMANN : 470.1079.00
	Twingo	1200	1996	2000	Front	MRD1001		
	19	1800	1994	1997	Front	MRD1000		
	19	1900	1994	1996	Front	MRD1000		
	Clio MK II	1200	1998	2001	Front	MRD1000		
	Clio MK II	1200	1992	1996	Front	MRD1000		
	Clio MK II	1200	1992	1996	Front	MRD1000		
	Clio MK II	1200	1992	1996	Front	MRD1000		
	Clio MK II	1400	2000	2006	Front	MRD1000		
	Clio MK II	1400	1995	1996	Front	MRD1000		
RENAULT	Clio MK II	1400	1998	2000	Front	MRD1000	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 238	AC DELCO : AC2023D, AP : 14068E, AP : X14068, AP : 34068, ATE : 412116, ATE : 24.0112-0116.1, BENDIX : 561235B, BENDIX : 561335B, BENDIX EUR : 561235B, BOSCH : 0 986 479 165, BOSCH : 0 986 478 105, BRADI : 1.4008.1.4, BRADI : 1.4005.1.5, BRECO : BS 7318, BRECO : BS 7310, BRECO : BS 7324, BREMBO : 08.2958.10, BREMBO : 08.2958.75, BREMBO : 08.2958.14, CAR : 142.568, CAR RACING : HPD 568, CIFAM : 800-105, CIFAM : 800-082, CIFAM : 800-114, DACIA : 2677509716, DELPHI : BG217, DELPHI : BG2217, FERODO : DDF108, FERODO : DRF055, FERODO : DDF055, Fritech : DF003, GRAF : DF2882, INTERBRAKE : RN081P, INTERCAR : RN081P, JURID : 561235J, JURID : 561335J, KWP : 1029114, KWP : 102882, Lemforder : 18146 03, Lemforder : 18146, LPR : R1081P, LPR : R1053P, LPR : R1587P, LUCAS : DF1013BP, LUCAS : DF4382, LUCAS : DF1013, LUCAS : DF1014, MAGNETI MARELLI : 353614008140, Metelli : 23-0082, Metelli : 23-0114, Metelli : 23-0105, MINTEX : MDC297, NECTO : WN364, NiBK : RN1000, NiBK : RN1192, NK : 203938, OEM : 8427370, OEM : 2677509716, OEM : 7701204282, OEM : 8932000060, OEM : 7700704705, PAGID : 52803, PILENGA : 5741, PILENGA : 5146, QH : BDC3545, QH : BDC3249, REMSA : 6446.10, REMSA : 6067.00, RENAULT : 6001549211, RENAULT : 7701204282, RENAULT : 6001547684, RENAULT : 7700704705, ROADHOUSE : 6446.10, ROADHOUSE : 6067.00, SAMKO : R 1081P, SBS : 1815203938, SBS : 1816303908, SBS : 1815203908, SBS : 1815303908, SBS : 271113, STOP : 561235S, TEXTAR : 92036100, TEXTAR : 98200 0361 0 1, TRUSTING : DF003, TRW : DF4382, TRW : DF1013, VALEO : 186803, VALEO : 186230, VALEO : 186212, VEMA : 98021, WOKING : D6067.00, ZIMMERMANN : 470.1079.00
	Clio MK II	1500	2001	2006	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
	Clio MK II	1500	1995	1996	Front	MRD1000		
RENAULT	Logan	1500	2007		Front	MRD1000	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 238	AC DELCO : AC2023D, AP : 14068E, AP : X14068, AP : 34068, ATE : 412116, ATE : 24.0112-0116.1, BENDIX : 561235B, BENDIX : 561335B, BENDIX EUR : 561235B, BOSCH : 0 986 479 165, BOSCH : 0 986 478 105, BRADI : 1.4008.1.4, BRADI : 1.4005.1.5, BRECO : BS 7318, BRECO : BS 7310, BRECO : BS 7324, BREMBO : 08.2958.10, BREMBO : 08.2958.75, BREMBO : 08.2958.14, CAR : 142.568, CAR RACING : HPD 568, CIFAM : 800-105, CIFAM : 800-082, CIFAM : 800-114, DACIA : 2677509716, DELPHI : BG217, DELPHI : BG2217, FERODO : DDF108, FERODO : DRF055, FERODO : DDF055, Fritech : DF003, GRAF : DF2882, INTERBRAKE : RN081P, INTERCAR : RN081P, JURID : 561235J, JURID : 561335J, KWP : 1029114, KWP : 102882, Lemforder : 18146 03, Lemforder : 18146, LPR : R1081P, LPR : R1053P, LPR : R1587P, LUCAS : DF1013BP, LUCAS : DF4382, LUCAS : DF1013, LUCAS : DF1014, MAGNETI MARELLI : 353614008140, Metelli : 23-0082, Metelli : 23-0114, Metelli : 23-0105, MINTEX : MDC297, NECTO : WN364, NiBK : RN1000, NiBK : RN1192, NK : 203938, OEM : 8427370, OEM : 2677509716, OEM : 7701204282, OEM : 8932000060, OEM : 7700704705, PAGID : 52803, PILENGA : 5741, PILENGA : 5146, QH : BDC3545, QH : BDC3249, REMSA : 6446.10, REMSA : 6067.00, RENAULT : 6001549211, RENAULT : 7701204282, RENAULT : 6001547684, RENAULT : 7700704705, ROADHOUSE : 6446.10, ROADHOUSE : 6067.00, SAMKO : R 1081P, SBS : 1815203938, SBS : 1816303908, SBS : 1815203908, SBS : 1815303908, SBS : 271113, STOP : 561235S, TEXTAR : 92036100, TEXTAR : 98200 0361 0 1, TRUSTING : DF003, TRW : DF4382, TRW : DF1013, VALEO : 186803, VALEO : 186230, VALEO : 186212, VEMA : 98021, WOKING : D6067.00, ZIMMERMANN : 470.1079.00
	Logan	1400	2004	2008	Front	MRD1000		
	Sandero	1600	2010		Front	MRD1000		
	19	1800	1994	1997	Front	MRD1000		
	Clio MK II	1400	1995	1996	Front	MRD1000		
	Clio MK II	1900	1995	1996	Front	MRD1000		
	Clio MK II	1900	1995	1996	Front	MRD1000		
	Clio MK II	1900	1995	1996	Front	MRD1000		
	Clio MK II	1200	1998	2001	Front	MRD1000		
	Clio MK II	1500	2001	2006	Front	MRD1000		
RENAULT	Sandero	1400	2010		Front	MRD1000	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 238	AC DELCO : AC2023D, AP : 14068E, AP : X14068, AP : 34068, ATE : 412116, ATE : 24.0112-0116.1, BENDIX : 561235B, BENDIX : 561335B, BENDIX EUR : 561235B, BOSCH : 0 986 479 165, BOSCH : 0 986 478 105, BRADI : 1.4008.1.4, BRADI : 1.4005.1.5, BRECO : BS 7318, BRECO : BS 7310, BRECO : BS 7324, BREMBO : 08.2958.10, BREMBO : 08.2958.75, BREMBO : 08.2958.14, CAR : 142.568, CAR RACING : HPD 568, CIFAM : 800-105, CIFAM : 800-082, CIFAM : 800-114, DACIA : 2677509716, DELPHI : BG217, DELPHI : BG2217, FERODO : DDF108, FERODO : DRF055, FERODO : DDF055, Fritech : DF003, GRAF : DF2882, INTERBRAKE : RN081P, INTERCAR : RN081P, JURID : 561235J, JURID : 561335J, KWP : 1029114, KWP : 102882, Lemforder : 18146 03, Lemforder : 18146, LPR : R1081P, LPR : R1053P, LPR : R1587P, LUCAS : DF1013BP, LUCAS : DF4382, LUCAS : DF1013, LUCAS : DF1014, MAGNETI MARELLI : 353614008140, Metelli : 23-0082, Metelli : 23-0114, Metelli : 23-0105, MINTEX : MDC297, NECTO : WN364, NiBK : RN1000, NiBK : RN1192, NK : 203938, OEM : 8427370, OEM : 2677509716, OEM : 7701204282, OEM : 8932000060, OEM : 7700704705, PAGID : 52803, PILENGA : 5741, PILENGA : 5146, QH : BDC3545, QH : BDC3249, REMSA : 6446.10, REMSA : 6067.00, RENAULT : 6001549211, RENAULT : 7701204282, RENAULT : 6001547684, RENAULT : 7700704705, ROADHOUSE : 6446.10, ROADHOUSE : 6067.00, SAMKO : R 1081P, SBS : 1815203938, SBS : 1816303908, SBS : 1815203908, SBS : 1815303908, SBS : 271113, STOP : 561235S, TEXTAR : 92036100, TEXTAR : 98200 0361 0 1, TRUSTING : DF003, TRW : DF4382, TRW : DF1013, VALEO : 186803, VALEO : 186230, VALEO : 186212, VEMA : 98021, WOKING : D6067.00, ZIMMERMANN : 470.1079.00
	Sandero	1600	2010		Front	MRD1000		
	Logan	1500	2007		Front	MRD1000		
	Logan	1400	2004	2008	Front	MRD1000		
	Logan	1400	2004	2008	Front	MRD1000		
	Logan	1600	2004	2008	Front	MRD1000		
	Megane	1400	1995	1999	Front	MRD1000		
	Megane	1600	1999	2000	Front	MRD1000		
	Megane	1900	1999	2002	Front	MRD1000		
	19	1800	1994	1997	Front	MRD1000		
RENAULT	19	1900	1994	1996	Front	MRD1000	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 238	AC DELCO : AC2027D, AC DELCO : AC2071D, AP : 10219, AP : X24156, AP : 24156E, ATE : 24.0113-0167.1, ATE : 420125, ATE : 24.0120-0125.1, BENDIX : 561336B, BENDIX : 561266B, BOSCH : 0 986 478 276, BOSCH : 0 986 478 029, BRADI : 1.0613.1.4, BRADI : 1.4013.2.4, BRECO : BS 7325, BRECO : BS 7877, BREMBO : 09.3148.10, BREMBO : 09.3148.75, BREMBO : FS.027.000, BREMBO : 08.3068.10, BREMBO : 09.3148.14, BREMBO : FD.027.000, CAR : 142.126, CAR : 142.573, CAR RACING : HPD 126, CAR RACING : HPD 573, CIFAM : 800-122, CIFAM : 800-110, DELPHI : BG282, DELPHI : BG252, DELPHI : BG2282, DELPHI : BG2252, FERODO : DRF158, FERODO : DDF158, FERODO : DDF062, Fritech : DF272, Fritech : DF022, GRAF : DF29122, GRAF : DF29110, INTERBRAKE : RN111V, INTERBRAKE : BW121P, INTERCAR : BW121P, INTERCAR : RN111V, JURID : 561266J, JURID : 561336J, KWP : 1029110, KWP : 129122, KWP : 129110, KWP : 1029122, Lemforder : 10403, Lemforder : 18151, Lemforder : 10403 03, Lemforder : 18151 03, LPR : R1111V, LPR : B2121P, LUCAS : DF1569, LUCAS : DF1016BP, LUCAS : DF1016, MAGNETI MARELLI : 353610613140, MAGNETI MARELLI : 353614013240, Metelli : 23-0122, Metelli : 23-0110, MINTEX : MDC956, MINTEX : MDC336, NECTO : WN385, NECTO : WN403, NiBK : RN1002V, NISSAN : 4020600QAJ, OEM : 8431154, OEM : 34111154747, OEM : 34116752434, OEM : 34111154749RP, PAGID : 52820, PAGID : 50403, PILENGA : 5121, PILENGA : V147, QH : BDC3464, QH : BDC3546, REMSA : 6080.10, REMSA : 6058.00, REMSA : 6450.20, RENAULT : 7700756572, RENAULT : 7701204286, ROADHOUSE : 6058.00, ROADHOUSE : 6450.20, ROADHOUSE : 6080.10, SAMKO : R 1111 V, SBS : 1816303909, SBS : 131604, SBS : 1815303909, SBS : 272713, SBS : 1815201516, SBS : 1815203909, STOP : 561266S, STOP : 561336S, TEXTAR : 98200 0264 0 1, TEXTAR : 92036200, TEXTAR : 92026400, TEXTAR : 98200 0362 0 1, TEXTAR : 92036203, TRUSTING : DF272, TRUSTING : DF022, TRW : DF1016, VALEO : 186119, VALEO : 186229, VALEO : 186118, VEMA : 98099, WOKING : D6080.10, WOKING : D6058.00, ZIMMERMANN : 150.1257.00, ZIMMERMANN : 470.2403.00
	Clio MK II	1200	1998	2001	Front	MRD1000		
	Clio MK II	1200	1992	1996	Front	MRD1000		
	Clio MK II	1200	1992	1996	Front	MRD1000		
	Clio MK II	1200	1992	1996	Front	MRD1000		
	Clio MK II	1400	2000	2006	Front	MRD1000		
	Clio MK II	1400	1995	1996	Front	MRD1000		
	Clio MK II	1400	1998	2000	Front	MRD1000		
	Clio MK II	1500	2001	2006	Front	MRD1000		
	Clio MK II	1900	1995	1996	Front	MRD1000		
RENAULT	Clio MK II	1900	1995	1996	Front	MRD1000	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 238	AC DELCO : AC2027D, AC DELCO : AC2071D, AP : 10219, AP : X2

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
RENAULT	5 Super cinque	1600	1986	1996	Front	MRD1002V		
	R 21	1700	1989	1994	Front	MRD1002V		
	Clio MK II	1600	2000	2001	Front	MRD1002V		
	Kangoo	1600	2001	2003	Front	MRD1002V		
RENAULT	Clio MK II	1200	1998	2000	Front	MRD1037V	Recommended Type: Vented & Oslash : 259 ,Disc Thickness: 21, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2096D, AP : 24768E, AP : X24768, ATE : 24.0121-0106.1, ATE : 4211106, ATE : 24.0120-0145.1, ATE : 24.0121-0108.1, BENDIX : 561997B, BENDIX EUR : 561997B, BOSCH : 0 986 478 124, BRADI : 1.4023.2.4, BRECO : BS 8362, BRECO : BS 8253, BREMBO : FD.052.000, BREMBO : 09.5349.10, BREMBO : 09.5802.14, BREMBO : 09.5802.24, BREMBO : 09.5802.76, BREMBO : FS.052.000, BREMBO : 09.5802.10, BREMBO : 09.5802.20, BREMBO : 09.5802.75, CAR : 142.552, CAR : 142.549, CAR RACING : HPD 552, CAR RACING : HPD 549, CIFAM : 800-549, DACIA : 6001548578, DACIA : 7701206339, DACIA : 7701205653, DELPHI : BG2625, DELPHI : BG625, FERODO : DDF798, FERODO : DDF257, FERODO : DRF798, FERODO : DRF1096, FERODO : DDF1096, Fritch : DF836, GRAF : DF29549, INTERBRAKE : RN301V, INTERBRAKE : RN511V, INTERCAR : RN301V, JURID : 561997J, KWP : 129549, KWP : 1029197, Lemforder : 18155 01, Lemforder : 18155, LPR : R1301V, LPR : R1511V, LUCAS : DF4332, LUCAS : DF2586, MAGNETI MARELLI : 353614023240, Metelli : 23-0549, MINTEX : MDC811, NIBK : RN1037V, NISSAN : 4020600QAA, OEM : 77012.05339, OEM : 7711130038, OEM : 7700780892R, OEM : 7701205828, PAGID : 52830, PAGID : 50286, PILENGA : V787, PILENGA : V741, QH : BDC4312, QH : BDC3899, REMSA : 6462.20, RENAULT : 7701205653, RENAULT : 7701204828, RENAULT : 7700780892, RENAULT : 7701204304, RENAULT : 7700813549, RENAULT : 7701206339, RENAULT : 7700842131, RENAULT : 7701204228, ROADHOUSE : 6462.20, SBS : 1815203910, SBS : 1815303910, SBS : 272731, SBS : 1815203928, SBS : 1816303910, STOP : 561997S, TEXTAR : 92100900, TEXTAR : 98200 0549 0 1, TEXTAR : 92054900, TEXTAR : 92100903, TRUSTING : DF836, TRW : DF2586, VALEO : 186208, VEMA : 98100, WOKING : D6144.10, ZIMMERMANN : 470.2409.00
	Clio MK II	1500	2001	2006	Front	MRD1037V		
	Clio MK II	1500	2001	2006	Front	MRD1037V		
	Clio MK II	1600	2001	2006	Front	MRD1037V		
	Twingo	1200	2000	2003	Front	MRD1037V		
	Twingo	1200	1998	2000	Front	MRD1037V		
	Twingo	1200	2000	2003	Front	MRD1037V		
	19	1800	1994	1997	Front	MRD1037V		
	19	1900	1994	1996	Front	MRD1037V		
	Clio MK II	1800	1990	1998	Front	MRD1037V		
	Kangoo	1200	1997	1998	Front	MRD1037V		
	Kangoo	1400	1997	2001	Front	MRD1037V		
	Kangoo	1900	1997	2003	Front	MRD1037V		
	Kangoo wégane	1200	2001	2001	Front	MRD1037V		
	Scenic	1400	1996	1999	Front	MRD1037V		
	Mégane	1600	1996	1999	Front	MRD1037V		
	Scenic	1900	1999	2001	Rear	MRD1003	Recommended Type: Solid ,Disc Thickness: 10.5, Num. of holes : 4, Height : 44, Centering Diameter :66, Position: Rear, Pitch Circle & Oslash: 100mm, Outter & Oslash : 265	AC DELCO : AC2165D, AP : 14416, ATE : 24.0110-0219.1, BENDIX : 561595B, BOSCH : 0 986 478 611, BRADI : 1.4026.5.4, BRECO : BS 7446, BRECO : BS 7599, BREMBO : 08.5645.60, BREMBO : 08.5645.30, CAR : 142.563, CAR RACING : HPD 563, CIFAM : 800-534, DELPHI : BG694, DELPHI : BG2694, FERODO : DDF362, Fritch : DF181, GRAF : DF29534, INTERBRAKE : RN401P, INTERCAR : RN401P, JURID : 561595J, KWP : 129534, KWP : 1029356, LPR : R1401P, LUCAS : DF1030, MAGNETI MARELLI : 353614026540, Metelli : 23-0534, MINTEX : MDC815, NECTO : WN455, NIBK : RN1003, OEM : 34300327RP, OEM : 7701201295, PAGID : 52810, PILENGA : 5745, QH : BDC4599, QH : BDC4336, REMSA : 6466.10, REMSA : 6239.00, RENAULT : 7700800002, RENAULT : 7701205844, RENAULT : 7701204295, ROADHOUSE : 6466.10, ROADHOUSE : 6239.00, SBS : 1815203914, SBS : 272739, STOP : 561595S, TEXTAR : 92064900, TRUSTING : DF181, TRW : DF1030, VALEO : 186306, WOKING : D6239.00
	Laguna	2000	1995	1998	Rear	MRD1003		
	Laguna	2000	1995	1998	Rear	MRD1003		
	Safrane	2000	1992	1996	Rear	MRD1003		
	Safrane	2100	1992	1996	Rear	MRD1003		
	Safrane	2200	1992	1999	Rear	MRD1003		
	Laguna	1900	1999	2001	Rear	MRD1003		
	Laguna	2000	1995	1998	Rear	MRD1003		
	Laguna	2000	1995	1998	Rear	MRD1003		
	Safrane	2000	1992	1996	Rear	MRD1003		
	Safrane	2100	1992	1996	Rear	MRD1003		
	Safrane	2200	1992	1999	Rear	MRD1003		
RENAULT	Mégane	1500	2002	2007	Front	MRD1126V	Recommended Type: Vented & Oslash 280 ,Disc Thickness: 24, Num. of holes : 4, Height : 44, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2188D, AC DELCO : AC2058D, AP : 22126E, AP : 14133, ATE : 24.0110-0111.1, ATE : 24.0124-0158.1, ATE : 24.0110-0275.2, ATE : 424158, ATE : 24.0324-0158.1, BENDIX : 561460B, BENDIX EUR : 562103B, BOSCH : 0 986 478 313, BOSCH : 0 986 478 185, BOSCH : 0 986 478 590, BOSCH : 0 986 478 331, BRADI : 1.4030.2.E, BRADI : 1.5816.5.4, BRECO : BS 8367, BRECO : BS 8321, BRECO : BS 8394, BRECO : BS 7369, BREMBO : 09.7386.20, BREMBO : 08.4764.10, BREMBO : 09.7386.44, BREMBO : 08.5005.14, BREMBO : 09.8137.21, BREMBO : FD.117.000, BREMBO : 09.7386.40, BREMBO : 08.5005.10, BREMBO : 09.8137.20, BREMBO : 08.5005.75, BREMBO : 09.8137.24, BREMBO : FS.117.000, CAR : 142.547, CAR : 142.724, CAR RACING : HPD 547, CAR RACING : HPD 724, CIFAM : 800-517, CIFAM : 800-117, DELPHI : BG389, DELPHI : BG3430, DELPHI : BG2389, FERODO : DRF137, FERODO : DDF1102, FERODO : DDF137, FERODO : DDF1124, FERODO : DRF1124, Fritch : DF540, Fritch : DF574, GRAF : DF29517, GRAF : DF29117, INTERBRAKE : RN581V, INTERBRAKE : VW241P, INTERCAR : RN571V, INTERCAR : VW241P, JURID : 562103B, JURID : 562372J, JURID : 561460J, KWP : 129117, KWP : 129517, KWP : 1029117, Lemforder : 30886, Lemforder : 10212 03, Lemforder : 30886 01, Lemforder : 10212, LPR : V2241P, LUCAS : DF4164, LUCAS : DF1529BP, LUCAS : DF4110, LUCAS : DF1529, LUCAS : DF4255, MAGNETI MARELLI : 353614030205, MAGNETI MARELLI : 353615816540, Metelli : 23-0517, Metelli : 23-0117, MINTEX : MDC1999, MINTEX : MDC787, MINTEX : MDC1083, MINTEX : MDC502, NECTO : WN455, NIBK : RN1126V, NK : 2047121, OEM : 7701205086, OEM : 191615601B, OEM : 6N0615601, OEM : 7701201320, OEM : 191615601A, OEM : 357615601, OEM : 191615601, PAGID : 50289, PAGID : 53912, PAGID : 54139, PAGID : 53911, PAGID : 54138, PAGID : 54542, PAGID : 50263, PILENGA : 5159, PILENGA : 5155, PILENGA : V746, QH : BDC5143, QH : BDC3712, REMSA : 6622.10, REMSA : 6583.10, REMSA : 6024.00, RENAULT : 7701207829, RENAULT : 7701205842, RENAULT : 7701205230, RENAULT : 7700426389, RENAULT : 7701206118, ROADHOUSE : 6024.00, ROADHOUSE : 6583.10, ROADHOUSE : 6622.10, SBS : 1815202325, SBS : 1815204726, SBS : 1815203919, SBS : 424202, SBS : 18152047121, SBS : 1815209935, SBS : 272766, STOP : 561460S, TEXTAR : 92041800, TEXTAR : 92113903, TEXTAR : 92154200, TEXTAR : 92113900, TEXTAR : 92041803, TEXTAR : 98200 1139 0 1, TEXTAR : 98200 0418 0 1, TRUSTING : DF540, TRUSTING : DF574, TRW : DF4255, TRW : DF4110, VALEO : 186288, VALEO : 186721, VEMA : 98075, WOKING : D6622.10, WOKING : D6583.10, WOKING : D6024.00, ZIMMERMANN : 600.3219.00, ZIMMERMANN : 470.2412.00, ZIMMERMANN : 600.1599.00
	Mégane	1600	2002	2007	Front	MRD1126V		
	Mégane	1800	2000	2002	Front	MRD1126V		
	Mégane	1900	2002	2007	Front	MRD1126V		
	Mégane	2000	2002	2007	Front	MRD1126V		
	Mégane	1400	2003	2009	Front	MRD1126V		
	Mégane	1600	2003	2009	Front	MRD1126V		
	Scenic	1400	2003	2005	Front	MRD1126V		
	Scenic	1500	2003	2005	Front	MRD1126V		
	Scenic	1900	2003	2005	Front	MRD1126V		
	Mégane Coupe	2000	2008		Front	MRD1126V		
	Mégane Cabrio	2000	2008	2012	Front	MRD1126V		
RENAULT	Laguna	1600	1998	2001	Front	MRD1126V		
	Laguna	1900	1998	2001	Front	MRD1126V		
	Laguna	2000	1998	2001	Front	MRD1126V		
	Mégane	2000	1995	1999	Front	MRD1126V		
	Mégane Cabrio	1400	2000	2003	Front	MRD1126V		
	Mégane Cabrio	2000	1999	2003	Front	MRD1126V		
	Mégane Classic	1400	2000	2003	Front	MRD1126V		
	Kangoo	1600	1999	2001	Front	MRD1126V		
	Kangoo	1900	1999	2001	Front	MRD1126V		
	Clio MK II	2000	2003	2006	Front	MRD1126V		
RENAULT	Clio MK II	2000	2006	2006	Front	MRD1126V		
	Laguna	1600	1998	2001	Front	MRD1126V		
	Laguna	1600	1998	2001	Front	MRD1126V		
	Laguna	1900	1998	2001	Front	MRD1126V		
	Laguna	2000	1998	2001	Front	MRD1126V		
	Mégane	1600	1999	2002	Front	MRD1126V		
	Mégane	1800	2000	2002	Front	MRD1126V		
	Mégane	2000	1995	1999	Front	MRD1126V		
	Mégane Cabrio	1400	2000	2003	Front	MRD1126V		
	Mégane Cabrio	1600	1999	2003	Front	MRD1126V		
	Mégane Cabrio	2000	1999	2003	Front	MRD1126V		
	Mégane Classic	1400	2000	2003	Front	MRD1126V		
	Mégane Classic	1600	1999	2003	Front	MRD1126V		
	Mégane Classic	1900	1999	2003	Front	MRD1126V		
	Mégane Scenic	1900	1996	1999	Front	MRD1126V		
	Mégane Scenic	1900	1999	2000	Front	MRD1126V		
	Mégane Scenic	2000	1996	1999	Front	MRD1126V		
	Mégane	1500	2002	2007	Front	MRD1126V		
	Mégane	1600	2002	2007	Front	MRD1126V		
	Mégane	1800	2000	2002	Front	MRD1126V		
	Mégane	1900	2002	2007	Front	MRD1126V		
	Mégane	2000	2002	2007	Front	MRD1126V		
	Mégane	1400	2003	2009	Front	MRD1126V		
	Mégane	1600	2003	2009	Front	MRD1126V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
RENAULT	Scenic	1400	2003	2005	Front	MRD1126V		
	Scenic	1500	2003	2005	Front	MRD1126V		
	Scenic	1900	2003	2005	Front	MRD1126V		
	Megane Coupe	2000	2008		Front	MRD1126V		
	Megane Cabrio	2000	2008	2012	Front	MRD1126V		
	Megane Scenic	1900	1996	1999	Front	MRD1126V		
	Megane Scenic	1900	1999	2000	Front	MRD1126V		
	Megane Scenic	2000	1996	1999	Front	MRD1126V		
RENAULT	Megane	1400	2003	2009	Front	MRD1187V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 44, Centering Diameter :61, Position: Front, Outter & Oslash : 260	AC DELCO : AC2653D, AP : 24825, APEC : DSK2277, ATE : 24.0122-0216.1, ATE : 422216, BENDIX : 562268B, BENDIX : 562230B, BOSCH : 0 986 479 080, BOSCH : 0 986 479 103, BRECO : BS 8450, BREMBO : FD.154.000, BREMBO : 09.9078.10, BREMBO : FS.154.000, CAR : 142.593, CAR RACING : HPD 593, CIFAM : 800-641, DACIA : 7701207795, DELPHI : BG3887, DELPHI : BG3762, Fritech : DF972, GRAF : DF29641, INTERBRAKE : NS871V, JAPANPARTS : DI-013, JURID : 562268J, JURID : 562230J, KWP : 129641, LPR : N2003V, LUCAS : DF4364, LUCAS : DF4267, MAGNETI MARELLI : 353613286240, Metelli : 23-0641, MINTEX : MDC1607, NECTO : WN1222, NIBK : RN1187V, NIPPARTS : J3301088, NISSAN : 40206AX602, NISSAN : 40206AX600, NISSAN : 40206AX603, PAGID : 54192, PILENGA : V885, QH : BDC5369, REMSA : 6683.10, RENAULT : 7701207795, ROADHOUSE : 6683.10, SBS : 1815202264, SBS : 1815203936, TEXTAR : 92119203, TRUSTING : DF972, TRW : DF4267, TRW : DF4364, VALEO : 186764, WOKING : D6683.10, ZIMMERMANN : 470.2416.00
	Modus	1400	2004		Front	MRD1187V		
	Modus	1500	2004		Front	MRD1187V		
	Clio MK II	1200	2005		Front	MRD1187V		
	Clio MK II	1400	2005		Front	MRD1187V		
	Clio MK II	1600	2005		Front	MRD1187V		
	Clio MK II	2000	2006		Front	MRD1187V		
	Clio Grandtour	1200	2008		Front	MRD1187V		
	Clio Grandtour	1600	2008		Front	MRD1187V		
	Clio Grandtour	1400	2010		Front	MRD1187V		
RENAULT	Clio Grandtour	1500	2010		Front	MRD1187V		
	Clio MK II	1200	2005		Front	MRD1187V		
	Clio MK II	1400	2005		Front	MRD1187V		
	Clio MK II	1600	2005		Front	MRD1187V		
	Clio MK II	2000	2006		Front	MRD1187V		
	Megane	1400	2003	2009	Front	MRD1187V		
	Modus	1400	2004		Front	MRD1187V		
	Modus	1500	2004		Front	MRD1187V		
	Clio Grandtour	1200	2008		Front	MRD1187V		
	Clio Grandtour	1400	2010		Front	MRD1187V		
RENAULT	Clio Grandtour	1500	2010		Front	MRD1187V		
	Clio Grandtour	1600	2008		Front	MRD1187V		
	Modus	1200	2004		Front	MRD1187V		
	Megane	1400	2003	2009	Front	MRD1187V		
	Modus	1400	2004		Front	MRD1187V		
	Modus	1500	2004		Front	MRD1187V		
	Clio MK II	1200	2005		Front	MRD1187V		
	Clio MK II	1400	2005		Front	MRD1187V		
	Clio MK II	1600	2005		Front	MRD1187V		
	Clio MK II	2000	2006		Front	MRD1187V		
RENAULT	Clio Grandtour	1200	2008		Front	MRD1187V		
	Clio Grandtour	1600	2008		Front	MRD1187V		
	Clio Grandtour	1400	2010		Front	MRD1187V		
	Clio Grandtour	1500	2010		Front	MRD1187V		
	Clio MK II	1200	2005		Front	MRD1187V		
	Clio MK II	1400	2005		Front	MRD1187V		
	Clio MK II	2000	2006		Front	MRD1187V		
	Clio Grandtour	1200	2008		Front	MRD1187V		
	Clio Grandtour	1400	2010		Front	MRD1187V		
	Clio Grandtour	1500	2010		Front	MRD1187V		
RENAULT	Clio Grandtour	1600	2008		Front	MRD1187V		
	Megane	1400	2003	2009	Front	MRD1187V		
	Megane	1400	2003	2009	Front	MRD1187V		
	Modus	1400	2004		Front	MRD1187V		
	Modus	1500	2004		Front	MRD1187V		
	Clio MK II	1200	2005		Front	MRD1187V		
	Clio MK II	1400	2005		Front	MRD1187V		
	Clio MK II	1600	2005		Front	MRD1187V		
	Clio MK II	2000	2006		Front	MRD1187V		
	Clio Grandtour	1200	2008		Front	MRD1187V		
RENAULT	Clio Grandtour	1600	2008		Front	MRD1187V		
	Clio Grandtour	1400	2010		Front	MRD1187V		
	Clio Grandtour	1500	2010		Front	MRD1187V		
	Clio MK II	1200	2005		Front	MRD1187V		
	Clio MK II	1400	2005		Front	MRD1187V		
	Clio MK II	1600	2005		Front	MRD1187V		
	Clio MK II	2000	2006		Front	MRD1187V		
	Clio Grandtour	1200	2008		Front	MRD1187V		
	Clio Grandtour	1600	2008		Front	MRD1187V		
	Clio Grandtour	1400	2010		Front	MRD1187V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
RENAULT	Clio MK II	1200	2005		Rear	MRD1173	Recommended Type: Vented & Oslash 240, Disc Thickness: 8, Num. of holes : 4, Height : 80.6, Centering Diameter :52.3, Position: Rear	ATE : 24.0108-0112.1, ATE : 408114, ATE : 24.0108-0114.2, BOSCH : 0 986 479 007, BOSCH : 0 986 479 278, BREMBO : 08.A141.17, BREMBO : 08.A141.10, CAR : 142.1059, CAR : 142.1219, CAR RACING : HPD 1219, CAR RACING : HPD 1059, CIFAM : 800-722, DELPHI : BG3888, FERODO : DDF1571, FERODO : DDF1369, Fritech : DF416, INTERBRAKE : RN751P, INTERBRAKE : RN753P, JURID : 562376J, LPR : R1005PC, LPR : R1005PCA, LUCAS : DF4274BPS, LUCAS : DF4274S, LUCAS : DF4274S, Metelli : 23-0722, MINTEX : MDC1707, MINTEX : MDC1762, NECTO : WN1339, NIBK : RN1173, NK : 203964, PAGID : 54193, PILENGA : 5752, QH : BDC5474, REMSA : 6750.20, REMSA : 6750.00, RENAULT : 7701207823, ROADHOUSE : 6750.00, SBS : 1815203937, TEXTAR : 92119300, TRUSTING : DF416, TRW : DF4274S, VALEO : 186796, WOKING : D6750.00, ZIMMERMANN : 470.2428.00, ZIMMERMANN : 470.2417.00
	Clio MK II	1400	2005		Rear	MRD1173		
	Clio MK II	2000	2006		Rear	MRD1173		
	Megane Coupe	2000	2008		Rear	MRD1173		
	Clio Grandtour	1200	2008		Rear	MRD1173		
	Clio Grandtour	1400	2010		Rear	MRD1173		
	Clio Grandtour	1500	2010		Rear	MRD1173		
RENAULT	Clio Grandtour	1600	2008		Rear	MRD1173		
	Megane Cabrio	2000	2008	2012	Rear	MRD1173		
	Clio MK II	1200	2005		Rear	MRD1173		
	Clio MK II	1400	2005		Rear	MRD1173		
	Clio MK II	2000	2006		Rear	MRD1173		
	Megane Coupe	2000	2008		Rear	MRD1173		
	Clio Grandtour	1200	2008		Rear	MRD1173		
RENAULT	Clio Grandtour	1400	2010		Rear	MRD1173		
	Clio Grandtour	1500	2010		Rear	MRD1173		
	Clio Grandtour	1600	2008		Rear	MRD1173		
	Megane Cabrio	2000	2008	2012	Rear	MRD1173		
	Grand Scenic	1500	2009		Front	MRD43005V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 44, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 296	ATE : 24.0126-0158.1, BOSCH : 0 986 479 551, CAR : 142.1493, CIFAM : 800-942, DELPHI : BG4264, Fritech : DF1361, GRAF : DF29942, INTERBRAKE : RN871V, Metelli : 23-0942, MINTEX : MDC2196, NIBK : RN43005V, NK : 203971, PILENGA : V796, RENAULT : 402067023R, RENAULT : 402060002R, SBS : 1815203971, TEXTAR : 92195603, TRUSTING : DF1361, ZIMMERMANN : 470.2432.52, ZIMMERMANN : 470.2432.20
	Latitude	2000	2011		Front	MRD43005V		
	Latitude	2500	2011		Front	MRD43005V		
RENAULT	Latitude	2000	2011		Front	MRD43005V		
	Clio MK II	1200	2005		Rear	MRD1173		
	Clio MK II	1400	2005		Rear	MRD1173		
	Clio MK II	2000	2006		Rear	MRD1173		
	Megane Coupe	2000	2008		Rear	MRD1173		
	Clio Grandtour	1200	2008		Rear	MRD1173		
	Clio Grandtour	1400	2010		Rear	MRD1173		
RENAULT	Clio Grandtour	1500	2010		Rear	MRD1173		
	Clio Grandtour	1600	2008		Rear	MRD1173		
	Megane Cabrio	2000	2008	2012	Rear	MRD1173		
	Twingo	1200	2000	2003	Front	MRD1191	Recommended Type: Solid & Oslash : 259, Disc Thickness: 12, Num. of holes : 4, Height : 40.9, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	ATE : 412171, ATE : 24.0112-0171.1, BENDIX EUR : 562293B, BOSCH : 0 986 479 164, BREMBO : 08.A268.10, CAR : 142.1216, CAR RACING : HPD 1216, CIFAM : 800-864, DELPHI : BG4045, FERODO : DDF1502, Fritech : DF1000, INTERBRAKE : RN801P, JURID : 562293J, LPR : R1015P, LUCAS : DF4381, Metelli : 23-0864, MINTEX : MDC2087, NIBK : RN1191, REMSA : 6809.00, RENAULT : 8200123117, RENAULT : 7701208252, RENAULT : 6001547683, ROADHOUSE : 6809.00, SBS : 1815203939, TEXTAR : 92175103, TRUSTING : DF1000, TRW : DF4381, VALEO : 186802
	Twingo	1200	1998	2000	Front	MRD1191		
	Megane III	1400	2009		Rear	MRD43004	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 86.2, Centering Diameter :52.3, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 260	Blue Print : ADR164311, BOSCH : 0 986 479 684, Fritech : DF1432, NIBK : RN43004, OEM : 432006506R, PILENGA : 5725, TRUSTING : DF1432
	Grand Scenic	1500	2009		Rear	MRD43004		
	Scenic	1600	2009		Rear	MRD43004		
RENAULT	Latitude	2000	2011		Rear	MRD43006	Recommended Type: Solid ,Disc Thickness: 11, Num. of holes : 5, Height : 81.7, Centering Diameter :52.3/62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 300	BOSCH : 0 986 479 445, BOSCH : 0 986 479 446, CAR : 142.1495, CAR : 142.1496, CIFAM : 800-980, FERODO : DDF1725, Fritech : DF1430, GRAF : DF29980, INTERBRAKE : RN891P, INTERBRAKE : RN893P, LPR : R1032PCA, LUCAS : DF6044BS, Metelli : 23-0980, NIBK : RN43006, OEM : 402020003R, PILENGA : 5731, REMSA : 61310.20, RENAULT : 402020003R, ROADHOUSE : 61310.20, TRUSTING : DF1430, WOKING : D61310.20
	Latitude	2000	2011		Rear	MRD43006		
	Latitude	2500	2011		Rear	MRD43006		
	Duster	1500	2009		Front	MRD43007V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 44, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 280	BOSCH : 0 986 479 777, NIBK : RN43007V, RENAULT : 40206 4151R
	Duster	1500	2009		Front	MRD43008V		
	Logan	1500	2013		Front	MRD1571V	Recommended Type: Vented ,Disc Thickness: 22.5, Num. of holes : 5, Height : 44.3, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 269	BOSCH : 0 986 479 779, NIBK : RN43008V, REMSA : 61478.10, RENAULT : 402066300R
	Logan	1600	2014		Front	MRD1571V		
	Fluence Coupe	1600	2010		Rear	MRD1572	Recommended Type: Solid	NIBK : RN1571V, RENAULT : 402063149R, TRW : DF6200
	Fluence Coupe	2000	2010		Rear	MRD1572		
	Fluence Coupe	1500	2010		Rear	MRD1572		
	Fluence	1600	2010		Rear	MRD1572		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
RENAULT	Clio MK II	1200	2005		Rear	MRD1173	Recommended Type: Vented & Oslash 240, Disc Thickness: 8, Num. of holes : 4, Height : 80.6, Centering Diameter :52.3, Position: Rear	ATE : 24.0108-0112.1, ATE : 408114, ATE : 24.0108-0114.2, BOSCH : 0 986 479 278, BOSCH : 0 986 479 007, BREMBO : 08.A141.17, BREMBO : 08.A141.10, CAR : 142.1059, CAR : 142.1219, CAR RACING : HPD 1059, CAR RACING : HPD 1219, CIFAM : 800-722, DELPHI : BG3888, FERODO : DDF1571, FERODO : DDF1369, Fritech : DF416, INTERBRAKE : RN751P, INTERBRAKE : RN753P, JURID : 562376J, LPR : R1005PC, LPR : R1005PCA, LUCAS : DF4274S, LUCAS : DF4274, LUCAS : DF4274BS, LUCAS : DF4274BPS, Metelli : 23-0722, MINTEX : MDC1707, MINTEX : MDC1762, NECTO : WN1339, NIBK : RN1173, NK : 203964, PAGID : 54193, PILENGA : 5752, QH : BDC5474, REMSA : 6750.20, REMSA : 6750.00, RENAULT : 7701207823, ROADHOUSE : 6750.00, SBS : 1815203937, TEXTAR : 92119300, TRUSTING : DF416, TRW : DF4274S, VALEO : 186796, WOKING : D6750.00, ZIMMERMANN : 470.2428.00, ZIMMERMANN : 470.2417.00
	Clio MK II	1400	2005		Rear	MRD1173		
	Clio MK II	2000	2006		Rear	MRD1173		
	Clio Grandtour	1200	2008		Rear	MRD1173		
	Clio Grandtour	1400	2010		Rear	MRD1173		
	Clio Grandtour	1500	2010		Rear	MRD1173		
RENAULT	Clio Grandtour	1600	2008		Rear	MRD1173		
	Megane Coupe	2000	2008		Rear	MRD1173		
	Megane Cabrio	2000	2008	2012	Rear	MRD1173		
	Clio Grandtour	1600	2008		Rear	MRD1173		
	Megane Cabrio	2000	2008	2012	Rear	MRD1173		
	Clio MK II	1200	2005		Rear	MRD1173		
	Clio MK II	1400	2005		Rear	MRD1173		
	Clio MK II	2000	2006		Rear	MRD1173		
	Clio Grandtour	1200	2008		Rear	MRD1173		
	Clio Grandtour	1400	2010		Rear	MRD1173		
	Clio Grandtour	1500	2010		Rear	MRD1173		
	Clio Grandtour	1600	2008		Rear	MRD1173		
RENAULT	Kangoo	1600	2001		Front	MRD1126V	Recommended Type: Vented & Oslash 280, Disc Thickness: 24, Num. of holes : 4, Height : 44, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2188D, AC DELCO : AC2058D, AP : 22126E, AP : 14133, ATE : 24.0110-0111.1, ATE : 24.0124-0158.1, ATE : 24.0110-0275.2, ATE : 424158, ATE : 24.0324-0158.1, BENDIX : 561460B, BENDIX EUR : 562103B, BOSCH : 0 986 478 313, BOSCH : 0 986 478 185, BOSCH : 0 986 478 590, BOSCH : 0 986 478 331, BRADI : 1.4030.2.E, BRADI : 1.5816.5.4, BRECO : BS 8367, BRECO : BS 8321, BRECO : BS 8394, BRECO : BS 7369, BREMBO : 09.7386.20, BREMBO : 08.4764.10, BREMBO : 09.7386.44, BREMBO : 08.5005.14, BREMBO : 09.8137.21, BREMBO : FD.117.000, BREMBO : 09.7386.40, BREMBO : 08.5005.10, BREMBO : 09.8137.20, BREMBO : 08.5005.75, BREMBO : 09.8137.24, BREMBO : FS.117.000, CAR : 142.547, CAR : 142.724, CAR RACING : HPD 547, CAR RACING : HPD 724, CIFAM : 800-517, CIFAM : 800-117, DELPHI : BG389, DELPHI : BG3430, DELPHI : BG2389, FERODO : DRF137, FERODO : DDF1102, FERODO : DDF137, FERODO : DDF1124, FERODO : DRF1124, Fritech : DF540, Fritech : DF574, GRAF : DF29517, GRAF : DF29117, INTERBRAKE : RN581V, INTERBRAKE : VW241P, INTERCAR : RN571V, INTERCAR : VW241P, JURID : 562103B, JURID : 562372J, JURID : 561460J, KWP : 129117, KWP : 129517, KWP : 1029117, Lemforder : 30886, Lemforder : 10212 03, Lemforder : 30886 01, Lemforder : 10212, LPR : V2241P, LUCAS : DF4164, LUCAS : DF1529BP, LUCAS : DF4110, LUCAS : DF1529, LUCAS : DF4255, MAGNETI MARELLI : 353614030205, MAGNETI MARELLI : 353615816540, Metelli : 23-0517, Metelli : 23-0117, MINTEX : MDC1999, MINTEX : MDC787, MINTEX : MDC1083, MINTEX : MDC502, NECTO : WN455, NIBK : RN1126V, NK : 2047121, OEM : 7701205086, OEM : 191615601B, OEM : 6N0615601, OEM : 7701201320, OEM : 191615601A, OEM : 357615601, OEM : 191615601, PAGID : 50289, PAGID : 53912, PAGID : 54139, PAGID : 53911, PAGID : 54138, PAGID : 54542, PAGID : 50263, PILENGA : 5159, PILENGA : 5155, PILENGA : V746, QH : BDC5143, QH : BDC3712, REMSA : 6622.10, REMSA : 6583.10, REMSA : 6024.00, RENAULT : 7701207829, RENAULT : 7701205842, RENAULT : 7701205230, RENAULT : 7700426389, RENAULT : 7701206118, ROADHOUSE : 6024.00, ROADHOUSE : 6583.10, ROADHOUSE : 6622.10, SBS : 1815202325, SBS : 1815204726, SBS : 1815203919, SBS : 424202, SBS : 18152047121, SBS : 1815209935, SBS : 272766, STOP : 561460S, TEXTAR : 92041800, TEXTAR : 92113903, TEXTAR : 92154200, TEXTAR : 92113900, TEXTAR : 92041803, TEXTAR : 98200 1139 0 1, TEXTAR : 98200 0418 0 1, TRUSTING : DF540, TRUSTING : DF574, TRW : DF4255, TRW : DF4110, VALEO : 186288, VALEO : 186721, VEMA : 98075, WOKING : D6622.10, WOKING : D6583.10, WOKING : D6024.00, ZIMMERMANN : 600.3219.00, ZIMMERMANN : 470.2412.00, ZIMMERMANN : 600.1599.00
	Megane Scenic	1900	1996	1999	Front	MRD1126V		
	Megane Scenic	1900	1999	2000	Front	MRD1126V		
	Megane Scenic	2000	1996	1999	Front	MRD1126V		
	Megane Coupe	2000	2008		Front	MRD1126V		
	Megane Cabrio	2000	2008	2012	Front	MRD1126V		
RENAULT	Kangoo	1600	1999	2001	Front	MRD1126V		
	Kangoo	1900	1999	2001	Front	MRD1126V		
	Kangoo	1600	2001		Front	MRD1126V		
	Kangoo	1600	2001	2003	Front	MRD1126V		
	Kangoo	1900	2001	2001	Front	MRD1126V		
	Megane	1500	2002	2007	Front	MRD1126V		
	Megane	1600	2002	2007	Front	MRD1126V		
	Megane	1900	2002	2007	Front	MRD1126V		
	Megane	2000	2002	2007	Front	MRD1126V		
	Megane	1400	2003	2009	Front	MRD1126V		
	Megane	1600	2003	2009	Front	MRD1126V		
	Megane	2000	2003	2009	Front	MRD1126V		
RENAULT	Scenic	1400	2003	2005	Front	MRD1126V		
	Scenic	1500	2003	2005	Front	MRD1126V		
	Scenic	1600	2003	2005	Front	MRD1126V		
	Scenic	1900	2003	2005	Front	MRD1126V		
	Megane	1500	2002	2007	Front	MRD1126V		
	Megane	1600	2002	2007	Front	MRD1126V		
	Megane	1800	2000	2002	Front	MRD1126V		
	Megane	1900	2002	2007	Front	MRD1126V		
	Megane	2000	2002	2007	Front	MRD1126V		
	Megane	1400	2003	2009	Front	MRD1126V		
	Megane	1600	2003	2009	Front	MRD1126V		
	Scenic	1400	2003	2005	Front	MRD1126V		
RENAULT	Scenic	1500	2003	2005	Front	MRD1126V		
	Scenic	1900	2003	2005	Front	MRD1126V		
	Megane Coupe	2000	2008		Front	MRD1126V		
	Megane Cabrio	2000	2008	2012	Front	MRD1126V		
	Laguna	1600	1998	2001	Front	MRD1126V		
	Laguna	1900	1998	2001	Front	MRD1126V		
	Laguna	2000	1998	2001	Front	MRD1126V		
	Megane	2000	1995	1999	Front	MRD1126V		
RENAULT	Megane Cabrio	1400	2000	2003	Front	MRD1126V		
	Megane Cabrio	2000	1999	2003	Front	MRD1126V		
	Megane Classic	1400	2000	2003	Front	MRD1126V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
RENAULT	Kangoo	1900	2001		Front	MRD1037V	Recommended Type: Vented & Oslash : 259 ,Disc Thickness: 21, Num. of holes : 4, Height : 41, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2096D, AP : 24768E, AP : X24768, ATE : 24.0121-0106.1, ATE : 421106, ATE : 24.0120-0145.1, ATE : 24.0121-0108.1, BENDIX : 561997B, BENDIX EUR : 561997B, BOSCH : 0 986 478 124, BRADI : 1.4023.2.4, BRECO : BS 8362, BRECO : BS 8253, BREMBO : FD.052.000, BREMBO : 09.5349.10, BREMBO : 09.5802.14, BREMBO : 09.5802.24, BREMBO : 09.5802.76, BREMBO : FS.052.000, BREMBO : 09.5802.10, BREMBO : 09.5802.20, BREMBO : 09.5802.75, CAR : 142.552, CAR : 142.549, CAR RACING : HPD 552, CAR RACING : HPD 549, CIFAM : 800-549, DACIA : 6001548578, DACIA : 7701206339, DACIA : 7701205653, DELPHI : BG2625, DELPHI : BG625, FERODO : DDF798, FERODO : DDF257, FERODO : DRF798, FERODO : DRF1096, FERODO : DDF1096, Fritch : DF836, GRAF : DF29549, INTERBRAKE : RN301V, INTERBRAKE : RN511V, INTERCAR : RN301V, JURID : 561997J, KWP : 129549, KWP : 1029197, Lemforder : 18155 01, Lemforder : 18155, LPR : R1301V, LPR : R1511V, LUCAS : DF4332, LUCAS : DF2586, MAGNETI MARELLI : 353614023240, Metelli : 23-0549, MINTEX : MDC811, NIBK : RN1037V, NISSAN : 4020600QAA, OEM : 77012.05339, OEM : 7711130038, OEM : 7700780892RP, OEM : 7701205828, PAGID : 52830, PAGID : 50286, PILENGA : V787, PILENGA : V741, QH : BDC4312, QH : BDC3899, REMSA : 6462.20, RENAULT : 7701205653, RENAULT : 7701204828, RENAULT : 7700780892, RENAULT : 7701204304, RENAULT : 7700813549, RENAULT : 7701206339, RENAULT : 7700842131, RENAULT : 7701204228, ROADHOUSE : 6462.20, SBS : 1815203910, SBS : 1815303910, SBS : 272731, SBS : 1815203928, SBS : 1816303910, STOP : 561997S, TEXTAR : 92100900, TEXTAR : 98200 0549 0 1, TEXTAR : 92054900, TEXTAR : 92100903, TRUSTING : DF836, TRW : DF2586, VALEO : 186208, VEMA : 98100, WOKING : D6144.10, ZIMMERMANN : 470.2409.00
	Kangoo	1600	2001		Front	MRD1037V		
	Kangoo	1900	2001	2003	Front	MRD1037V		
	Megane Scenic	1400	1996	1999	Front	MRD1037V		
	Megane Scenic	1600	1996	1999	Front	MRD1037V		
	Twingo	1200	1996	2000	Front	MRD1037V		
	Twingo	1200	1998	2000	Front	MRD1037V		
	Twingo	1200	2000	2003	Front	MRD1037V		
	19	1800	1994	1997	Front	MRD1037V		
RENAULT	19	1900	1994	1996	Front	MRD1037V		
	Clio MK II	1200	1992	1996	Front	MRD1037V		
	Clio MK II	1200	1992	1996	Front	MRD1037V		
	Clio MK II	1200	1992	1996	Front	MRD1037V		
	Clio MK II	1400	1998	2000	Front	MRD1037V		
	Clio MK II	1500	2001	2006	Front	MRD1037V		
	Megane	1400	1995	1999	Front	MRD1037V		
	Megane	1600	1999	2000	Front	MRD1037V		
	Megane	1900	1999	2002	Front	MRD1037V		
	Clio MK II	1600	2001	2006	Front	MRD1037V		
	Kangoo	1600	2001		Front	MRD1037V		
	Kangoo	1600	2001	2003	Front	MRD1037V		
	Clio MK II	1800	1990	1998	Front	MRD1037V		
	Kangoo	1900	2001		Front	MRD1037V		
	Kangoo	1900	2001	2003	Front	MRD1037V		
	Kangoo	1200	1997	1998	Front	MRD1037V		
	Kangoo	1400	1997	2001	Front	MRD1037V		
	Kangoo	1900	1997	2003	Front	MRD1037V		
	Kangoo	1200	2001		Front	MRD1037V		
	Twingo	1200	2000	2003	Front	MRD1037V		
	Megane	1600	1995	1999	Front	MRD1037V		
	Megane	1900	1995	1999	Front	MRD1037V		
	Megane	2000	1995	1999	Front	MRD1037V		
RENAULT	Clio MK II	1500	2001	2006	Front	MRD1037V		
	19	1800	1994	1997	Front	MRD1037V		
	Clio MK II	1200	1998	2000	Front	MRD1037V		
	Clio MK II	1400	1990	1996	Front	MRD1037V		
	Twingo	1200	2000	2003	Front	MRD1037V		
	Logan	1500	2007		Front	MRD1191	Recommended Type: Solid & Oslash : 259 ,Disc Thickness: 12, Num. of holes : 4, Height : 40.9, Centering Diameter :61, Position: Front, Pitch Circle & Oslash: 100	ATE : 412171, ATE : 24.0112-0171.1, BENDIX EUR : 562293B, BOSCH : 0 986 479 164, BREMBO : 08.A268.10, CAR : 142.1216, CAR RACING : HPD 1216, CIFAM : 800-864, DELPHI : BG4045, FERODO : DDF1502, Fritch : DF1000, INTERBRAKE : RN801P, JURID : 562293J, LPR : R1015P, LUCAS : DF4381, Metelli : 23-0864, MINTEX : MDC2087, NIBK : RN1191, REMSA : 6809.00, RENAULT : 6001547683, RENAULT : 8200123117, RENAULT : 7701208252, ROADHOUSE : 6809.00, SBS : 1815203939, TEXTAR : 92175103, TRUSTING : DF1000, TRW : DF4381, VALEO : 186802
	Logan	1400	2004	2008	Front	MRD1191		
	Logan	1400	2004	2008	Front	MRD1191		
	Logan	1600	2004	2008	Front	MRD1191		
	Logan	1600	2004	2007	Front	MRD1191		
	Logan	1500	2007		Front	MRD1191		
	Logan	1600	2004	2007	Front	MRD1191		
	Logan	1400	2004	2008	Front	MRD1191		
	Logan	1400	2004	2008	Front	MRD1191		
	Logan	1600	2004	2008	Front	MRD1191		
	Twingo	1200	2000	2003	Front	MRD1191		
	Twingo	1200	1998	2000	Front	MRD1191		
	Logan	1500	2007		Front	MRD1191		
	Logan	1600	2004	2007	Front	MRD1191		
	Logan	1400	2004	2008	Front	MRD1191		
	Logan	1400	2004	2008	Front	MRD1191		
	Logan	1400	2004	2008	Front	MRD1191		
	Logan	1600	2004	2008	Front	MRD1191		
ROVER	620	2000	1996	1999	Front	MRD1030V		AC DELCO : AC2197D, AP : 24272E, AP : 24860E, ATE : 24.0123-0103.1, BENDIX : 561671B, BOSCH : 0 986 478 568, BRADI : 1.1924.2.4, BRECO : BS 8526, BRECO : BS 7998, BREMBO : FS.039.000, BREMBO : 09.5290.10, BREMBO : 09.5290.75, BREMBO : FD.039.000, BREMBO : 09.5290.14, BREMBO : 09.9611.14, CAR : 142.311, CAR RACING : HPD 311, CIFAM : 800-360, DELPHI : BG2798, DELPHI : BG665, FERODO : DDF450, FERODO : DRF450, Fritch : DF355, GRAF : DF29360, HONDA : 45251SM4000, HONDA : 45251SM4020, HONDA : 45251SM4010, HONDA : 45251SN7E40, INTERBRAKE : HO371V, INTERCAR : HO371V, JAPANPARTS : DI-423, JURID : 561671J, KWP : 1029360, KWP : 129360, Lemforder : 18239, Lemforder : 19060, Lemforder : 18239 02, Lemforder : 19060 01, LPR : H1371V, LUCAS : DF2644, LUCAS : DF2024, Metelli : 23-0360, MINTEX : MDC742, NIBK : RN1030V, PAGID : 51117, PILENGA : V426, QH : BDC4370, QH : BDC4357, REMSA : 6212.20, ROADHOUSE : 6212.20, ROVER : GBD90836, SBS : 1815209941, SBS : 1815202610, SBS : 181807, STOP : 561671S, TEXTAR : 92081500, TEXTAR : 98200 0815 0 1, TRUSTING : DF355, TRW : DF2644, TRW : DF2024, VALEO : 186436, VEMA : 98072, WOKING : D6205.10, ZIMMERMANN : 280.3152.00
	620	2000	1996	1999	Front	MRD1030V		
ROVER	620	2000	1996	1999	Rear	MRD1054	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 49, Centering Diameter :64, Position: Rear, Outter & Oslash : 260	AC DELCO : AC2199D, AP : 14830, AP : 14459, ATE : 24.0110-0233.1, BENDIX : 561952B, BOSCH : 0 986 478 172, BRADI : 1.1926.5.4, BRECO : BS 7651, BRECO : BS 7480, BREMBO : 08.5803.10, BREMBO : 08.9603.10, CAR : 142.306, CAR RACING : HPD 306, CIFAM : 800-361, DELPHI : BG2666, DELPHI : BG3063, FERODO : DDF565, Fritch : DF052, GRAF : DF29361, HONDA : 42510SM4950, HONDA : 42510SN7000, INTERBRAKE : AV211P, INTERCAR : AV211P, JURID : 561952J, KWP : 129361, KWP : 1029361, LPR : A4211P, LUCAS : DF2669, MAGNETI MARELLI : 353611926540, Metelli : 23-0361, MINTEX : MDC820, NECTO : WN629, NIBK : RN1054, OEM : 24510SM4950, OEM : 42510SV1A00, OEM : 42510SV4J00, OEM : 42510SMA950, OEM : 42510SV4A00, PAGID : 51108, PILENGA : 5430, QH : BDC4820, QH : BDC3784, REMSA : 6448.00, REMSA : 6214.10, ROADHOUSE : 6448.00, ROADHOUSE : 6214.10, ROVER : GBD90835, SBS : 121213, SBS : 1815209939, TEXTAR : 92081700, TRUSTING : DF052, TRW : DF2669, VALEO : 186437, WOKING : D6448.00, ZIMMERMANN : 280.3168.00
	618	1800	1994	1996	Rear	MRD1054		
	618	1900	1996	1999	Rear	MRD1054		
	620	2000	1993	1996	Rear	MRD1054		
	623	2300	1993	1999	Rear	MRD1054		
	620	2000	1993	1996	Rear	MRD1054		
	623	2300	1993	1999	Rear	MRD1054		
	618	1800	1994	1996	Rear	MRD1054		
	618	1900	1996	1999	Rear	MRD1054		
	620	2000	1996	1999	Rear	MRD1054		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
ROVER	45	2000	2000		Front	MRD1089V	Recommended Type: Vented ,Disc Thickness: 21, Num. of holes : 4, Height : 44.6, Centering Diameter :64, Position: Front, Outer & Oslash : 262	AC DELCO : AC2200D, AP : 24978E, AP : 24335E, AP : X24335, ATE : 24.0121-0105.1, ATE : 24.0321-0105.1, BENDIX : 561630B, BOSCH : 0 986 478 174, BRADI : 1.1927.2.4, BRECO : BS 8597, BRECO : BS 8039, BREMBO : 09.5509.10, BREMBO : 09.5509.75, BREMBO : FD.041.000, BREMBO : 09.5509.14, BREMBO : 09.9936.14, BREMBO : FS.041.000, CAR : 142.917, CAR RACING : HPD 917, CIFAM : 800-344, DELPHI : BG759, DELPHI : BG2759, DELPHI : BG3589, FERODO : DRF492, FERODO : DDF1189, FERODO : DDF1510, FERODO : DDF492, FERODO : DRF1189, Fritech : DF880, Fritech : DF300, GRAF : DF29344, HONDA : 45251SK7A0, HONDA : 45251ST3E10, HONDA : 45251SK7000, HONDA : 45251S5HT10, HONDA : 45251SK7A00, HONDA : 45251SR0A10, HONDA : 45251SK7J00, HONDA : 45251S6DE10, HONDA : 45251SCC-000, HONDA : 45251SR0A00, HONDA : 45251SCC900, INTERBRAKE : HO271V, INTERCAR : HO271V, JAPANPARTS : DI-426, JURID : 561630J, KWP : 1029344, KWP : 129344, Lemforder : 18242 02, Lemforder : 18242, LOTUS : GBD90840, LPR : H1003V, LPR : H1271V, LUCAS : DF3021, MAGNETI MARELLI : 353611927240, Metelli : 23-0344, MINTEX : MDC1023, NECTO : WN695, NIBK : RN1089V, OEM : 45251ST3E60, OEM : 45251TG5H00, OEM : GDB90840, PAGID : 51119, PILENGA : V304, PILENGA : V311, QH : BDC4372, QH : BDC5211, REMSA : 6215.20, ROADHOUSE : 6215.20, ROVER : GBD90840, ROVER : SDB000440, ROVER : SDB100600, ROVER : SDB000990, SBS : 1815202614, SBS : 181811, STOP : 561630S, TEXTAR : 92060900, TEXTAR : 98200 0609 0 1, TRUSTING : DF880, TRUSTING : DF300, TRW : DF3021, TRW : DF7345, VALEO : 186438, VEMA : 98102, WOKING : D6224.10, ZIMMERMANN : 280.3153.00
	25 Hatchback	1100	1999		Front	MRD1089V		
	25 Hatchback	1400	1999		Front	MRD1089V		
	25 Hatchback	1600	1999		Front	MRD1089V		
	25 Hatchback	1800	1999		Front	MRD1089V		
	25 Hatchback	2000	1999		Front	MRD1089V		
	45	1400	2000		Front	MRD1089V		
	45	1600	2000		Front	MRD1089V		
	45	1800	2000		Front	MRD1089V		
	400 Tourer	1800	1996	1999	Front	MRD1089V		
ROVER	25 Hatchback	1100	1999		Front	MRD1089V		
	25 Hatchback	1400	1999		Front	MRD1089V		
	25 Hatchback	1600	1999		Front	MRD1089V		
	25 Hatchback	1800	1999		Front	MRD1089V		
	25 Hatchback	2000	1999		Front	MRD1089V		
	45	1400	2000		Front	MRD1089V		
	45	1600	2000		Front	MRD1089V		
	45	1800	2000		Front	MRD1089V		
	45	2000	2000		Front	MRD1089V		
	400 Tourer	1800	1996	1999	Front	MRD1089V		
	25 Hatchback	1100	1999		Front	MRD1089V		
	25 Hatchback	1400	1999		Front	MRD1089V		
	25 Hatchback	1600	1999		Front	MRD1089V		
	25 Hatchback	1800	1999		Front	MRD1089V		
	25 Hatchback	2000	1999		Front	MRD1089V		
	45	1400	2000		Front	MRD1089V		
	45	1600	2000		Front	MRD1089V		
	45	1800	2000		Front	MRD1089V		
	45	2000	2000		Front	MRD1089V		
ROVER	400 Tourer	1800	1996	1999	Front	MRD1089V		
	45	2000	2000		Rear	MRD1047	Recommended Type: Solid & Oslash : 238.5 ,Disc Thickness: 10, Num. of holes : 4, Height : 48, Centering Diameter :61, Position: Rear	AC DELCO : AC2196D, AP : 14832, AP : 14472, ATE : 24.0110-0212.1, BENDIX : 561383B, BENDIX : 561657B, BENDIX EUR : 561960B, BOSCH : 0 986 479 101, BOSCH : 0 986 478 350, BRADI : 1.1915.5.4, BRECO : BS 7653, BRECO : BS 7547, BREMBO : 08.7104.10, BREMBO : 09.5719.10, BREMBO : 08.5648.10, BREMBO : 08.9605.10, CAR : 142.308, CAR RACING : HPD 308, CIFAM : 800-267, DELPHI : BG2538, DELPHI : BG641, FERODO : DDF468, FERODO : DDF950, Fritech : DF051, GRAF : DF29267, HONDA : 42510SE0010, HONDA : 42510SR3J00, HONDA : 42510SH3G00, HONDA : 42510SR3000, HONDA : 42510SE0000, HONDA : 42510SR3G00, HONDA : 42510SK3E00, HONDA : 42510SR3J01, HONDA : 42510SK3305, INTERBRAKE : HO471P, INTERBRAKE : HO171P, INTERCAR : HO171P, JAPANPARTS : DP-402, JURID : 561383J, JURID : 562016J, KWP : 129267, KWP : 1029267, LOTUS : GBD90817, LPR : H1171P, LUCAS : DF2646, MAGNETI MARELLI : 353611915550, Metelli : 23-0267, MINTEX : MDC846, MINTEX : MDC644, NECTO : WN613, NECTO : WN910, NIBK : RN1047, OEM : 42510SH3000, OEM : GDB90817, OEM : 42510SH3G01, PAGID : 51122, PAGID : 51106, PILENGA : 5304, QH : BDC3669, QH : BDC3649, QH : BDC4369, REMSA : 6205.10, REMSA : 6083.00, REMSA : 6521.00, ROADHOUSE : 6205.10, ROADHOUSE : 6083.00, ROADHOUSE : 6521.00, ROVER : EGP1254, SBS : 1815202613, SBS : 121212, SBS : 1815202621, STOP : 561383S, TEXTAR : 92077900, TEXTAR : 92060800, TRUSTING : DF051, TRW : DF2657, TRW : DF2646, VALEO : 186432, VALEO : 186435, VEMA : 98115, WOKING : D6521.00, WOKING : D6083.00, ZIMMERMANN : 280.3170.00
	45	2000	2000		Rear	MRD1047		
	45	2000	2000		Rear	MRD1047		
SAAB	41403	2200	2001	2005	Front	MRD1076V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 7, Height : 41.1, Centering Diameter :70, Position: Front, Pitch Circle & Oslash: 110	AC DELCO : AC2275D, AP : 24656, AP : 24658, ATE : 24.0125-0119.1, ATE : 24.0325-0119.1, BENDIX : 561960B, BENDIX EUR : 561960B, BOSCH : 0 986 478 423, BOSCH : 0 986 478 588, BOSCH : 0 986 478 449, BRADI : 1.3426.2.4, BRECO : BS 8350, BRECO : BS 8274, BREMBO : 09.6997.20, BREMBO : 09.6997.24, BREMBO : FD.073.000, BREMBO : FS.073.000, BREMBO : 09.6997.11, BREMBO : 09.6997.21, BREMBO : FD.072.000, BREMBO : FS.072.000, BREMBO : 09.6997.10, CAR : 142.492, CAR RACING : HPD 492, CHEVROLET : 90496327, CHEVROLET : 90512029, CIFAM : 800-605, DELPHI : BG3142, FERODO : DRF1082, FERODO : DDF1082, Fritech : DF719, GRAF : DF29605, INTERBRAKE : OP321V, INTERCAR : OP321V, JURID : 561960J, JURID : 561960JC, KWP : 129605, Lemforder : 21247 03, Lemforder : 21247, LOTUS : B117J0028F, LPR : 01321V, LPR : S1113V, LUCAS : DF2778BPS, LUCAS : DF2778, LUCAS : DF2778S, MAGNETI MARELLI : 353613426240, Metelli : 23-0605, MINTEX : MDC1009, NECTO : WN1093, NECTO : WN906, NIBK : RN1076V, OEM : 4566840, OPEL : 569056, PAGID : 52426, PILENGA : V204, PILENGA : V760, QH : BDC4678, REMSA : 6494.10, REMSA : 6908.20, REMSA : 6712.20, ROADHOUSE : 6494.10, ROADHOUSE : 6908.20, ROADHOUSE : 6712.20, SAAB : 4837019, SAAB : 4839320, SAAB : 5390786, SAAB : 4839007, SBS : 252515V, SBS : 1815303625, SBS : 252515, SBS : 1815203625, SBS : 1816303625, STOP : 561960S, TEXTAR : 92075600, TEXTAR : 98200 0756 0 1, TEXTAR : 92075603, TRUSTING : DF719, TRW : DF2778S, VALEO : 186649, WOKING : D6494.10, ZIMMERMANN : 430.1473.20
	41403	2300	1999	2001	Front	MRD1076V		
	41403	3000	1999	2001	Front	MRD1076V		
	9000	2000	1996	1998	Front	MRD1076V		
	9000	2300	1996	1998	Front	MRD1076V		
	9000	2500	1996	1998	Front	MRD1076V		
	9000	2000	1996	1998	Front	MRD1076V		
	9000	2300	1996	1998	Front	MRD1076V		
	9 3 serie	2000	1998	2003	Front	MRD1076V		
	9 3 serie	2200	1998	2002	Front	MRD1076V		
	9 3 serie	2300	1998	2002	Front	MRD1076V		
	41403	2000	1999	2001	Front	MRD1076V		
	41403	2200	2001	2005	Front	MRD1076V		
	41403	2300	1999	2001	Front	MRD1076V		
SAAB	41403	3000	1999	2001	Front	MRD1076V		
	9 3 serie	1800	2005		Rear	MRD1172	Recommended Type: Solid 278 ,Disc Thickness: 11.9, Num. of holes : 7, Height : 41.4, Centering Diameter :65.5, Position: Rear, Pitch Circle & Oslash: 110	AP : 14853, APEC : DSK2091, ATE : 24.0112-0157.1, ATE : 24.0312-0157.1, BENDIX : 562229B, BOSCH : 0 986 479 106, BRECO : BS 7644, BREMBO : 08.9511.10, BREMBO : 08.9511.11, CAR : 142.034, CAR RACING : HPD 034, CHEVROLET : 93171848, CIFAM : 800-609, DELPHI : BG3731, FERODO : DDF1288, FIAT : 468364890, FIAT : 46836489, Fritech : DF966, INTERBRAKE : OP551P, INTERCAR : OP551P, JURID : 562229J, KWP : 129609, Lemforder : 29624 01, Lemforder : 29624, LPR : 01014P, LUCAS : DF4266, MAGNETI MARELLI : 353613454540, Metelli : 23-0609, MINTEX : MDC1560, NECTO : WN1299, NIBK : RN1172, OEM : 931718481, OEM : 9156787, OPEL : 569115, PAGID : 54185, PILENGA : 5772, QH : BDC5413, REMSA : 6688.00, ROADHOUSE : 6688.00, SAAB : 9156785, SBS : 1815203646, TEXTAR : 98200 1185 0 1, TEXTAR : 92118500, TRUSTING : DF966, TRW : DF4266, VALEO : 186854, WOKING : D6688.00, ZIMMERMANN : 430.1497.00
	9 3 serie	1900	2005		Rear	MRD1172		
	9 3 serie	2000	2003		Rear	MRD1172		
	9 3 serie	2000	2007		Rear	MRD1172		
	9 3 serie	2000	2005		Rear	MRD1172		
	9 3 serie	1800	2005		Rear	MRD1172		
	9 3 serie	1900	2005		Rear	MRD1172		
	9 3 serie	2000	2003		Rear	MRD1172		
	9 3 serie	2000	2007		Rear	MRD1172		
	9 3 serie	2000	2005		Rear	MRD1172		
	9 3 serie	1800	2005		Rear	MRD1172		
	9 3 serie	1900	2005		Rear	MRD1172		
	9 3 serie	2000	2007		Rear	MRD1172		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SAAB	41403	2000	1999	2001	Front	MRD1076V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 7, Height : 41.1, Centering Diameter :70, Position: Front, Pitch Circle & Oslash : 110	AC DELCO : AC2275D, AP : 24656, AP : 24658, ATE : 24.0125-0119.1, ATE : 24.0325-0119.1, BENDIX : 561960B, BENDIX EUR : 561960B, BOSCH : 0 986 478 423, BOSCH : 0 986 478 588, BOSCH : 0 986 478 449, BRADI : 1.3426.2.4, BRECO : BS 8350, BRECO : BS 8274, BREMBO : 09.6997.20, BREMBO : 09.6997.24, BREMBO : FD.073.000, BREMBO : FS.073.000, BREMBO : 09.6997.11, BREMBO : 09.6997.21, BREMBO : FD.072.000, BREMBO : FS.072.000, BREMBO : 09.6997.10, CAR : 142.492, CAR RACING : HPD 492, CHEVROLET : 90496327, CHEVROLET : 90512029, CIFAM : 800-605, DELPHI : BG3142, FERODO : DRF1082, FERODO : DDF1082, Fritch : DF719, GRAF : DF29605, INTERBRAKE : OP321V, INTERCAR : OP321V, JURID : 561960J, JURID : 561960J, KWP : 129605, Lemforder : 21247 03, Lemforder : 21247, LOTUS : B117J0028F, LPR : 01321V, LPR : S1113V, LUCAS : DF2778BPS, LUCAS : DF2778, LUCAS : DF2778S, MAGNETI MARELLI : 353613426240, Metelli : 23-0605, MINTEX : MDC1009, NECTO : WN1093, NECTO : WN906, NIBK : RN1076V, OEM : 4566840, OPEL : 569056, PAGID : 52426, PILENGA : V204, PILENGA : V760, QH : BDC4678, REMSA : 6494.10, REMSA : 6908.20, REMSA : 6712.20, ROADHOUSE : 6494.10, ROADHOUSE : 6908.20, ROADHOUSE : 6712.20, SAAB : 4837019, SAAB : 4839320, SAAB : 5390786, SAAB : 4839007, SBS : 252515V, SBS : 1815303625, SBS : 252515, SBS : 1815203625, SBS : 1816303625, STOP : 561960S, TEXTAR : 92075600, TEXTAR : 98200 0756 0 1, TEXTAR : 92075603, TRUSTING : DF719, TRW : DF2778S, VALEO : 186649, WOKING : D6494.10, ZIMMERMANN : 430.1473.20
	9 3 serie	2000	1998	2003	Front	MRD1076V		
	9 3 serie	2200	1998	2002	Front	MRD1076V		
	9 3 serie	2300	1998	2002	Front	MRD1076V		
SEAT	Toledo	1900	1997	1998	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter :65, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : X24217, AP : 24217E, ATE : 24.0320-0128.1, ATE : 24.0120-0128.1, ATE : 420128, BENDIX : 5614488, BENDIX EUR : 5614488, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.75, BREMBO : FS.035.000, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG2455, DELPHI : BG455, FERODO : DRF207, FERODO : DDF207, Fritch : DF281, GRAF : DF29230, GRAF : DF29230L, INTERBRAKE : VW161V, INTERCAR : VW161V, JURID : 561448J, KWP : 129230L, KWP : 1029230L, Lemforder : 10213 03, Lemforder : 10213, LPR : V2161V, LUCAS : DF1533, LUCAS : DF1533BP, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SEAT : 321615301D, SEAT : 6N0615301D, STOP : 561448S, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TEXTAR : 92036803, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 321615301D, VW : 357615301D, WOKING : D6175.10
	Toledo	2000	1996	1996	Front	MRD1280V		
	Cordoba	1800	1995	1996	Front	MRD1280V		
	Cordoba	1900	1996	1999	Front	MRD1280V		
	Ibiza	2000	1996	1999	Front	MRD1280V		
	Cordoba Vario	1900	1997	1999	Front	MRD1280V		
SEAT	Alhambra II	2000	1996	2000	Front	MRD1389V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 56.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 104, Outter & Oslash : 300	AC DELCO : AC2598D, AP : 24943, APEC : DSK2168, ATE : 24.0126-0115.1, BENDIX : 562198B, BOSCH : 0 986 478 498, BOSCH : 0 986 479 037, BRECO : BS 8562, BREMBO : 09.9931.14, BREMBO : 09.9749.10, CAR : 142.286, CAR : 142.223, CAR RACING : HPD 286, CIFAM : 800-736, DELPHI : BG3696, DELPHI : BG3719, FERODO : DDF1559, FERODO : DDF1159, FERODO : DDF1296, FORO : YM2111258A, FORO : 1141782, Fritch : DF807, GRAF : DF29736, INTERBRAKE : VW471V, JURID : 562382J, JURID : 562198J, JURID : 562382JC, JURID : 562198J, KWP : 129736, Lemforder : 29711, Lemforder : 29711 01, LPR : F1004V, LUCAS : DF4323, LUCAS : DF4310S, MAGNETI MARELLI : 351583920500, Metelli : 23-0736, MINTEX : MDC1552, MINTEX : MDC1542, NECTO : WN1306, NIBK : RN1389V, OEM : 7D0615301, PAGID : 53974, PAGID : 50347, PILENGA : V875, PILENGA : V856, QH : BDC5198, SBS : 1815204772, TEXTAR : 92109803, TEXTAR : 98200 1098 0 1, TEXTAR : 92109800, TEXTAR : 98200 0980 0 1, TRUSTING : DF807, TRW : DF4323, VALEO : 186749, VW : 7M3615301A, VW : 7D0615301B, WOKING : D6660.10, ZIMMERMANN : 250.1346.00, ZIMMERMANN : 600.3214.00
SEAT	Altea	1800	2006	2010	Front	MRD1179V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash : 112, Outter & Oslash : 280	AC DELCO : AC2654D, AP : 24853, ATE : 24.0322-0210.1, ATE : 24.0122-0210.1, AUDI : 1K0615301AC, AUDI : 1K0615301S, BENDIX : 562237B, BOSCH : 0 986 479 098, BRECO : BS 8477, BREMBO : 09.9167.10, BREMBO : 09.9167.75, BREMBO : FS.171.000, BREMBO : 09.9167.11, BREMBO : FD.171.000, CAR : 142.1019, CAR RACING : HPD 1019, CIFAM : 800-733, DELPHI : BG3832, FERODO : DDF1223, Fritch : DF931, GRAF : DF29733, INTERBRAKE : VW581V, JURID : 562237J, JURID : 562237JC, KWP : 129733, Lemforder : 27431 01, Lemforder : 27431, LPR : A1001V, LUCAS : DF4294, MAGNETI MARELLI : 351014320500, Metelli : 23-0733, MINTEX : MDC1639, NECTO : WN1241, NIBK : RN1179V, PAGID : 54207, PILENGA : V860, REMSA : 6647.10, ROADHOUSE : 6647.10, SBS : 1815344787, SBS : 1815204787, SEAT : 1K0615301AK, SKODA : 1K0615301AC, TEXTAR : 92120705, TEXTAR : 92120700, TRUSTING : DF931, TRW : DF4294, VALEO : 186754, WOKING : D6647.10, ZIMMERMANN : 600.3233.00
	Altea	1600	2009		Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
	Altea	1800	2006	2010	Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
	Altea	1800	2006	2010	Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
	Altea	1800	2006	2010	Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
	Altea	1800	2006	2010	Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
	Altea	1600	2009		Front	MRD1179V		
SEAT	Ibiza	1600	1996	1999	Front	MRD1299	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 4, Height : 42, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 100, Outter & Oslash : 239	AC DELCO : AC2036D, AP : 16400E, ATE : 24.0110-0103.1, ATE : 24.0310-0151.1, ATE : 24.0110-0151.1, AUDI : 811615301, AUDI : 823615301, BENDIX : 561087B, BENDIX EUR : 561087B, BOSCH : 0 986 478 010, BRADI : 1.5804.1.4, BRECO : BS 7273, BREMBO : RD.001.000, BREMBO : 08.2631.34, BREMBO : RS.001.000, BREMBO : 08.2631.30, CAR : 142.705, CAR RACING : HPD 705, CIFAM : 800-054, DELPHI : BG2117, FERODO : DRF042, FERODO : DDF042, Fritch : DF004, GRAF : DF2854, INTERBRAKE : AD011P, INTERCAR : AD011P, JURID : 561087J, KWP : 102854, Lemforder : 10116, Lemforder : 10116 03, LPR : A1011P, LUCAS : DF1518, MAGNETI MARELLI : 353615804140, Metelli : 23-0054, MINTEX : MDC247, NECTO : WN220, NIBK : RN1299, OEM : 811616301B, OEM : 811615301C, PAGID : 53901, PILENGA : 5151, QH : BDC1010, REMSA : 6573.10, REMSA : 6086.00, ROADHOUSE : 6573.10, ROADHOUSE : 6086.00, SBS : 1815202330, SBS : 421036, SBS : 1815204704, STOP : 561087S, TEXTAR : 92009300, TEXTAR : 98200 0093 0 1, TEXTAR : 92009303, TRUSTING : DF004, TRW : DF1518, VEMA : 98024, VW : 811615301B, WOKING : D6086.00, ZIMMERMANN : 600.1050.00
	Ibiza	1600	1999	2002	Front	MRD1299		
	Ibiza	1900	1999	2002	Front	MRD1299		
	Ibiza	1000	1996	1999	Front	MRD1299		
	Ibiza	1400	1996	1999	Front	MRD1299		
	Ibiza	1600	1996	1999	Front	MRD1299		
	Ibiza	1600	1999	2002	Front	MRD1299		
	Ibiza	1900	1999	2002	Front	MRD1299		
	Ibiza	1600	1996	1999	Front	MRD1299		
	Ibiza	1600	1999	2002	Front	MRD1299		
	Ibiza	1900	1999	2002	Front	MRD1299		
	Ibiza	1000	1996	1999	Front	MRD1299		
	Ibiza	1400	1996	1999	Front	MRD1299		
	Ibiza	1600	1996	1999	Front	MRD1299		
SEAT	Ibiza	1900	1995	1999	Front	MRD1012	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 35, Centering Diameter :65, Position: Front, Pitch Circle & Oslash : 100, Outter & Oslash : 239	AC DELCO : AC2037D, AP : 10073, AP : X10073, ATE : 24.0112-0106.1, ATE : 24.0112-0100.1, ATE : 24.0312-0106.1, AUDI : 839615301, AUDI : 321615301, BENDIX : 561141B, BOSCH : 0 986 478 011, BRADI : 1.5805.1.4, BRECO : BS 7177, BREMBO : 08.4177.10, BREMBO : 08.4177.75, BREMBO : FS.005.000, BREMBO : 08.4177.14, BREMBO : FD.005.000, CAR : 142.710, CAR : 142.720, CAR RACING : HPD 720, CAR RACING : HPD 710, CIFAM : 800-053, DELPHI : BG2116, DELPHI : BG117, FERODO : DDF103, FERODO : DRF103, Fritch : DF012, GRAF : DF2853, INTERBRAKE : VW441P, INTERBRAKE : VW051P, INTERCAR : VW051P, JURID : 561141J, KWP : 102853, Lemforder : 10115 03, Lemforder : 10115, LPR : V2051P, LUCAS : DF1516, MAGNETI MARELLI : 353615805140, Metelli : 23-0053, MINTEX : MDC198, NECTO : WN283, NIBK : RN1012, OEM : 175615301, OEM : ZBA615301, PAGID : 53930, PAGID : 53908, PILENGA : 5152, QH : BDC1046, REMSA : 6088.01, REMSA : 6088.00, REMSA : 6574.10, ROADHOUSE : 6088.00, ROADHOUSE : 6574.10, ROADHOUSE : 6088.01, SBS : 1816309933, SBS : 1815204705, SBS : 1815309933, SBS : 421037, SBS : 1815202323, SBS : 1815209933, SEAT : 321615301, STOP : 561141S, TEXTAR : 92010603, TEXTAR : 92010600, TEXTAR : 98200 0106 0 1, TRUSTING : DF012, TRW : DF1516, VALEO : 186245, VEMA : 98025, VW : 171615301, WOKING : D6088.01, ZIMMERMANN : 600.1158.00
	Toledo	1600	1995	1998	Front	MRD1012		
	Toledo	1800	1995	1997	Front	MRD1012		
	Ibiza	1600	1995	1999	Front	MRD1012		
	Cordoba	1800	1994	1996	Front	MRD1012		
	Cordoba	2000	1993	1996	Front	MRD1012		
	Ibiza	1600	1995	1999	Front	MRD1012		
	Ibiza	1900	1995	1999	Front	MRD1012		
	Toledo	1600	1995	1998	Front	MRD1012		
	Toledo	1800	1995	1997	Front	MRD1012		
	Toledo	1900	1997	1998	Front	MRD1012		
	Cordoba	2000	1993	1996	Front	MRD1012		
	Cordoba	2000	1993	1996	Front	MRD1012		
	Cordoba	1800	1994	1996	Front	MRD1012		
	Cordoba	1800	1994	1996	Front	MRD1012		
	Ibiza	1900	1995	1999	Front	MRD1012		
	Toledo	1600	1995	1998	Front	MRD1012		
	Toledo	1800	1995	1997	Front	MRD1012		
	Toledo	1900	1997	1998	Front	MRD1012		
	Toledo	1800	1995	1998	Front	MRD1012		
	Toledo	1600	1995	1998	Front	MRD1012		
	Toledo	1800	1995	1997	Front	MRD1012		
	Cordoba	2000	1993	1996	Front	MRD1012		
	Cordoba	1800	1994	1996	Front	MRD1012		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SEAT	Ibiza	1600	1996	1999	Front	MRD1279V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 239	AC DELCO : AC2038D, AP : X20024, AP : 20024E, ATE : 24.0120-0117.1, ATE : 24.0320-0123.1, ATE : 24.0120-0123.1, AUDI : 321615301C, BENDIX : 561178B, BENDIX EUR : 561178B, BOSCH : 0 986 478 013, BOSCH : 0 986 478 017, BRADI : 1.0110.2.E, BRECO : BS 7901, BREMBO : 09.4765.10, BREMBO : 09.4765.75, BREMBO : FS.028.000, BREMBO : 09.4765.14, BREMBO : FD.028.000, CAR : 142.715, CAR RACING : HPD 715, CIFAM : 800-170, DELPHI : BG109, DELPHI : BG2109, FERODO : DDF175, FERODO : DRF175, Fritech : DF242, GRAF : DF29170, INTERBRAKE : AD071V, INTERCAR : AD071V, JURID : 561178J, KWP : 1029170, KWP : 129170, Lemforder : 10124, Lemforder : 10124 03, LPR : A1071V, LUCAS : DF1517, LUCAS : DF1517BP, MAGNETI MARELLI : 351011020500, Metelli : 23-0170, MINTEX : MDC365, NECTO : WN340, NIBK : RN1279V, OEM : 321615301ABC, OEM : 841615301B, OEM : 814615301, PILENGA : V151, QH : BDC3309, REMSA : 6027.20, REMSA : 6084.10, ROADHOUSE : 6084.10, ROADHOUSE : 6027.20, SBS : 1815204724, SBS : 1816304724, SBS : 1815304724, SBS : 421038, SEAT : 321615301C, STOP : 561178S, TEXTAR : 92012103, TEXTAR : 92012100, TEXTAR : 98200 0121 0 1, TRUSTING : DF242, TRW : DF1517, VALEO : 186246, VEMA : 98023, VW : 841615301, VW : 321615301C, VW : 321615301A, VW : 6N0615301G, VW : 321615301B, WOKING : D6084.10, ZIMMERMANN : 600.1597.00, ZIMMERMANN : 600.1594.00
	Ibiza	1600	1999	2002	Front	MRD1279V		
	Ibiza	1900	1999	2002	Front	MRD1279V		
	Cordoba	1000	1997	1999	Front	MRD1279V		
	Cordoba	1400	1996	1999	Front	MRD1279V		
	Cordoba	1600	1993	1996	Front	MRD1279V		
	Ibiza	1000	1996	1999	Front	MRD1279V		
	Ibiza	1400	1996	1999	Front	MRD1279V		
	Ibiza	1600	1996	1999	Front	MRD1279V		
	Cordoba	1000	1997	1999	Front	MRD1279V		
SEAT	Ibiza	1600	1999	2002	Front	MRD1279V	Recommended Type: Solid ,Disc Thickness: 13, Num. of holes : 4, Height : 39, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash : 100, Outter & Oslash : 255.7	AC DELCO : AC2057D, AP : 14222, AP : X14222, ATE : 24.0313-0178.1, ATE : 24.0113-0178.1, BENDIX : 561491B, BOSCH : 0 986 478 329, BRADI : 1.5815.1.4, BRECO : BS 7383, BREMBO : 08.5149.10, BREMBO : 08.5149.75, BREMBO : 08.5148.10, BREMBO : 08.5149.14, CAR : 142.702, CAR RACING : HPD 702, CIFAM : 800-186, DELPHI : BG454, DELPHI : BG2454, DELPHI : BG545, FERODO : DDF205, FERODO : DRF205, Fritech : DF031, GRAF : DF29186, INTERBRAKE : VW181P, INTERCAR : VW181P, JURID : 561491J, KWP : 129186, KWP : 1029186, Lemforder : 10211 01, Lemforder : 10211, LPR : V2181P, LUCAS : DF1532BP, LUCAS : DF1532, MAGNETI MARELLI : 353615815140, Metelli : 23-0186, MINTEX : MDC731, NECTO : WN465, NIBK : RN1013, OEM : A113501075, OEM : A116GN3501075, PAGID : 53913, PAGID : 53937, PILENGA : 5158, QH : BDC3713, REMSA : 6582.10, REMSA : 6172.00, ROADHOUSE : 6172.00, ROADHOUSE : 6582.10, SBS : 1816304728, SBS : 1815304728, SBS : 424206, SBS : 1815204728, SEAT : 357615301, STOP : 561491S, TEXTAR : 92041700, TEXTAR : 98200 0417 0 1, TEXTAR : 92041703, TRUSTING : DF031, TRW : DF1532, VEMA : 98027, VW : 357615301, WOKING : D6172.00, ZIMMERMANN : 600.1602.00
	Ibiza	1900	1999	2002	Front	MRD1279V		
	Inca	1400	1996	1999	Front	MRD1013		
	Inca	1600	1996	1999	Front	MRD1013		
	Inca	1900	1996	1999	Front	MRD1013		
	Inca	1400	1996	1999	Front	MRD1013		
	Inca	1600	1996	1999	Front	MRD1013		
	Inca	1900	1996	1999	Front	MRD1013		
SEAT	Cordoba	1800	1995	1996	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : 24217E, AP : X24217, ATE : 24.0120-0128.1, ATE : 420128, ATE : 24.0320-0128.1, BENDIX : 561448B, BENDIX EUR : 561448B, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, BREMBO : 09.5166.75, BREMBO : FS.035.000, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG455, DELPHI : BG2455, FERODO : DDF207, FERODO : DRF207, Fritech : DF281, GRAF : DF29230L, GRAF : DF29230, INTERBRAKE : VW161V, INTERCAR : VW161V, JURID : 561448J, KWP : 1029230L, KWP : 129230, Lemforder : 10213, Lemforder : 10213 03, LPR : V2161V, LUCAS : DF1533BP, LUCAS : DF1533, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SEAT : 6N0615301D, SEAT : 321615301D, STOP : 561448S, TEXTAR : 92036803, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 357615301D, VW : 321615301D, WOKING : D6175.10
	Cordoba	2000	1995	1999	Front	MRD1280V		
	Cordoba	1900	1996	1999	Front	MRD1280V		
	Ibiza	2000	1996	1999	Front	MRD1280V		
	Inca	1400	1996	1999	Front	MRD1280V		
	Inca	1600	1996	1999	Front	MRD1280V		
	Inca	1700	1996	1999	Front	MRD1280V		
	Inca	1900	1996	1999	Front	MRD1280V		
	Toledo	2000	1996	1996	Front	MRD1280V		
	Cordoba Vario	1900	1997	1999	Front	MRD1280V		
SEAT	Toledo	1900	1997	1998	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : 24217E, AP : X24217, ATE : 24.0120-0128.1, ATE : 420128, ATE : 24.0320-0128.1, BENDIX : 561448B, BENDIX EUR : 561448B, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, BREMBO : 09.5166.75, BREMBO : FS.035.000, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG455, DELPHI : BG2455, FERODO : DDF207, FERODO : DRF207, Fritech : DF281, GRAF : DF29230L, GRAF : DF29230, INTERBRAKE : VW161V, INTERCAR : VW161V, JURID : 561448J, KWP : 1029230L, KWP : 129230, Lemforder : 10213, Lemforder : 10213 03, LPR : V2161V, LUCAS : DF1533BP, LUCAS : DF1533, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SEAT : 6N0615301D, SEAT : 321615301D, STOP : 561448S, TEXTAR : 92036803, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 357615301D, VW : 321615301D, WOKING : D6175.10
	Cordoba Vario	1400	1999	2002	Front	MRD1280V		
	Cordoba Vario	1600	1999	2002	Front	MRD1280V		
	Ibiza	1600	1999	2000	Front	MRD1280V		
	Ibiza	1900	1999	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Cordoba	1800	1995	1996	Front	MRD1280V		
	Cordoba	1900	1996	1999	Front	MRD1280V		
	Cordoba	2000	1995	1999	Front	MRD1280V		
SEAT	Cordoba Vario	1400	1999	2002	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : 24217E, AP : X24217, ATE : 24.0120-0128.1, ATE : 420128, ATE : 24.0320-0128.1, BENDIX : 561448B, BENDIX EUR : 561448B, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, BREMBO : 09.5166.75, BREMBO : FS.035.000, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG455, DELPHI : BG2455, FERODO : DDF207, FERODO : DRF207, Fritech : DF281, GRAF : DF29230L, GRAF : DF29230, INTERBRAKE : VW161V, INTERCAR : VW161V, JURID : 561448J, KWP : 1029230L, KWP : 129230, Lemforder : 10213, Lemforder : 10213 03, LPR : V2161V, LUCAS : DF1533BP, LUCAS : DF1533, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SEAT : 6N0615301D, SEAT : 321615301D, STOP : 561448S, TEXTAR : 92036803, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 357615301D, VW : 321615301D, WOKING : D6175.10
	Cordoba Vario	1600	1999	2002	Front	MRD1280V		
	Cordoba Vario	1900	1997	1999	Front	MRD1280V		
	Ibiza	1600	1999	2000	Front	MRD1280V		
	Ibiza	1900	1999	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Cordoba	1800	1995	1996	Front	MRD1280V		
	Cordoba	1900	1996	1999	Front	MRD1280V		
	Cordoba	2000	1995	1999	Front	MRD1280V		
SEAT	Cordoba Vario	1400	1999	2002	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : 24217E, AP : X24217, ATE : 24.0120-0128.1, ATE : 420128, ATE : 24.0320-0128.1, BENDIX : 561448B, BENDIX EUR : 561448B, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, BREMBO : 09.5166.75, BREMBO : FS.035.000, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG455, DELPHI : BG2455, FERODO : DDF207, FERODO : DRF207, Fritech : DF281, GRAF : DF29230L, GRAF : DF29230, INTERBRAKE : VW161V, INTERCAR : VW161V, JURID : 561448J, KWP : 1029230L, KWP : 129230, Lemforder : 10213, Lemforder : 10213 03, LPR : V2161V, LUCAS : DF1533BP, LUCAS : DF1533, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SEAT : 6N0615301D, SEAT : 321615301D, STOP : 561448S, TEXTAR : 92036803, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 357615301D, VW : 321615301D, WOKING : D6175.10
	Cordoba Vario	1600	1999	2002	Front	MRD1280V		
	Cordoba Vario	1900	1997	1999	Front	MRD1280V		
	Ibiza	1600	1999	2000	Front	MRD1280V		
	Ibiza	1900	1999	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Cordoba	1800	1995	1996	Front	MRD1280V		
	Cordoba	1900	1996	1999	Front	MRD1280V		
	Cordoba	2000	1995	1999	Front	MRD1280V		
SEAT	Cordoba Vario	1400	1999	2002	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : 24217E, AP : X24217, ATE : 24.0120-0128.1, ATE : 420128, ATE : 24.0320-0128.1, BENDIX : 561448B, BENDIX EUR : 561448B, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, BREMBO : 09.5166.75, BREMBO : FS.035.000, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG455, DELPHI : BG2455, FERODO : DDF207, FERODO : DRF207, Fritech : DF281, GRAF : DF29230L, GRAF : DF29230, INTERBRAKE : VW161V, INTERCAR : VW161V, JURID : 561448J, KWP : 1029230L, KWP : 129230, Lemforder : 10213, Lemforder : 10213 03, LPR : V2161V, LUCAS : DF1533BP, LUCAS : DF1533, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SEAT : 6N0615301D, SEAT : 321615301D, STOP : 561448S, TEXTAR : 92036803, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 357615301D, VW : 321615301D, WOKING : D6175.10
	Cordoba Vario	1600	1999	2002	Front	MRD1280V		
	Cordoba Vario	1900	1997	1999	Front	MRD1280V		
	Ibiza	1600	1999	2000	Front	MRD1280V		
	Ibiza	1900	1999	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Cordoba	1800	1995	1996	Front	MRD1280V		
	Cordoba	1900	1996	1999	Front	MRD1280V		
	Cordoba	2000	1995	1999	Front	MRD1280V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SEAT	Cordoba Vario	1400	1999	2002	Front	MRD1280V		
	Cordoba Vario	1600	1999	2002	Front	MRD1280V		
	Cordoba Vario	1900	1997	1999	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Ibiza	1600	1999	2000	Front	MRD1280V		
	Ibiza	1900	1999	2002	Front	MRD1280V		
	Ibiza	2000	1996	1999	Front	MRD1280V		
	Inca	1400	1996	1999	Front	MRD1280V		
	Inca	1600	1996	1999	Front	MRD1280V		
	Inca	1700	1996	1999	Front	MRD1280V		
SEAT	Inca	1900	1996	1999	Front	MRD1280V		
	Toledo	1900	1997	1998	Front	MRD1280V		
	Cordoba Vario	1400	1999	2002	Front	MRD1280V		
	Ibiza	1600	1999	2000	Front	MRD1280V		
	Ibiza	1400	2000	2002	Front	MRD1280V		
	Inca	1400	1996	1999	Front	MRD1280V		
	Inca	1600	1996	1999	Front	MRD1280V		
	Inca	1700	1996	1999	Front	MRD1280V		
	Inca	1900	1996	1999	Front	MRD1280V		
	Inca	1900	1996	1999	Front	MRD1280V		
SEAT	Exeo Sedan	1600	2009		Front	MRD1050V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 288	AC DELCO : AC2136D, AP : 24487E, AP : X24487, ATE : 24.0125-0105.1, ATE : 24.0325-0105.1, ATE : 425105, ATE : 24.0125-0171.1, ATE : 24.0325-0171.1, AUDI : 8E0615301Q, AUDI : 4A0615301C, BENDIX : 561548B, BENDIX EUR : 561548B, BOSCH : 0 986 478 546, BOSCH : 0 986 479 157, BRADI : 1.0122.2.E, BRECO : BS 8123, BREMBO : 09.5745.10, BREMBO : 09.5745.21, BREMBO : 09.5745.75, BREMBO : 09.A428.14, BREMBO : FS.051.000, BREMBO : 09.5745.14, BREMBO : 09.5745.24, BREMBO : 09.5745.76, BREMBO : FD.051.000, CAR : 142.1188, CAR : 142.718, CAR RACING : HPD 1188, CAR RACING : HPD 718, CIFAM : 800-745C, CIFAM : 800-262, CIFAM : 800-745, CIFAM : 800-262C, DELPHI : BG2745, DELPHI : BG745, FERODO : DRF320, FERODO : DDF320, FERODO : DDF1706, Fritech : DF312, GRAF : DF29745, GRAF : DF29262, INTERBRAKE : VW651V, INTERBRAKE : AD371V, INTERCAR : AD371V, JURID : 561548J, JURID : 561548JC, KWP : 1029262L, KWP : 129262, Lemforder : 14535, Lemforder : 14535 03, LPR : A1371V, LPR : V2004V, LUCAS : DF2652, LUCAS : DF2652BP, MAGNETI MARELLI : 351012220500, Metelli : 23-0745C, Metelli : 23-0262C, MINTEX : MDC768, NECTO : WN533, NIBK : RN1050V, OEM : 4A0615301E, OEM : 4A0615301C, OEM : 7700830283RP, OEM : 4A0615301D, OEM : 4A615301D, OEM : 4B0615301B, PAGID : 54210, PAGID : 53942, PILENGA : V362, QH : BDC5471, QH : BDC3825, REMSA : 6039.20, REMSA : 6328.10, REMSA : 61227.10, ROADHOUSE : 61227.10, ROADHOUSE : 6039.20, ROADHOUSE : 6328.10, SBS : 1815344743, SBS : 424210, SBS : 1815304743, SBS : 1816304743, SBS : 1815204743, STOP : 561548S, TEXTAR : 92057600, TEXTAR : 92121000, TEXTAR : 98200 0576 0 1, TEXTAR : 92057605, TEXTAR : 92121003, TRUSTING : DF312, TRW : DF2652, VALEO : 186271, VEMA : 98104, WOKING : D6328.10, ZIMMERMANN : 600.3236.20, ZIMMERMANN : 100.1216.20
	Exeo Sedan	1600	2009		Front	MRD1050V		
	Exeo Sedan	1600	2009		Front	MRD1050V		
	Exeo Sedan	1600	2009		Front	MRD1050V		
	Exeo Sedan	1600	2009		Front	MRD1050V		
SEAT	Alhambra	1800	2000	2002	Front	MRD1075V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 5, Height : 55.4, Centering Diameter :68.2, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2250D, AP : 24628E, ATE : 24.0125-0114.1, BENDIX : 562043B, BENDIX EUR : 562043B, BOSCH : 0 986 478 845, BOSCH : 0 986 478 893, BRADI : 1.5828.2.4, BRECO : BS 8263, BREMBO : 09.6934.10, BREMBO : 09.6934.14, CAR : 142.239, CAR RACING : HPD 239, CIFAM : 800-403, DELPHI : BG3025, FERODO : DDF846, FORD : 1001093, FORD : 1143641, FORD : 95VWX1125B1D, FORD : 1045994, FORD : 95VWX1125BC, FORD : 95VWX1125BD, Fritech : DF503, GRAF : DF29403L, GRAF : DF29403, INTERBRAKE : FR571V, INTERCAR : FR571V, JURID : 562043J, JURID : 562043JC, KWP : 129403, KWP : 1029403L, Lemforder : 24513, Lemforder : 24513 01, LPR : F1571V, LUCAS : DF2776, LUCAS : DF2776BP, MAGNETI MARELLI : 353615828240, Metelli : 23-0403, MINTEX : MDC1017, NECTO : WN846, NIBK : RN1075V, OEM : 1143640, OEM : 7M0615301EG, OEM : 7M0615301E, OEM : 7M0615201E, OEM : 7M06615301G, OEM : 7M0615301G, PAGID : 53963, PILENGA : V156, QH : BDC4628, REMSA : 6496.10, REMSA : 6676.20, ROADHOUSE : 6496.10, ROADHOUSE : 6676.20, SBS : 424241, SBS : 1815202545, SBS : 424241V, STOP : 562043S, TEXTAR : 92074200, TEXTAR : 98200 0742 0 1, TEXTAR : 92074203, TRUSTING : DF503, TRW : DF2776, VALEO : 186601, VEMA : 98095, VW : 7M0615301E, VW : 7M0615301G, WOKING : D6496.10, ZIMMERMANN : 600.3209.00
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	2000	2000	2002	Front	MRD1075V		
	Alhambra	1800	2000	2002	Front	MRD1075V		
	Alhambra	1800	2002		Front	MRD1075V		
	Alhambra	1900	2002		Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	2000	2000	2002	Front	MRD1075V		
	Alhambra II	1900	2002	2009	Front	MRD1075V		
	Alhambra II	2000	2002	2009	Front	MRD1075V		
	Alhambra	1800	2000	2002	Front	MRD1075V		
	Alhambra	1800	2002		Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
SEAT	Alhambra	2000	2000	2002	Front	MRD1075V		
	Leon	1900	1999	1999	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 232	AC DELCO : AC2252D, AC DELCO : AC2255D, AP : 24847, AP : 14699E, ATE : 24.0109-0164.1, ATE : 409123, ATE : 24.0125-0113.1, ATE : 425113, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 867, BOSCH : 0 986 478 976, BOSCH : 0 986 478 868, BRADI : 1.5833.5.4, BRADI : 1.5830.2.4, BRECO : BS 8288, BRECO : BS 7553, BRECO : BS 8471, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, BREMBO : FS.074.000, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, CAR : 142.749, CAR : 142.748, CAR RACING : HPD 748, CAR RACING : HPD 749, CIFAM : 800-366, CIFAM : 800-365, DELPHI : BG3034, DELPHI : BG3035, FERODO : DDF929, FERODO : DDF930, FERODO : DRF930, FERODO : DRF929, Fritech : DF149, Fritech : DF468, GRAF : DF29365, GRAF : DF29366L, GRAF : DF29365L, GRAF : DF29366, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562053JC, JURID : 562041J, JURID : 562053J, JURID : 562041JC, KWP : 1029366L, KWP : 1029365L, KWP : 129366, KWP : 129365, Lemforder : 22048, Lemforder : 22853, Lemforder : 22048 01, Lemforder : 22853 02, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0366, Metelli : 23-0365, MINTEX : MDC980, NECTO : WN917, NIBK : RN1084, OEM : 1J0615601C, OEM : 1J0615601C, OEM : 1J0615601, OEM : 6R0698151, OEM : 1J0615301, PAGID : 53960, PAGID : 53955, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6544.10, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6547.00, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SBS : 1815304760, SBS : 424240, SBS : 424238, SBS : 1815204760, SEAT : 1J0615601, SEAT : 1J0615301, STOP : 562053S, STOP : 562041S, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TEXTAR : 92106600, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TRUSTING : DF468, TRUSTING : DF149, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601P, VW : 1J0615601N, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1236.00, ZIMMERMANN : 100.1235.20, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20
	Toledo	1400	2000	2002	Rear	MRD1084		
	Toledo	1600	2000	2002	Rear	MRD1084		
	Toledo	1800	2000	2002	Rear	MRD1084		
	Toledo	1900	2000	2002	Rear	MRD1084		
	Ibiza	1400	2000	2002	Rear	MRD1084		
	Ibiza	1800	2000	2002	Rear	MRD1084		
	Leon	1900	2000	2001	Rear	MRD1084		
	Leon	1800	2001	2006	Rear	MRD1084		
	Toledo	1900	2001		Rear	MRD1084		
	Leon	1400	2001	2002	Rear	MRD1084		
	Leon	1600	2001	2006	Rear	MRD1084		
	Toledo	1400	2001	2002	Rear	MRD1084		
	Leon	1900	2001	2006	Rear	MRD1084		
	Leon	1400	2001	2006	Rear	MRD1084		
SEAT	Cordoba	1400	2002	2003	Rear	MRD1084		
	Cordoba	1900	2002	2003	Rear	MRD1084		
	Ibiza	1400	2002		Rear	MRD1084		
	Cordoba	1400	2002	2003	Rear	MRD1084		
	Ibiza	1900	2002		Rear	MRD1084		
	Ibiza	2000	2002		Rear	MRD1084		
	Cordoba	2000	2002		Rear	MRD1084		
	Cordoba	1400	2003		Rear	MRD1084		
SEAT	Cordoba	1900	2003		Rear	MRD1084		
	Cordoba	1400	2003		Rear	MRD1084		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SEAT	Cordoba	1400	2002	2003	Front	MRD1082V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	AC DELCO : AC2253D, AP : 24855, AP : 24690E, AP : X24690, ATE : 24.0322-0151.1, ATE : 422151, AUDI : 1J0615301L, BENDIX : 5620408, BENDIX EUR : 562040B, BOSCH : 0 986 478 853, BOSCH : 0 986 478 988, BRADI : 1.5831.2.4, BRECO : BS 8496, BRECO : BS 8279, BREMBO : FD.075.000, BREMBO : 09.7011.11, BREMBO : 09.7011.20, BREMBO : 09.7011.75, BREMBO : FS.075.000, BREMBO : 09.7011.10, BREMBO : 09.7011.14, BREMBO : 09.7011.24, CAR : 142.746, CAR RACING : HPD 746, CIFAM : 800-390, DELPHI : BG3208, FERODO : DRF927, FERODO : DDF927, Fritech : DF467, GRAF : DF29390, INTERBRAKE : AD461V, INTERCAR : AD461V, JAGUAR : 562040J, JURID : 562040JC, JURID : 562040J, KWP : 1029390L, KWP : 129390, Lemforder : 21309, Lemforder : 21309 01, LPR : A1461V, LUCAS : DF2803BP, LUCAS : DF4253BP, LUCAS : DF2803, LUCAS : DF4235, MAGNETI MARELLI : 353615831240, Metelli : 23-0390, MINTEX : MDC1019, NECTO : WN915, NIBK : RN1082V, OEM : 1J0698301D, OEM : 6R0615301, OEM : 8Z0615301D, OEM : 1J0698301D, OEM : 1J0615301D, OEM : 6Q0615301L, OEM : 8Z0615301B, OEM : 1J0615301D, OEM : 1JF615301, PAGID : 53953, PAGID : 50314, PILENGA : V150, QH : BDC4669, REMSA : 6545.10, REMSA : 6730.20, REMSA : 6724.20, ROADHOUSE : 6724.20, ROADHOUSE : 6545.10, ROADHOUSE : 6730.20, SBS : 1815204758, SBS : 1816304758, SBS : 424237V, SBS : 1815304758, SBS : 424237, STOP : 562040S, TEXTAR : 92082200, TEXTAR : 92106500, TEXTAR : 92082203, TEXTAR : 98200 0822 0 1, TRUSTING : DF467, TRW : DF2803, VALEO : 186603, VEMA : 98106, WOKING : D6545.10, ZIMMERMANN : 100.1246.00, ZIMMERMANN : 100.1233.20
	Cordoba	1900	2003		Front	MRD1082V		
	Leon	1400	2001	2002	Front	MRD1082V		
	Leon	1400	2000	2001	Front	MRD1082V		
	Leon	1600	2000	2002	Front	MRD1082V		
	Leon	1600	2001	2006	Front	MRD1082V		
	Leon	1800	2000	2001	Front	MRD1082V		
	Toledo	1400	2001	2002	Front	MRD1082V		
	Toledo	1400	2000	2002	Front	MRD1082V		
	Toledo	1600	2000	2002	Front	MRD1082V		
SEAT	Cordoba	1200	2002		Front	MRD1082V		
	Cordoba	1400	2002		Front	MRD1082V		
	Cordoba	1900	2002		Front	MRD1082V		
	Ibiza	1200	2002		Front	MRD1082V		
	Ibiza	1400	2002		Front	MRD1082V		
	Cordoba	1400	2002	2003	Front	MRD1082V		
	Cordoba	1900	2003		Front	MRD1082V		
	Leon	1400	2001	2002	Front	MRD1082V		
	Leon	1400	2000	2001	Front	MRD1082V		
	Leon	1600	2000	2002	Front	MRD1082V		
SEAT	Leon	1600	2001	2006	Front	MRD1082V		
	Leon	1800	2000	2001	Front	MRD1082V		
	Leon	1900	1999	1999	Front	MRD1082V		
	Leon	1900	2000	2001	Front	MRD1082V		
	Toledo	1400	2001	2002	Front	MRD1082V		
	Toledo	1400	2000	2002	Front	MRD1082V		
	Toledo	1600	2000	2002	Front	MRD1082V		
	Toledo	1800	2000	2002	Front	MRD1082V		
	Toledo	1900	2000	2002	Front	MRD1082V		
	Leon	1800	2000	2001	Front	MRD1082V		
SEAT	Leon	1900	2000	2001	Front	MRD1082V		
	Leon	1900	2000	2001	Front	MRD1082V		
	Leon	1900	2000	2001	Front	MRD1082V		
	Leon	1900	1999	1999	Front	MRD1082V		
	Leon	1400	2000	2001	Front	MRD1082V		
	Leon	1600	2000	2002	Front	MRD1082V		
	Leon	1800	2000	2001	Front	MRD1082V		
	Toledo	1400	2000	2002	Front	MRD1082V		
	Toledo	1600	2000	2002	Front	MRD1082V		
	Toledo	1800	2000	2002	Front	MRD1082V		
SEAT	Toledo	1900	2000	2002	Front	MRD1082V		
	Leon	1900	2000	2001	Front	MRD1082V		
	Leon	1400	2001	2002	Front	MRD1082V		
	Leon	1600	2001	2006	Front	MRD1082V		
	Toledo	1400	2001	2002	Front	MRD1082V		
	Cordoba	1400	2002	2003	Front	MRD1082V		
	Cordoba	1200	2002		Front	MRD1082V		
	Cordoba	1400	2002		Front	MRD1082V		
	Cordoba	1900	2002		Front	MRD1082V		
	Ibiza	1200	2002		Front	MRD1082V		
SEAT	Ibiza	1400	2002		Front	MRD1082V		
	Cordoba	1900	2003		Front	MRD1082V		
	Leon	1400	2000	2001	Front	MRD1082V		
	Leon	1600	2000	2002	Front	MRD1082V		
	Leon	1800	2000	2001	Front	MRD1082V		
	Toledo	1400	2000	2002	Front	MRD1082V		
	Toledo	1600	2000	2002	Front	MRD1082V		
	Toledo	1800	2000	2002	Front	MRD1082V		
	Toledo	1900	2000	2002	Front	MRD1082V		
	Leon	1400	2001	2002	Front	MRD1082V		
SEAT	Leon	1600	2001	2006	Front	MRD1082V		
	Toledo	1400	2001	2002	Front	MRD1082V		
	Cordoba	1400	2002	2003	Front	MRD1082V		
	Cordoba	1900	2003		Front	MRD1082V		
	Toledo	1400	2001	2002	Front	MRD1083V		
	Toledo	1600	2000	2002	Front	MRD1083V		
	Toledo	1800	2000	2002	Front	MRD1083V		
	Toledo	1900	2000	2002	Front	MRD1083V		
	Toledo	1400	2001	2002	Front	MRD1083V		
	Toledo	1400	2000	2002	Front	MRD1083V		
SEAT	Toledo	1600	2000	2002	Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2254D, AP : X24691, AP : 24691E, ATE : 24.0122-0150.1, ATE : 422150, ATE : 24.0322-0150.1, AUDI : 1J0615301E, AUDI : 1J0615301P, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.11, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, BREMBO : 09.7012.14, BREMBO : FD.076.000, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-391, CIFAM : 800-904, DELPHI : BG3036, FERODO : DDF928, FERODO : DRF928, Fritech : DF511, GRAF : DF29391, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039J, JURID : 562039JC, KWP : 129391, KWP : 1029391L, Lemforder : 21308, Lemforder : 21308 02, LPR : A1471V, LUCAS : DF2804BP, LUCAS : DF2804, MAGNETI MARELLI : 353615832240, Metelli : 23-0391, Metelli : 23-0904, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301M, OEM : 1J0615301E, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6666.20, REMSA : 6546.10, ROADHOUSE : 6666.20, ROADHOUSE : 6546.10, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SBS : 1815304759, SBS : 424239, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TEXTAR : 92082300, TEXTAR : 92082305, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	Toledo	1800	2000	2002	Front	MRD1083V		
	Toledo	1900	2000	2002	Front	MRD1083V		
	Toledo	1400	2001	2002	Front	MRD1083V		
	Toledo	1400	2000	2002	Front	MRD1083V		
	Toledo	1600	2000	2002	Front	MRD1083V		
	Toledo	1800	2000	2002	Front	MRD1083V		
	Toledo	1900	2000	2002	Front	MRD1083V		
	Toledo	1400	2001	2002	Front	MRD1083V		
	Toledo	1400	2000	2002	Front	MRD1083V		
SEAT	Toledo	1600	2000	2002	Front	MRD1083V		
	Toledo	1800	2000	2002	Front	MRD1083V		
	Toledo	1900	2000	2002	Front	MRD1083V		
	Toledo	1400	2001	2002	Front	MRD1083V		
	Toledo	1400	2000	2002	Front	MRD1083V		
	Toledo	1600	2000	2002	Front	MRD1083V		
	Toledo	1800	2000	2002	Front	MRD1083V		
	Toledo	1900	2000	2002	Front	MRD1083V		
	Toledo	1400	2001	2002	Front	MRD1083V		
	Toledo	1400	2000	2002	Front	MRD1083V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SEAT	Cordoba	1400	2002	2003	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 232	AC DELCO : AC2255D, AC DELCO : AC2252D, AP : 14699E, AP : 24847, ATE : 24.0125-0113.1, ATE : 425113, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, ATE : 24.0109-0164.1, ATE : 409123, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 976, BOSCH : 0 986 478 868, BOSCH : 0 986 478 867, BRADI : 1.5830.2.4, BRADI : 1.5833.5.4, BRECO : BS 7553, BRECO : BS 8471, BRECO : BS 8288, BREMBO : FS.074.000, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, CAR : 142.748, CAR : 142.749, CAR RACING : HPD 749, CAR RACING : HPD 748, CIFAM : 800-365, CIFAM : 800-366, DELPHI : BG3034, DELPHI : BG3035, FERODO : DRF930, FERODO : DRF929, FERODO : DDF929, FERODO : DDF930, Fritch : DF149, Fritch : DF149, Fritch : DF29366L, GRAF : DF29365L, GRAF : DF29366, GRAF : DF29365, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562041JC, JURID : 562053JC, JURID : 562041J, JURID : 562053J, KWP : 129366, KWP : 129365, KWP : 1029366L, KWP : 1029365L, Lemforder : 22048 01, Lemforder : 22853 02, Lemforder : 22048, Lemforder : 22853, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0365, Metelli : 23-0366, MINTEX : MDC980, NECTO : WN917, NibK : RN1084, OEM : 1J0615601C, OEM : 1J0615601, OEM : 6R0698151, OEM : 1J0615301, OEM : 1J0615601C, PAGID : 53955, PAGID : 53960, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6547.00, REMSA : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, SBS : 1815304760, SBS : 424240, SBS : 424238, SBS : 1815204760, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SEAT : 1J0615301, SEAT : 1J0615601, STOP : 562041S, STOP : 562053S, TEXTAR : 92106800, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TRUSTING : DF149, TRUSTING : DF468, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601N, VW : 1J0615601P, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1235.20, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20, ZIMMERMANN : 100.1236.00
	Cordoba	1900	2003		Rear	MRD1084		
	Leon	1400	2001	2002	Rear	MRD1084		
	Leon	1400	2000	2001	Rear	MRD1084		
	Leon	1600	2001	2006	Rear	MRD1084		
	Leon	1900	1999	1999	Rear	MRD1084		
	Toledo	1400	2001	2002	Rear	MRD1084		
	Toledo	1400	2000	2002	Rear	MRD1084		
	Toledo	1600	2000	2002	Rear	MRD1084		
	Toledo	1800	2000	2002	Rear	MRD1084		
	Toledo	1900	2000	2002	Rear	MRD1084		
	Cordoba	1400	2002	2003	Rear	MRD1084		
	Cordoba	1400	2003		Rear	MRD1084		
	Cordoba	2000	2002		Rear	MRD1084		
	Ibiza	1400	2002		Rear	MRD1084		
	Ibiza	1900	2002		Rear	MRD1084		
	Ibiza	2000	2002		Rear	MRD1084		
	Cordoba	1400	2003		Rear	MRD1084		
SEAT	Cordoba	1900	2002	2003	Rear	MRD1084	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2325D, AP : 14467, AP : 24700E, ATE : 24.0110-0261.1, ATE : 24.0122-0202.1, ATE : 24.0310-0261.1, ATE : 24.0122-0152.1, ATE : 24.0122-0214.1, ATE : 24.0322-0152.1, AUDI : 8E0615301B, AUDI : 8E0615301D, BENDIX : 561863B, BENDIX : 562060B, BENDIX EUR : 562060B, BOSCH : 0 986 478 869, BRADI : 1.0106.5.5, BRADI : 1.5834.2.4, BRECO : BS 7469, BRECO : BS 8285, BREMBO : 09.7196.14, BREMBO : FD.080.000, BREMBO : 09.7196.10, BREMBO : 09.9908.21, BREMBO : FS.080.000, CAR : 142.1214, CAR : 142.745, CAR : 142.1234, CAR : 142.751, CAR RACING : HPD 281, CAR RACING : HPD 751, CAR RACING : HPD 1214, CAR RACING : HPD 745, CIFAM : 800-468C, CIFAM : 800-468, DELPHI : BG3198, DELPHI : BG3869, DELPHI : BG2753, FERODO : DDF1003, FERODO : DDF543, FERODO : DRF1003, FERODO : DDF1526, Fritch : DF472, GRAF : DF29468, INTERBRAKE : AD491V, INTERBRAKE : AD831V, INTERBRAKE : AD581P, INTERBRAKE : AD841V, INTERCAR : AD491V, JURID : 562060JC, JURID : 561863J, JURID : 562060J, KWP : 1029468L, KWP : 129468, Lemforder : 14155, Lemforder : 22216 01, Lemforder : 22216, LPR : A1022V, LPR : A1491V, LPR : A1020V, LPR : A1025V, LPR : A1594P, LUCAS : DF2806, LUCAS : DF4902S, LUCAS : DF2655, LUCAS : DF2806BP, MAGNETI MARELLI : 353615834240, Metelli : 23-0468C, MINTEX : MDC1155, MINTEX : MDC1758, MINTEX : MDC1031, MINTEX : MDC1657, NECTO : WN584, NECTO : WN923, NibK : RN1085V, OEM : 3D0615601, OEM : 4E0615601, OEM : 4E0615601J, OEM : 8E0615301B, OEM : 3D0615601E, OEM : 4E0615601E, OEM : 895615601A, PAGID : 53961, PAGID : 54522, PAGID : 53917, PAGID : 54223, PILENGA : 5865, PILENGA : V851, QH : BDC4752, QH : BDC3935, REMSA : 6429.00, REMSA : 6731.20, REMSA : 6548.10, ROADHOUSE : 6548.10, ROADHOUSE : 6429.00, ROADHOUSE : 6731.20, SBS : 1815304762, SBS : 1816304762, SBS : 1815204762, SBS : 1815344762, SBS : 424242, SEAT : 8E0615301P, STOP : 562060S, TEXTAR : 92122300, TEXTAR : 92122305, TEXTAR : 92152200, TEXTAR : 92083500, TEXTAR : 92106203, TEXTAR : 92122303, TEXTAR : 92122400, TEXTAR : 98200 0835 0 1, TEXTAR : 92068200, TEXTAR : 92083505, TRUSTING : DF472, TRW : DF2806, VALEO : 186807, VALEO : 186582, VEMA : 98077, VW : 8E0615301B, WOKING : D6548.10, WOKING : D6429.00, ZIMMERMANN : 100.3313.00, ZIMMERMANN : 100.3304.00, ZIMMERMANN : 600.3207.20, ZIMMERMANN : 100.1225.00
	Exeo Sedan	1600	2009		Front	MRD1085V		
	Exeo Sedan	1600	2009		Front	MRD1085V		
	Exeo Sedan	1600	2009		Front	MRD1085V		
SEAT	Leon	1600	1999	2006	Front	MRD1116V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 34, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 312	AC DELCO : AC2326D, AP : 22015V, APEC : DSK2031, ATE : 24.0125-0123.1, AUDI : 8L0615301, AUDI : 8N0615301A, BENDIX : 562132B, BOSCH : 0 986 478 467, BRADI : 1.0130.2.E, BRECO : BV 8377, BRECO : BS 8377, BREMBO : 09.7880.75, BREMBO : FS.100.000, BREMBO : 09.7880.11, BREMBO : FD.100.000, BREMBO : 09.7880.10, CAR : 142.722, CAR RACING : HPD 722, CIFAM : 800-706, CIFAM : 800-706C, DELPHI : BG3528, FERODO : DRF1118, FERODO : DDF1118, Fritch : DF636, GRAF : DF29706, INTERBRAKE : AD521V, JURID : 562132J, KWP : 129706, LPR : A1598V, LUCAS : DF4064, MAGNETI MARELLI : 353610130205, Metelli : 23-0706C, MINTEX : MDC1381, NECTO : WN1128, NibK : RN1116V, PAGID : 53971, PILENGA : V866, QH : BDC4768, SBS : 1815304774, SBS : 1815204774, SBS : 1816304774, TEXTAR : 92098500, TRUSTING : DF636, TRW : DF4064, VALEO : 186887, WOKING : D6597.10, ZIMMERMANN : 100.1240.20
	Leon	1800	2001	2006	Front	MRD1116V		
	Leon	1800	1999	2006	Front	MRD1116V		
	Toledo	1800	2001	2002	Front	MRD1116V		
	Toledo	1900	2001		Front	MRD1116V		
	Leon	1800	1999	2006	Front	MRD1116V		
	Leon	1600	1999	2006	Front	MRD1116V		
	Leon	1800	1999	2006	Front	MRD1116V		
	Leon	1800	2001	2006	Front	MRD1116V		
	Toledo	1800	2001	2002	Front	MRD1116V		
	Toledo	1900	2001		Front	MRD1116V		
	Leon	1800	2001	2006	Front	MRD1116V		
	Toledo	1800	2001	2002	Front	MRD1116V		
	Toledo	1900	2001		Front	MRD1116V		
	Leon	1800	2001	2006	Front	MRD1116V		
	Leon	1600	1999	2006	Front	MRD1116V		
	Leon	1800	2001	2006	Front	MRD1116V		
	Toledo	1800	2001	2002	Front	MRD1116V		
	Toledo	1900	2001		Front	MRD1116V		
SEAT	Leon	2800	2002	2006	Front	MRD1116V		
	Leon	1800	2001	2002	Front	MRD1116V		
	Leon	1800	2001	2002	Front	MRD1116V		
	Leon	1600	1999	2006	Front	MRD1116V		
	Leon	1800	2001	2006	Front	MRD1116V		
	Leon	1800	1999	2006	Front	MRD1116V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SEAT	Leon	1800	2000	2001	Rear	MRD1117V	Recommended Type: Vented & Oslash 256, Disc Thickness: 21.9, Num. of holes : 5, Height : 36.6, Centering Diameter : 65, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2327D, APEC : DSK2116, ATE : 24.0122-0163.1, ATE : 24.0322-0163.1, AUDI : 8L0615601, AUDI : BN0615601B, BENDIX : 562133B, BOSCH : 0 986 478 482, CAR : 142.726, CAR RACING : HPD 726, CIFAM : 800-695, CIFAM : 800-695C, DELPHI : BG3611, FERODO : DDF1154, FERODO : DRF1154, Fritch : DF742, GRAF : DF29695, INTERBRAKE : AD541V, JURID : 562133J, KWP : 129695, LPR : A1602V, LUCAS : DF4065, Metelli : 23-0695C, MINTEX : MDC1382, NIBK : RN1117V, PAGID : 53972, PILENGA : V872, QH : BDC4764, REMSA : 6646.10, REMSA : 6746.20, ROADHOUSE : 6746.20, ROADHOUSE : 6646.10, SBS : 1815204775, TEXTAR : 92098600, TRUSTING : DF742, TRW : DF4065, WOKING : D6646.10, ZIMMERMANN : 100.1241.20
	Leon	1800	2000	2001	Rear	MRD1117V		
	Leon	1900	2000	2001	Rear	MRD1117V		
	Leon	2800	2002	2006	Rear	MRD1117V		
SEAT	Alhambra II	1900	1996	2000	Front	MRD1389V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 56.2, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash: 104, Outter & Oslash : 300	AC DELCO : AC2598D, AP : 24943, APEC : DSK2168, ATE : 24.0126-0115.1, BENDIX : 562198B, BOSCH : 0 986 479 037, BOSCH : 0 986 478 498, BRECO : BS 8562, BREMBO : 09.9931.14, BREMBO : 09.9749.10, CAR : 142.286, CAR : 142.223, CAR RACING : HPD 286, CIFAM : 800-736, DELPHI : BG3719, DELPHI : BG3696, FERODO : DDF1559, FERODO : DDF1159, FERODO : DDF1296, FORD : 1141782, FORD : YM2111258A, Fritch : DF807, GRAF : DF29736, INTERBRAKE : VW471V, JURID : 562198J, JURID : 562382J, JURID : 562198JC, JURID : 562382JC, KWP : 129736, Lemforder : 29711.01, Lemforder : 29711, LPR : F1004V, LUCAS : DF4323, LUCAS : DF4310S, MAGNETI MARELLI : 351583920500, Metelli : 23-0736, MINTEX : MDC1552, MINTEX : MDC1542, NECTO : WN1306, NIBK : RN1389V, OEM : 7D0615301, PAGID : 50347, PAGID : 53974, PILENGA : V875, PILENGA : V856, QH : BDC5198, SBS : 1815204772, TEXTAR : 92109800, TEXTAR : 98200 0980 0 1, TEXTAR : 92109803, TEXTAR : 98200 1098 0 1, TRUSTING : DF807, TRW : DF4323, VALEO : 186749, VW : 7D0615301B, VW : 7M3615301A, WOKING : D6660.10, ZIMMERMANN : 600.3214.00, ZIMMERMANN : 250.1346.00
	Alhambra II	2000	1996	2000	Front	MRD1389V		
	Alhambra II	1900	1996	2000	Front	MRD1389V		
	Alhambra II	2000	1996	2000	Front	MRD1389V		
	Alhambra II	1900	1996	2000	Front	MRD1389V		
	Alhambra II	2000	1996	2000	Front	MRD1389V		
	Alhambra II	2000	1996	2000	Front	MRD1389V		
	Alhambra II	1900	1996	2000	Front	MRD1389V		
SEAT	Altea	1600	2009		Front	MRD1179V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 9, Height : 49.5, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 280	AC DELCO : AC2654D, AP : 24853, ATE : 24.0322-0210.1, ATE : 24.0122-0210.1, AUDI : 1K0615301S, AUDI : 1K0615301AC, BENDIX : 562237B, BOSCH : 0 986 479 098, BRECO : BS 8477, BREMBO : DF.171.000, BREMBO : 09.9167.10, BREMBO : 09.9167.75, BREMBO : FS.171.000, BREMBO : 09.9167.11, CAR : 142.1019, CAR RACING : HPD 1019, CIFAM : 800-733, DELPHI : BG3832, FERODO : DDF1223, Fritch : DF931, GRAF : DF29733, INTERBRAKE : VW581V, JURID : 562237JC, JURID : 562237J, KWP : 129733, Lemforder : 27431.01, Lemforder : 27431, LPR : A1001V, LUCAS : DF4294, MAGNETI MARELLI : 351014320500, Metelli : 23-0733, MINTEX : MDC1639, NECTO : WN1241, NIBK : RN1179V, PAGID : 54207, PILENGA : V860, REMSA : 6647.10, ROADHOUSE : 6647.10, SBS : 1815204787, SBS : 1815344787, SEAT : 1K0615301AK, SKODA : 1K0615301AC, TEXTAR : 92120705, TEXTAR : 92120700, TRUSTING : DF931, TRW : DF4294, VALEO : 186754, WOKING : D6647.10, ZIMMERMANN : 600.3233.00
	Leon	1800	2000	2001	Rear	MRD1117V	Recommended Type: Vented & Oslash 256, Disc Thickness: 21.9, Num. of holes : 5, Height : 36.6, Centering Diameter : 65, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2327D, APEC : DSK2116, ATE : 24.0122-0163.1, ATE : 24.0322-0163.1, AUDI : 8L0615601, AUDI : BN0615601B, BENDIX : 562133B, BOSCH : 0 986 478 482, CAR : 142.726, CAR RACING : HPD 726, CIFAM : 800-695, CIFAM : 800-695C, DELPHI : BG3611, FERODO : DRF1154, FERODO : DDF1154, Fritch : DF742, GRAF : DF29695, INTERBRAKE : AD541V, JURID : 562133J, KWP : 129695, LPR : A1602V, LUCAS : DF4065, Metelli : 23-0695C, MINTEX : MDC1382, NIBK : RN1117V, PAGID : 53972, PILENGA : V872, QH : BDC4764, REMSA : 6646.10, REMSA : 6746.20, ROADHOUSE : 6746.20, ROADHOUSE : 6646.10, SBS : 1815204775, TEXTAR : 92098600, TRUSTING : DF742, TRW : DF4065, WOKING : D6646.10, ZIMMERMANN : 100.1241.20
	Leon	1900	2000	2001	Rear	MRD1117V		
	Toledo	1400	2001	2002	Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter : 65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2254D, AP : X24691, AP : 24691E, ATE : 24.0122-0150.1, ATE : 422150, ATE : 24.0322-0150.1, AUDI : 1J0615301P, AUDI : 1J0615301E, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, BREMBO : 09.7012.14, BREMBO : FD.076.000, BREMBO : 09.7012.11, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-904, CIFAM : 800-391, DELPHI : BG3036, FERODO : DRF928, FERODO : DDF928, Fritch : DF511, GRAF : DF29391, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039JC, JURID : 562039J, KWP : 129391, KWP : 1029391L, Lemforder : 21308 02, Lemforder : 21308, LPR : A1471V, LUCAS : DF2804, LUCAS : DF2804BP, MAGNETI MARELLI : 353615832240, Metelli : 23-0904, Metelli : 23-0391, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301E, OEM : 1J0615301M, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6546.10, REMSA : 6666.20, ROADHOUSE : 6666.20, ROADHOUSE : 6546.10, SBS : 1815304759, SBS : 424239, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TEXTAR : 92082300, TEXTAR : 92082305, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	Toledo	1400	2000	2002	Front	MRD1083V		
	Toledo	1600	2000	2002	Front	MRD1083V		
	Toledo	1800	2000	2002	Front	MRD1083V		
	Toledo	1900	2000	2002	Front	MRD1083V		
	Toledo	1400	2001	2002	Front	MRD1083V		
	Toledo	1400	2000	2002	Front	MRD1083V		
	Toledo	1600	2000	2002	Front	MRD1083V		
	Toledo	1800	2000	2002	Front	MRD1083V		
	Toledo	1900	2000	2002	Front	MRD1083V		
	Alhambra	1800	2000	2009	Front	MRD1075V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 5, Height : 55.4, Centering Diameter : 68.2, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2250D, AP : 24628E, ATE : 24.0125-0114.1, BENDIX : 562043B, BENDIX EUR : 562043B, BOSCH : 0 986 478 893, BOSCH : 0 986 478 845, BRADI : 1.5828.2.4, BRECO : BS 8263, DELPHI : 09.6934.14, BREMBO : 09.6934.10, CAR : 142.239, CAR RACING : HPD 239, CIFAM : 800-403, DELPHI : BG3025, FERODO : DDF846, FORD : 95VWX11258D, FORD : 1001093, FORD : 1143641, FORD : 95VWX112581D, FORD : 1045994, FORD : 95VWX11258C, Fritch : DF503, GRAF : DF29403L, GRAF : DF29403, INTERBRAKE : FR571V, INTERCAR : FR571V, JURID : 562043JC, JURID : 562043J, KWP : 1029403L, KWP : 129403, Lemforder : 24513, Lemforder : 24513 01, LPR : F1571V, LUCAS : DF2776B, LUCAS : DF2776, MAGNETI MARELLI : 353615828240, Metelli : 23-0403, MINTEX : MDC1017, NECTO : WN846, NIBK : RN1075V, OEM : 7M0615301G, OEM : 7M0615301G, OEM : 1143640, OEM : 7M0615301EG, OEM : 7M0615301E, OEM : 7M0615201E, PAGID : 53963, PILENGA : V156, QH : BDC4628, REMSA : 6676.20, REMSA : 6496.10, ROADHOUSE : 6676.20, ROADHOUSE : 6496.10, SBS : 424241, SBS : 1815202545, SBS : 424241V, STOP : 562043S, TEXTAR : 92074200, TEXTAR : 98200 0742 0 1, TEXTAR : 92074203, TRUSTING : DF503, TRW : DF2776, VALEO : 186601, VEMA : 98095, VW : 7M0615301G, VW : 7M0615301E, WOKING : D6496.10, ZIMMERMANN : 600.3209.00
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	2000	2000	2002	Front	MRD1075V		
	Alhambra II	1900	2002	2009	Front	MRD1075V		
	Alhambra II	2000	2002	2009	Front	MRD1075V		
	Alhambra II	1800	2000	2002	Front	MRD1075V		
	Alhambra II	1900	2002	2009	Front	MRD1075V		
	Alhambra II	2000	2002	2009	Front	MRD1075V		
	Alhambra	1800	2000	2002	Front	MRD1075V		
	Alhambra	1800	2000	2002	Front	MRD1075V		
	Alhambra	1800	2000	2002	Front	MRD1075V		
	Alhambra	1800	2002	2002	Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra	1900	2000	2002	Front	MRD1075V		
	Alhambra II	1900	2002	2009	Front	MRD1075V		
	Alhambra II	2000	2002	2009	Front	MRD1075V		
SKODA	Superb	1800	2001	2008	Front	MRD1050V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46, Centering Diameter : 68, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 288	AC DELCO : AC2136D, AP : 24487E, AP : X24487, ATE : 24.0125-0105.1, ATE : 24.0325-0105.1, ATE : 425105, ATE : 24.0125-0171.1, ATE : 24.0325-0171.1, AUDI : 8E0615301Q, AUDI : 4A0615301C, BENDIX : 561548B, BENDIX EUR : 561548B, BOSCH : 0 986 478 546, BOSCH : 0 986 479 157, BRADI : 1.0122.2.E, BRECO : BS 8123, BREMBO : 09.5745.10, BREMBO : 09.5745.21, BREMBO : 09.5745.75, BREMBO : 09.A428.14, BREMBO : FS.051.000, BREMBO : 09.5745.14, BREMBO : 09.5745.24, BREMBO : 09.5745.76, BREMBO : FD.051.000, CAR : 142.1188, CAR : 142.718, CAR RACING : HPD 1188, CAR RACING : HPD 718, CIFAM : 800-745C, CIFAM : 800-262, CIFAM : 800-745, CIFAM : 800-262C, DELPHI : BG2745, DELPHI : BG745, FERODO : DRF320, FERODO : DDF320, FERODO : DDF1706, Fritch : DF312, GRAF : DF29745, GRAF : DF29262, INTERBRAKE : VW651V, INTERBRAKE : AD371V, INTERCAR : AD371V, JURID : 561548J, JURID : 561548JC, KWP : 1029262L, KWP : 129262, Lemforder : 14535, Lemforder : 14535 03, LPR : A1371V, LPR : V2004V, LUCAS : DF2652, LUCAS : DF2652BP, MAGNETI MARELLI : 351012220500, Metelli : 23-0745C, Metelli : 23-0262C, MINTEX : MDC768, NECTO : WN533, NIBK : RN1050V, OEM : 4A0615301E, OEM : 4A0615301C, OEM : 7700830283RP, OEM : 4A0615301D, OEM : 4A0615301B, PAGID : 54210, PAGID : 53942, PILENGA : V362, QH : BDC5471, QH : BDC3825, REMSA : 6039.20, REMSA : 6328.10, REMSA : 61227.10, ROADHOUSE : 61227.10, ROADHOUSE : 6039.20, ROADHOUSE : 6328.10, SBS : 1815344743, SBS : 424210, SBS : 1815304743, SBS : 1816304743, SBS : 1815204743, STOP : 561548S, TEXTAR : 92057600, TEXTAR : 92121000, TEXTAR : 98200 0576 0 1, TEXTAR : 92057605, TEXTAR : 92121003, TRUSTING : DF312, TRW : DF2652, VALEO : 186271, VEMA : 98104, WOKING : D6328.10, ZIMMERMANN : 600.3236.20, ZIMMERMANN : 100.1216.20
	Superb	1900	2001	2008	Front	MRD1050V		
	Superb	2000	2001	2008	Front	MRD1050V		
	Superb	2500	2001	2008	Front	MRD1050V		
	Superb	2800	2001	2008	Front	MRD1050V		
	Superb	1800	2001	2008	Front	MRD1050V		
	Superb	1900	2001	2008	Front	MRD1050V		
	Superb	2000	2001	2008	Front	MRD1050V		
	Superb	2500	2001	2008	Front	MRD1050V		
	Superb	2800	2001	2008	Front	MRD1050V		
	Superb	1800	2001	2008	Front	MRD1050V		
	Superb	1900	2001	2008	Front	MRD1050V		
	Superb	2000	2001	2008	Front	MRD1050V		
	Superb	2500	2001	2008	Front	MRD1050V		
	Superb	2800	2001	2008	Front	MRD1050V		
	Superb	1800	2001	2008	Front	MRD1050V		
	Superb	1900	2001	2008	Front	MRD1050V		
	Superb	2000	2001	2008	Front	MRD1050V		
	Superb	2500	2001	2008	Front	MRD1050V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SKODA	Superb	1800	2001	2008	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2241D, AC DELCO : AC2520D, AP : 14475E, ATE : 24.0110-0201.1, ATE : 24.0310-0201.1, AUDI : 4A0615301A, AUDI : 4A0615601A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0127.5.4, BRADI : 1.0121.5.4, BRECO : BS 7468, BREMBO : 08.5743.10, BREMBO : 08.5743.14, BREMBO : 08.5743.11, CAR : 142.752, CAR : 142.762, CAR RACING : HPD 752, CIFAM : 800-395C, CIFAM : 800-395, DELPHI : BG3031, DELPHI : BG746, DELPHI : BG2746, FERODO : DRF321, FERODO : DDF321, Fritech : DF060, GRAF : DF29395, INTERBRAKE : AD401P, INTERCAR : AD401P, INTERCAR : AD501P, JURID : 561549J, JURID : 561549JC, KWP : 1029395, KWP : 129395, Lemforder : 14536, Lemforder : 16710, Lemforder : 14536 03, Lemforder : 16710 01, LPR : A1401P, LPR : A1597V, LUCAS : DF2651, LUCAS : DF4252, MAGNETI MARELLI : 353610121540, Metelli : 23 0395C, MINTEX : MDC1241, MINTEX : MDC828, NECTO : WN534, NIBK : RN1049, OEM : 4A0615601B, OEM : 4A0615601A, OEM : 4A0615301A, PAGID : 50311, PAGID : 53951, PAGID : 53924, PILENGA : 5872, PILENGA : 5864, PILENGA : V865, QH : BDC3929, QH : BDC4846, REMSA : 6123.00, REMSA : 6038.10, REMSA : 6930.10, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, ROADHOUSE : 6123.00, SBS : 1815204781, SBS : 1815204744, SBS : 424214, STOP : 561549S, TEXTAR : 92057500, TEXTAR : 92072900, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1230.00, ZIMMERMANN : 100.1217.00
	Superb	1900	2001	2008	Rear	MRD1049		
	Superb	2000	2001	2008	Rear	MRD1049		
	Superb	2500	2001	2008	Rear	MRD1049		
	Superb	2800	2001	2008	Rear	MRD1049		
SKODA	Octavia	1800	1999	2000	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 232	AC DELCO : AC2252D, AC DELCO : AC2255D, AP : 24847, AP : 14699E, ATE : 24.0109-0164.1, ATE : 409123, ATE : 24.0125-0113.1, ATE : 425113.1, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 867, BOSCH : 0 986 478 976, BOSCH : 0 986 478 868, BRADI : 1.5833.5.4, BRADI : 1.5830.2.4, BRECO : BS 8288, BRECO : BS 7553, BRECO : BS 8471, BRECO : BS 8288, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, BREMBO : FS.074.000, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, CAR : 142.749, CAR : 142.748, CAR RACING : HPD 748, CAR RACING : HPD 749, CIFAM : 800-366, CIFAM : 800-365, DELPHI : BG3034, DELPHI : BG3035, FERODO : DDF929, FERODO : DDF930, FERODO : DRF930, FERODO : DRF929, Fritech : DF149, Fritech : DF468, GRAF : DF29365, GRAF : DF29366L, GRAF : DF29365L, GRAF : DF29366, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562053JC, JURID : 562041J, JURID : 562053J, JURID : 562041JC, KWP : 1029366L, KWP : 1029365L, KWP : 129366, Lemforder : 22048, Lemforder : 22653, Lemforder : 22048 01, Lemforder : 22853 02, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0366, Metelli : 23-0365, MINTEX : MDC980, NECTO : WN917, NIBK : RN1084, OEM : 1J0615601C, OEM : 1J0615601C, OEM : 1J0615601, OEM : 6R0698151, OEM : 1J0615301, PAGID : 53960, PAGID : 53955, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6544.10, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6547.00, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SBS : 1815304760, SBS : 424240, SBS : 424238, SBS : 1815204760, SEAT : 1J0615601, SEAT : 1J0615301, STOP : 562053S, STOP : 562041S, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TEXTAR : 92106600, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TRUSTING : DF468, TRUSTING : DF149, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601P, VW : 1J0615601N, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1236.00, ZIMMERMANN : 100.1235.20, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20
	Octavia	1800	2000	2008	Rear	MRD1084		
	Octavia	1800	2000	2004	Rear	MRD1084		
	Octavia	1900	2000	2008	Rear	MRD1084		
	Octavia	1400	2000	2008	Rear	MRD1084		
	Octavia	1400	2000	2004	Rear	MRD1084		
	Fabia	2000	2001	2005	Rear	MRD1084		
	Fabia	1900	2003	2007	Rear	MRD1084		
SKODA	Octavia	1400	2000	2008	Front	MRD1082V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	AC DELCO : AC2253D, AP : 24855, AP : 24690E, AP : X24690, ATE : 24.0322-0151.1, ATE : 24.0122-0151.1, ATE : 422151, AUDI : 1J0615301L, BENDIX : 562040B, BENDIX EUR : 562040B, BOSCH : 0 986 478 853, BOSCH : 0 986 478 988, BRADI : 1.5831.2.4, BRECO : BS 8496, BRECO : BS 8279, BREMBO : FD.075.000, BREMBO : 09.7011.1.1, BREMBO : 09.7011.20, BREMBO : 09.7011.75, BREMBO : FS.075.000, BREMBO : 09.7011.10, BREMBO : 09.7011.14, BREMBO : 09.7011.24, CAR : 142.746, CAR RACING : HPD 746, CIFAM : 800-390, DELPHI : BG3208, FERODO : DRF927, FERODO : DDF927, Fritech : DF467, GRAF : DF29390, INTERBRAKE : AD461V, INTERCAR : AD461V, JAGUAR : 562040J, JURID : 562040JC, JURID : 562040J, KWP : 1029390L, KWP : 129390, Lemforder : 21309, Lemforder : 21309 01, LPR : A1461V, LUCAS : DF2803BP, LUCAS : DF4253BP, LUCAS : DF2803, LUCAS : DF4235, MAGNETI MARELLI : 353615831240, Metelli : 23-0390, MINTEX : MDC1019, NECTO : WN915, NIBK : RN1082V, OEM : 1J0698301D, OEM : 6R0615301, OEM : 820615301D, OEM : 1J0698301D, OEM : 1J0615301D, OEM : 6Q0615301L, OEM : 820615301B, OEM : 1J0615301D, OEM : 1J0615301, PAGID : 53953, PAGID : 50314, PILENGA : V150, QH : BDC4669, REMSA : 6545.10, REMSA : 6730.20, REMSA : 6724.20, ROADHOUSE : 6724.20, ROADHOUSE : 6545.10, ROADHOUSE : 6730.20, SBS : 1815204758, SBS : 1816304758, SBS : 424237V, SBS : 1815304758, SBS : 424237, STOP : 562040S, TEXTAR : 92082200, TEXTAR : 92106500, TEXTAR : 92082203, TEXTAR : 98200 0822 0 1, TRUSTING : DF467, TRW : DF2803, VALEO : 186603, VEMA : 98106, WOKING : D6545.10, ZIMMERMANN : 100.1246.00, ZIMMERMANN : 100.1233.20
	Octavia	1400	2000	2004	Front	MRD1082V		
	Fabia	1200	2003	2007	Front	MRD1082V		
	Fabia	1400	1999	2002	Front	MRD1082V		
	Fabia	1900	1999	2002	Front	MRD1082V		
	Octavia	1400	2000	2008	Front	MRD1082V		
	Octavia	1400	2000	2004	Front	MRD1082V		
	Octavia	1400	2000	2008	Front	MRD1082V		
	Octavia	1400	2000	2004	Front	MRD1082V		
	Fabia	1200	2003	2007	Front	MRD1082V		
	Fabia	1400	1999	2002	Front	MRD1082V		
	Fabia	1900	1999	2002	Front	MRD1082V		
	Octavia	1400	2000	2008	Front	MRD1082V		
	Octavia	1400	2000	2004	Front	MRD1082V		
	Octavia	1400	2000	2004	Front	MRD1082V		
SKODA	Octavia	1400	2000	2004	Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2254D, AP : X24691, AP : 24691E, ATE : 24.0122-0150.1, ATE : 24.0322-0150.1, AUDI : 1J0615301E, AUDI : 1J0615301P, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.11, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, BREMBO : 09.7012.14, BREMBO : FD.076.000, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-391, CIFAM : 800-904, DELPHI : BG3036, FERODO : DDF928, FERODO : DRF928, Fritech : DF511, GRAF : DF29391, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039J, JURID : 562039JC, KWP : 129391, KWP : 1029391L, Lemforder : 21308, Lemforder : 21308 02, LPR : A1471V, LUCAS : DF2804BP, LUCAS : DF2804, MAGNETI MARELLI : 353615832240, Metelli : 23-0391, Metelli : 23-0904, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301M, OEM : 1J0615301E, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6666.20, REMSA : 6546.10, ROADHOUSE : 6666.20, ROADHOUSE : 6546.10, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SBS : 1815304759, SBS : 424239, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TEXTAR : 92082300, TEXTAR : 92082305, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	Octavia	1900	2004	2008	Front	MRD1083V		
	Octavia	1400	2000	2004	Front	MRD1083V		
	Octavia	1900	2004	2008	Front	MRD1083V		
	Octavia	1400	2000	2004	Front	MRD1083V		
SKODA	Octavia	1400	2000	2008	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 232	AC DELCO : AC2255D, AC DELCO : AC2252D, AP : 14699E, AP : 24847, ATE : 24.0125-0113.1, ATE : 425113, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 867, BOSCH : 0 986 478 868, BOSCH : 0 986 478 868, BRADI : 1.5830.2.4, BRADI : 1.5833.5.4, BRECO : BS 7553, BRECO : BS 8471, BRECO : BS 8288, BRECO : BS 8288, BREMBO : 08.7165.11, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, CAR : 142.748, CAR : 142.749, CAR RACING : HPD 749, CAR RACING : HPD 748, CIFAM : 800-365, CIFAM : 800-366, DELPHI : BG3034, DELPHI : BG3035, FERODO : DRF930, FERODO : DRF929, FERODO : DDF929, FERODO : DDF930, Fritech : DF149, Fritech : DF468, GRAF : DF29366L, GRAF : DF29365L, GRAF : DF29366, GRAF : DF29365, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562041JC, JURID : 562053JC, JURID : 562041J, JURID : 562053J, KWP : 129366, KWP : 129365, KWP : 1029366L, KWP : 1029365L, Lemforder : 22048 01, Lemforder : 22853 02, Lemforder : 22048, Lemforder : 22853, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0365, Metelli : 23-0366, MINTEX : MDC980, NECTO : WN917, NIBK : RN1084, OEM : 1J0615601C, OEM : 1J0615601C, OEM : 6R0698151, OEM : 1J0615301, OEM : 1J0615601C, PAGID : 53955, PAGID : 53960, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6547.00, REMSA : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, SBS : 1815304760, SBS : 424240, SBS : 424238, SBS : 1815204760, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SEAT : 1J0615301, SEAT : 1J0615601, STOP : 562041S, STOP : 562053S, TEXTAR : 92106600, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TRUSTING : DF149, TRUSTING : DF468, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601N, VW : 1J0615601P, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1235.20, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20, ZIMMERMANN : 100.1236.00
	Octavia	1400	2000	2004	Rear	MRD1084		
	Fabia	1900	2003	2007	Rear	MRD1084		
	Fabia	2000	2001	2005	Rear	MRD1084		
	Octavia	1800	2000	2008	Rear	MRD1084		
	Fabia	1900	2003	2007	Rear	MRD1084		
	Octavia	1400	2000	2008	Rear	MRD1084		
	Octavia	1400	2000	2004	Rear	MRD1084		
	Octavia	1400	2000	2004	Rear	MRD1084		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SKODA	Octavia	1800	2000	2008	Front	MRD1116V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 34, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 312	AC DELCO : AC2326D, AP : 22015V, APEC : DSK2031, ATE : 24.0125-0123.1, AUDI : 8L0615301, AUDI : 8N0615301A, BENDIX : 562132B, BOSCH : 0 986 478 467, BRADI : 1.0130.2.E, BRECO : BV 8377, BRECO : BS 8377, BREMBO : 09.7880.11, BREMBO : FD.100.000, BREMBO : 09.7880.10, BREMBO : 09.7880.75, BREMBO : FS.100.000, CAR : 142.722, CAR RACING : HPD 722, CIFAM : 800-706C, CIFAM : 800-706, DELPHI : BG3528, FERODO : DRF1118, FERODO : DDF1118, Fritch : DF636, GRAF : DF29706, INTERBRAKE : AD521V, JURID : 562132J, KWP : 129706, LPR : A1598V, LUCAS : DF4064, MAGNETI MARELLI : 353610130205, Metelli : 23-0706C, MINTEX : MDC1381, NECTO : WN1128, NIBK : RN1116V, PAGID : 53971, PILENGA : V866, QH : BDC4768, SBS : 1815204774, SBS : 1816304774, SBS : 1815304774, TEXTAR : 92098500, TRUSTING : DF636, TRW : DF4064, VALEO : 186887, WOKING : D6597.10, ZIMMERMANN : 100.1240.20
	Octavia	1800	2000	2008	Front	MRD1116V		
	Octavia	1800	2000	2008	Front	MRD1116V		
SKODA	Octavia	1800	2000	2008	Rear	MRD1117V	Recommended Type: Vented & Oslash 256 ,Disc Thickness: 21.9, Num. of holes : 5, Height : 36.6, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2327D, APEC : DSK2116, ATE : 24.0122-0163.1, ATE : 24.0322-0163.1, AUDI : 8L0615601, AUDI : 8N0615601B, BENDIX : 562133B, BOSCH : 0 986 478 482, CAR : 142.726, CAR RACING : HPD 726, CIFAM : 800-695, CIFAM : 800-695C, DELPHI : BG3611, FERODO : DDF1154, FERODO : DRF1154, Fritch : DF742, GRAF : DF29695, INTERBRAKE : AD541V, JURID : 562133J, KWP : 129695, LPR : A1602V, LUCAS : DF4065, Metelli : 23-0695C, MINTEX : MDC1382, NIBK : RN1117V, PAGID : 53972, PILENGA : V872, QH : BDC4764, REMSA : 6646.10, REMSA : 6746.20, ROADHOUSE : 6746.20, ROADHOUSE : 6646.10, SBS : 1815204775, TEXTAR : 92098600, TRUSTING : DF742, TRW : DF4065, WOKING : D6646.10, ZIMMERMANN : 100.1241.20
	Octavia	1800	2000	2008	Rear	MRD1117V		
	Octavia	1800	2000	2008	Rear	MRD1117V		
SKODA	Superb	1800	2001	2008	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2520D, AC DELCO : AC2241D, AP : 14475E, ATE : 24.0310-0201.1, ATE : 24.0110-0201.1, AUDI : 4A0615601A, AUDI : 4A0615301A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0121.5.4, BRADI : 1.0127.5.4, BRECO : BS 7468, BREMBO : 08.5743.11, BREMBO : 08.5743.10, BREMBO : 08.5743.14, CAR : 142.762, CAR : 142.752, CAR RACING : HPD 752, CIFAM : 800-395, CIFAM : 800-395C, DELPHI : BG746, DELPHI : BG2746, DELPHI : BG3031, FERODO : DRF321, FERODO : DDF321, Fritch : DF060, GRAF : DF2939J, INTERBRAKE : AD401P, INTERCAR : AD501P, INTERCAR : AD401P, JURID : 561549J, LPR : 561549J, KWP : 129395, KWP : 1029395, Lemforder : 14536 03, Lemforder : 16710 01, Lemforder : 14536, Lemforder : 16710, LPR : A1597V, LPR : A1401P, LUCAS : DF4252, LUCAS : DF2651, MAGNETI MARELLI : 353610121540, Metelli : 23-0395C, MINTEX : MDC828, MINTEX : MDC1241, NECTO : WN534, NIBK : RN1049, OEM : 4A0615601A, OEM : 4A0615301A, OEM : 4A0615601B, PAGID : 53951, PAGID : 53924, PAGID : 50311, GRAF : 5864, PILENGA : V865, PILENGA : 5872, QH : BDC4846, QH : BDC3929, REMSA : 6930.10, REMSA : 6123.00, REMSA : 6038.10, ROADHOUSE : 6123.00, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, SBS : 1815204744, SBS : 424214, SBS : 1815204781, STOP : 561549S, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TEXTAR : 92057500, TEXTAR : 92072900, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1217.00, ZIMMERMANN : 100.1230.00
	Superb	1900	2001	2008	Rear	MRD1049		
	Superb	2000	2001	2008	Rear	MRD1049		
	Superb	2500	2001	2008	Rear	MRD1049		
	Superb	2800	2001	2008	Rear	MRD1049		
	Yeti	1200	2009		Front	MRD1179V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 280	AC DELCO : AC2654D, AP : 24853, ATE : 24.0322-0210.1, ATE : 24.0122-0210.1, AUDI : 1K0615301AC, AUDI : 1K0615301S, BENDIX : 562237B, BOSCH : 0 986 479 098, BRECO : BS 8477, BREMBO : 09.9167.10, BREMBO : 09.9167.75, BREMBO : FS.171.000, BREMBO : 09.9167.11, BREMBO : FD.171.000, CAR : 142.1019, CAR RACING : HPD 1019, CIFAM : 800-733, DELPHI : BG3832, FERODO : DDF1223, Fritch : DF931, GRAF : DF29733, INTERBRAKE : VV581V, JURID : 562237J, JURID : 562237J, KWP : 129733, Lemforder : 27431 01, Lemforder : 27431, LPR : A1001V, LUCAS : DF4294, MAGNETI MARELLI : 351014320500, Metelli : 23-0733, MINTEX : MDC1639, NECTO : WN1241, NIBK : RN1179V, PAGID : 54207, PILENGA : V860, REMSA : 6647.10, ROADHOUSE : 6647.10, SBS : 1815344787, SBS : 1815204787, SEAT : 1K0615301AK, SKODA : 1K0615301AC, TEXTAR : 92120705, TEXTAR : 92120700, TRUSTING : DF931, TRW : DF4294, VALEO : 186754, WOKING : D6647.10, ZIMMERMANN : 600.3233.00
	Yeti	1800	2009		Front	MRD1179V		
	Yeti	1600	2010		Front	MRD1179V		
	Yeti	1200	2009		Front	MRD1179V		
	Yeti	1200	2009		Front	MRD1179V		
	Yeti	1200	2009		Front	MRD1179V		
	Yeti	1800	2009		Front	MRD1179V		
	Fabia	1200	2003	2007	Front	MRD1169V	Recommended Type: Vented & Oslash 239 ,Disc Thickness: 18, Num. of holes : 5, Height : 35, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	ATE : 24.0118-0137.1, ATE : 24.0318-0137.1, BENDIX : 562309B, BOSCH : 0 986 479 036, BREMBO : 09.8483.10, CAR : 142.291, CIFAM : 800-614, DELPHI : BG3695, FERODO : DDF1164, Fritch : DF553, GRAF : DF29614, JURID : 562309J, KWP : 129614, Lemforder : 30564 01, Lemforder : 30564, LPR : V2007V, LUCAS : DF4253, MAGNETI MARELLI : 353615833240, Metelli : 23-0614, MINTEX : MDC1652, NIBK : RN1169V, NK : 2047101, PAGID : 50317, PILENGA : V876, QH : BDC5282, REMSA : 6709.10, ROADHOUSE : 6709.10, SBS : 18152047101, SKODA : 6Q0615301, SKODA : 6Q0615301A, TEXTAR : 92106800, TEXTAR : 98200 1068 0 1, TRUSTING : DF553, TRW : DF4253, VALEO : 186888, VW : 6Q0615301A, WOKING : D6709.10, ZIMMERMANN : 600.3218.00
	Fabia	1900	2003	2007	Front	MRD1169V		
	Fabia	1000	1999	2002	Front	MRD1169V		
	Fabia	1200	2002	2007	Front	MRD1169V		
SKODA	Yeti	1800	2009		Rear	MRD1227	Recommended Type: Solid 286 ,Disc Thickness: 12, Num. of holes : 9, Height : 48.2, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 112mm	ATE : 24.0130-0115.1, ATE : 24.0112-0169.1, ATE : 24.0330-0115.1, AUDI : 1K0615601AD, AUDI : 1K0615601M, BENDIX : 562239B, BENDIX : 562258B, BOSCH : 0 986 479 247, BOSCH : 0 986 479 204, BREMBO : 09.9145.75, BREMBO : 08.A202.10, BREMBO : 09.A201.10, CAR : 142.1024, CAR : 142.1025, CAR RACING : HPD 1024, CAR RACING : HPD 1025, CIFAM : 800-851, CIFAM : 800-852, DELPHI : BG9952, DELPHI : BG3954, FERODO : DDF1306, FERODO : DDF1504, Fritch : DF1145, Fritch : DF1070, INTERBRAKE : VV601P, INTERBRAKE : VV611V, JURID : 562258J, JURID : 562239J, KWP : 129851, KWP : 129852, Lemforder : 30856 01, Lemforder : 30865 01, Lemforder : 30856, Lemforder : 30865, LPR : A1024V, LPR : A1005P, LUCAS : DF4350S, LUCAS : DF4558, Metelli : 23-0852, Metelli : 23-0851, MINTEX : MDC1698, MINTEX : MDC1718, NECTO : WN1328, NIBK : RN1227, NK : 2047133, PAGID : 54206, PAGID : 54408, PILENGA : V862, PILENGA : 5857, QH : BDC5418, QH : BDC5495, REMSA : 6973.00, ROADHOUSE : 6973.00, SBS : 18152047116, SBS : 1815344786, SBS : 1815204786, TEXTAR : 92140800, TEXTAR : 92120600, TEXTAR : 92140803, TRUSTING : DF1145, TRUSTING : DF1070, TRW : DF4558, VW : 1K0615601AD, ZIMMERMANN : 100.3315.00, ZIMMERMANN : 100.3301.00, ZIMMERMANN : 100.3315.20
	Octavia	2000	2004	2008	Rear	MRD1227		
	Octavia	1600	2004	2008	Rear	MRD1227		
	Octavia	1900	2004	2008	Rear	MRD1227		
	Octavia	1600	2004	2008	Rear	MRD1227		
	Octavia	1900	2004	2008	Rear	MRD1227		
	Octavia	2000	2004	2008	Rear	MRD1227		
	Yeti	1800	2009		Rear	MRD1227		
	Octavia	1600	2004	2008	Rear	MRD1227		
	Octavia	1900	2004	2008	Rear	MRD1227		
	Octavia	2000	2004	2008	Rear	MRD1227		
	Fabia	1900	2003	2007	Front	MRD1169V	Recommended Type: Vented & Oslash 239 ,Disc Thickness: 18, Num. of holes : 5, Height : 35, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	ATE : 24.0318-0137.1, ATE : 24.0118-0137.1, BENDIX : 562309B, BOSCH : 0 986 479 036, BREMBO : 09.8483.10, CAR : 142.291, CIFAM : 800-614, DELPHI : BG3695, FERODO : DDF1164, Fritch : DF553, GRAF : DF29614, JURID : 562309J, KWP : 129614, Lemforder : 30564, Lemforder : 30564 01, LPR : V2007V, LUCAS : DF4253, MAGNETI MARELLI : 353615833240, Metelli : 23-0614, MINTEX : MDC1652, NIBK : RN1169V, NK : 2047101, PAGID : 50317, PILENGA : V876, QH : BDC5282, REMSA : 6709.10, ROADHOUSE : 6709.10, SBS : 18152047101, SKODA : 6Q0615301, SKODA : 6Q0615301A, TEXTAR : 98200 1068 0 1, TEXTAR : 92106800, TRUSTING : DF553, TRW : DF4253, VALEO : 186888, VW : 6Q0615301A, WOKING : D6709.10, ZIMMERMANN : 600.3218.00
	Fabia	1200	2003	2007	Front	MRD1169V		
	Octavia	1600	2004	2008	Rear	MRD1227	Recommended Type: Solid 286 ,Disc Thickness: 12, Num. of holes : 9, Height : 48.2, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 112mm	ATE : 24.0130-0115.1, ATE : 24.0112-0169.1, ATE : 24.0330-0115.1, AUDI : 1K0615601AD, AUDI : 1K0615601M, BENDIX : 562239B, BENDIX : 562258B, BOSCH : 0 986 479 204, BOSCH : 0 986 479 247, BREMBO : 09.9145.75, BREMBO : 08.A202.10, BREMBO : 09.A201.10, CAR : 142.1024, CAR : 142.1025, CAR RACING : HPD 1024, CAR RACING : HPD 1025, CIFAM : 800-851, CIFAM : 800-852, DELPHI : BG9952, DELPHI : BG3954, FERODO : DDF1504, FERODO : DDF1306, Fritch : DF1145, Fritch : DF1070, INTERBRAKE : VV601P, INTERBRAKE : VV611V, JURID : 562258J, JURID : 562239J, KWP : 129851, KWP : 129852, Lemforder : 30856 01, Lemforder : 30865 01, Lemforder : 30856, Lemforder : 30865, LPR : A1024V, LPR : A1005P, LUCAS : DF4350S, LUCAS : DF4558, Metelli : 23-0852, Metelli : 23-0851, MINTEX : MDC1698, MINTEX : MDC1718, NECTO : WN1328, NIBK : RN1227, NK : 2047133, PAGID : 54206, PAGID : 54408, PILENGA : V862, PILENGA : 5857, QH : BDC5495, QH : BDC5418, REMSA : 6973.00, ROADHOUSE : 6973.00, SBS : 18152047116, SBS : 1815344786, SBS : 1815204786, TEXTAR : 92120600, TEXTAR : 92140803, TEXTAR : 92140800, TRUSTING : DF1145, TRUSTING : DF1070, TRW : DF4558, VW : 1K0615601AD, ZIMMERMANN : 100.3315.00, ZIMMERMANN : 100.3301.00, ZIMMERMANN : 100.3315.20
	Octavia	1900	2004	2008	Rear	MRD1227		
	Octavia	2000	2004	2008	Rear	MRD1227		
	Yeti	1800	2009		Rear	MRD1227		
	Octavia	1600	2004	2008	Rear	MRD1227		
	Octavia	1900	2004	2008	Rear	MRD1227		
	Octavia	2000	2004	2008	Rear	MRD1227		
SKODA	Fabia	1000	1999	2002	Front	MRD1169V	Recommended Type: Vented & Oslash 239 ,Disc Thickness: 18, Num. of holes : 5, Height : 35, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	ATE : 24.0318-0137.1, ATE : 24.0118-0137.1, BENDIX : 562309B, BOSCH : 0 986 479 036, BREMBO : 09.8483.10, CAR : 142.291, CIFAM : 800-614, DELPHI : BG3695, FERODO : DDF1164, Fritch : DF553, GRAF : DF29614, JURID : 562309J, KWP : 129614, Lemforder : 30564, Lemforder : 30564 01, LPR : V2007V, LUCAS : DF4253, MAGNETI MARELLI : 353615833240, Metelli : 23-0614, MINTEX : MDC1652, NIBK : RN1169V, NK : 2047101, PAGID : 50317, PILENGA : V876, QH : BDC5282, REMSA : 6709.10, ROADHOUSE : 6709.10, SBS : 18152047101, SKODA : 6Q0615301, SKODA : 6Q0615301A, TEXTAR : 98200 1068 0 1, TEXTAR : 92106800, TRUSTING : DF553, TRW : DF4253, VALEO : 186888, VW : 6Q0615301A, WOKING : D6709.10, ZIMMERMANN : 600.3218.00
	Fabia	1200	2002	2007	Front	MRD1169V		
	Fabia	1200	2003	2007	Front	MRD1169V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SKODA	Superb	1800	2001	2008	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2520D, AC DELCO : AC2241D, AP : 14475E, ATE : 24.0110-0201.1, ATE : 24.0310-0201.1, AUDI : 4A0615601A, AUDI : 4A0615301A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0121.5.4, BRADI : 1.0127.5.4, BRECO : BS 7468, BREMBO : 08.5743.11, BREMBO : 08.5743.10, BREMBO : 08.5743.14, CAR : 142.762, CAR : 142.752, CAR RACING : HPD 752, CIFAM : 800-395C, CIFAM : 800-395, DELPHI : BG746, DELPHI : BG2746, DELPHI : BG3031, FERODO : DDF321, FERODO : DRF321, Fritch : DF060, GRAF : DF2939S, INTERBRAKE : AD401P, INTERCAR : AD501P, INTERCAR : AD401P, JURID : 561549JC, JURID : 561549J, KWP : 12939S, KWP : 102939S, Lemforder : 16710, Lemforder : 14536 03, Lemforder : 16710 01, Lemforder : 14536, LPR : A1597V, LPR : A1401P, LUCAS : DF2651, LUCAS : DF4252, MAGNETI MARELLI : 353610121540, Metelli : 23 0395C, MINTEX : MDC1241, MINTEX : MDC828, NECTO : WN534, NIBK : RN1049, OEM : 4A0615601B, OEM : 4A0615601A, OEM : 4A0615301A, PAGID : 50311, PAGID : 53951, PAGID : 53924, PILENGA : 5864, PILENGA : V865, PILENGA : 5872, QH : BDC4846, QH : BDC3929, REMSA : 6038.10, REMSA : 6930.10, REMSA : 6123.00, ROADHOUSE : 6930.10, ROADHOUSE : 6123.00, ROADHOUSE : 6038.10, SBS : 1815204781, SBS : 1815204744, SBS : 424214, STOP : 561549S, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TEXTAR : 92057500, TEXTAR : 92072900, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1217.00, ZIMMERMANN : 100.1230.00
	Superb	1900	2001	2008	Rear	MRD1049		
	Superb	2000	2001	2008	Rear	MRD1049		
	Superb	2500	2001	2008	Rear	MRD1049		
	Superb	2800	2001	2008	Rear	MRD1049		
	Superb	1800	2001	2008	Rear	MRD1049		
	Superb	1900	2001	2008	Rear	MRD1049		
	Superb	2000	2001	2008	Rear	MRD1049		
	Superb	2500	2001	2008	Rear	MRD1049		
SKODA	Octavia	1900	2004	2008	Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2254D, AP : 24691E, AP : X24691, ATE : 24.0322-0150.1, ATE : 24.0122-0150.1, ATE : 422150, AUDI : 1J0615301E, AUDI : 1J0615301P, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.14, BREMBO : FD.076.000, BREMBO : 09.7012.11, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-391, CIFAM : 800-904, DELPHI : BG3036, FERODO : DDF928, FERODO : DRF928, Fritch : DF511, GRAF : DF2939J, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039J, JURID : 562039J, KWP : 102939J, KWP : 12939J, Lemforder : 21308, Lemforder : 21308 02, LPR : A1471V, LUCAS : DF2804BP, LUCAS : DF2804, MAGNETI MARELLI : 353615832240, Metelli : 23-0391, Metelli : 23-0904, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301E, OEM : 1J0615301M, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6666.20, REMSA : 6546.10, ROADHOUSE : 6546.10, ROADHOUSE : 6666.20, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SBS : 1815304759, SBS : 424239, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082300, TEXTAR : 92082305, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	Octavia	1400	2000	2004	Front	MRD1083V		
	Octavia	1400	2000	2004	Front	MRD1083V		
	Octavia	1400	2000	2004	Front	MRD1083V		
	Octavia	1900	2004	2008	Front	MRD1083V		
SMART	City Coupe	600	1998	2004	Front	MRD1133	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 3, Height : 38, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 280	AC DELCO : AC2558D, AP : 14804, APEC : DSK2026, ATE : 24.0110-0331.1, ATE : 24.0109-0136.1, ATE : 24.1110 0331.1, BENDIX : 562155B, BOSCH : 0 986 478 479, BRECO : BS 7596, BREMBO : 08.8163.10, BREMBO : FS.025.000, BREMBO : FD.025.000, CAR : 142.435, CAR : 142.1525, CAR RACING : HPD 435, CIFAM : 800-538, CIFAM : 800-943, DELPHI : BG3526, FERODO : DRF1111, FERODO : DDF1111, FERODO : DF29538, Fritch : DF660, INTERBRAKE : MR721P, JURID : 562155J, LPR : M2721P, LPR : M2721V, LUCAS : DF4133, MAGNETI MARELLI : 353612851140, Metelli : 23-0943, Metelli : 23-0538, MINTEX : MDC1423, MINTEX : MDC2156, NIBK : RN1133, OEM : 0004341V001, OEM : 0004341V002, OEM : 0004341V003, OEM : 4341V002, OEM : C0004341V001000000, OEM : 0004341V003000000, OEM : 0004341V001000000, OEM : 0004341V002000000, OEM : 4514210112, PAGID : 50260, PILENGA : 5990, QH : BDC5157, REMSA : 6617.00, REMSA : 6864.10, ROADHOUSE : 6617.00, ROADHOUSE : 6864.10, SBS : 1815203348, SMART : Q004341V001, SMART : 4341V001000000, SMART : Q004341V002, SMART : 4341V002000000, TEXTAR : 92097600, TEXTAR : 92097603, TRUSTING : DF660, TRW : DF4135, VALEO : 186859, VEMA : 98083, WOKING : D6617.00, ZIMMERMANN : 405.4100.00
	City Coupe	700	1998	2004	Front	MRD1133		
	City Coupe	800	1998	2004	Front	MRD1133		
	Roadster	700	2003	2005	Front	MRD1133		
	Smart Cabriolet	1000	2001	2007	Front	MRD1133		
SSANGYONG	Korando	2300	1997	2002	Rear	MRD1132	Recommended Type: Solid ,Disc Thickness: 10.4, Num. of holes : 6, Height : 67.5, Centering Diameter :10.5, Position: Rear, Pitch Circle & Oslash: 139.5, Outter & Oslash : 299	AC DELCO : AC2384D, APEC : DSK2070, ATE : 24.0110-0352.1, BOSCH : 0 986 478 999, BREMBO : 08.A329.10, CAR : 142.946, DAEWOO : 480105101, DAEWOO : 4840105101, DAEWOO : 4840105110, DELPHI : BG3522, FERODO : DDF1400, Fritch : DF693, INTERBRAKE : SY021P, LPR : S7011P, LUCAS : DF4133, MINTEX : MDC1371, NECTO : WN1361, NIBK : RN1132, PAGID : 54385, PILENGA : V840, QH : BDC5109, REMSA : 6860.10, REMSA : 6784.00, ROADHOUSE : 6784.00, ROADHOUSE : 6860.10, SBS : 1815205003, SSANGYONG : 4840105101, TEXTAR : 92138500, TRUSTING : DF693, TRW : DF4133, WOKING : D6784.00
	Korando	2900	1996	2005	Rear	MRD1132		
	Korando	2900	1998	2005	Rear	MRD1132		
	Korando	3200	1996	2005	Rear	MRD1132		
	Musso	2300	1996	2000	Rear	MRD1132		
	Musso	2300	1999	2000	Rear	MRD1132		
	Rexton	2300	2001	2005	Rear	MRD1132		
	Rexton	2900	2001	2005	Rear	MRD1132		
	Rexton	3200	2001	2005	Rear	MRD1132		
	Korando	2900	1996	2005	Rear	MRD1132		
	Korando	3200	1996	2005	Rear	MRD1132		
	Musso	2300	1996	2000	Rear	MRD1132		
	Korando	2300	1997	2002	Rear	MRD1132		
	Korando	2900	1998	2005	Rear	MRD1132		
	Rexton	2300	2001	2005	Rear	MRD1132		
SSANGYONG	Rexton	2900	2001	2005	Rear	MRD1132		
	Rexton	3200	2001	2005	Rear	MRD1132		
	Korando	2900	1998	2005	Front	MRD1145V	Recommended Type: Vented 278 ,Disc Thickness: 23.8, Num. of holes : 6, Height : 40.1, Centering Diameter :88, Position: Front	AC DELCO : AC2517D, APEC : DSK2087, BOSCH : 0 986 478 967, BREMBO : 09.A330.10, CAR : 142.938, CAR RACING : HPD 938, DAEWOO : 4144106210, DAEWOO : 4144105110, DAEWOO : 4144106211, DELPHI : BG3523, FERODO : DDF1346, Fritch : DF717, INTERBRAKE : SY011V, LPR : S7012V, LUCAS : DF4168, MINTEX : MDC1370, NIBK : RN1145V, PAGID : 54384, PILENGA : V840, QH : BDC5108, REMSA : 6913.20, REMSA : 6754.10, ROADHOUSE : 6913.20, ROADHOUSE : 6754.10, SBS : 1815205002, TEXTAR : 92138400, TRUSTING : DF717, TRW : DF4168, WOKING : D6754.10
	Musso	2900	1995	2000	Front	MRD1145V		
	Musso	3200	1996	2000	Front	MRD1145V		
	Musso	2300	1996	2000	Front	MRD1145V		
	Rexton	2300	2001	2005	Front	MRD1145V		
	Rexton	2900	2001	2005	Front	MRD1145V		
	Rexton	3200	2001	2005	Front	MRD1145V		
	Stavic	3200	2005		Rear	MRD1386	Recommended Type: 262 ,Disc Thickness: 10, Num. of holes : 5, Height : 61, Centering Diameter :76, Position: Rear, Pitch Circle & Oslash: 114.3	ATE : 24.0110-0318.1, BOSCH : 0986479345, BREMBO : 08.A114.20, CAR : 142.1157, CAR RACING : HPD 1157, CIFAM : 800-869, DELPHI : BG3799, FERODO : DDF1447, Fritch : DF1114, HYUNDAI : 584110A000, HYUNDAI : 5841139600, HYUNDAI : 5841139300, INTERBRAKE : HY241P, JAPANPARTS : DP-K10, KIA : 5841139600, LPR : H2005P, LUCAS : DF4281, Metelli : 23-0869, MINTEX : MDC2125, NIBK : RN1386, OEM : 584113K300, SBS : 1815203424, TRUSTING : DF1114, TRW : DF4281
	Korando	2000	2010		Front	MRD1573V	Recommended Type: Vented	Japan Parts : DI-S06, NIBK : RN1573V, SSANGYONG : 4144134001, SSANGYONG : 4144134000
	Actyon	2000	2010		Front	MRD1573V		
	Rexton	2300	2001	2005	Front	MRD1145V	Recommended Type: Vented 278 ,Disc Thickness: 23.8, Num. of holes : 6, Height : 40.1, Centering Diameter :88, Position: Front	AC DELCO : AC2517D, APEC : DSK2087, BOSCH : 0 986 478 967, BREMBO : 09.A330.10, CAR : 142.938, CAR RACING : HPD 938, DAEWOO : 4144106210, DAEWOO : 4144105110, DAEWOO : 4144106211, DELPHI : BG3523, FERODO : DDF1346, Fritch : DF717, INTERBRAKE : SY011V, LPR : S7012V, LUCAS : DF4168, MINTEX : MDC1370, NIBK : RN1145V, PAGID : 54384, PILENGA : V840, QH : BDC5108, REMSA : 6913.20, REMSA : 6754.10, ROADHOUSE : 6754.10, ROADHOUSE : 6913.20, SBS : 1815205002, TEXTAR : 92138400, TRUSTING : DF717, TRW : DF4168, WOKING : D6754.10
	Rexton	2900	2001	2005	Front	MRD1145V		
	Rexton	3200	2001	2005	Front	MRD1145V		
	Rexton	2300	2001	2005	Front	MRD1145V		
	Rexton	2900	2001	2005	Front	MRD1145V		
	Rexton	3200	2001	2005	Front	MRD1145V		
	Korando	2900	1998	2005	Front	MRD1145V		
	Musso	2900	1995	2000	Front	MRD1145V		
	Musso	3200	1996	2000	Front	MRD1145V		
	Musso	2300	1996	2000	Front	MRD1145V		
SSANGYONG	Rodius	2700	2005	2009	Front	MRD1456V	Recommended Type: Vented & Oslash 300 ,Disc Thickness: 28, Num. of holes : 5, Height : 68, Centering Diameter :85, Position: Front, Pitch Circle & Oslash: 130	CAR : 142.1403, DELPHI : BG4207, Fritch : DF1314, INTERBRAKE : SY061V, MINTEX : MDC2210, NIBK : RN1456V, NIPPARTS : N3300407, OEM : 4144121000, OEM : 4144122000, QH : BDC5655, SSANGYONG : 4144121001, TRUSTING : DF1314, TRW : DF7477
	Stavic	2700	2005		Front	MRD1456V		
	Stavic	3200	2005		Front	MRD1456V		
	Stavic	3200	2005		Front	MRD1456V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SUBARU	Impreza	1800	1992	1996	Rear	MRD1092	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 67, Centering Diameter : 58, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 265.5	AC DELCO : AC2232D, AP : 14665, ATE : 24.0110-0237.1, BENDIX : 561735B, BENDIX AUS : DBA644, BOSCH : 0 986 478 799, BRADI : 1.4715.5.4, BRECO : BS 7519, BREMBO : 08.6897.14, BREMBO : RS.129.000, BREMBO : 08.6897.10, BREMBO : RD.129.000, CAR : 142.858, CAR RACING : HPD 858, CIFAM : 800-671, DELPHI : BG2826, FERODO : DRF678, FERODO : DDF678, Fritch : DF098, GRAF : DF29671, INTERBRAKE : SU101P, INTERCAR : SU101P, JURID : 561735J, KWP : 129671, LPR : S4101P, LUCAS : DF3092, MAGNETI MARELLI : 353614715540, Metelli : 23-0671, MINTEX : MDC801, NECTO : WN1037, NIBK : RN1092, OEM : 36310AA091, PAGID : 53307, PILENGA : 5405, PILENGA : 8021, QH : BDC4604, REMSA : 6492.10, REMSA : 6398.00, ROADHOUSE : 6492.10, ROADHOUSE : 6398.00, SBS : 454502, SBS : 1815204404, SUBARU : 26710-AC020, SUBARU : 26310AA040, SUBARU : 26310AA051, SUBARU : 26700FE080, SUBARU : 26700-FE030, SUBARU : 26700FE010, SUBARU : 26310AA050, TEXTAR : 92082000, TRUSTING : DF098, TRW : DF3092, VALEO : 186503, WOKING : D6398.00
	Legacy	1800	1989	1993	Rear	MRD1092		
	Legacy	1800	1989	1993	Rear	MRD1092		
	Impreza	2000	1992	2000	Rear	MRD1092		
	Forester	2000	2001	2007	Rear	MRD1092		
SUBARU	Impreza	2000	2000	2007	Rear	MRD1092	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 56.7, Centering Diameter : 58, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 294	AP : 24818, APEC : DSK2072, ATE : 24.0124-0196.1, BENDIX AUS : DBA650, BOSCH : 0 986 478 977, BRADI : 1.4721.2.4, BRECO : BS 8444, BREMBO : FS.153.000, BREMBO : FD.153.000, BREMBO : 09.A921.14, BREMBO : 09.9077.10, CAR : 142.999, CAR RACING : HPD 999, DELPHI : BG3413, FERODO : DDF1175, FERODO : DRF1175, Fritch : DF667, INTERBRAKE : SU221V, LPR : S4228V, LUCAS : DF4104, MAGNETI MARELLI : 353614721240, MINTEX : MDC1377, NECTO : WN1197, NIBK : RN122V, OEM : 26300AE02A, PILENGA : V408, QH : BDC5165, REMSA : 6819.20, REMSA : 6816.10, ROADHOUSE : 6819.20, ROADHOUSE : 6816.10, SBS : 1815204412, SUBARU : 26310AC041, SUBARU : 26300SA000, SUBARU : 26300SA001, SUBARU : 26300FE010, SUBARU : 26300AE061, SUBARU : 26310AC040, SUBARU : 26300AE061, TRUSTING : DF667, TRW : DF4104, WOKING : D6816.10, ZIMMERMANN : 530.2458.00
	Forester	2500	1998	2002	Front	MRD1122V		
	Impreza	2000	2000	2007	Front	MRD1122V		
	Impreza	2000	2000	2007	Front	MRD1122V		
	Impreza	2000	2002	2003	Front	MRD1122V		
SUBARU	Impreza	2000	2002	2008	Front	MRD1122V		
	Impreza	2000	2004	2006	Rear	MRD1032	Recommended Type: Solid ,Disc Thickness: 11.8, Num. of holes : 5, Height : 76, Centering Diameter : 79, Position: Front, Outter & Oslash : 302	AC DELCO : AC2073D, AP : 14221, ATE : 24.0112-0119.1, ATE : 24.0112-0124.1, BENDIX : 561476B, BENDIX EUR : 561476B, BMW : 34111158042, BMW : 34111161693, BMW : 34111159898, BOSCH : 0 986 478 319, BRADI : 1.0618.1.4, BRECO : BS 7526, BREMBO : 08.5141.10, BREMBO : 09.7813.21, BREMBO : RS.126.000, BREMBO : 08.5141.20, BREMBO : RD.126.000, CAR : 142.128, CAR : 142.1268, CAR RACING : HPD 1268, CAR RACING : HPD128, CIFAM : 800-187, DELPHI : BG2430, DELPHI : BG430, FERODO : DDF210, FERODO : DDF1751, FERODO : DRF210, Fritch : DF124, Fritch : DF1241, GRAF : DF29187, INTERBRAKE : BW231P, INTERCAR : BW231P, JURID : 561476J, KWP : 129187, KWP : 1029187, Lemforder : 10405 03, Lemforder : 10405, LPR : B2231P, LUCAS : DF2555, MAGNETI MARELLI : 353610618140, Metelli : 23-0187, MINTEX : MDC480, NECTO : WN470, NIBK : RN1032, OEM : 34111158042, OEM : 34111160933, PAGID : 50410, PILENGA : 5124, QH : BDC3639, REMSA : 6085.10, REMSA : 6347.00, ROADHOUSE : 6347.00, ROADHOUSE : 6085.10, SBS : 131335, SBS : 1815301518, SBS : 1815201518, SBS : 1816301518, STOP : 561476S, SUBARU : 26700-FE050, TEXTAR : 92042103, TEXTAR : 98200 0421 0 1, TEXTAR : 92042100, TRUSTING : DF124, TRUSTING : DF1241, TRW : DF2555, VALEO : 186124, WOKING : D6347.00, ZIMMERMANN : 150.1266.00
	Impreza	2000	2000	2007	Rear	MRD1032		
	Impreza	2500	2005	2007	Rear	MRD1032		
	Impreza	2000	2004	2006	Rear	MRD1032		
SUBARU	Impreza	2000	2000	2007	Rear	MRD1032		
	Impreza	2500	2005	2007	Rear	MRD1032		
	Impreza	2000	2000	2007	Rear	MRD1032		
	Impreza	2000	2004	2006	Rear	MRD1032		
	Impreza	2500	2005	2007	Rear	MRD1032		
SUBARU	Impreza	1500	2007		Front	MRD1091V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 56.7, Centering Diameter : 58, Position: Front	AC DELCO : AC2231D, AP : 24417, ATE : 24.0124-0141.1, ATE : 24.0124-0141.0, BENDIX : 561666B, BOSCH : 0 986 478 293, BRADI : 1.4714.2.4, BRECO : BS 8093, BRECO : BS 8083, BREMBO : 09.5673.14, BREMBO : FD.047.000, BREMBO : 09.5673.10, BREMBO : 09.5674.20, BREMBO : FS.047.000, CAR : 142.949, CAR RACING : HPD 949, CIFAM : 800-495, DELPHI : BG2767, DELPHI : BG767, FERODO : DDF485, FERODO : DRF485, Fritch : DF374, GRAF : DF29495, INTERBRAKE : SU121V, INTERCAR : SU121V, JURID : 561666J, KWP : 129495, LPR : S4121V, LUCAS : DF3091, MAGNETI MARELLI : 353614714240, Metelli : 23-0495, MINTEX : MDC809, NECTO : WN843, NIBK : RN1091V, OEM : 26310AC060, OEM : 26300AE040, OEM : 26310AA030, OEM : 26300AE090, PILENGA : V405, QH : BDC4328, REMSA : 6491.20, REMSA : 6397.10, ROADHOUSE : 6491.20, ROADHOUSE : 6397.10, SBS : 1815204403, SBS : 454501, SUBARU : 26310AA031, SUBARU : 26300-AE091, SUBARU : 26310AA021, SUBARU : 26310AA032, TEXTAR : 92081900, TRUSTING : DF374, TRW : DF3091, VALEO : 186502, VALEO : 186446, WOKING : D6397.10, ZIMMERMANN : 530.2456.00
	Impreza	1500	2007		Front	MRD1091V		
	Impreza	1500	2007		Front	MRD1091V		
SUBARU	Impreza	1600	1992	2000	Rear	MRD1092	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 67, Centering Diameter : 58, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 265.5	AC DELCO : AC2232D, AP : 14665, ATE : 24.0110-0237.1, BENDIX : 561735B, BENDIX AUS : DBA644, BOSCH : 0 986 478 799, BRADI : 1.4715.5.4, BRECO : BS 7519, BREMBO : 08.6897.14, BREMBO : RS.129.000, BREMBO : 08.6897.10, BREMBO : RD.129.000, CAR : 142.858, CAR RACING : HPD 858, CIFAM : 800-671, DELPHI : BG2826, FERODO : DRF678, FERODO : DDF678, Fritch : DF098, GRAF : DF29671, INTERBRAKE : SU101P, INTERCAR : SU101P, JURID : 561735J, KWP : 129671, LPR : S4101P, LUCAS : DF3092, MAGNETI MARELLI : 353614715540, Metelli : 23-0671, MINTEX : MDC801, NECTO : WN1037, NIBK : RN1092, OEM : 36310AA091, PAGID : 53307, PILENGA : 5405, PILENGA : 8021, QH : BDC4604, REMSA : 6492.10, REMSA : 6398.00, ROADHOUSE : 6492.10, ROADHOUSE : 6398.00, SBS : 454502, SBS : 1815204404, SUBARU : 26710-AC020, SUBARU : 26310AA040, SUBARU : 26310AA051, SUBARU : 26700FE080, SUBARU : 26700-FE030, SUBARU : 26700FE010, SUBARU : 26310AA050, TEXTAR : 92082000, TRUSTING : DF098, TRW : DF3092, VALEO : 186503, WOKING : D6398.00
	Impreza	1600	1992	2000	Rear	MRD1092		
	Impreza	1800	1992	1996	Rear	MRD1092		
	Impreza	1600	1992	2000	Rear	MRD1092		
	Impreza	1800	1992	1996	Rear	MRD1092		
	Impreza	2000	2000	2007	Rear	MRD1092		
	Forester	2000	1997	2002	Rear	MRD1092		
	Legacy	2500	1998	2003	Rear	MRD1092		
	Forester	2500	1998	2002	Rear	MRD1092		
	Impreza	2000	1992	2000	Rear	MRD1092		
	Legacy	2000	1998	2003	Rear	MRD1092		
	Impreza	1600	1992	2000	Rear	MRD1092		
	Impreza	1600	1992	2000	Rear	MRD1092		
	Impreza	1800	1992	1996	Rear	MRD1092		
	Impreza	1800	1992	1996	Rear	MRD1092		
	Legacy	1800	1989	1993	Rear	MRD1092		
	Legacy	1800	1989	1993	Rear	MRD1092		
	Forester	2000	2001	2007	Rear	MRD1092		
	Forester	2000	1997	2002	Rear	MRD1092		
	Forester	2500	1998	2002	Rear	MRD1092		
	Impreza	2000	1992	2000	Rear	MRD1092		
	Impreza	2000	2000	2007	Rear	MRD1092		
	Impreza	2000	2000	2007	Rear	MRD1092		
	Legacy	2000	1998	2003	Rear	MRD1092		
	Legacy	2500	1998	2003	Rear	MRD1092		
SUBARU	Impreza	1600	1992	2000	Front	MRD1276V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 52.8, Centering Diameter : 58, Position: Front 13 Inch, Pitch Circle & Oslash: 100mm, Outter & Oslash : 242	AC DELCO : AC2465D, AP : 24670, APEC : DSK241, ATE : 24.0118-0125.1, BENDIX : 562116B, BENDIX EUR : 562116B, BRADI : 1.4720.2.4, BRECO : BS 8237, BREMBO : 09.6877.10, CAR : 142.850, CAR RACING : HPD 850, DELPHI : BG3151, FERODO : DDF876, FERODO : DRF876, Fritch : DF449, INTERBRAKE : SU181V, INTERCAR : SU181V, JAPANPARTS : DI-705, JURID : 562116J, LPR : S4181V, LUCAS : DF4013, LUCAS : DF4029, MAGNETI MARELLI : 353614720240, MINTEX : MDC878, NECTO : WN1057, NIBK : RN1276V, NIPPARTS : J3307005, OEM : 26310AA130, OEM : 26310AA140, PAGID : 53304, PILENGA : V406, QH : BDC4960, QH : BDC4958, SBS : 1815204409, SUBARU : 26310-AA010, SUBARU : 26310-AA012, SUBARU : 26310-AA001, SUBARU : 26310-AA011, TEXTAR : 92081800, TRUSTING : DF449, TRW : DF4013, VALEO : 186531
	Impreza	1600	1992	2000	Front	MRD1276V		
	Impreza	1800	1992	1996	Front	MRD1276V		
	Impreza	2000	1996	1998	Front	MRD1276V		
	Impreza	1600	1992	2000	Front	MRD1276V		
SUBARU	Impreza	1800	1992	1996	Front	MRD1276V		
	Impreza	1800	1992	1996	Front	MRD1276V		
	Legacy	1800	1989	1993	Front	MRD1276V		
	Legacy	1800	1989	1993	Front	MRD1276V		
	Impreza	1800	1992	1996	Front	MRD1276V		
	Impreza	1800	1992	1996	Front	MRD1276V		
	Impreza	1800	1992	1996	Front	MRD1276V		
	Legacy	1800	1989	1993	Front	MRD1276V		
	Legacy	1800	1989	1993	Front	MRD1276V		
	Impreza	1600	1992	2000	Front	MRD1276V		
	Impreza	1600	1992	2000	Front	MRD1276V		
	Impreza	2000	1996	1998	Front	MRD1276V		
	Impreza	1600	1992	2000	Front	MRD1276V		
	Impreza	1600	1992	2000	Front	MRD1276V		
	Impreza	1600	1992	2000	Front	MRD1276V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SUBARU	Legacy	2000	2009		Front	MRD1010V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 56.7, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 277	AC DELCO : AC2466D, AP : 24420, AP : 24424E, ATE : 24.0124-0145.1, BENDIX : 561435B, BENDIX : 561667B, BENDIX AUS : DBA648, BOSCH : 0 986 479 147, BOSCH : 0 986 478 396, BRADI : 1.5232.2.4, BRADI : 1.4716.2.4, BRECO : BS 8084, BRECO : BS 8364, BRECO : BS 8088, BREMBO : 09.5674.24, BREMBO : 09.5676.10, BREMBO : FD.137.000, BREMBO : 09.5674.10, BREMBO : 09.5674.76, BREMBO : FS.137.000, CAR : 142.783, CAR RACING : HPD 783, DELPHI : BG2827, DELPHI : BG593, FERODO : DDF411, FERODO : DDF679, Fritech : DF423, Fritech : DF347, INTERBRAKE : SU211V, INTERCAR : TY411V, INTERCAR : SU211V, JAPANPARTS : DI-711, JURID : 561435J, JURID : 561667J, LPR : S4211V, LPR : T2411V, LUCAS : DF1439, LUCAS : DF1437, MAGNETI MARELLI : 353614716240, MINTEX : MDC881, MINTEX : MDC804, NECTO : WN723, NECTO : WN1003, NECTO : WN1038, NIBK : RN1010V, OEM : 4351220160, OEM : 4351220120, OEM : 4351220270, PAGID : 53305, PAGID : 53627, PILENGA : V407, PILENGA : V345, QH : BDC4413, QH : BDC3704, REMSA : 6445.10, REMSA : 6533.20, REMSA : 6715.10, ROADHOUSE : 6533.20, ROADHOUSE : 6715.10, ROADHOUSE : 6445.10, SBS : 333323, SBS : 1815204406, SBS : 1815204534, SUBARU : 26300AE071, SUBARU : 26310AA121, SUBARU : 26310AA091, SUBARU : 26310AA120, SUBARU : 26300AE070, SUBARU : 26310AA081, SUBARU : 26310AA092, SUBARU : 26300AE050, TEXTAR : 92070700, TEXTAR : 92094600, TRUSTING : DF347, TRUSTING : DF423, TRW : DF1437, VALEO : 186508, WOKING : D6445.10, WOKING : D6715.10, ZIMMERMANN : 530.2457.00
	Forester	2000	2001	2007	Front	MRD1010V		
	Forester	2000	2007		Front	MRD1010V		
	Forester	2000	2007	2012	Front	MRD1010V		
	Impreza	2000	2007		Front	MRD1010V		
	Impreza	2000	2007		Front	MRD1010V		
	Impreza	2000	2000	2007	Front	MRD1010V		
	Impreza	2000	2000	2007	Front	MRD1010V		
	Legacy	2000	2003	2009	Front	MRD1010V		
	Legacy	2500	2009	2012	Front	MRD1010V		
	Legacy	2500	2012		Front	MRD1010V		
	Legacy	2000	2009		Front	MRD1010V		
	Impreza	1500	2007		Front	MRD1010V		
	Impreza	1500	2007		Front	MRD1010V		
SUBARU	Impreza	2000	2011		Front	MRD1010V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 56.7, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 294	AP : 24818, APEC : DSK2072, ATE : 24.0124-0196.1, BENDIX AUS : DBA650, BOSCH : 0 986 478 977, BRADI : 1.4721.2.4, BRECO : BS 8444, BREMBO : FD.153.000, BREMBO : 09.A921.14, BREMBO : 09.9077.10, BREMBO : FS.153.000, CAR : 142.999, CAR RACING : HPD 999, DELPHI : BG3413, FERODO : DDF1175, FERODO : DDF1175, Fritech : DF667, INTERBRAKE : SU221V, LPR : S4228V, LUCAS : DF4104, MAGNETI MARELLI : 353614721240, MINTEX : MDC1377, NECTO : WN1197, NIBK : RN1122V, OEM : 26300AE02A, PILENGA : V408, QH : BDC5165, REMSA : 6816.10, REMSA : 6819.20, ROADHOUSE : 6816.10, ROADHOUSE : 6819.20, SBS : 1815204412, SUBARU : 26300FE010, SUBARU : 26300AE060, SUBARU : 26310AC040, SUBARU : 26300AE061, SUBARU : 26310AC041, SUBARU : 26300SA000, SUBARU : 26300SA001, TRUSTING : DF667, TRW : DF4104, WOKING : D6816.10, ZIMMERMANN : 530.2458.00
	Forester	2000	1997	2002	Front	MRD1010V		
	Impreza	2000	1996	2000	Front	MRD1010V		
	Impreza	2000	1992	2000	Front	MRD1010V		
	Legacy	2000	1998	2003	Front	MRD1010V		
	Legacy	2500	1998	2003	Front	MRD1010V		
	Legacy	2500	1994	1998	Front	MRD1010V		
	Outback	2500	2000	2003	Front	MRD1010V		
	Forester	2000	1997	2002	Front	MRD1010V		
	Impreza	2000	1996	2000	Front	MRD1010V		
	Impreza	2000	2000	2007	Front	MRD1010V		
	Impreza	2000	2000	2007	Front	MRD1010V		
	Legacy	2000	1998	2003	Front	MRD1010V		
	Legacy	2500	1998	2003	Front	MRD1010V		
SUBARU	Outback	2500	2000	2003	Front	MRD1010V		
	Legacy	2000	2003	2009	Front	MRD1010V	Recommended Type: Vented ,Disc Thickness: 17, Num. of holes : 4, Height : 49, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 253	AP : 24962E, ATE : 24.0117-0106.1, BRECO : BS 8581, BREMBO : 09.9728.14, CAR : 142.1124, CAR RACING : HPD 1124, CIFAM : 800-839, DELPHI : BG3884, FERODO : DDF1509, Fritech : DF1086, GRAF : DF29839, INTERBRAKE : OP621V, JURID : 562308J, KWP : 129839, LPR : S5000V, LUCAS : DF4376, LUCAS : DF4826, LUCAS : DF4376BP, Metelli : 23-0839, MINTEX : MDC1672, NECTO : WN1435, NIBK : RN1523V, OEM : 4707288, OEM : 93176389, OEM : 4706749, OEM : 93179462, PAGID : 54186, PAGID : 54353, PILENGA : V766, QH : BDC5467, SBS : 1815205213, SBS : 1815203656, SUZUKI : 5531186G02, SUZUKI : 5531184E01, SUZUKI : 5531186G02000, TEXTAR : 92118600, TEXTAR : 92135300, TRUSTING : DF1086, VALEO : 186805, ZIMMERMANN : 540.2490.00, ZIMMERMANN : 430.2604.00
	Forester	2000	2007	2012	Front	MRD1010V		
	Forester	2000	2007		Front	MRD1010V		
	Impreza	2000	2007		Front	MRD1010V		
	Impreza	1500	2007		Front	MRD1010V		
	Impreza	2000	1992	2000	Front	MRD1010V		
	Forester	2000	2007	2000	Front	MRD1010V		
	Forester	2000	2007	2012	Front	MRD1010V		
	Forester	2000	2007		Front	MRD1010V		
	Impreza	2000	2007		Front	MRD1010V		
	Impreza	2500	2005	2007	Front	MRD1122V		
	Impreza	2500	2005	2007	Front	MRD1122V		
	Forester	2500	2007	2012	Front	MRD1122V		
	Forester	2500	2007		Front	MRD1122V		
SUBARU	Impreza	2500	2008		Front	MRD1122V		
	Impreza	2500	2008		Front	MRD1122V		
	Impreza	2500	2005	2007	Front	MRD1122V		
	Impreza	2500	2005	2007	Front	MRD1122V		
	Forester	2500	2007	2012	Front	MRD1122V		
	Forester	2500	2007		Front	MRD1122V		
	Impreza	2500	2008		Front	MRD1122V		
	Impreza	2500	2008		Front	MRD1122V		
	Impreza	2500	2005	2007	Front	MRD1122V		
	Forester	2500	2001	2007	Front	MRD1122V		
	Forester	2500	1998	2002	Front	MRD1122V		
	Outback	2500	2003	2008	Front	MRD1122V		
	Legacy	2000	2003	2009	Front	MRD1122V		
	Legacy	2500	2003	2009	Front	MRD1122V		
SUBARU	Legacy	2500	2003	2009	Front	MRD1122V		
	Legacy	3000	2003	2009	Front	MRD1122V		
	Legacy	3000	2004	2004	Front	MRD1122V		
	Legacy	3000	2003	2009	Front	MRD1122V		
	Legacy	2000	2003	2009	Front	MRD1122V		
	Impreza	2000	2000	2007	Front	MRD1122V		
	Impreza	2000	2000	2007	Front	MRD1122V		
	Impreza	2000	2000	2007	Front	MRD1122V		
	Impreza	2000	2002	2008	Front	MRD1122V		
	Impreza	2500	2005	2007	Front	MRD1122V		
	Impreza	2500	2005	2007	Front	MRD1122V		
	Forester	2500	2007	2012	Front	MRD1122V		
	Impreza	2000	2007		Front	MRD1122V		
	Impreza	2500	2008		Front	MRD1122V		
SUBARU	Justy	1300	2003	2007	Front	MRD1523V	Recommended Type: Vented ,Disc Thickness: 17, Num. of holes : 4, Height : 49, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 253	AP : 24962E, ATE : 24.0117-0106.1, BRECO : BS 8581, BREMBO : 09.9728.14, CAR : 142.1124, CAR RACING : HPD 1124, CIFAM : 800-839, DELPHI : BG3884, FERODO : DDF1509, Fritech : DF1086, GRAF : DF29839, INTERBRAKE : OP621V, JURID : 562308J, KWP : 129839, LPR : S5000V, LUCAS : DF4376, LUCAS : DF4826, LUCAS : DF4376BP, Metelli : 23-0839, MINTEX : MDC1672, NECTO : WN1435, NIBK : RN1523V, OEM : 4707288, OEM : 93176389, OEM : 4706749, OEM : 93179462, PAGID : 54186, PAGID : 54353, PILENGA : V766, QH : BDC5467, SBS : 1815205213, SBS : 1815203656, SUZUKI : 5531186G02, SUZUKI : 5531184E01, SUZUKI : 5531186G02000, TEXTAR : 92118600, TEXTAR : 92135300, TRUSTING : DF1086, VALEO : 186805, ZIMMERMANN : 540.2490.00, ZIMMERMANN : 430.2604.00
	Justy	1500	2003	2007	Front	MRD1523V		
	Justy	1300	2003	2007	Front	MRD1523V		
	Justy	1500	2003	2007	Front	MRD1523V		
	Justy	1300	2003	2007	Front	MRD1523V		
	Justy	1500	2003	2007	Front	MRD1523V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SUBARU	Impreza	2000	2004	2006	Front	MRD1477V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 52.7, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 326	ATE : 24.0130-0203.1, BREMBO : 09.7812.21, BREMBO : FS.125.000, BREMBO : FD.125.000, CAR : 142.1038, CAR RACING : HPD 1038, FERODO : DDF1749, Fritch : DF1242, INTERBRAKE : SU233V, LUCAS : DF4949S, NIBK : RN1477V, SUBARU : 26300FE070, TRUSTING : DF1242
	Impreza	2500	2012		Front	MRD1477V		
	Impreza	2000	2007		Front	MRD1477V		
	Impreza	2500	2005	2007	Front	MRD1477V		
	Impreza	2500	2008		Front	MRD1477V		
	Impreza	2500	2010		Front	MRD1477V		
	Impreza	2000	2000	2007	Front	MRD1477V		
	Impreza	2500	2005	2007	Front	MRD1477V		
	Impreza	2500	2007		Front	MRD1477V		
	Impreza	2000	2000	2007	Front	MRD1477V		
	Impreza	2000	2004	2006	Front	MRD1477V		
	Impreza	2500	2005	2007	Front	MRD1477V		
	Impreza	2500	2005	2007	Front	MRD1477V		
	Impreza	2000	2007		Front	MRD1477V		
	Impreza	2500	2007		Front	MRD1477V		
	Impreza	2500	2008		Front	MRD1477V		
SUBARU	Legacy	2000	2003	2009	Front	MRD1507V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 56.8, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 316	ATE : 24.0130-0204.1, Blue Print : ADS74335, BREMBO : 09.A870.14, Fritch : DF1218, NIBK : RN1507V, OEM : 26300AG02A, SUBARU : 26300AG000, SUBARU : 26300AG001, TRUSTING : DF1218
	Legacy	2000	2003	2009	Front	MRD1507V		
	Legacy	2500	2003	2009	Front	MRD1507V		
	Legacy	3000	2003	2009	Front	MRD1507V		
	Legacy	3000	2003	2009	Front	MRD1507V		
	Legacy	2500	2009	2012	Front	MRD1507V		
	Legacy	2500	2009	2012	Front	MRD1507V		
	Legacy	3600	2009		Front	MRD1507V		
	Legacy	2000	2012		Front	MRD1507V		
	Legacy	2500	2003	2009	Front	MRD1507V		
	Legacy	2500	2009		Front	MRD1507V		
SUBARU	Forester	2000	2012		Front	MRD1507V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 67.4, Centering Diameter :58, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 289	Blue Print : ADS74320, BREMBO : 09.B041.10, CAR : 142.1325, DELPHI : BG3931, Fritch : DF1147, INTERBRAKE : SU261V, LUCAS : DF7328, MINTEX : MDC1876, NIBK : RN1508V, REMSA : 61001.10, ROADHOUSE : 61001.10, SBS : 1815204414, SUBARU : 26700AE080, SUBARU : 26700AE070, SUBARU : 26700AE081, SUBARU : 26700AE030, TRUSTING : DF1147
	Impreza	2500	2005	2007	Rear	MRD1508V		
	Legacy	2000	2003	2009	Rear	MRD1508V		
	Legacy	2000	2003	2009	Rear	MRD1508V		
	Legacy	2500	2003	2009	Rear	MRD1508V		
	Legacy	3000	2003	2009	Rear	MRD1508V		
	Legacy	2500	2003	2009	Rear	MRD1508V		
	Legacy	2000	2009		Rear	MRD1508V		
	Legacy	2000	2009		Rear	MRD1508V		
	Impreza	2000	2000	2007	Rear	MRD1508V		
	Impreza	2000	2000	2007	Rear	MRD1508V		
	Impreza	2500	2005	2007	Rear	MRD1508V		
	Impreza	2500	2005	2007	Rear	MRD1508V		
	Legacy	2000	2003	2009	Rear	MRD1508V		
	Legacy	2000	2003	2009	Rear	MRD1508V		
	Legacy	2500	2003	2009	Rear	MRD1508V		
	Legacy	3000	2003	2009	Rear	MRD1508V		
	Legacy	2500	2003	2009	Rear	MRD1508V		
	Legacy	2000	2003	2009	Rear	MRD1508V		
	Legacy	2000	2003	2009	Rear	MRD1508V		
	Legacy	2500	2003	2009	Rear	MRD1508V		
	Legacy	3000	2003	2009	Rear	MRD1508V		
	Legacy	2500	2003	2009	Rear	MRD1508V		
SUBARU	Impreza	2000	2000	2007	Rear	MRD1508V		
	Impreza	2500	2005	2007	Rear	MRD1508V		
	Impreza	2500	2005	2007	Rear	MRD1508V		
	Impreza	2000	2000	2007	Front	MRD1530V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 53.3, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 326	Blue Print : ADS74322, BREMBO : 09.7812.11, BREMBO : FS.119.000, BREMBO : FD.119.000, CAR : 142.045, CAR RACING : HPD 045, DELPHI : BG3818, FERODO : DDF1748, Fritch : DF1195, INTERBRAKE : SU231V, NIBK : RN1530V, NIPPARTS : J3307016, NK : 204417, QH : BDC5645, SUBARU : 26300-FE000, SUBARU : 26300-FE011, TRUSTING : DF1195
	Forester	2500	2001	2007	Front	MRD1530V		
	Legacy	2000	2003	2009	Front	MRD1530V		
	Legacy	2000	2003	2009	Front	MRD1530V		
	Impreza	2000	2002	2003	Front	MRD1530V		
	Impreza	2500	2005	2007	Front	MRD1530V		
	Forester	2000	2007		Rear	MRD1529	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 63.4, Centering Diameter :58, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 286	Blue Print : ADS74333, DELPHI : BG4158, Fritch : DF1436, MINTEX : MDC2209, NIBK : RN1529, NIPPARTS : N3317008, SUBARU : 26700FG000, SUBARU : 26700AJ00A, TRUSTING : DF1436
	Forester	2500	2007	2012	Rear	MRD1529		
SUBARU	Forester	2000	2008		Rear	MRD1529		
	Forester	2000	2007	2012	Rear	MRD1529		
	Impreza	2000	2008	2011	Rear	MRD1529		
	Impreza	2000	2007	2012	Rear	MRD1529		
	Impreza	2000	2007		Rear	MRD1529		
	Impreza	2000	2007		Rear	MRD1529		
	Impreza	2000	2007		Rear	MRD1529		
	Legacy	2500	2009		Rear	MRD1529		
	Legacy	2500	2009	2012	Rear	MRD1529		
	Legacy	2500	2012		Rear	MRD1529		
	Impreza	2500	2008		Rear	MRD1529		
	Impreza	2500	2008		Rear	MRD1529		
SUBARU	Impreza	1500	2007		Rear	MRD1529	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 57, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 316	Blue Print : ADS74337, CAR : 142.1488, Fritch : DF1330, INTERBRAKE : SU281V, NIBK : RN1528V, NIPPARTS : N3317009, QH : BDC5578, SUBARU : 26700XA00A, TRUSTING : DF1330, TRW : DF4929
	Impreza	1500	2007		Rear	MRD1529		
	89 Tribeca	3000	2005		Rear	MRD1528V		
	89 Tribeca	3600	2005		Rear	MRD1528V		
SUBARU	89 Tribeca	3000	2005		Front	MRD1527V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 57, Centering Diameter :58, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 316	CAR : 142.1487, Fritch : DF1219, INTERBRAKE : SU271V, NIBK : RN1527V, QH : BDC5646, SUBARU : 26300- FG000, SUBARU : 26300XA00A, TRUSTING : DF1219
	89 Tribeca	3600	2005		Front	MRD1527V		
	Impreza	2500	2007		Front	MRD1527V		
	Impreza	2500	2007		Front	MRD1527V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SUBARU	Legacy	2000	2003	2009	Rear	MRD1509	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 67.8, Centering Diameter :58, Position: Rear, Outter & Oslash : 274	CAR : 142.1568, Fritech : DF1299, LPR : S4002P, MINTEX : MDC2036, NIBK : RN1509, SBS : 1815204416, SUBARU : 26700AG001, SUBARU : 26700AG01B, SUBARU : 26700AG01A, SUZUKI : 26700-AG000, TRUSTING : DF1299
	Legacy	2000	2003	2009	Rear	MRD1509		
	Legacy	2500	2003	2009	Rear	MRD1509		
	Legacy	2500	2003	2009	Rear	MRD1509		
	Legacy	3000	2004	2004	Rear	MRD1509		
	Legacy	3000	2003	2009	Rear	MRD1509		
	Outback	2500	2003	2008	Rear	MRD1509		
	Legacy	2000	2003	2009	Rear	MRD1509		
	Legacy	2000	2003	2009	Rear	MRD1509		
	Legacy	2500	2003	2009	Rear	MRD1509		
	Legacy	2500	2003	2009	Rear	MRD1509		
	Legacy	3000	2004	2004	Rear	MRD1509		
	Legacy	3000	2003	2009	Rear	MRD1509		
	Forester	2000	2012		Rear	MRD1542		NIBK : RN1542, SUBARU : 26700-SG000
	Impreza	1600	1992	2000	Front	MRD1091V	Recommended Type: Vented 260 Disc Thickness: 24, Num. of holes : 5, Height : 56.7, Centering Diameter :58, Position: Front	AC DELCO : AC2231D, AP : 24417, ATE : 24.0124-0141.1, ATE : 24.0124-0141.0, BENDIX : 561666B, BOSCH : 0 986 478 293, BRADI : 1.4714.2.4, BRECO : BS 8093, BRECO : BS 8083, BREMBO : 09.5673.14, BREMBO : FD.047.000, BREMBO : 09.5673.10, BREMBO : 09.5674.20, BREMBO : FS.047.000, CAR : 142.949, CAR RACING : HPD 949, CIFAM : 800-495, DELPHI : BG2767, DELPHI : BG767, FERODO : DDF485, FERODO : DRF485, Fritech : DF374, GRAF : DF29495, INTERBRAKE : SU121V, INTERCAR : SU121V, JURID : 561666J, KWP : 129495, LPR : S4121V, LUCAS : DF3091, MAGNETI MARELLI : 353614714240, Metelli : 23-0495, MINTEX : MDC809, NECTO : WN843, NIBK : RN1091V, OEM : 26310AC060, OEM : 26300AE040, OEM : 26310AA030, OEM : 26300AE090, PILENGA : V405, QH : BDC4328, REMSA : 6491.20, REMSA : 6397.10, ROADHOUSE : 6491.20, ROADHOUSE : 6397.10, SBS : 1815204403, SBS : 454501, SUBARU : 26310AA031, SUBARU : 26300-AE091, SUBARU : 26310AA021, SUBARU : 26310AA032, TEXTAR : 92081900, TRUSTING : DF374, TRW : DF3091, VALEO : 186502, VALEO : 186446, WOKING : D6397.10, ZIMMERMANN : 530.2456.00
	Impreza	1600	1992	2000	Front	MRD1091V		
	Impreza	1800	1992	1996	Front	MRD1091V		
	Impreza	2000	1996	1998	Front	MRD1091V		
	Impreza	1600	1992	2000	Front	MRD1091V		
	Impreza	1800	1992	1996	Front	MRD1091V		
	Impreza	1800	1992	1996	Front	MRD1091V		
	Legacy	1800	1989	1993	Front	MRD1091V		
	Legacy	2000	1993	1996	Front	MRD1091V		
	Legacy	1800	1989	1993	Front	MRD1091V		
	Legacy	2000	1993	1996	Front	MRD1091V		
	Legacy	2000	1997	1998	Front	MRD1091V		
	Impreza	2000	1992	2000	Front	MRD1091V		
	Impreza	1500	2007		Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1500	2007		Front	MRD1091V		
	Impreza	1600	2011		Front	MRD1091V		
	Impreza	1600	2011		Front	MRD1091V		
	Impreza	1600	2011		Front	MRD1091V		
SUBARU	Legacy	2000	1997	1998	Front	MRD1091V		
	Impreza	2000	1992	2000	Front	MRD1091V		
	Legacy	1800	1996	1998	Front	MRD1091V		
	Legacy	2000	1993	1996	Front	MRD1091V		
	Legacy	2000	1993	1996	Front	MRD1091V		
	Impreza	1600	1992	2000	Front	MRD1091V		
	Impreza	1600	1992	2000	Front	MRD1091V		
	Impreza	1800	1992	1996	Front	MRD1091V		
	Impreza	1600	1992	2000	Front	MRD1091V		
	Impreza	1800	1992	1996	Front	MRD1091V		
	Legacy	1800	1989	1993	Front	MRD1091V		
	Legacy	1800	1989	1993	Front	MRD1091V		
	Impreza	2000	1996	1998	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2011		Front	MRD1091V		
	Impreza	1500	2006	2007	Front	MRD1091V		
	Impreza	1500	2007		Front	MRD1091V		
SUBARU	Impreza	1600	2004	2007	Front	MRD1091V		
	Impreza	2000	1992	2000	Front	MRD1091V		
	Legacy	1800	1989	1993	Front	MRD1091V		
	Legacy	1800	1989	1993	Front	MRD1091V		
	Impreza	1500	2007		Front	MRD1091V		
	Impreza	1500	2007		Front	MRD1091V		
	Impreza	1500	2007		Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1500	2006	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Impreza	1600	2000	2007	Front	MRD1091V		
	Legacy	2000	1998	2003	Rear	MRD1257	Recommended Type: Solid & Oslash : 290 ,Disc Thickness: 10, Num. of holes : 5, Height : 67.5, Centering Diameter :58, Position: Rear, Pitch Circle & Oslash: 100mm	NIBK : RN1257, NIPPARTS : J3317006, SUBARU : 26700AE062, SUBARU : 26700AE060, SUBARU : 26700AE010, SUBARU : 26700AE061, TRW : DF7329
	Legacy	2500	1998	2003	Rear	MRD1257		
	Outback	2500	2000	2003	Rear	MRD1257		
	Legacy	2500	1998	2001	Rear	MRD1257		
	Legacy	3000	2002	2003	Rear	MRD1257		
	Legacy	2000	1998	2003	Rear	MRD1257		
	Legacy	2500	1998	2001	Rear	MRD1257		
	Legacy	2500	1998	2003	Rear	MRD1257		
	Legacy	3000	2002	2003	Rear	MRD1257		
	Outback	2500	2000	2003	Rear	MRD1257		
SUZUKI	Jimny	660	1998	2003	Front	MRD1038	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 46, Centering Diameter :107, Position: Front, Pitch Circle & Oslash : 139.5, Outter & Oslash : 290	AC DELCO : 177687, AC DELCO : AC2211D, AC DELCO : 18A299, AP : 14276, ATE : 24.0110-0242.1, BENDIX : 561505B, BOSCH : 0 986 478 539, BOSCH : 0 986 478 838, BRADI : 1.4808.1.4, BRECO : BS 7400, BREMBO : 08.5266.10, CAR : 142.953, CAR RACING : HPD 953, CIFAM : 800-590, DELPHI : LW60761, DELPHI : BG2584, DELPHI : BG584, FERODO : DDF351, Fritech : DF094, GM : 18027899, GM : 96058796, GM : 19195867, GRAF : DF29590, INTERBRAKE : SZ061P, INTERCAR : SZ061P, JURID : 561505J, KWP : 129590, Lemforder : 19067 02, Lemforder : 19067, LPR : S5061P, LUCAS : DF2588, MAGNETI MARELLI : 353614808140, Metelli : 23-0590, MINTEX : MDC747, NECTO : WN540, NIBK : RN1038, OEM : 5521180A00, OEM : 55211160A00, OEM : 5551160A00, PAGID : 53403, PILENGA : 5555, QH : BDC3779, REMSA : 6504.10, REMSA : 6331.00, ROADHOUSE : 6504.10, ROADHOUSE : 6331.00, SANTANA : 5521160A00, SBS : 1815205203, SBS : 282803, STOP : 561505S, SUZUKI : 5521160A00, SUZUKI : 5521160A01, TEXTAR : 92066000, TEXTAR : 92066003, TRUSTING : DF094, TRW : DF2588, VALEO : 186504, WOKING : D6331.00, ZIMMERMANN : 540.2489.00
	Jimny	1300	1998	2000	Front	MRD1038		
	Jimny	1300	1998		Front	MRD1038		
	Jimny	660	1990	1995	Front	MRD1038		
	Jimny	660	1995	1998	Front	MRD1038		
	Jimny	660	1998	2003	Front	MRD1038		
	Jimny	1300	1993	1997	Front	MRD1038		
	Jimny	1300	1998	2000	Front	MRD1038		
	Jimny	1300	1998		Front	MRD1038		
	Jimny	1300	2002		Front	MRD1038		
SUZUKI	Vitara	1600	1988	1998	Front	MRD1038		
	X 90	1600	1995	1997	Front	MRD1038		
	Jimny	660	1990	1995	Front	MRD1038		
	Jimny	660	1995	1998	Front	MRD1038		
	Jimny	660	1998	2003	Front	MRD1038		
	Jimny	1300	1993	1997	Front	MRD1038		
	Jimny	1300	1998	2000	Front	MRD1038		
	Jimny	1300	1998		Front	MRD1038		
	Jimny	1300	2002		Front	MRD1038		
	Jimny	1300	2002		Front	MRD1038		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SUZUKI	Swift	1300	1989	1996	Front	MRD1296V	Recommended Type: Vented ,Disc Thickness: 19, Num. of holes : 4, Height : 47, Centering Diameter : 64, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 250	AC DELCO : AC2233D, AC DELCO : AC2234D, AC DELCO : AC2477D, AP : 24562, AP : 24505E, AP : 24592, AP : X24505, ATE : 24.0117-0102.1, ATE : 24.0117-0103.1, ATE : 24.0119-0110.1, BENDIX : 561426B, BENDIX : 561650B, BENDIX : 561599B, BENDIX EUR : 561599B, BOSCH : 0 986 478 721, BOSCH : 0 986 478 379, BOSCH : 0 986 478 586, BOSCH : 0 986 478 540, BRADI : 1.4805.2.4, BRADI : 1.4809.2.4, BRADI : 1.4806.2.4, BRECO : BS 8241, BRECO : BS 8191, BRECO : BS 8150, BREMO : 09.6905.10, BREMO : 09.5857.14, BREMO : 09.6741.10, BREMO : 09.5857.10, BREMO : 09.5857.75, CAR : 142.965, CAR : 142.768, CAR : 142.785, CAR : 142.972, CAR RACING : HPD 768, CAR RACING : HPD 785, CAR RACING : HPD 972, CAR RACING : HPD965, CIFAM : 800-758, CIFAM : 800-757, CIFAM : 800-587, CIFAM : 800-691, DELPHI : BG2645, DELPHI : BG583, DELPHI : BG2582, DELPHI : BG3159, DELPHI : BG645, DELPHI : BG3499, DELPHI : BG2583, FERODO : DDF352, FERODO : DDF400, FERODO : DDF623, Fritech : DF301, Fritech : DF526, Fritech : DF926, GRAF : DF29758, GRAF : DF29587, GRAF : DF29757, GRAF : DF29691, INTERBRAKE : SZ071V, INTERBRAKE : SZ131V, INTERBRAKE : SZ051V, INTERBRAKE : SZ081V, INTERCAR : SZ071V, INTERCAR : SZ081V, JAPANPARTS : DI-805, JURID : 561426J, JURID : 562167J, JURID : 561650J, JURID : 561599J, KWP : 129691, KWP : 129757, KWP : 129587, KWP : 129758, Lemforder : 19068, LPR : S5051V, LPR : S5081V, LPR : S5071V, LPR : S5131V, LUCAS : DF2741, LUCAS : DF3106, LUCAS : DF3032, LUCAS : DF4315, MAGNETI MARELLI : 353614805240, MAGNETI MARELLI : 353614809240, MAGNETI MARELLI : 353614806240, MAGNETI MARELLI : 353611906250, Metelli : 23-0691, Metelli : 23-0758, Metelli : 23-0757, Metelli : 23-0587, MINTEX : MDC791, MINTEX : MDC1374, MINTEX : MDC715, MINTEX : MDC714, NECTO : WN757, NECTO : WN1127, NECTO : WN541, NECTO : WN771, NIBK : RN1296V, NIPPARTS : J3308005, NK : 205205, OEM : 5551186030, OEM : 5531175F00, OEM : 91172987, OEM : 5531180F01, OEM : 5531160B030, OEM : 55311M72F00, OEM : 5531160B40, OEM : 5531172F00, OEM : 55311M72F01, OEM : 5531160B30, OEM : 5551186031, OEM : 5531180F00, OEM : 96062166, OEM : 5531180F02, OEM : 5531160B20, OEM : 96067908, OEM : 5531160B41, OEM : 55311M60B30, PAGID : 54133, PAGID : 53405, PAGID : 53404, PAGID : 53406, PAGID : 53501, PILENGA : V550, PILENGA : V556, PILENGA : V552, QH : BDC3816, QH : BDC5030, QH : BDC3759, QH : BDC3758, REMSA : 6505.20, REMSA : 6042.00, REMSA : 6502.20, REMSA : 6399.10, ROADHOUSE : 6042.00, ROADHOUSE : 6505.20, ROADHOUSE : 6399.10, ROADHOUSE : 6502.20, SBS : 282801, SBS : 1815205205, SBS : 1815205204, SBS : 282802, SBS : 1815205209, TEXTAR : 92065900, TEXTAR : 92069100, TEXTAR : 98200 0691 0 1, TEXTAR : 92113300, TEXTAR : 92069000, TEXTAR : 98200 0690 0 1, TRUSTING : DF926, TRUSTING : DF526, TRUSTING : DF301, TRW : DF3106, VALEO : 186627, VALEO : 186505, WOKING : D6399.10, WOKING : D6143.10, ZIMMERMANN : 540.2485.00, ZIMMERMANN : 540.2484.00, ZIMMERMANN : 540.2486.00
	Swift	1600	1989	1996	Front	MRD1296V		
	Swift	1600	1989	1996	Front	MRD1296V		
	Swift	1300	1989	1996	Front	MRD1296V		
	Swift	1300	1989	1996	Front	MRD1296V		
	Swift	1600	1989	1996	Front	MRD1296V		
SUZUKI	Wagon R MM Euro	1300	2003		Front	MRD1131	Recommended Type: Solid 246.5 ,Disc Thickness: 12, Num. of holes : 4, Height : 44, Centering Diameter : 60, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2382D, AP : 14809, APEC : DSK2110, ATE : 24.0112-0153.1, BENDIX : 562124B, BOSCH : 0 986 478 729, BRADI : 1.3442.1.4, BRECO : BS 7608, BREMO : 08.8705.10, CAR : 142.540, CAR RACING : HPD 540, CIFAM : 800-603, DELPHI : BG3769, FERODO : DDF1148, Fritech : DF659, GRAF : DF29603, INTERBRAKE : OP461P, JURID : 562124J, KWP : 129603, Lemforder : 29615, Lemforder : 29615 01, LPR : O1461P, LUCAS : DF4131, MAGNETI MARELLI : 353613442140, Metelli : 23-0603, MINTEX : MDC1490, NECTO : WN1164, NIBK : RN1131, OEM : 4351183E50, OEM : 4704595, OEM : 4351183E00, OEM : 4704579, OPEL : 4700711, PAGID : 50357, PILENGA : 5766, REMSA : 6621.00, REMSA : 6857.10, ROADHOUSE : 6857.10, ROADHOUSE : 6621.00, SBS : 1815203642, STOP : 562124S, SUZUKI : 5531183E00, TEXTAR : 92110800, TRUSTING : DF659, TRW : DF4131, VALEO : 186784, VAUXHALL : 9193872, WOKING : D6621.00, ZIMMERMANN : 430.1487.00
	Grand Vitara	2000	2005	2008	Front	MRD1140V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 29, Centering Diameter : 108.3, Position: Front, Pitch Circle & Oslash: 140, Outter & Oslash : 310	AC DELCO : AC2480D, AP : 24940E, ATE : 24.0117-0109.1, ATE : 24.0122-0200.1, BOSCH : 0 986 478 839, BRECO : BS 8559, BREMO : 09.9727.14, CAR : 142.1184, CAR : 142.956, CAR RACING : HPD 956, CAR RACING : HPD 1184, DELPHI : BG3821, DELPHI : BG3820, FERODO : DDF1282, Fritech : DF795, GRAF : DF29697, INTERBRAKE : SZ181V, INTERBRAKE : SZ201V, KWP : 129697, LPR : S5003V, LPR : S5133V, LUCAS : DF4156, MAGNETI MARELLI : 351481320500, MINTEX : MDC1591, MINTEX : MDC1847, NECTO : WN1293, NIBK : RN1140V, NK : 205212, PAGID : 54368, PILENGA : V555, QH : BDC5373, SBS : 1815205210, SBS : 1815205212, SUZUKI : 5521165D11, SUZUKI : 5521165D12, SUZUKI : 5521165D11000, SUZUKI : 5521165D13, SUZUKI : 5521165D10, SUZUKI : 5521165D12000, SUZUKI : 5521165D10000, SUZUKI : 5521165D21, TEXTAR : 92136800, TEXTAR : 92170503, TRUSTING : DF795, TRW : DF4156, WOKING : D6699.10
SUZUKI	Grand Vitara	2000	2005	2008	Front	MRD1140V		
	Grand Vitara	2700	2001	2003	Front	MRD1140V		
	Grand Vitara	1600	1998	2001	Front	MRD1140V		
	Grand Vitara	2000	1998	2003	Front	MRD1140V		
	Grand Vitara	2500	1998	2003	Front	MRD1140V		
	Grand Vitara	2500	1998	2003	Front	MRD1140V		
	Grand Vitara	1600	1998	2001	Front	MRD1140V		
	Grand Vitara	2000	1998	2003	Front	MRD1140V		
	Grand Vitara	2500	1998	2003	Front	MRD1140V		
	Grand Vitara	2700	2001	2003	Front	MRD1140V		
SUZUKI	Baleno	1300	1995	1999	Front	MRD1129V	Recommended Type: Vented & Oslash 235 ,Disc Thickness: 20, Num. of holes : 4, Height : 49.5, Centering Diameter : 60, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2645D, AP : 24710, APEC : DSK360, ATE : 24.0120-0163.1, BENDIX : 562117B, BOSCH : 0 986 478 450, BRADI : 1.4811.2.4, BRECO : BS 8292, BREMO : 09.7279.10, CAR : 142.959, CAR RACING : HPD 959, CIFAM : 800-510, DELPHI : BG3160, FERODO : DDF978, Fritech : DF477, GRAF : DF29510, INTERBRAKE : SZ111V, INTERCAR : SZ111V, JURID : 562117J, KWP : 129510, LPR : S5111V, LUCAS : DF4117, Metelli : 23-0510, MINTEX : MDC1059, NECTO : WN967, NIBK : RN1129V, PAGID : 50239, PILENGA : V553, QH : BDC4737, REMSA : 6553.10, ROADHOUSE : 6553.10, SBS : 282805, SBS : 1815205206, SUZUKI : 55311-61G00, SUZUKI : 55311-61G01, TEXTAR : 92093200, TRUSTING : DF477, TRW : DF4117, VALEO : 186827, ZIMMERMANN : 540.2488.00
	Baleno	1600	1996	1999	Front	MRD1129V		
	Baleno	1900	1999		Front	MRD1129V		
	Baleno	1900	1999		Front	MRD1129V		
SUZUKI	Ignis	1300	2003		Front	MRD1523V	Recommended Type: Vented ,Disc Thickness: 17, Num. of holes : 4, Height : 49, Centering Diameter : 60, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 253	AP : 24962E, ATE : 24.0117-0106.1, BRECO : BS 8581, BREMO : 09.9728.14, CAR : 142.1124, CAR RACING : HPD 1124, CIFAM : 800-839, DELPHI : BG3884, FERODO : DDF1059, Fritech : DF1086, GRAF : DF29839, INTERBRAKE : OP621V, JURID : 562306J, KWP : 129839, LPR : S5000V, LUCAS : DF4376, LUCAS : DF4826, LUCAS : DF4376BP, Metelli : 23-0839, MINTEX : MDC1672, NECTO : WN1435, NIBK : RN1523V, OEM : 4707288, OEM : 93176389, OEM : 4706749, OEM : 93179462, PAGID : 54186, PAGID : 54353, PILENGA : V766, QH : BDC5467, SBS : 1815205213, SBS : 1815203656, SUZUKI : 5531186G02, SUZUKI : 5531184E01, SUZUKI : 5531186G02000, TEXTAR : 92118600, TEXTAR : 92135300, TRUSTING : DF1086, VALEO : 186805, ZIMMERMANN : 540.2490.00, ZIMMERMANN : 430.2604.00
	Wagon R MM Euro	1300	2003		Front	MRD1523V		
	Ignis	1500	2003		Front	MRD1523V		
	Ignis	1500	2003		Front	MRD1523V		
	Wagon R MM Euro	1300	2003		Front	MRD1523V		
	Ignis	1300	2003		Front	MRD1523V		
	Ignis	1500	2003		Front	MRD1523V		
	Ignis	1300	2003		Front	MRD1523V		
SUZUKI	Wagon R MM Euro	1300	2003		Front	MRD1523V		
	Liana	1300	2001	2007	Front	MRD1205V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 50, Centering Diameter : 60, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 246	ATE : 24.0120-0197.1, BENDIX : 562179B, BOSCH : 0 986 478 841, BRADI : 1.4812.2.4, BREMO : 09.9350.10, CAR : 142.623, DELPHI : BG3341, FERODO : DDF1396, Fritech : DF725, INTERBRAKE : SZ141V, JURID : 562179J, LPR : S5135V, LUCAS : DF4435, MINTEX : MDC1457, NECTO : WN1358, NIBK : RN1205V, PAGID : 54045, PILENGA : V558, QH : BDC4954, REMSA : 6823.20, REMSA : 6950.10, ROADHOUSE : 6950.10, ROADHOUSE : 6823.20, SBS : 1815205208, SUZUKI : 5531162G00000, SUZUKI : 5531162G02, SUZUKI : 5531162G02000, SUZUKI : 5531162G00, SUZUKI : 5531162G01, TEXTAR : 92104500, TRUSTING : DF725, TRW : DF4435, TRW : DF7115
	Liana	1300	2001	2007	Front	MRD1205V		
	Liana	1500	2001	2007	Front	MRD1205V		
	Liana	1600	2001	2007	Front	MRD1205V		
	Liana	1600	2001	2007	Front	MRD1205V		
	Liana	1300	2001	2007	Front	MRD1205V		
	Liana	1300	2001	2007	Front	MRD1205V		
	Liana	1500	2001	2007	Front	MRD1205V		
	Liana	1600	2001	2007	Front	MRD1205V		
	Liana	1600	2001	2007	Front	MRD1205V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
SUZUKI	Swift Euro	1300	2005	2009	Front	MRD1525V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 40, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 252"	ATE : 24.0120-0211.1, BREMBO : 09.A271.14, CAR : 142.1255, CAR RACING : HPD 1255, CIFAM : 800-908, DELPHI : BG4049, FERODO : DDF1520, Fritch : DF1062, INTERBRAKE : SZ221V, LPR : S5001V, LUCAS : DF4824, Metelli : 23-0908, MINTEX : MDC1756, NECTO : WN1446, NIBK : RN1525V, NIBK : RN1525DSET, OEM : 4708241, OEM : 93192978, PAGID : 54489, REMSA : 61002.10, ROADHOUSE : 61002.10, SBS : 1815205214, SUZUKI : 5531162J01, SUZUKI : 5531162J00, TEXTAR : 92148900, TRUSTING : DF1062, ZIMMERMANN : 540.2491.00
	Swift Euro	1500	2005	2009	Front	MRD1525V		
	Swift Euro	1300	2005	2009	Front	MRD1525V		
	Swift Euro	1500	2005	2009	Front	MRD1525V		
	SX 4 Euro	1900	2006	2009	Front	MRD1320V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 47, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 279	ATE : 24.0122-0252.1, BREMBO : 09.A296.14, CAR : 142.1191, CAR RACING : HPD 1191, CIFAM : 800-895, DELPHI : BG4093, FERODO : DDF1620, Fritch : DF1223, INTERBRAKE : FT321V, JAPANPARTS : DI-820, LPR : S5005V, LPR : F2012V, LUCAS : DF4741, Metelli : 23-0895, MINTEX : MDC1822, NIBK : RN1320V, NIPPARTS : N3308020, OEM : 5531179J01000, OEM : 5531179J01, OEM : 71742850, QH : BDC5576, SBS : 1815205218, TEXTAR : 92156600, TRUSTING : DF1223, TRW : DF4741
	SX 4 Russia	1600	2006		Front	MRD1320V		
	SX 4 Euro	1900	2006	2009	Front	MRD1320V		
	SX 4 Russia	1600	2006		Front	MRD1320V		
	Grand Vitara	2400	2009		Front	MRD1371V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49.2, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 294	ATE : 24.0125-0190.1, BOSCH : 0986479559, CAR : 142.1289, CAR RACING : HPD 1289, CIFAM : 800-966, DELPHI : BG4131, FERODO : DDF1635, Fritch : DF1061, INTERBRAKE : SZ211V, LPR : S5004V, LUCAS : DF7371S, Metelli : 23-0966, MINTEX : MDC2028, NIBK : RN1371V, SBS : 1815205216, SUZUKI : 5521165J00000, SUZUKI : 5521165J00, SUZUKI : 5521165J01, SUZUKI : 5521165J02, TEXTAR : 92156500, TRUSTING : DF1061, TRW : DF7371S
	Grand Vitara	3200	2009		Front	MRD1371V		
	Grand Vitara	1600	2009		Front	MRD1371V		
	Grand Vitara	1900	2005		Front	MRD1371V		
	Grand Vitara	2400	2009		Rear	MRD1522V	Recommended Type: Vented ,Disc Thickness: 16, Num. of holes : 5, Height : 57, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 308	Blue Print : ADK84336, DELPHI : BG4329, Fritch : DF1383, NIBK : RN1522V, NIPPARTS : N3318003, NK : 205221, SBS : 1815205221, SUZUKI : 5561177K00, SUZUKI : 5561177K01, TEXTAR : 92222200, TRUSTING : DF1383
	Grand Vitara	3200	2009		Rear	MRD1522V		
	Grand Vitara	1600	2009		Rear	MRD1522V		
	Grand Vitara	1900	2005		Rear	MRD1522V		
SUZUKI	Swift Euro	1200	2010		Front	MRD1526V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 40, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	Blue Print : ADK84338, Fritch : DF1462, MINTEX : MDC2304, NIBK : RN1526V, NIPPARTS : N3308023, NK : 205224, SBS : 1815205224, SUZUKI : 5531168L00, TRUSTING : DF1462
	Swift	1200	2010		Front	MRD29001V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 40, Centering Diameter :60, Position: Front, Outter & Oslash : 272	Blue Print : ADK84340, BOSCH : 0 986 479 789, Jakoparts : J3308026, Japan Parts : DI-826, NIBK : RN29001V, SUZUKI : 5531168L50, TRW : DF 6135
SUZUKI	Swift	1600	2012		Front	MRD29001V		
	Swift Euro	1300	2005	2009	Rear	MRD1524	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 43.4, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 278	Fritch : DF1437, NIBK : RN1524, NK : 205222, SBS : 1815205222, SUZUKI : 5561180J00, SUZUKI : 5561180J01, TEXTAR : 92222300, TRUSTING : DF1437
SUZUKI	Swift Euro	1500	2005	2009	Rear	MRD1524		
	Swift Euro	1300	2005	2009	Rear	MRD1524		
SUZUKI	Swift Euro	1500	2005	2009	Rear	MRD1524		
	Swift Euro	1500	2005	2009	Rear	MRD1524		
SUZUKI	Wagon R MM Euro	1300	2003		Front	MRD1131	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 44, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2382D, AP : 14809, APEC : DSK2110, ATE : 24.0112-0153.1, BENDIX : 562124B, BOSCH : 0 986 478 729, BRADI : 1.3442.1.4, BRECO : BS 7608, BREMBO : 08.8705.10, CAR : 142.540, CAR RACING : HPD 540, CIFAM : 800-603, DELPHI : BG3769, FERODO : DDF1148, Fritch : DF659, GRAF : DF29603, INTERBRAKE : OP461P, JURID : 562124J, KWP : 129603, Lemforder : 29615, Lemforder : 29615 01, LPR : 01461P, LUCAS : DF4131, MAGNETI MARELLI : 353613442140, Metelli : 23-0603, MINTEX : MDC1490, NECTO : WN1164, NIBK : RN1131, OEM : 4351183E50, OEM : 4704595, OEM : 4351183E00, OEM : 4704579, OPEL : 4700711, PAGID : 50357, PILENGA : 5766, REMSA : 6857.10, REMSA : 6621.00, ROADHOUSE : 6621.00, ROADHOUSE : 6857.10, SBS : 1815203642, STOP : 562124S, SUZUKI : 5531183E00, TEXTAR : 92110800, TRUSTING : DF659, TRW : DF4131, VALEO : 186784, VAUXHALL : 9193872, WOKING : D6621.00, ZIMMERMANN : 430.1487.00
	Wagon R MM Euro	1300	2003		Front	MRD1131		
	Baleno	1900	1999		Front	MRD1129V	Recommended Type: Vented & Oslash 235 ,Disc Thickness: 20, Num. of holes : 4, Height : 49.5, Centering Diameter :60, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2645D, AP : 24710, APEC : DSK360, ATE : 24.0120-0163.1, BENDIX : 562117B, BOSCH : 0 986 478 450, BRADI : 1.4811.2.4, BRECO : BS 8292, BREMBO : 09.7279.10, CAR : 142.959, CAR RACING : HPD 959, CIFAM : 800-510, DELPHI : BG3160, FERODO : DDF978, Fritch : DF477, GRAF : DF29510, INTERBRAKE : SZ111V, INTERCAR : SZ111V, JURID : 562117J, KWP : 129510, LPR : S5111V, LUCAS : DF4117, Metelli : 23-0510, MINTEX : MDC1059, NECTO : WN967, NIBK : RN1129V, PAGID : 50239, PILENGA : V553, QH : BDC4737, REMSA : 6553.10, ROADHOUSE : 6553.10, SBS : 282805, SBS : 1815205206, SUZUKI : 55311-61G01, SUZUKI : 55311-61G00, TEXTAR : 92093200, TRUSTING : DF477, TRW : DF4117, VALEO : 186827, ZIMMERMANN : 540.2488.00
	Grand Vitara	2000	1998	2000	Front	MRD1491V	Recommended Type: Vented & Oslash : 286 mm, Disc Thickness: 17, Num. of holes : 5, Height : 29, Centering Diameter :108.3, Position: Front, Pitch Circle & Oslash: 139.7	AC DELCO : 177886, AC DELCO : 18A1106, Blue Print : ADK84317, GM : 30024673, GM : 19175152, NIBK : RN1491V, SUZUKI : 5521165D02, SUZUKI : 5521165D00, SUZUKI : 5521167D00, SUZUKI : 5521167D01, SUZUKI : 5521165D01, TRW : DF6023
	Grand Vitara	2000	1998	2000	Front	MRD1491V		
	Grand Vitara	2000	1998	2000	Front	MRD1491V		
TOYOTA	Picnic	2000	2001	2006	Front	MRD1009V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 275	AC DELCO : AC2509D, AP : 24379, APEC : DSK2273, ATE : 24.0128-0115.1, BENDIX : 561676B, BENDIX AUS : DBA735, BOSCH : 0 986 478 632, BRADI : 1.5275.2.4, BRECO : BS 8067, BREMBO : 09.5624.10, BREMBO : 09.A386.10, CAR : 142.777, CAR RACING : HPD 777, DELPHI : BG782, DELPHI : BG2782, FERODO : DRF501, FERODO : DDF501, Fritch : DF381, Fritch : DF1063, INTERBRAKE : TY981V, LPR : T2981V, LUCAS : DF1431, LUCAS : DF4412, MAGNETI MARELLI : 353615275240, MINTEX : MDC898, NECTO : WN642, NIBK : RN1009V, NIPPARTS : J3302132, OEM : 4351206030, OEM : 4351206060, OEM : 4351206040, PAGID : 54354, PAGID : 53625, PILENGA : V660, QH : BDC4422, REMSA : 6560.20, REMSA : 6842.10, ROADHOUSE : 6842.10, ROADHOUSE : 6560.20, SBS : 1815204596, SBS : 1815204549, SBS : 333335, TEXTAR : 92135400, TEXTAR : 92077700, TOYOTA : 4351233040, TOYOTA : 4351207020, TOYOTA : 4351244020, TOYOTA : 4351244011, TOYOTA : 4351233060, TOYOTA : 4351233041, TOYOTA : 4351206020, TOYOTA : 4351233042, TOYOTA : 4351244021, TOYOTA : 4351244010, TOYOTA : 4351233043, TOYOTA : 43512-33090, TRUSTING : DF1063, TRUSTING : DF381, TRW : DF1431, WOKING : D6842.10, ZIMMERMANN : 590.2556.00
	Previa	2400	1999	2006	Front	MRD1009V		
	Avensis	2000	2001	2002	Front	MRD1009V		
	Previa	2000	2001	2003	Front	MRD1009V		
	Previa	2400	2000	2006	Front	MRD1009V		
	Camry	2400	2002	2006	Front	MRD1009V		
	Harrier	2200	1997	2000	Rear	MRD1251	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 60.6, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 288	ATE : 24.0110-0712.1, DELPHI : BG3864, Fritch : DF1125, LEXUS : 4243133080, LEXUS : 4243148020, LEXUS : 4243148010, NIBK : RN1251, OEM : 4243133080, OEM : 4243148020, OEM : 4243148010, TOYOTA : 4243133140, TOYOTA : 4243148010, TOYOTA : 4243133080, TOYOTA : 4243148020, TRUSTING : DF1125, TRW : DF7209
	Harrier	3000	1997	2001	Rear	MRD1251		
	Harrier	2400	2000	2001	Rear	MRD1251		
	RAV 4	2200	2006	2010	Rear	MRD1433	Recommended Type: Solid ,Disc Thickness: 10.5, Num. of holes : 5, Height : 55, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 281	ATE : 24.0112-0714.1, BREMBO : 08.A429.10, CAR : 142.1303, FERODO : DDF1846, Fritch : DF1152, INTERBRAKE : T3301P, LPR : T2030P, LUCAS : DF4829, MINTEX : MDC1826, NIBK : RN1433, NK : 2045114, SBS : 18152045114, TOYOTA : 4243142060, TRUSTING : DF1152, TRW : DF4829
	RAV 4	2200	2009		Rear	MRD1433		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Land Cruiser	4200	1998	2007	Rear	MRD1215V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 103, Centering Diameter :150, Position: Rear, Pitch Circle & Oslash: 149.9mm, Outter & Oslash : 329	ATE : 24.0118-0143.1, BENDIX AUS : DBA789, BREMBO : 09.9086.10, DELPHI : BG3534, FERODO : DDF1597, Fritch : DF520, JAPANPARTS : DP-223, LUCAS : DF4483, NIBK : RN1215V, NIPPARTS : J3312035, OEM : 4243160281, OEM : 4243160280, PILENGA : V648, REMSA : 6948.10, ROADHOUSE : 6948.10, TOYOTA : 4243160220, TOYOTA : 42431-60221, TRUSTING : DF520, TRW : DF4483
	Corolla	1600	1995	2000	Front	MRD1250V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 48.4, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 238	NiBK : RN1250V, TOYOTA : 4351212360, TOYOTA : 4351212590, TOYOTA : 4351212350, TOYOTA : 4351212580, TRW : DF7114
	Corolla	1600	1999	2000	Front	MRD1250V		
	Corolla	1500	1991	1995	Front	MRD1250V		
	Corolla	1600	1995	2000	Front	MRD1250V		
	Wish	1800	2009		Rear	MRD1254	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 55.7, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 149mm, Outter & Oslash : 288	NiBK : RN1254, TOYOTA : 4243121010, TOYOTA : 4243121011, TRW : DF7256
	Wish	2000	2009		Rear	MRD1254		
	Wish	1800	2003	2008	Rear	MRD1254		
	Wish	1800	2003	2008	Rear	MRD1254		
	Wish	2000	2003	2008	Rear	MRD1254		
	Wish	1800	2003	2008	Rear	MRD1254		
	Wish	1800	2003	2008	Rear	MRD1254		
	Wish	2000	2003	2008	Rear	MRD1254		
	Wish	1800	2009		Rear	MRD1254		
	Wish	2000	2009		Rear	MRD1254		
TOYOTA	Dyna	2000	1995	2001	Front	MRD1264V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 6, Height : 51.4, Centering Diameter :91, Position: Front, Pitch Circle & Oslash: 120mm, Outter & Oslash : 258	NiBK : RN1264V, TOYOTA : 4351225020, TRW : DF7193
	Dyna	2800	1995	1999	Front	MRD1264V		
	Dyna	2000	2001	2007	Front	MRD1264V		
	Dyna	3000	2001	2004	Front	MRD1264V		
	Dyna	3000	2001	2004	Front	MRD1264V		
	Dyna	2700	1995	2000	Front	MRD1265V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 6, Height : 101, Centering Diameter :114, Position: Front, Pitch Circle & Oslash: 147mm, Outter & Oslash : 262	NiBK : RN1265V, TOYOTA : 4351225050, TRW : DF7421
	Dyna	3400	1995	1999	Front	MRD1265V		
	Dyna	2700	1995	2000	Front	MRD1265V		
	Dyna	4100	1995	1999	Front	MRD1265V		
	Cressida	2200	1989	1992	Front	MRD1301V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 5, Height : 60, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 256	NiBK : RN1301V, TOYOTA : 4351222170, TOYOTA : 4351222120, TRW : DF7085
	Cressida	2400	1989	1992	Front	MRD1301V		
	Crown Comfort	2000	1995	1996	Front	MRD1301V		
	Crown Comfort	2400	1995	2007	Front	MRD1301V		
	Mark II	2000	1992	1996	Front	MRD1305V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 275	NiBK : RN1305V, TOYOTA : 43512-22220, TOYOTA : 4351222250
	Mark II	2400	1992	1996	Front	MRD1305V		
	Mark II	2500	1992	1995	Front	MRD1305V		
TOYOTA	Aygo	1000	2004	2009	Front	MRD1214V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 35.15, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 250	A.B.S : HFHMTJ, ATE : 24.0120-0180.1, BOSCH : 0 986 479 239, BREMBO : 09.9928.14, CAR : 142.1123, CAR RACING : HPD 1123, CIFAM : 800-834, CITROEN : 4246J0, CITROEN : 00004246J0, DELPHI : BG3976, FERODO : DDF1527, Fritch : DF999, INTERBRAKE : CR451V, JAPANPARTS : DI-269, JURID : 562311J, LPR : C1004V, LUCAS : DF4469, LUCAS : DF4469BP, MAGNETI MARELLI : 353610935240, Metelli : 23-0834, MINTEX : MDC1733, NECTO : WN1453, NIBK : RN1214V, NK : 2045102, OEM : 4246F0, PAGID : 54419, PEUGEOT : 4246F0, PILENGA : V097, QH : BDC5518, REMSA : 61003.10, ROADHOUSE : 61003.10, SBS : 18152045102, TEXTAR : 92141900, TEXTAR : 92141903, TOYOTA : 435120H010, TRUSTING : DF999, TRW : DF4469, ZIMMERMANN : 180.3021.00
	Aygo	1400	2005	2009	Front	MRD1214V		
	Aygo	1000	2004	2009	Front	MRD1214V		
	Aygo	1400	2005	2009	Front	MRD1214V		
	Aygo	1000	2004	2009	Front	MRD1214V		
	Aygo	1400	2005	2009	Front	MRD1214V		
	Aygo	1400	2005	2009	Front	MRD1214V		
	4 Runner	2400	1990	1991	Front	MRD1005V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 6, Height : 64.35, Centering Diameter :100, Position: Front, Outter & Oslash : 288.6	AC DELCO : AC2247D, AP : 24247, ATE : 24.0120-0168.1, BENDIX : 561502B, BOSCH : 0 986 478 453, BRADI : 1.5261.2.4, BRECO : BS 7969, BREMBO : 09.5173.10, BREMBO : 09.5173.14, CAR : 142.928, CAR : 142.929, CAR RACING : HPD 928, CIFAM : 800-642, DELPHI : BG2495, DELPHI : BG600, DELPHI : BG495, FERODO : DDF596, Fritch : DF346, GRAF : DF29642, HERTH+BUSS : J3302071, INTERBRAKE : TY481V, INTERCAR : TY911V, INTERCAR : TY481V, JAPANPARTS : DI-271, JURID : 561502J, KWP : 129642, LPR : T2481V, LPR : T2418V, LUCAS : DF1418, Metelli : 23-0642, MINTEX : MDC891, NECTO : WN676, NIBK : RN1005V, NIPPARTS : J3302071, OEM : B4351235190, OEM : 43512YE020, PAGID : 53621, PILENGA : V657, QH : BDC3819, REMSA : 6551.20, ROADHOUSE : 6551.20, SBS : 1815209948, SBS : 333326, TEXTAR : 92076300, TOYOTA : 4351235110, TOYOTA : 4351235190, TRUSTING : DF346, TRW : DF1418, VALEO : 186547, VW : J4351235190
	4 Runner	3000	1989	1995	Front	MRD1005V		
	Hi Lux Surf Pickup	2000	1991	1999	Front	MRD1005V		
	Hi Lux Surf Pickup	2400	1997	1999	Front	MRD1005V		
	Hi Lux Surf Pickup	2400	1999	2001	Front	MRD1005V		
	Hi Lux Surf Pickup	2400	1997	1999	Front	MRD1005V		
	Hi Lux Surf Pickup	2400	1999	2001	Front	MRD1005V		
TOYOTA	Corolla	1300	1997	1998	Rear	MRD1364V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 48, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 255	AC DELCO : AC2296D, AP : 24460E, APEC : DSK314, ATE : 24.0123-0100.1, ATE : 24.0122-0158.1, BENDIX : 561968B, BOSCH : 0 986 478 578, BRADI : 1.5274.2.4, BRADI : 1.3413.2.4, BRECO : BS 8125, BREMBO : 09.5736.14, BREMBO : 09.5736.10, BREMBO : 09.5735.10, CAR : 142.485, CAR : 142.984, CAR RACING : HPD 485, CAR RACING : HPD 984, CHEVROLET : 94854148, CHEVROLET : 94853004, CIFAM : 800-439, DELPHI : BG2891, FERODO : DDF794, FERODO : DRF794, Fritch : DF303, GRAF : DF29439, GREAT WALL : 3501011G08, INTERBRAKE : TY071V, INTERBRAKE : OP161V, INTERCAR : TY071V, JURID : 561968J, KWP : 129439, Lemforder : 17311, LPR : T2071V, LPR : O1161V, LUCAS : DF2642, LUCAS : DF2658BP, LUCAS : DF2658, MAGNETI MARELLI : 35361527420, Metelli : 23-0439, MINTEX : MDC1016, NECTO : WN911, NIBK : RN1364V, NIPPARTS : J3302033, NK : 203614, OEM : 569035, OEM : 90009369, OEM : 569036, OEM : 90009433, PAGID : 50214, PILENGA : V355, QH : BDC4587, REMSA : 6640.20, REMSA : 6539.10, ROADHOUSE : 6640.20, ROADHOUSE : 6539.10, SBS : 333320, SBS : 1815204543, SBS : 333320V, STOP : 561968S, TEXTAR : 98200 0772 0 1, TEXTAR : 92077200, TOYOTA : 4351212550, TOYOTA : 4351202040, TRUSTING : DF303, TRW : DF2658, VALEO : 186673, WOKING : D6539.10, ZIMMERMANN : 590.2560.00
	Corolla	1300	1995	1997	Front	MRD1364V		
	Corolla	1600	1995	1997	Front	MRD1364V		
	Corolla	1300	1997	1998	Rear	MRD1364V		
	Corolla	1300	1995	1997	Front	MRD1364V		
	Corolla	1600	1995	1997	Front	MRD1364V		
TOYOTA	Allion	1500	2001	2007	Front	MRD1058V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49.1, Centering Diameter :55.1, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 255	AC DELCO : AC2298D, AP : 24520, AP : X24520, ATE : 24.0125-0124.1, BENDIX : 561822B, BENDIX : 562287B, BOSCH : 0 986 478 584, BRADI : 1.5293.2.4, BRECO : BS 8147, BREMBO : 09.5844.10, BREMBO : 09.5844.75, CAR : 142.688, CAR : 142.985, CAR RACING : HPD 985, CIFAM : 800-646, DELPHI : BG880, DELPHI : BG3850, FERODO : DDF620, FERODO : DRF620, FERODO : DDF992, Fritch : DF485, Fritch : DF485, GRAF : DF29646, INTERBRAKE : TY691V, INTERCAR : TY691V, JAPANPARTS : DI-277, JURID : 562287J, JURID : 561822J, KWP : 129646, Lemforder : 22852 01, Lemforder : 22852, LPR : T2691V, LUCAS : DF2683, LUCAS : DF4497, MAGNETI MARELLI : 353615293240, Metelli : 23-0646, MINTEX : MDC1025, MINTEX : MDC1417, NECTO : WN754, NIBK : RN1058V, OEM : 4351220450, OEM : 4351220620, OEM : 4351220700, OEM : 4351220580, OEM : 4351220490, OEM : 4351221010, PAGID : 53634, PAGID : 54389, PILENGA : V670, QH : BDC5201, QH : BDC5088, QH : BDC4615, REMSA : 6725.20, ROADHOUSE : 6725.20, SBS : 1815204539, SBS : 333317, SBS : 1815204572, TEXTAR : 92077400, TEXTAR : 92138900, TOYOTA : 4351232301, TOYOTA : 4351220470, TOYOTA : 4351220450, TOYOTA : 4351232300, TOYOTA : 4351220480, TRUSTING : DF485, TRUSTING : DF429, TRW : DF7337, TRW : DF4877, TRW : DF2683S, TRW : DF7435, TRW : DF2683, WOKING : D6540.10, ZIMMERMANN : 590.2561.00
	Allion	1800	2004	2007	Front	MRD1058V		
	Opia	1800	2000	2005	Front	MRD1058V		
	Premio	1500	2001	2007	Front	MRD1058V		
	Premio	1800	2001	2007	Front	MRD1058V		
	Camry	1800	2000	2007	Front	MRD1058V		
	Opia	1800	2002	2005	Front	MRD1058V		
	Premio	2000	2001	2007	Front	MRD1058V		
	Caldina	1800	1996	1997	Front	MRD1058V		
	Caldina	2000	1992	1997	Front	MRD1058V		
	Corona	1600	1992	1996	Front	MRD1058V		
	Corona	1800	1992	1996	Front	MRD1058V		
	Corona	2000	1992	1996	Front	MRD1058V		
	Caldina	2000	1992	1997	Front	MRD1058V		
	Corona	2000	1992	1996	Front	MRD1058V		
	Opia	1800	2002	2005	Front	MRD1058V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Caldina	1800	1996	1997	Front	MRD1058V		
	Corona	1600	1992	1996	Front	MRD1058V		
	Corona	1800	1992	1996	Front	MRD1058V		
	Caldina	2000	1992	1997	Front	MRD1058V		
	Corona	1600	1992	1996	Front	MRD1058V		
	Corona	1800	1992	1996	Front	MRD1058V		
	Corona	2000	1992	1996	Front	MRD1058V		
	Caldina	1800	1996	1997	Front	MRD1058V		
	Opä	1800	2000	2005	Front	MRD1058V		
	Camry	1800	2000	2007	Front	MRD1058V		
TOYOTA	Allion	1500	2001	2007	Front	MRD1058V		
	Premio	1500	2001	2007	Front	MRD1058V		
	Premio	1800	2001	2007	Front	MRD1058V		
	Allion	1800	2004	2007	Front	MRD1058V		
	Carina E	2000	1994	1997	Front	MRD1069	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter :54, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 255	AC DELCO : AC2300D, AP : 24563, ATE : 24.0128-0113.1, BENDIX : 562077B, BOSCH : 0 986 478 858, BRADI : 1.5294.2.4, BRECO : BS 8189, BREMBO : 09.6742.10, CAR : 142.864, CAR RACING : HPD 864, CIFAM : 800-447, DELPHI : BG3187, FERODO : DDF799, FERODO : DRF799, Fritch : DF555, GRAF : DF29447, INTERBRAKE : TY571V, INTERCAR : TY571V, JAPANPARTS : DI-281, JURID : 562077J, KWP : 129447, Lemforder : 22851, Lemforder : 22851 01, LPR : T2571V, LUCAS : DF2742, MAGNETI MARELLI : 353615294240, Metelli : 23-0447, MINTEX : MDC1028, NECTO : WN1052, NIBK : RN1069, NIPPARTS : J3302015, PAGID : 53643, PILENGA : V358, QH : BDC4608, REMSA : 6541.10, REMSA : 6726.20, ROADHOUSE : 6726.20, ROADHOUSE : 6541.10, SBS : 333337, SBS : 1815204544, TEXTAR : 92077500, TOYOTA : 4351205010, TRUSTING : DF555, TRW : DF2742, VALEO : 186867, WOKING : D6541.10, ZIMMERMANN : 590.2562.00
	Corona	1600	1992	1996	Front	MRD1069		
	Corona	1800	1992	1996	Front	MRD1069		
	Carina E	2000	1994	1997	Front	MRD1069		
	Carina E	1600	1994	1997	Front	MRD1069		
	Carina E	1800	1994	1997	Front	MRD1069		
TOYOTA	Corolla	1300	1985	1987	Front	MRD1006V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 4, Height : 48, Centering Diameter :54, Position: Front, Outter & Oslash : 238	AC DELCO : AC2451D, AP : 24519, AP : 24631, BENDIX : 561490B, BENDIX EUR : 561490B, Blue Print : ADT34331, BRADI : 1.5232.2.5, BRADI : 1.5240.2.4, BRECO : BS 7951, BRECO : BS 8251, BREMBO : 09.5084.24, BREMBO : 09.5084.20, CAR : 142.978, CAR RACING : HPD 978, CIFAM : 800-435, CIFAM : 800-258, DELPHI : BG2828, DELPHI : BG2424, DELPHI : BG424, FERODO : DDF413, Fritch : DF292, GRAF : DF29435, GRAF : DF29258, INTERCAR : TY611V, JURID : 561490J, KWP : 129258, KWP : 129435, Lemforder : 19077, Lemforder : 19077 01, LPR : T2132V, LPR : T2611V, LPR : T2413V, LUCAS : DF7114, LUCAS : DF1423, Metelli : 23-0435, Metelli : 23-0258, MINTEX : MDC882, MINTEX : MDC726, MINTEX : MDC1318, NECTO : WN672, NIBK : RN1006V, NIPPARTS : J3302066, OEM : 4351212340, OEM : 94846350, OEM : 155390300, OEM : 4351212260, OEM : 4351212510, OEM : 94851806, OEM : 155390500, PAGID : 53631, PAGID : 53619, PAGID : 53652, PILENGA : V346, QH : BDC4992, QH : BDC3698, QH : BDC5082, REMSA : 6541.20, REMSA : 6534.20, ROADHOUSE : 6534.20, ROADHOUSE : 6541.20, SBS : 1815204535, SBS : 1815204526, SBS : 333307, TEXTAR : 92050000, TEXTAR : 92090500, TEXTAR : 92055800, TOYOTA : 4351212480, TOYOTA : 4351220310, TOYOTA : 4351212290, TOYOTA : 4351212320, TOYOTA : 4351212490, TOYOTA : 4351212440, TOYOTA : 4351212300, TOYOTA : 4351212250, TOYOTA : 4351212330, TOYOTA : 4351212310, TOYOTA : 4351212340, TRUSTING : DF292, TRW : DF1423, VALEO : 186733, VALEO : 186511, WOKING : D6402.10, ZIMMERMANN : 590.2551.00
	Corolla	1300	1985	1987	Front	MRD1006V		
	Corolla	1800	1997	2001	Front	MRD1006V		
	Corolla	1300	1985	1987	Front	MRD1006V		
	Corolla	1800	1997	2001	Front	MRD1006V		
	Carina E	1600	1994	1997	Front	MRD1059V	Recommended Type: Vented & Oslash : 255 ,Disc Thickness: 28, Num. of holes : 5, Height : 49.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2453D, AP : 24662, APEC : DSK343, ATE : 24.0128-0116.1, BRADI : 1.5295.2.4, BRECO : BS 8193, BREMBO : 09.5845.10, BREMBO : 09.5845.20, CAR : 142.771, CAR RACING : HPD 771, CIFAM : 800-647, DELPHI : BG2880, FERODO : DDF621, Fritch : DF480, GRAF : DF29647, INTERBRAKE : TY711V, INTERCAR : TY711V, JURID : 561745J, KWP : 129647, Lemforder : 22850 01, Lemforder : 22850, LPR : T2711V, LUCAS : DF2684, MAGNETI MARELLI : 353615295240, Metelli : 23-0647, MINTEX : MDC1971, NECTO : WN755, NIBK : RN1059V, OEM : 4351220500, OEM : 4351205020, PAGID : 53635, PILENGA : V357, QH : BDC4588, REMSA : 6542.10, REMSA : 6727.20, ROADHOUSE : 6727.20, ROADHOUSE : 6542.10, SBS : 1815204540, SBS : 333336, TEXTAR : 92094300, TOYOTA : 4351205020, TOYOTA : 4351220500, TRUSTING : DF480, TRW : DF2684, VALEO : 186427, WOKING : D6542.10, ZIMMERMANN : 590.2568.00
	Carina E	1800	1994	1997	Front	MRD1059V		
	Carina E	2000	1994	1997	Front	MRD1059V		
	Avensis	2000	2000	2001	Front	MRD1111V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 260	AC DELCO : AC2501D, AP : 24736, ATE : 24.0125-0140.1, BENDIX : 562125B, BOSCH : 0 986 478 451, BRADI : 1.5282.2.4, BRECO : BS 8322, BREMBO : FD.087.000, BREMBO : 09.7395.10, BREMBO : FS.087.000, CAR : 142.863, CAR RACING : HPD 863, CAR RACING : HPD 1138, CIFAM : 800-512, DELPHI : BG3347, FERODO : DDF1064, Fritch : DF517, GRAF : DF29512, INTERBRAKE : TY601V, INTERCAR : TY601V, JURID : 562125J, KWP : 129512, LPR : T2601V, LUCAS : DF4046, LUCAS : DF4411, MAGNETI MARELLI : 353615202224, Metelli : 23-0512, MINTEX : MDC1068, NECTO : WN1068, NIBK : RN1111V, OEM : 7701205530, PAGID : 50256, PILENGA : V651, QH : BDC4991, REMSA : 6577.10, ROADHOUSE : 6577.10, SBS : 1815204564, SBS : 1816304564, SBS : 333331V, SBS : 1815304564, SBS : 333331, STOP : 562125S, TEXTAR : 92096900, TOYOTA : 4351205030, TOYOTA : 4351205031, TRUSTING : DF517, TRW : DF4411, TRW : DF4046, VALEO : 186655, VALEO : 186705, ZIMMERMANN : 590.2563.00
	Avensis	1800	1997	2000	Front	MRD1111V		
TOYOTA	Avensis	2000	1997	2000	Front	MRD1111V		
	Avensis	2000	2001	2003	Front	MRD1111V		
	Avensis	1600	1997	2001	Front	MRD1111V		
	Avensis	1800	1997	2003	Front	MRD1111V		
	Avensis	2000	1997	2003	Front	MRD1111V		
	Avensis	1600	1997	2000	Front	MRD1111V		
	Avensis	1600	1997	2001	Front	MRD1111V		
	Avensis	1800	1997	2000	Front	MRD1111V		
	Avensis	2000	1997	2000	Front	MRD1111V		
	Avensis	2000	2000	2001	Front	MRD1111V		
TOYOTA	Vios	1300	2003	2007	Front	MRD1127V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 4, Height : 43, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2503D, AP : X24770, AP : 24770, ATE : 24.0118-0131.1, BENDIX : 562261B, BENDIX : 562169B, BOSCH : 0 986 478 582, BRADI : 1.52B3.2.4, BRECO : BS 8356, BREMBO : 09.7825.75, BREMBO : FS.097.000, BREMBO : 09.7825.10, BREMBO : FD.097.000, CAR : 142.986, CAR RACING : HPR 986, CIFAM : 800-552, DELPHI : BG3519, FERODO : DRF1084, FERODO : DDF1084, Fritch : DF458, GRAF : DF29552, INTERBRAKE : TY941V, INTERCAR : TY941V, JURID : 562261J, JURID : 562169J, KWP : 129552, LPR : T2941V, LUCAS : DF4112, MAGNETI MARELLI : 353615202324, Metelli : 23-0552, MINTEX : MDC1392, NECTO : WN1095, NIBK : RN1127V, PAGID : 50301, PILENGA : V661, PILENGA : V653, QH : BDC5117, REMSA : 6618.10, ROADHOUSE : 6618.10, SBS : 333357, SBS : 1815204565, STOP : 562169S, TEXTAR : 92103600, TOYOTA : 4351252050, TOYOTA : 4351252010, TOYOTA : 4351252020, TOYOTA : 435120D010, TRUSTING : DF458, TRW : DF4112, VALEO : 186587, WOKING : D6618.10
	Yaris	1000	1998	2004	Front	MRD1127V		
	Yaris	1300	1999	2004	Front	MRD1127V		
	Yaris Euro	1000	1999	2001	Front	MRD1127V		
TOYOTA	Allion	1800	2004	2007	Front	MRD1142V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 49.4, Centering Diameter :84, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 275	AC DELCO : AC2505D, ATE : 24.0125-0700.1, CAR : 142.689, CAR RACING : HPD 689, DELPHI : BG3823, FERODO : DDF1484, Fritch : DF1157, LPR : T2875V, LPR : T2871V, LUCAS : DF4160, MINTEX : MDC1874, NIBK : RN1142V, OEM : 4351202110, OEM : 4351220740, OEM : 4351202130, QH : BDC5362, Raybestos : 96934R, TOYOTA : 4351220711, TOYOTA : 4351263010, TOYOTA : 4351220710, TRUSTING : DF1157, TRW : DF4160
	Celica	1800	2002	2006	Front	MRD1142V		
	Celica	1800	1999	2002	Front	MRD1142V		
	Allion	1800	2004	2007	Front	MRD1142V		
	Celica	1800	2002	2006	Front	MRD1142V		
	Celica	1800	2002	2006	Front	MRD1142V		
TOYOTA	Allion	1800	2004	2007	Front	MRD1142V		
	Hiace	2000	1995	1996	Front	MRD1266V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 45.5, Centering Diameter :84, Position: Front, Pitch Circle & Oslash: 127, Outter & Oslash : 255	AC DELCO : AC2506D, ATE : 24.0128-0189.1, BOSCH : 0 986 478 693, BREMBO : 09.A203.10, CAR : 142.682, DELPHI : BG3193, FERODO : DDF991, Fritch : DF718, INTERBRAKE : TT021V, LPR : T2876V, LUCAS : DF4116, NIBK : RN1266V, NIPPARTS : J3302104, OEM : 4251226160, PAGID : 54130, PILENGA : V656, QH : BDC4945, REMSA : 6634.10, REMSA : 6832.20, ROADHOUSE : 6634.10, ROADHOUSE : 6832.20, SBS : 1815204567, TEXTAR : 92113000, TOYOTA : 4351226160, TOYOTA : 4351226140, TRUSTING : DF718, TRW : DF4116, WOKING : D6634.10
	Hiace	2800	1995	1996	Front	MRD1266V		
	Hiace	3000	1995	2004	Front	MRD1266V		
	Hiace	2400	1995	2001	Front	MRD1266V		
TOYOTA	Hiace	2400	1995	2003	Front	MRD1266V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Land Cruiser	3000	2002	2007	Front	MRD1128V	Recommended Type: Vented ,Disc Thickness: 21.8, Num. of holes : 6, Height : 70.5, Centering Diameter :108, Position: Front, Pitch Circle & Oslash: 139.7, Outter & Oslash : 319	AC DELCO : AC2507D, AP : 24709, ATE : 24.0122-0185.1, BENDIX : 562168B, BOSCH : 0 986 478 698, BRADI : 1.52A5.2.4, BRECO : BS 8291, BREMBO : 09.7226.10, CAR : 142.691, CAR RACING : HPD 691, DELPHI : BG3535, FERODO : DDF1008, Fritch : DF427, INTERBRAKE : TT041V, JURID : 562168J, LPR : T2877V, LUCAS : DF4115, MAGNETI MARELLI : 353615201524, MINTEX : MDC1375, NECTO : WN928, NIBK : RN1128V, OEM : 4351260120, PAGID : 50240, PILENGA : V658, QH : BDC4806, REMSA : 6562.10, ROADHOUSE : 6562.10, SBS : 1815204577, TEXTAR : 92093300, TOYOTA : 4351235210, TRUSTING : DF427, TRW : DF4115, VALEO : 186704
	Land Cruiser	4000	1990	1992	Front	MRD1128V		
	Land Cruiser Prado	3000	2000	2002	Front	MRD1128V		
	Land Cruiser Prado	3000	1996	2000	Front	MRD1128V		
	Land Cruiser Prado	3400	1996	2002	Front	MRD1128V		
	Land Cruiser Prado	3000	2000	2002	Front	MRD1128V		
	Land Cruiser Prado	3400	1996	2002	Front	MRD1128V		
	Land Cruiser	3000	1996	2002	Front	MRD1128V		
	Land Cruiser	3400	1996	2008	Front	MRD1128V		
	Land Cruiser Prado	3000	2000	2002	Front	MRD1128V		
	Land Cruiser Prado	3000	1996	2000	Front	MRD1128V		
	Land Cruiser Prado	3400	1996	2002	Front	MRD1128V		
	Land Cruiser Prado	3000	2000	2002	Front	MRD1128V		
	Land Cruiser Prado	3400	1996	2002	Front	MRD1128V		
TOYOTA	RAV 4	2000	1996	2000	Front	MRD1120V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 46.3, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 301.5	AC DELCO : AC2508D, AC DELCO : AC2500D, AP : 24708, ATE : 24.0118-0129.1, BENDIX : 562119B, BOSCH : 0 986 478 490, BRADI : 1.52A9.2.4, BRECO : BS 8290, BREMBO : 09.7225.10, CAR : 142.981, CAR RACING : HPD 981, CIFAM : 800-509, DELPHI : BG3536, FERODO : DDF1009, Fritch : DF409, GRAF : DF29509, INTERBRAKE : TY841V, INTERCAR : TY841V, JURID : 562119J, KWP : 129509, LPR : T2841V, LUCAS : DF4093, MAGNETI MARELLI : 353615201924, Metelli : 23-0509, MINTEX : MDC1350, NECTO : WN929, NIBK : RN1120V, OEM : 4351242010, PAGID : 53646, PILENGA : V650, QH : BDC4921, SBS : 333339, SBS : 1815204562, TOYOTA : 4351242010, TRUSTING : DF409, TRW : DF4093, VALEO : 186686, ZIMMERMANN : 590.2564.00
TOYOTA	Avensis	2000	2001	2002	Front	MRD1009V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 275	AC DELCO : AC2509D, AP : 24379, APEC : DSK2273, ATE : 24.0128-0115.1, BENDIX : 561676B, BENDIX AUS : DBA735, BOSCH : 0 986 478 632, BRADI : 1.5275.2.4, BRECO : BS 8067, BREMBO : 09.5624.10, BREMBO : 09.A386.10, CAR : 142.777, CAR RACING : HPD 777, DELPHI : BG782, DELPHI : BG2782, FERODO : DRF501, NIPPARTS : J3302132, OEM : 4351206030, OEM : 4351206060, OEM : 4351206040, PAGID : 54354, PAGID : 53625, PILENGA : V660, QH : BDC4422, REMSA : 6842.10, REMSA : 6560.20, ROADHOUSE : 6842.10, ROADHOUSE : 6560.20, SBS : 1815204596, SBS : 1815204549, SBS : 333335, TEXTAR : 92077700, TEXTAR : 92135400, TOYOTA : 4351207020, TOYOTA : 4351244020, TOYOTA : 4351244011, TOYOTA : 4351233060, TOYOTA : 4351233041, TOYOTA : 4351206020, TOYOTA : 4351233042, TOYOTA : 4351244021, TOYOTA : 4351244010, TOYOTA : 4351233043, TOYOTA : 43512-33090, TOYOTA : 4351233040, TRUSTING : DF1063, TRUSTING : DF381, TRW : DF1431, WOKING : D6842.10, ZIMMERMANN : 590.2556.00
	Avensis Verso	2000	2001		Front	MRD1009V		
	Camry	2200	1991	1999	Front	MRD1009V		
	Camry	2200	1996	2001	Front	MRD1009V		
	Camry	3000	1996	2001	Front	MRD1009V		
	Camry	3000	2001	2006	Front	MRD1009V		
	Camry	3000	1999	2001	Front	MRD1009V		
	Camry	2400	2002	2006	Front	MRD1009V		
	Camry	3000	2002	2006	Front	MRD1009V		
	Camry Solara USA	2200	1999	2003	Front	MRD1009V		
	Picnic	2000	2001	2006	Front	MRD1009V		
	Previa	2000	2001	2003	Front	MRD1009V		
	Previa	2400	2000	2006	Front	MRD1009V		
	Previa	2400	1997	1999	Front	MRD1009V		
TOYOTA	Previa	2400	1999	2006	Front	MRD1009V		
	Windom	3000	1996	1999	Front	MRD1009V		
	Avensis Verso	2000	2001		Front	MRD1009V		
	Camry	3000	2002	2006	Front	MRD1009V		
	Camry	2200	1991	1999	Front	MRD1009V		
	Camry	2200	1996	2001	Front	MRD1009V		
	Camry	2400	2002	2006	Front	MRD1009V		
	Camry	3000	2002	2006	Front	MRD1009V		
	Windom	3000	1996	1999	Front	MRD1009V		
	Camry	3000	2001	2006	Front	MRD1009V		
	Previa	2400	1999	2006	Front	MRD1009V		
	Previa	2400	1997	1999	Front	MRD1009V		
	Camry	2200	1991	1999	Front	MRD1009V		
	Camry	3000	1996	2001	Front	MRD1009V		
TOYOTA	Windom	3000	1996	1999	Front	MRD1009V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 43.4, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 255	AC DELCO : AC2510D, AP : 24785, ATE : 24.0120-0175.1, ATE : 24.0320-0175.1, BENDIX EUR : 562409B, BOSCH : 0 986 478 969, BOSCH : 0 986 479 012, BRECO : BS 8412, BREMBO : FD.123.000, BREMBO : 09.8545.10, BREMBO : FS.123.000, CAR : 142.987, CAR RACING : HPD 987, CIFAM : 800-717, DELPHI : BG3824, DELPHI : BG3520, FERODO : DDF1149, FERODO : DRF1149, Fritch : DF721, GRAF : DF29717, INTERBRAKE : TY921V, KWP : 129717, LPR : T2880V, LUCAS : DF4163, MAGNETI MARELLI : 353615202524, Metelli : 23-0717, MINTEX : MDC1394, NECTO : WN1168, NIBK : RN1144V, OEM : 435120D059, OEM : 4351217120, OEM : 435120D50, OEM : 4351217131, PAGID : 54156, QH : BDC5194, REMSA : 6877.20, REMSA : 6635.10, ROADHOUSE : 6635.10, ROADHOUSE : 6877.20, SBS : 1815204588, TEXTAR : 92115600, TOYOTA : 435120D050, TOYOTA : 4351252030, TOYOTA : 4351252090, TOYOTA : 435120D030, TOYOTA : 4351217130, TOYOTA : 4351252040, TRUSTING : DF721, TRW : DF7202, TRW : DF4163, VALEO : 186766, WOKING : D6635.10, ZIMMERMANN : 590.2580.00
	Camry Solara USA	2200	1999	2003	Front	MRD1009V		
	Camry	3000	2001	2006	Front	MRD1009V		
	Yaris	1000	1999	2003	Front	MRD1144V		
	Funcargo	1300	1999	2004	Front	MRD1144V		
	Funcargo	1500	2004	2005	Front	MRD1144V		
	Vios	1500	2003	2007	Front	MRD1144V		
	Vitz	1500	2000	2005	Front	MRD1144V		
	Yaris	1000	1998	2004	Front	MRD1144V		
	Yaris	1300	1999	2004	Front	MRD1144V		
	Yaris	1500	1999	2003	Front	MRD1144V		
	Yaris Verso	1300	1999	2003	Front	MRD1144V		
	Yaris Verso	1400	2002	2008	Front	MRD1144V		
	Yaris Verso	1500	2000	2003	Front	MRD1144V		
	Yaris	1500	1999	2003	Front	MRD1144V		
	Yaris Verso	1300	1999	2003	Front	MRD1144V		
	Yaris Verso	1400	2002	2008	Front	MRD1144V		
	Yaris Verso	1500	2000	2003	Front	MRD1144V		
	Yaris	1000	1998	2004	Front	MRD1144V		
	Funcargo	1300	1999	2004	Front	MRD1144V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Yaris	1300	1999	2004	Front	MRD1144V		
	Yaris	1500	1999	2003	Front	MRD1144V		
	Yaris Verso	1300	1999	2003	Front	MRD1144V		
	Vitz	1500	2000	2005	Front	MRD1144V		
	Yaris Verso	1500	2000	2003	Front	MRD1144V		
	Yaris Verso	1400	2002	2008	Front	MRD1144V		
	Vios	1500	2003	2007	Front	MRD1144V		
	Funcargo	1500	2004	2005	Front	MRD1144V		
	Camry	2200	1996	2001	Front	MRD1008V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.3, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 255	AC DELCO : AC2545D, AP : 24380, ATE : 24.0128-0114.1, BENDIX : 561675B, BENDIX AUS : DBA733, BOSCH : 0 986 478 726, BRADI : 1.5272.2.4, BRECO : BS 8066, BREMBO : 09.5623.14, BREMBO : 09.5623.10, CAR : 142.923, CAR RACING : HPD 923, CIFAM : 800-494, DELPHI : BG3177, FERODO : DDF702, Fritch : DF299, GRAF : DF29494, INTERBRAKE : TY971V, INTERCAR : TY971V, KWP : 129494, Lemforder : 25838 01, Lemforder : 28974 01, Lemforder : 25838, Lemforder : 28974, LPR : T2971V, LUCAS : DF1430, MAGNETI MARELLI : 353615272240, Metelli : 23-0494, MINTEX : MDC1015, NECTO : WN1044, NIBK : RN1008V, PAGID : 53624, PILENGA : V663, QH : BDC4416, REMSA : 6571.10, REMSA : 6558.20, ROADHOUSE : 6571.10, ROADHOUSE : 6558.20, SBS : 333333, SBS : 1815204547, TEXTAR : 92077600, TOYOTA : 4351233050, TOYOTA : 4351233020, TRUSTING : DF299, TRW : DF1430, VALEO : 186661, WOKING : D6571.10
	Camry	2200	1994	1996	Front	MRD1008V		
	Camry	2200	1996	2001	Front	MRD1008V		
	Picnic	2000	1996	2001	Front	MRD1008V		
	Picnic	2200	1997	2001	Front	MRD1008V		
	Camry	2200	1994	1996	Front	MRD1008V		
	Picnic	2000	1996	2001	Front	MRD1008V		
	Picnic	2200	1997	2001	Front	MRD1008V		
	4 Runner	2400	1990	1991	Front	MRD1056V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 6, Height : 65.8, Centering Diameter :100.1, Position: Front, Pitch Circle & Oslash: 127, Outter & Oslash : 291	AC DELCO : AC2546D, AP : 24449, ATE : 24.0125-0135.1, BENDIX : 561953B, BOSCH : 0 986 478 629, BRADI : 1.5292.2.4, BRECO : BS 8119, BREMBO : 09.5742.10, CAR : 142.934, CAR RACING : HPD 934, DELPHI : BG3423, FERODO : DDF614, Fritch : DF379, INTERBRAKE : TY831V, INTERCAR : TY831V, JAPANPARTS : DI-287, JURID : 561953J, LPR : T2831V, LUCAS : DF2674, MAGNETI MARELLI : 353615292240, MINTEX : MDC1819, MINTEX : MDC909, NECTO : WN740, NIBK : RN1056V, NIPPARTS : J3302079, PAGID : 53633, PILENGA : V665, QH : BDC3927, REMSA : 6571.20, REMSA : 6501.10, ROADHOUSE : 6571.20, ROADHOUSE : 6501.10, TEXTAR : 92082700, TOYOTA : 4351235200, TOYOTA : 4351235250, TRUSTING : DF379, TRW : DF2674, VALEO : 186640, WOKING : D6501.10
	4 Runner	3000	1989	1995	Front	MRD1056V		
	4 Runner	2400	1991	1996	Front	MRD1056V		
	4 Runner	3000	1991	1995	Front	MRD1056V		
TOYOTA	Hi Lux Surf Pickup	3000	1993	1995	Front	MRD1056V		
	Hiace	2400	1984	1995	Front	MRD1475V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46.5, Centering Diameter :84, Position: Front, Pitch Circle & Oslash: 110, Outter & Oslash : 255	AC DELCO : AC2548D, AP : 24556, Blue Print : ADT34360, BOSCH : 0 986 478 452, BRADI : 1.5298.2.4, BRECO : BS 8180, BREMBO : 09.6710.10, CAR : 142.641, CAR RACING : HPD 641, DELPHI : BG3174, FERODO : DDF703, Fritch : DF426, INTERBRAKE : TY761V, INTERCAR : TY761V, JURID : 561746J, LPR : T2761V, LUCAS : DF2745, MINTEX : MDC1072, NECTO : WN803, NIBK : RN1475V, OEM : 4351220090, OEM : 4351226090, PAGID : 53641, PILENGA : V672, PILENGA : 8025, QH : BDC4818, SBS : 171726, SBS : 1815204537, TEXTAR : 92080300, TOYOTA : 4351226090, TOYOTA : 4351220090, TRUSTING : DF426, TRW : DF2745, VALEO : 186674
	Hiace	2800	1995	1999	Front	MRD1475V		
	Hiace	2400	1989	1993	Front	MRD1475V		
	Hiace	2400	1984	1995	Front	MRD1475V		
	Hiace	2000	1989	1995	Front	MRD1475V		
	Hiace	2000	1989	1995	Front	MRD1475V		
	Hiace	2400	1984	1995	Front	MRD1475V		
	Hiace	2400	1989	1993	Front	MRD1475V		
	Hiace	2800	1995	1999	Front	MRD1475V		
	Celica	2000	1993	1997	Front	MRD1384V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 275	AC DELCO : AC2549D, AP : 24555, APEC : DSK2093, APEC : DSK2304, ATE : 24.0128-0183.1, BOSCH : 0 986 478 583, BRECO : BS 8179, BREMBO : 09.6708.10, CAR : 142.678, CAR RACING : HPD 678, DELPHI : BG3921, DELPHI : BG3189, FERODO : DDF957, Fritch : DF715, INTERBRAKE : TY741V, LPR : T2741V, LUCAS : DF4100, LUCAS : DF4573, MAGNETI MARELLI : 353615292240, MINTEX : MDC1584, NIBK : RN1384V, PAGID : 54420, PILENGA : V674, QH : BDC5089, REMSA : 6829.20, ROADHOUSE : 6829.20, SBS : 1815204586, TEXTAR : 92142000, TOYOTA : 4351220601, TOYOTA : 4351220600, TOYOTA : 4351220590, TOYOTA : 4351220630, TRUSTING : DF715, TRW : DF4100, VALEO : 186876
	Celica	2000	1994	1999	Front	MRD1384V		
	Avensis	1600	2002	2003	Front	MRD1384V		
	Avensis	1800	2002	2003	Front	MRD1384V		
	Avensis	2000	2002	2003	Front	MRD1384V		
TOYOTA	Avensis Station Wagon Euro	2000	2003	2008	Front	MRD1384V		
	Avensis	1600	2002	2003	Front	MRD1384V		
	Avensis	1800	2002	2003	Front	MRD1384V		
	Avensis	2000	2002	2003	Front	MRD1384V		
	Celica	2000	1993	1997	Front	MRD1384V		
	Celica	2000	1994	1999	Front	MRD1384V		
	Avensis Verso	2000	2001		Rear	MRD1229	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 5, Height : 68.7, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 290	AC DELCO : AC2631D, ATE : 24.0112-0164.1, BENDIX : 562276B, BOSCH : 0 986 479 200, BREMBO : 08.A608.10, CAR : 142.1201, CAR RACING : HPD 1201, CIFAM : 800-802, DELPHI : BG3779, FERODO : DDF1380, Fritch : DF963, GRAF : DF29802, INTERBRAKE : TT221P, JURID : 562276J, KWP : 129802, LPR : T2008P, LUCAS : DF4561, Metelli : 23-0802, MINTEX : MDC1511, NECTO : WN1345, NIBK : RN1229, OEM : 4243108030, PAGID : 54442, PILENGA : 5479, QH : BDC5481, SBS : 1815204576, TEXTAR : 92144200, TOYOTA : 4243128090, TOYOTA : 42431-08040, TOYOTA : 4243128120, TOYOTA : 4243128091, TRUSTING : DF963, TRW : DF7177, TRW : DF4561, ZIMMERMANN : 590.2591.00
	Picnic	2000	2001	2006	Rear	MRD1229		
	Previa	2400	1999	2006	Rear	MRD1229		
	Alphard	2400	2002	2008	Rear	MRD1229		
	Alphard	2400	2002	2008	Rear	MRD1229		
	Alphard	3000	2002	2008	Rear	MRD1229		
	Estima	2400	2003	2006	Rear	MRD1229		
	Sienna	3500	2006	2009	Rear	MRD1229		
	Estima	2400	2003	2006	Rear	MRD1229		
	Picnic	2400	2001	2006	Rear	MRD1229		
	Picnic	2400	2001		Rear	MRD1229		
TOYOTA	Estima	2400	2003	2006	Rear	MRD1229		
	Estima	2400	2003	2006	Rear	MRD1229		
	Sienna	3500	2006	2009	Rear	MRD1229		
	Previa	2400	1999	2006	Rear	MRD1229		
	RAV 4	2000	2000	2003	Rear	MRD1207	Recommended Type: Solid & Oslash : 303 ,Disc Thickness: 9, Num. of holes : 5, Height : 62.3, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3mm	AC DELCO : AC2632D, ATE : 24.0109-0152.1, CAR : 142.1257, CAR RACING : HPD 1257, CIFAM : 800-803, DELPHI : BG3691, FERODO : DDF1486, Fritch : DF1151, GRAF : DF29803, INTERBRAKE : TT291P, JURID : 56228BJ, KWP : 129803, LPR : T2029P, LUCAS : DF4441, Metelli : 23-0803, MINTEX : MDC1513, NECTO : WN1417, NIBK : RN1207, PAGID : 54441, QH : BDC5299, SBS : 1815204574, TEXTAR : 92144100, TOYOTA : 4243142041, TOYOTA : 4243142040, TRUSTING : DF1151, TRW : DF4441, ZIMMERMANN : 590.2590.00
	RAV 4	2000	2003	2005	Rear	MRD1207		
							Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 64.3, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 100	AP : 14378, AP : 14707, AP : 14538, APEC : DSK361, ATE : 24.0110-0241.1, ATE : 24.0109-0148.1, BENDIX : 561606B, BOSCH : 0 986 478 560, BRADI : 1.5233.5.4, BRECO : BS 7556, BRECO : BS 7491, BREMBO : 08.5625.30, BREMBO : 08.5625.10, CAR : 142.684, CAR : 142.677, CAR : 142.632, CAR RACING : HPD 632, DELPHI : BG3583, DELPHI : BG2594, DELPHI : BG594, DELPHI : BG2884, FERODO : DDF1474, FERODO : DDF705, FERODO : DDF958, FERODO : DDF486, Fritch : DF091, INTERBRAKE : TY421P, INTERBRAKE : TY551P, INTERBRAKE : TY423P, INTERCAR : TY421P, JURID : 561739J, JURID : 561606J, LPR : T2423P, LPR : T2421P, LPR : T2007P, LUCAS : DF1424, LUCAS : DF4728, MAGNETI MARELLI : 353615233540, MINTEX : MDC1872, MINTEX : MDC1190, MINTEX : MDC883, NECTO : WN604, NIBK : RN1232, NIPPARTS : J3312032, NK : 2045144, OEM : 4243120320, OEM : 4243120090, OEM : 4243120200, OEM : 4243120330, OEM : 4243120160, PAGID : 50231, PAGID : 53610, PILENGA : 5475, QH : BDC5110, QH : BDC5501, QH : BDC4919, QH : BDC5383, QH : BDC3763, REMSA : 6535.10, REMSA : 6245.00, ROADHOUSE : 6535.10, ROADHOUSE : 6245.00, SBS : 1815204558, SBS : 1815204533, SBS : 333316, TEXTAR : 92070800, TEXTAR : 92090700, TOYOTA : 4243120360, TOYOTA : 4243120300, TRUSTING : DF091, TRW : DF7131, TRW : DF4728, WOKING : D6245.00
	Celica	2200	1995	1999	Rear	MRD1232		
	Camry	2200	1999	2001	Rear	MRD1486	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 65, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 269	AP : 14523, ATE : 24.0110-0700.1, BRADI : 1.5273.5.4, BRECO : BS 7488, BREMBO : 08.5625.20, DELPHI : BG3178, FERODO : DDF684, Fritch : DF105, JURID : 561859J, Lemforder : 28973 01, Lemforder : 28973, LPR : T2888P, LUCAS : DF2661, MINTEX : MDC897, NECTO : WN799, NIBK : RN1486, OEM : 4243133040, PAGID : 53611, PILENGA : 5355, QH : BDC4613, REMSA : 6904.00, REMSA : 6559.10, ROADHOUSE : 6904.00, ROADHOUSE : 6559.10, SBS : 1815204548, SBS : 333330, TEXTAR : 92079300, TOYOTA : 4243133010, TOYOTA : 4243106020, TOYOTA : 4243132050, TOYOTA : 4243133060, TOYOTA : 4243133090, TRUSTING : DF105
	Camry	2200	1999	2001	Rear	MRD1486		
	Camry	2200	1999	2001	Rear	MRD1486		
	Camry	2200	1999	2001	Rear	MRD1486		
	Camry	2200	1999	2001	Rear	MRD1486		
	Camry	2200	1999	2001	Rear	MRD1486		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Celica	1600	1989	1994	Front	MRD1459V	Recommended Type: Vented & Oslash 255, Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter : 54, Position: Front, Pitch Circle & Oslash: 100	AP : 24430, AP : 24602, AP : 24558, ATE : 24.0122-0178.1, BENDIX : 561808B, BENDIX : 561607B, BOSCH : 0 986 478 724, BOSCH : 0 986 478 725, BRADI : 1.5267.2.4, BRECO : BS 8182, BRECO : BS 8208, BREMBO : 09.6712.10, BREMBO : FD.062.000, BREMBO : 09.6803.10, BREMBO : FS.062.000, CAR : 142.769, CAR : 142.637, CAR RACING : HPD 637, CIFAM : 800-255, DELPHI : BG2596, DELPHI : BG2711, FERODO : DDF500, FERODO : DRF500, FERODO : DDF779, Fritch : DF445, GRAF : DF29255, INTERBRAKE : TY6211V, INTERBRAKE : TY671V, INTERCAR : TY671V, JURID : 561808J, JURID : 561607J, KWP : 129255, LPR : T2621V, LPR : T2671V, LUCAS : DF4531, LUCAS : DF3115, MAGNETI MARELLI : 353615267240, Metelli : 23-0255, MINTEX : MDC890, MINTEX : MDC893, NIBK : RN1459V, OEM : 4351220430, OEM : 4351220190, OEM : 4351220360, OEM : 4351220400, OEM : 4351220440, OEM : 4351220280, OEM : 4351220380, PAGID : 53648, PILENGA : V680, PILENGA : 8022, QH : BDC3817, QH : BDC4644, REMSA : 6819.10, REMSA : 6554.20, ROADHOUSE : 6554.20, ROADHOUSE : 6819.10, SBS : 1815204545, SBS : 333325, TEXTAR : 92094400, TEXTAR : 92068900, TRUSTING : DF445, TRW : DF3115, VALEO : 186652, WOKING : D6819.10, WOKING : D6439.10
	Celica	2000	1989	1994	Front	MRD1459V		
	Previa	2400	1990	1996	Front	MRD1070V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 52.8, Centering Diameter : 62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 279	AP : 24554, ATE : 24.0122-0183.1, BENDIX : 562076B, BENDIX AUS : DBA761, BRADI : 1.5284.2.4, BRECO : BS 8184, BREMBO : 09.6706.10, DELPHI : BG3171, FERODO : DDF777, Fritch : DF885, Fritch : DF405, INTERCAR : TY791V, JAPANPARTS : DI-296, JURID : 562076J, LPR : T2791V, LUCAS : DF2744, MAGNETI MARELLI : 353615284240, MINTEX : MDC904, NECTO : WN809, NIBK : RN1070V, NIPPARTS : J3302153, NIB : 204560, PAGID : 53640, PILENGA : V667, QH : BDC5217, QH : BDC4792, REMSA : 6566.20, ROADHOUSE : 6566.20, SBS : 333328, SBS : 1815204560, TEXTAR : 92080900, TOYOTA : 4351228070, TOYOTA : 4351228080, TRUSTING : DF885, TRUSTING : DF405, TRW : DF2744, WOKING : D6582.10, ZIMMERMANN : 590.2572.00
	Previa	2400	1990	1996	Front	MRD1070V		
	Previa	2400	1990	1996	Front	MRD1070V		
	Previa	2400	1990	1996	Front	MRD1070V		
	Previa	2400	1990	1996	Front	MRD1070V		
	Previa	2400	1990	1996	Front	MRD1532V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 53, Centering Diameter : 62, Position: Front, Outter & Oslash : 255	AP : 24559, APEC : DSK816, ATE : 24.0125-0116.1, BENDIX : 561748B, BOSCH : 0 986 478 441, BRADI : 1.5283.2.4, BRECO : BS 8185, BREMBO : 09.6723.10, CAR : 142.983, CAR RACING : HPD 983, DELPHI : BG3172, FERODO : DDF780, Fritch : DF306, INTERBRAKE : TY781V, INTERCAR : TY781V, JURID : 561748J, LPR : T2781V, LUCAS : DF3028, MAGNETI MARELLI : 353615283240, MINTEX : MDC903, NECTO : WN810, NIBK : RN1532V, PAGID : 53642, PILENGA : V681, QH : BDC4849, REMSA : 6565.20, ROADHOUSE : 6565.20, SBS : 1815204569, SBS : 333338, TEXTAR : 92080800, TOYOTA : 4351228060, TOYOTA : 4351228110, TRUSTING : DF306, VALEO : 186514, ZIMMERMANN : 590.2570.00
	Previa	2400	1990	1996	Front	MRD1532V		
	Hiace	2000	1989	1995	Front	MRD1478V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 45.5, Centering Diameter : 84, Position: Front, Pitch Circle & Oslash: 110, Outter & Oslash : 285	AP : 24717, BENDIX : 562118B, BRADI : 1.5242.2.4, BRECO : BS 8296, BREMBO : 09.7285.10, DELPHI : BG3190, FERODO : DDF1039, Fritch : DF518, INTERCAR : TY771V, JURID : 562118J, LPR : T2771V, LUCAS : DF4347, MINTEX : MDC884, NIBK : RN1478V, PAGID : 50241, PILENGA : V677, QH : BDC4944, REMSA : 6939.10, ROADHOUSE : 6939.10, SBS : 1815204561, SBS : 333353, TEXTAR : 92093400, TOYOTA : 4351226120, TRUSTING : DF518
	Hiace	2400	1989	1995	Front	MRD1478V		
TOYOTA	Crown	2800	1983	1984	Front	MRD1490V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 53, Centering Diameter : 76, Position: Front, Outter & Oslash : 280	AP : 24753, BRECO : BS 8343, BREMBO : 09.7791.10, FERODO : DDF1071, Fritch : DF504, NIBK : RN1490V, QH : BDC5142, TOYOTA : 4351230220, TOYOTA : 4351230160, TOYOTA : 4351230260, TRUSTING : DF504
	Land Cruiser	4200	1995	1997	Front	MRD1224V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 69, Centering Diameter : 115, Position: Front, Pitch Circle & Oslash: 144mm, Outter & Oslash : 313	AP : 24841, ATE : 24.0132-0148.1, BRECO : BS 8465, BREMBO : 09.9143.10, CAR : 142.1042, CAR RACING : HPD 1042, DELPHI : BG3558, FERODO : DDF1211, Fritch : DF519, INTERBRAKE : TT061V, LPR : T2005V, LUCAS : DF4506, LUCAS : DF7124, MAGNETI MARELLI : 353615202724, MINTEX : MDC1407, NECTO : WN1229, NIBK : RN1224V, PAGID : 50330, REMSA : 6945.10, ROADHOUSE : 6945.10, SBS : 1815204597, TEXTAR : 92108100, TOYOTA : 4351260130, TOYOTA : 4351260170, TOYOTA : 4351260171, TRUSTING : DF519, TRW : DF4506, ZIMMERMANN : 590.2573.00
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
	Land Cruiser	4700	1998	2007	Front	MRD1224V		
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
	Land Cruiser	4200	1995	1997	Front	MRD1224V		
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
	Land Cruiser	4700	1998	2007	Front	MRD1224V		
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
	Land Cruiser	4200	1998	2007	Front	MRD1224V		
TOYOTA	RAV 4	2000	2000	2002	Front	MRD1143V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46.5, Centering Diameter : 62, Position: Front, Pitch Circle & Oslash: 114.3	AP : 24848, ATE : 24.0125-0143.1, BENDIX : 562269B, BOSCH : 0 986 479 111, BRECO : BS 8472, BREMBO : 09.9185.10, CIFAM : 800-801, DELPHI : BG3856, FERODO : DDF1216, Fritch : DF732, GRAF : DF29801, JURID : 562269J, KWP : 129801, LPR : T2878V, LUCAS : DF4161, MAGNETI MARELLI : 351520262050, Metelli : 23-0801, MINTEX : MDC1590, NIBK : RN1143V, PAGID : 54397, PILENGA : V659, QH : BDC5280, REMSA : 6875.20, REMSA : 6640.10, ROADHOUSE : 6640.10, ROADHOUSE : 6875.20, SBS : 1815204578, TEXTAR : 92139700, TOYOTA : 4351242031, TOYOTA : 4351242030, TOYOTA : 4351242032, TRUSTING : DF732, TRW : DF4161, VALEO : 186765, WOKING : D6640.10, ZIMMERMANN : 590.2589.00
	RAV 4	2000	2000	2003	Front	MRD1143V		
	Auris	1600	2007		Front	MRD1143V		
TOYOTA	Corolla	1400	2002	2006	Rear	MRD1354	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 4, Height : 56, Centering Diameter : 55, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 279	AP : 24908, APEC : DSK2182, ATE : 24.0109-0140.1, ATE : 24.0320-0173.1, ATE : 24.0120-0173.1, BENDIX : 562220B, BOSCH : 0 986 479 149, BOSCH : 0 986 479 142, BRECO : BS 8513, BREMBO : 08.A337.10, BREMBO : 09.9505.11, BREMBO : 09.9505.10, CAR : 142.1280, CAR : 142.033, CAR RACING : HPD 033, CIFAM : 800-635, CIFAM : 800-682C, CIFAM : 800-682, DELPHI : BG3974, DELPHI : BG3886, FERODO : DDF1289, FERODO : DDF1421, Fritch : DF975, Fritch : DF868, GRAF : DF29682, GRAF : DF29635, INTERBRAKE : TT251P, INTERBRAKE : OP571V, JAPANPARTS : DP-215, JURID : 562220J, KWP : 129635, KWP : 129682, Lemforder : 29623, Lemforder : 29623 01, LPR : 01016V, LPR : T2026P, LUCAS : DF4284, LUCAS : DF4404, MAGNETI MARELLI : 353613455640, Metelli : 23-0635, Metelli : 23-0682C, MINTEX : MDC1675, MINTEX : MDC1677, NECTO : WN1300, NECTO : WN1376, NIBK : RN1354, OEM : 46836490, OEM : 569114, OEM : 93171778, OEM : 468364900, OEM : 9191336, PAGID : 54184, PAGID : 54263, PILENGA : 5481, PILENGA : V765, QH : BDC5484, QH : BDC5422, REMSA : 6686.10, REMSA : 6705.00, ROADHOUSE : 6705.00, ROADHOUSE : 6686.10, SAAB : 12 762 291, SBS : 1815203650, SBS : 1815204585, TEXTAR : 92118400, TEXTAR : 92126300, TOYOTA : 4243102080, TOYOTA : 4243102082, TOYOTA : 42431-02081, TRUSTING : DF975, TRUSTING : DF868, TRW : DF4404, VALEO : 186882, WOKING : D6705.00, WOKING : D6686.10, ZIMMERMANN : 590.2579.00, ZIMMERMANN : 430.1496.00
	Corolla	2000	2002	2006	Rear	MRD1354		
	Corolla	1400	2002	2006	Rear	MRD1354		
TOYOTA	Corolla	2000	2002	2006	Rear	MRD1354		
	Corolla	1400	2002	2006	Rear	MRD1354		
	Corolla	1600	2001	2002	Front	MRD1198V	Recommended Type: Vented & Oslash 255, Disc Thickness: 22, Num. of holes : 4, Height : 46.3, Centering Diameter : 55, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24941, APEC : DSK2213, ATE : 24.0125-0155.1, BENDIX EUR : 562414B, BOSCH : 0 986 479 084, BOSCH : 0 986 479 085, BRECO : BS 8560, BREMBO : 09.5844.24, BREMBO : 09.9824.10, BREMBO : 09.9798.10, CAR : 142.1233, CAR : 142.1139, CAR RACING : HPD 1139, CIFAM : 800-637, CIFAM : 800-640, DELPHI : BG3734, DELPHI : BG3781, FERODO : DDF1294, FERODO : DDF1314, FERODO : DDF1309, Fritch : DF909, GRAF : DF29637, GRAF : DF29640, HERTH+BUSS : J3302135, INTERBRAKE : TT111V, INTERBRAKE : TT281V, JURID : 562414J, KWP : 129640, KWP : 129637, LPR : T2028V, LPR : T2023V, LPR : T2001V, LUCAS : DF4367, LUCAS : DF4403, MAGNETI MARELLI : 351520322050, Metelli : 23-0640, Metelli : 23-0637, MINTEX : MDC1587, MINTEX : MDC1586, NECTO : WN1320, NECTO : WN1316, NIBK : RN1198V, NIPPARTS : J3302135, NIB : 204579, OEM : 4351247020, OEM : 4351213030, PAGID : 54259, PAGID : 54258, PILENGA : V686, QH : BDC5379, REMSA : 6742.10, ROADHOUSE : 6742.10, SBS : 1815204582, SBS : 1815204579, TEXTAR : 92125900, TEXTAR : 92125800, TEXTAR : 92000 1258 0 1, TOYOTA : 4351212621, TOYOTA : 4351202071, TOYOTA : 4351202060, TOYOTA : 4351212620, TOYOTA : 4351202070, TOYOTA : 4351202090, TRUSTING : DF909, TRW : DF4403, TRW : DFF143, VALEO : 186877, WOKING : D6742.10, ZIMMERMANN : 590.2574.00, ZIMMERMANN : 590.2575.00
	Corolla	1600	2001	2006	Front	MRD1198V		
	Corolla Euro	1600	2001	2002	Front	MRD1198V		
	Corolla Euro	1600	2001	2002	Front	MRD1198V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Corolla	1400	2002	2006	Front	MRD1353V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 4, Height : 49.1, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 275	AP : 24960E, ATE : 24.0125-0157.1, BOSCH : 0 986 479 245, BRECO : BS 8579, BREMBO : 09.9559.14, CAR : 142.644, CAR : 142.1142, CAR RACING : HPD 1142, CIFAM : 800-638, DELPHI : BG3780, FERODO : DDF1461, Fritch : DF933, GRAF : DF29638, INTERBRAKE : TT141V, JAPANPARTS : DI-201, KWP : 129638, LPR : T2024V, LUCAS : DF4317, Metelli : 23-0638, MINTEX : MDC1588, NECTO : WN1408, NIBK : RN1353V, PAGID : 54260, PILENGA : V688, QH : BDC5363, REMSA : 6703.10, ROADHOUSE : 6703.10, SBS : 1815204583, TEXTAR : 92126000, TEXTAR : 92126003, TOYOTA : 4351213020, TOYOTA : 4351213022, TOYOTA : 4351202081, TOYOTA : 4351213021, TOYOTA : 4351202230, TOYOTA : 4351202080, TRUSTING : DF933, TRW : DF4317, TRW : DF4366, TRW : DF7300, WOKING : D6703.10, ZIMMERMANN : 590.2576.00
	Corolla	2000	2002	2006	Front	MRD1353V		
	Corolla	1400	2002	2006	Front	MRD1353V		
	Corolla	2000	2002	2006	Front	MRD1353V		
	Corolla	1400	2001	2002	Rear	MRD1190	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 4, Height : 55.5, Centering Diameter :55, Position: Rear	APEC : DSK2209, ATE : 24.0109-0138.1, BOSCH : 0 986 479 086, BREMBO : 08.A331.10, CAR : 142.1097, CAR RACING : HPD 1097, CIFAM : 800-634, DELPHI : BG3889, FERODO : DDF1419, Fritch : DF858, GRAF : DF29634, INTERBRAKE : TT071P, KWP : 129634, LPR : T2010P, LUCAS : DF4379, Metelli : 23-0634, MINTEX : MDC1678, NECTO : WN1374, NIBK : RN1190, PAGID : 54261, PILENGA : 5477, QH : BDC5483, SBS : 1815204584, TEXTAR : 92126100, TOYOTA : 4243102070, TOYOTA : 4243102071, TRUSTING : DF858, TRW : DF4379, VALEO : 186848, ZIMMERMANN : 590.2577.00
	Corolla	1600	2001	2006	Rear	MRD1190		
	Avensis	1600	2003	2008	Rear	MRD1201	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 56.5, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 100mm, Outter & Oslash : 280	APEC : DSK2262, ATE : 24.0110-0311.1, BENDIX EUR : 562418B, BOSCH : 0 986 479 242, CAR : 142.1138, DELPHI : BG3912, FERODO : DDF1406, Fritch : DF450, INTERBRAKE : TT101P, LPR : T2038P, LUCAS : DF4417, MINTEX : MDC1696, NECTO : WN1364, NIBK : RN1201, PAGID : 54357, PILENGA : 5480, QH : BDC5519, REMSA : 6700.00, ROADHOUSE : 6700.00, SBS : 1815204589, TEXTAR : 92135700, TOYOTA : 4243105030, TOYOTA : 4243105060, TRUSTING : DF450, TRW : DF4417, VALEO : 186849, WOKING : D6700.00, ZIMMERMANN : 590.2585.00
TOYOTA	Land Cruiser	3000	2002	2005	Front	MRD1220V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 67.3, Centering Diameter :108, Position: Front, Pitch Circle & Oslash: 139.7mm, Outter & Oslash : 337.7	APEC : DSK2280, ATE : 24.0128-0194.1, BREMBO : 09.A204.10, CAR : 142.1281, CIFAM : 800-968, DELPHI : BG4052, FERODO : DDF1594, Fritch : DF924, INTERBRAKE : TT261V, JAPANPARTS : DI-2003, LEXUS : 4351260151, LEXUS : 4351260160, LPR : T2027V, LUCAS : DF4494, Metelli : 23-0968, NIBK : RN1220V, NIPPARTS : J3302146, OEM : 4352130150, PAGID : 54373, PILENGA : V647, REMSA : 6706.10, ROADHOUSE : 6706.10, SBS : 1815204598, TEXTAR : 92137300, TOYOTA : 4351260151, TOYOTA : 4351260150, TRUSTING : DF924, TRW : DF4494, WOKING : D6706.10, ZIMMERMANN : 590.2586.00
	Land Cruiser	2700	2004	2010	Front	MRD1220V		
	Land Cruiser	3400	2005	2010	Front	MRD1220V		
	Land Cruiser	3000	2002	2005	Front	MRD1220V		
	Land Cruiser	2700	2004	2010	Front	MRD1220V		
	Land Cruiser	3400	2005	2010	Front	MRD1220V		
	Prius	1500	1997	2000	Rear	MRD1308	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 4, Height : 57, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 100mm, Outter & Oslash : 268	ATE : 24.0109-0139.1, BOSCH : 0 986 479 087, BREMBO : 08.A273.10, CAR : 142.679, CAR RACING : HPD 679, CIFAM : 800-636, DELPHI : BG3867, FERODO : DDF1417, Fritch : DF1153, GRAF : DF29636, INTERBRAKE : TT011P, KWP : 129636, LPR : T2003P, LUCAS : DF4335, Metelli : 23-0636, MINTEX : MDC1655, NECTO : WN1372, NIBK : RN1308, OEM : 424310D050, OEM : 4243112250, OEM : 4243112210, OEM : 4243152050, PAGID : 54262, QH : BDC5482, REMSA : 6805.00, ROADHOUSE : 6805.00, SBS : 1815204581, TEXTAR : 92126200, TOYOTA : 424310D050, TOYOTA : 4243152050, TOYOTA : 4243147020, TOYOTA : 4243112210, TOYOTA : 4243112250, TOYOTA : 4243152060, TRUSTING : DF1153, TRW : DF4335, VALEO : 186847, ZIMMERMANN : 590.2578.00
TOYOTA	Prius	1500	2001	2003	Rear	MRD1308		
	Yaris	1500	1999	2003	Rear	MRD1308		
	Yaris Verso	1300	1999	2003	Rear	MRD1308		
	Yaris Verso	1400	2002	2008	Rear	MRD1308		
	Yaris Verso	1500	2000	2003	Rear	MRD1308		
	Matrix	1800	2004		Rear	MRD1308		
	Corolla Verso	1800	2004	2009	Rear	MRD1308		
	Prius	1500	1997	2000	Rear	MRD1308		
	Corolla	1400	2001	2006	Rear	MRD1308		
	Corolla Verso	1400	2002	2004	Rear	MRD1308		
	Corolla Verso	1600	2002	2004	Rear	MRD1308		
	Corolla Verso	1800	2004	2009	Rear	MRD1308		
	Corolla	2000	2001		Rear	MRD1308		
	Matrix	1800	2004		Rear	MRD1308		
	Prius	1500	2001	2003	Rear	MRD1308		
	Yaris	1500	1999	2003	Rear	MRD1308		
	Yaris Verso	1300	1999	2003	Rear	MRD1308		
	Yaris Verso	1400	2002	2008	Rear	MRD1308		
	Yaris Verso	1500	2000	2003	Rear	MRD1308		
TOYOTA	Yaris II Euro France	1000	2006		Rear	MRD1497	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 4, Height : 25.2, Centering Diameter :54.9, Position: Rear, Outter & Oslash : 278	ATE : 24.0109-0142.1, Blue Print : ADT343274, CAR : 142.1440, CIFAM : 800-947, FERODO : DDF1588, Fritch : DF1174, INTERBRAKE : TT411P, LPR : T2046P, LUCAS : DF4800, Metelli : 23-0947, MINTEX : MDC1824, NIBK : RN1497, NK : 2045111, PILENGA : 5486, QH : BDC5573, SBS : 1815204511, TOYOTA : 424310D060, TRUSTING : DF1174, ZIMMERMANN : 590.2595.00
	Yaris II Euro France	1400	2009		Rear	MRD1497		
	Yaris II Euro France	1500	2005		Rear	MRD1497		
	Auris	1600	2007		Rear	MRD1239	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 30.5, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash : 114.3, Outter & Oslash : 259	ATE : 24.0109-0155.1, CAR : 142.1539, CIFAM : 800-977, Fritch : DF1177, LPR : T2050P, LUCAS : DF4811, Metelli : 23-0977, MINTEX : MDC2048, NIBK : RN1239, NK : 2045124, PILENGA : 5485, QH : BDC5590, SBS : 18152045124, TEXTAR : 92164100, TOYOTA : 4243112260, TRUSTING : DF1177, TRW : 6048114, TRW : DF4811
	Auris	1600	2009		Rear	MRD1239		
	Auris	1600	2007		Rear	MRD1239		
	Corolla	1600	2013		Rear	MRD1239		
	Corolla	1800	2006		Rear	MRD1239		
	Auris	1400	2007		Rear	MRD1239		
	Corolla	1600	2007		Rear	MRD1239		
	Belta	1000	2005		Rear	MRD1310	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 4, Height : 30.3, Centering Diameter :55, Position: Rear, Outter & Oslash : 259	ATE : 24.0109-0156.1, BREMBO : 08.A534.10, CAR : 142.1301, DELPHI : BG4055, Fritch : DF1154, INTERBRAKE : TT321P, JURID : 562451J, LPR : T2033P, LUCAS : DF4832, MINTEX : MDC2060, NIBK : RN1310, NK : 2045109, REMSA : 61004.00, ROADHOUSE : 61004.00, SBS : 18152045109, TEXTAR : 92156300, TOYOTA : 4243152080, TRUSTING : DF1154, TRW : DF4832
	Yaris	1500	2006	2011	Rear	MRD1310		
	Belta	1300	2005		Rear	MRD1310		
	Yaris	1300	2006	2011	Rear	MRD1310		
	Yaris	1800	2007	2011	Rear	MRD1310		
	iQ	1000	2009		Rear	MRD1310		
	iQ	1300	2009		Rear	MRD1310		
	iQ	1400	2009		Rear	MRD1310		
	Corolla	1600	1999	2000	Rear	MRD1228	Recommended Type: Solid & Oslash : 266 ,Disc Thickness: 9, Num. of holes : 4, Height : 36.3, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 100mm	ATE : 24.0109-0159.1, BENDIX EUR : 562412B, BREMBO : 08.A298.10, CAR : 142.1300, CIFAM : 800-969, DELPHI : BG3186, FERODO : DDF1576, Fritch : DF851, INTERBRAKE : TT231P, JURID : 562412J, LPR : T2055P, LUCAS : DF4560, Metelli : 23-0969, NIBK : RN1228, QH : BDC4917, REMSA : 6900.00, ROADHOUSE : 6900.00, SBS : 1815204587, TOYOTA : 4243112150, TOYOTA : 42431YA020, TRUSTING : DF851, TRW : DF7070, TRW : DF4560, ZIMMERMANN : 590.2587.00
	Corolla	1400	1999	2001	Rear	MRD1228		
	Corolla	1800	1995	1997	Rear	MRD1228		
TOYOTA	Prius	1500	2003	2009	Rear	MRD1440	Recommended Type: 269 ,Disc Thickness: 9, Num. of holes : 5, Height : 56, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 100	ATE : 24.0109-0711.1, Blue Print : ADT343145, CAR : 142.1204, DELPHI : BG3822, FERODO : DDF1485, Fritch : DF1150, INTERBRAKE : TT151P, LPR : T2015P, MINTEX : MDC1629, NIBK : RN1440, OEM : 4351220420, Raybestos : 96933R, TOYOTA : 4243132110, TOYOTA : 4243120420, TOYOTA : 4243120390, TOYOTA : 4243147030, TRUSTING : DF1150, TRW : DF4899
	Celica	1800	1999	2006	Rear	MRD1440		
	Prius	1500	2008		Rear	MRD1440		
	Celica	1800	1999	2006	Rear	MRD1440		
	Prius	1500	2003	2009	Rear	MRD1440		
	Prius	1500	2008		Rear	MRD1440		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Harrier	3000	2003	2006	Rear	MRD1255	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 69.4, Centering Diameter : 62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 288	ATE : 24.0110-0316.1, BREMBO : 08.A111.10, CAR : 142.1266, DELPHI : BG4180, DELPHI : BG3866, FERODO : DDF1545, Fritech : DF1126, INTERBRAKE : TT181P, LEXUS : 4243148050, LEXUS : 4243148041, LEXUS : 4243148040, LPR : T2018P, LUCAS : DF7257, MINTEX : MDC1857, NIBK : RN1255, OEM : 4243148041, REMSA : 6911.00, ROADHOUSE : 6911.00, TOYOTA : 4243148050, TOYOTA : 4243148040, TOYOTA : 4243148041, TRUSTING : DF1126, TRW : DF7257
	Harrier	3500	2006	2009	Rear	MRD1255		
	Harrier	3300	2005	2012	Rear	MRD1255		
	Corolla Verso	1800	2004	2009	Rear	MRD1441	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 56.8, Centering Diameter : 62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 290	ATE : 24.0110-0320.1, BOSCH : 0 204 173 007, BOSCH : 0 204 200 007, BREMBO : 08.A354.10, CAR : 142.1141, CAR RACING : HPD 1141, CIFAM : 800-771, DELPHI : BG4051, FERODO : DDF1409, Fritech : DF1149, INTERBRAKE : TT131P, KWP : 129771, LPR : T2039P, LUCAS : DF4446, Metelli : 23-0771, MINTEX : MDC1840, NIBK : RN1441, NIPPARTS : J3312053, NK : 2045112, REMSA : 61088.00, ROADHOUSE : 61088.00, SBS : 18152045112, TOYOTA : 424310F010, TRUSTING : DF1149, TRW : DF4446, ZIMMERMANN : 590.2593.00
	Corolla Verso	2200	2005	2009	Rear	MRD1441		
	Corolla Verso	1800	2004	2009	Rear	MRD1441		
TOYOTA	Auris	2200	2007		Rear	MRD1352	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 36.8, Centering Diameter : 62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 270	ATE : 24.0110-0337.1, BREMBO : 08.A912.10, CAR : 142.1439, DELPHI : BG4183, FERODO : DDF1645, Fritech : DF1180, INTERBRAKE : TT401P, LPR : T2049P, LUCAS : DF4830, MINTEX : MDC2018, NIBK : RN1352, NIPPARTS : J3312057, NK : 2045123, PILENGA : 5484, QH : BDC5588, SBS : 18152045123, TEXTAR : 92164000, TOYOTA : 4243112280, TOYOTA : 4243102170, TRUSTING : DF1180, TRW : DF4830
	Auris	1330	2009		Rear	MRD1352		
	Auris	1600	2009		Rear	MRD1352		
	Auris	1600	2007	2012	Rear	MRD1352		
	Corolla	1800	2013		Rear	MRD1352		
	Harrier	2200	1997	2000	Rear	MRD1251	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 60.6, Centering Diameter : 62, Position: Rear, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 288	ATE : 24.0110-0712.1, DELPHI : BG3864, Fritech : DF1125, LEXUS : 4243133080, LEXUS : 4243148020, LEXUS : 4243148010, NIBK : RN1251, OEM : 4243133080, OEM : 4243148020, OEM : 4243148010, TOYOTA : 4243133080, TOYOTA : 4243148020, TOYOTA : 4243133140, TOYOTA : 4243148010, TRUSTING : DF1125, TRW : DF7209
	Harrier	2400	2000	2001	Rear	MRD1251		
	Harrier	3000	1997	2001	Rear	MRD1251		
	Land Cruiser	4700	1998	2007	Rear	MRD1215V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 103, Centering Diameter : 150, Position: Rear, Pitch Circle & Oslash: 149.9mm, Outter & Oslash : 329	ATE : 24.0118-0143.1, BENDIX AUS : DBA789, BREMBO : 09.9086.10, DELPHI : BG3534, FERODO : DDF1597, Fritech : DF520, JAPANPARTS : DP-223, LUCAS : DF4483, NIBK : RN1215V, NIPPARTS : J3312035, OEM : 4243160281, OEM : 4243160280, PILENGA : V648, REMSA : 6948.10, ROADHOUSE : 6948.10, TOYOTA : 4243160220, TOYOTA : 42431-60221, TRUSTING : DF520, TRW : DF4483
	Land Cruiser	4200	1998	2007	Rear	MRD1215V		
	Land Cruiser	4200	1998	2007	Rear	MRD1215V		
	Land Cruiser	4200	1998	2007	Rear	MRD1215V		
	Land Cruiser	4200	1998	2007	Rear	MRD1215V		
	Land Cruiser	4200	1998	2007	Rear	MRD1215V		
TOYOTA	Land Cruiser Prado	3000	2002	2007	Rear	MRD1216V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 6, Height : 68, Centering Diameter : 106, Position: Rear, Pitch Circle & Oslash: 139.7mm, Outter & Oslash : 312	ATE : 24.0118-0709.1, Blue Print : ADT343129, BREMBO : 09.A334.10, CAR : 142.1282, CIFAM : 800-972, DELPHI : BG3557, FERODO : DDF1743, Fritech : DF521, INTERBRAKE : TT271V, LEXUS : 4243160270, LPR : T2000V, LUCAS : DF4484, Metelli : 23-0972, MINTEX : MDC1406, NIBK : RN1216V, OEM : 4243160295, QH : BDC5197, REMSA : 6956.10, ROADHOUSE : 6956.10, SBS : 1815204575, TOYOTA : 4243160201, TOYOTA : 4243160200, TRUSTING : DF521, TRW : DF7126, TRW : DF4484
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	1996	2000	Rear	MRD1216V		
	Land Cruiser Prado	3400	1996	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	2002	2007	Rear	MRD1216V		
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	1996	2000	Rear	MRD1216V		
	Land Cruiser Prado	3400	1996	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	1996	2000	Rear	MRD1216V		
	Land Cruiser Prado	3400	1996	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	1996	2000	Rear	MRD1216V		
	Land Cruiser Prado	3400	1996	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	2000	2002	Rear	MRD1216V		
	Land Cruiser Prado	3000	1996	2000	Rear	MRD1216V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Yaris	1300	2006	2011	Front	MRD1436V	Recommended Type: Vented & Oslash 258 ,Disc Thickness: 22, Num. of holes : 4, Height : 46.2, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	ATE : 24.0122-0240.1, BREMBO : 09.A913.14, CAR : 142.1438, CAR RACING : HPD 1438, CIFAM : 800-879, DELPHI : BG4116, FERODO : DDF1587, Fritch : DF1209, INTERBRAKE : TT391V, LPR : T2047V, LUCAS : DF4842, Metelli : 23-0879, MINTEX : MDC1832, NIBK : RN1436V, NK : 2045115, PILENGA : V732, QH : BDC5571, REMSA : 61169.10, ROADHOUSE : 61169.10, SBS : 18152045115, TEXTAR : 92164200, TOYOTA : 435120D060, TOYOTA : 435120D120, TRUSTING : DF1209, TRW : DF4842, ZIMMERMANN : 590.2594.00
	Yaris	1000	2011		Front	MRD1436V		
	Yaris	1300	2011		Front	MRD1436V		
	Yaris	1400	2011		Front	MRD1436V		
	Belta	1000	2005		Front	MRD1309V	Recommended Type: Vented & Oslash 255 ,Disc Thickness: 22, Num. of holes : 4, Height : 46.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm	ATE : 24.0122-0246.1, BENDIX EUR : 562455B, CAR : 142.1332, CIFAM : 800-944, DELPHI : BG4053, Fritch : DF1067, INTERBRAKE : TT331V, JAPANPARTS : DI-2017, JURID : 562455J, LPR : T2056V, LUCAS : DF4806, Metelli : 23-0944, MINTEX : MDC2062, NIBK : RN1309V, NK : 2045107, PAGID : 54561, PILENGA : V356, REMSA : 61005.10, ROADHOUSE : 61005.10, SBS : 18152045107, TEXTAR : 92156100, TOYOTA : 4351252120, TRUSTING : DF1067, TRW : DF4806, TRW : DF7268
	Belta	1300	2005		Front	MRD1309V		
	Yaris	1500	2006	2011	Front	MRD1309V		
	Belta	1300	2005		Front	MRD1309V		
	Belta	1300	2005	2008	Front	MRD1309V		
	Belta	1300	2005		Front	MRD1309V		
	Belta	1500	2005		Front	MRD1309V		
	Corolla Axio	1500	2006		Front	MRD1309V		
	Vios	1300	2007		Front	MRD1309V		
	Vios	1500	2007		Front	MRD1309V		
	Yaris	1400	2006	2011	Front	MRD1309V		
	Vios	1600	2007		Front	MRD1309V		
	Auris	1600	2007		Front	MRD1238V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 46.3, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 275	ATE : 24.0122-0256.1, BREMBO : 09.A864.14, CIFAM : 800-945, Fritch : DF1221, LPR : T2054V, LUCAS : DF4810, Metelli : 23-0945, MINTEX : MDC2050, NIBK : RN1238V, NK : 2045121, PILENGA : V731, QH : BDC5671, SBS : 18152045121, TEXTAR : 92163800, TOYOTA : 4351212670, TRUSTING : DF1221, TRW : DF4810
	Auris	2200	2007		Front	MRD1238V		
	Auris	1330	2009		Front	MRD1238V		
	Auris	1600	2009		Front	MRD1238V		
	Auris	1600	2007		Front	MRD1238V		
	Corolla	1600	2013		Front	MRD1238V		
	Corolla	1800	2006		Front	MRD1238V		
	Auris	1400	2007		Front	MRD1238V		
	Corolla	1600	2007		Front	MRD1238V		
TOYOTA	Prius	1500	2003	2009	Front	MRD1541V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 49.2, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 255	ATE : 24.0122-0258.1, BOSCH : 0 986 479 564, BREMBO : 09.A713.14, DELPHI : BG4269, Fritch : DF1257, MINTEX : MDC1953, NIBK : RN1541V, NIPPARTS : J3 302 158, TOYOTA : 4351247030, TRUSTING : DF1257, TRW : DF4906
	Prius	1500	2008		Front	MRD1541V		
TOYOTA	Corolla Altis	1800	2007		Front	MRD1576V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 46.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 275	ATE : 24.0122-0276.1, CAR : 142.1564, DELPHI : BG4277, Fritch : DF1389, NIBK : RN1576V, NK : 2045132, OEM : 19184293, OEM : 4351202240, SBS : 18152045132, TEXTAR : 92199300, TOYOTA : 4351212710, TOYOTA : 4351202270, TRUSTING : DF1389, TRW : DF6234
	Corolla Altis	1800	2006		Front	MRD1576V		
	Corolla Altis	1500	2006		Front	MRD1576V		
	Corolla Altis	1800	2006		Front	MRD1576V		
	Corolla Altis	1500	2006		Front	MRD1576V		
	Corolla Altis	1800	2006		Front	MRD1576V		
	Corolla Altis	1800	2006		Front	MRD1576V		
	Corolla Altis	1800	2007		Front	MRD1576V		
	Corolla Altis	1500	2006		Front	MRD1576V		
	Corolla Altis	1800	2006		Front	MRD1576V		
	Corolla Altis	1800	2007		Front	MRD1576V		
	Corolla Altis	1800	2006		Front	MRD1576V		
	Corolla Altis	1800	2007		Front	MRD1576V		
	Corolla Altis	1800	2006		Front	MRD1576V		
TOYOTA	RAV 4	2200	2009		Front	MRD1434V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46.5, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3	ATE : 24.0125-0178.1, BOSCH : 0986479428, CAR : 142.1416, CAR RACING : HPD 1416, DELPHI : BG4304, FERODO : DDF1838, Fritch : DF1226, INTERBRAKE : TT381V, JAPANPARTS : DI-2010, MINTEX : MDC2285, NIBK : RN1434V, NK : 2045117, SBS : 18152045117, TOYOTA : 4351242040, TRUSTING : DF1226
	Auris	2200	2007		Front	MRD1351V	Recommended Type: Vented ,Disc Thickness: 26/24, Num. of holes : 5, Height : 49.2, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 273	ATE : 24.0126-0148.1, BOSCH : 0986479425, BREMBO : 09.A865.14, CAR : 142.1547, CAR : 142.683, CAR RACING : HPD 683, CIFAM : 800-979, DELPHI : BG4234, FERODO : DDF1668, Fritch : DF1220, INTERBRAKE : TT031V, JAPANPARTS : DI-229, LPR : T2048V, LUCAS : DF4808, Metelli : 23-0979, MINTEX : MDC2017, NECTO : WN1234, NIBK : RN1351V, NK : 2045120, OEM : 4351242030, OEM : 4351242031, PAGID : 54637, QH : BDC5669, SBS : 18152045120, TEXTAR : 92163700, TOYOTA : 4351202180, TOYOTA : 4351212690, TRUSTING : DF1220, TRW : DF4808
	Auris	1330	2009		Front	MRD1351V		
	Auris	1600	2009		Front	MRD1351V		
	Auris	1600	2007	2012	Front	MRD1351V		
	Auris	2200	2007		Front	MRD1351V		
	Auris	1330	2009		Front	MRD1351V		
	Auris	1600	2009		Front	MRD1351V		
	Auris	2200	2007		Front	MRD1351V		
	Auris	1330	2009		Front	MRD1351V		
	Auris	1600	2009		Front	MRD1351V		
	Avensis III T27	1600	2009		Front	MRD1471V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 49.2, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 295	ATE : 24.0126-0156.1, Blue Print : ADT343265, BOSCH : 0 986 479 560, Fritch : DF1169, MINTEX : MDC2049, NIBK : RN1471V, NIPPARTS : J3302160, NK : 2045122, SBS : 18152045122, TOYOTA : 4351202190, TOYOTA : 4351212680, TOYOTA : 435120F030, TRUSTING : DF1169, TRW : DF4939S
	Avensis III T27	1800	2009		Front	MRD1471V		
	Avensis III T27	2000	2009		Front	MRD1471V		
	Camry	2400	2006	2011	Front	MRD1241V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.3, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 296	ATE : 24.0128-0159.1, BREMBO : 09.A417.10, CAR : 142.1302, CIFAM : 800-946, DELPHI : BG4114, FERODO : DDF1646, Fritch : DF1210, INTERBRAKE : TT311V, JAPANPARTS : DI-2006, LPR : T2032V, LUCAS : DF4828S, Metelli : 23-0946, MINTEX : MDC1850, NIBK : RN1241V, OEM : 4351202250, OEM : 4351206100, OEM : 4351206140, OEM : 4351206090, OEM : 4351206120, QH : BDC5574, TOYOTA : 4351242100, TOYOTA : 4351242090, TOYOTA : 4351242050, TOYOTA : 4351233140, TOYOTA : 4351233130, TRUSTING : DF1210, TRW : DF7399, TRW : DF7669, TRW : DF4828S
	RAV 4	2400	2004	2008	Front	MRD1241V		
	RAV 4	2200	2006	2010	Front	MRD1241V		
	RAV 4	2400	2006	2010	Front	MRD1241V		
	RAV 4	2200	2006	2010	Front	MRD1241V		
	RAV 4	2400	2004	2008	Front	MRD1241V		
	Camry	2400	2006	2011	Front	MRD1241V		
	Camry	2400	2006	2011	Front	MRD1241V		
	Camry	3500	2006	2009	Front	MRD1241V		
	RAV 4	2200	2006	2010	Front	MRD1241V		
	RAV 4	2400	2006	2010	Front	MRD1241V		
	Camry	2500	2011		Front	MRD1241V		
	Camry	2400	2001	2006	Front	MRD1162V	Recommended Type: Vented & Oslash 296 ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter :62, Position: Front	ATE : 24.0128-0190.1, BOSCH : 0 986 478 968, BREMBO : 09.A110.10, DELPHI : BG3735, FERODO : DDF1446, Fritch : DF821, LPR : T2042V, LUCAS : DF4204, MINTEX : MDC1564, NIBK : RN1162V, OEM : 4351228180, OEM : 4351228181, PAGID : 54358, PILENGA : V668, SBS : 18152045103, SBS : 1815204592, TEXTAR : 92135800, TOYOTA : 4351233100, TOYOTA : 4351208040, TOYOTA : 4351248011, TOYOTA : 4351258011, TOYOTA : 4351258010, TOYOTA : 43512-48010, TRUSTING : DF821, TRW : DF4204, WOKING : D6862.10
	Camry	3000	2001	2006	Front	MRD1162V		
	Camry	3000	2001		Front	MRD1162V		
	Windom	3000	2001	2006	Front	MRD1162V		
	Fortuner	2700	2005	2011	Front	MRD1319V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 6, Height : 68, Centering Diameter :108, Position: Front, Pitch Circle & Oslash: 139.7, Outter & Oslash : 297	BENDIX AUS : DBA2714, Blue Print : ADT343211, BREMBO : 09A63410, DELPHI : BG4211, Fritch : DF1289, JAPANPARTS : DI-2008, LUCAS : DF4917, NIBK : RN1319V, NIPPARTS : N3302174, NK : 2045140, OEM : 435120K060, OEM : 435120K250, OEM : 435120K070, OEM : 435120K060, TOYOTA : 435120K060, TRUSTING : DF1289, TRW : DF4917, TRW : DF7251
	Fortuner	2700	2006	2011	Front	MRD1319V		
	Fortuner	2500	2009	2012	Front	MRD1319V		
	Hi Lux Surf Pickup	2500	2007		Front	MRD1319V		
	Hi Lux Surf Pickup	3000	2007		Front	MRD1319V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Yaris	1300	2011		Front	MRD1437V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 46.3, Centering Diameter :55, Position: Front, Outter & Oslash : 275	BENDIX EUR : 562452B, JURID : 562452J, NIBK : RN1437V, TOYOTA : 4351252130, TRW : DF4804
	Yaris II Euro France	1000	2006		Front	MRD1437V		
	Yaris II Euro France	1500	2005		Front	MRD1437V		
	Corolla Axio	1500	2006	2012	Front	MRD1437V		
	Corolla Axio	1800	2006	2009	Front	MRD1437V		
	MR2	1800	2000	2005	Rear	MRD1474V	Recommended Type: Vented ,Disc Thickness: 16, Num. of holes : 8, Height : 41.2, Centering Diameter :55.5, Position: Rear, Outter & Oslash : 263	Blue Print : ADT343143, DELPHI : BG3825, Fritech : DF939, MINTEX : MDC1779, NIBK : RN1474V, NK : 2045110, OEM : 4243117080, PAGID : 54497, REMSA : 6961.10, ROADHOUSE : 6961.10, SBS : 18152045110, TEXTAR : 92149700, TOYOTA : 42431-17081, TOYOTA : 42431-17050, TRUSTING : DF939
TOYOTA	MR2	1800	2000	2005	Rear	MRD1474V		
	Coaster	4100	1995	1999	Front	MRD1480V	Recommended Type: 321 ,Disc Thickness: 32, Num. of holes : 5, Height : 102.6	Blue Print : ADT343148C, NIBK : RN1480V, TOYOTA : 4351236180, TOYOTA : 4351236181
	Dyna	2500	2004	2007	Front	MRD1535V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 49, Centering Diameter :100, Position: Front, Outter & Oslash : 287mm	Blue Print : ADT343187C, DELPHI : BG4209, NIBK : RN1535V, TOYOTA : 4351225060, TRW : DF7412
	Dyna	3000	2007		Front	MRD1535V		
	Dyna	2500	2004	2007	Front	MRD1535V		
	Dyna 150	3000	2006	2011	Front	MRD1535V		
	Auris	1600	2012		Front	MRD21001V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 49.5, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 277	Blue Print : ADT343240, Japan Parts : DI-2033, NIBK : RN21001V, TOYOTA : 43512-02330
	Auris	1800	2012		Front	MRD21001V		
	Corolla	1800	2013		Front	MRD21001V		
	Auris	1600	2012		Front	MRD21001V		
TOYOTA	Sienna	3500	2010		Rear	MRD1473	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 62.4, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 309	Blue Print : ADT343276, NIBK : RN1473, TOYOTA : 42431-0E020, TOYOTA : 4243148070, TRW : DF7919
	Sienna	3500	2010		Front	MRD1443V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 52, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 328	Blue Print : ADT343278, NIBK : RN1443V, TOYOTA : 4351248110, TOYOTA : 435120E030
	Land Cruiser	4200	1990	1998	Rear	MRD1157V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 6, Height : 102, Centering Diameter :106, Position: Rear, Pitch Circle & Oslash: 139.7, Outter & Oslash : 355	Blue Print : ADT34389, DELPHI : BG3188, Fritech : DF510, LPR : T2057V, LUCAS : DF4502, MINTEX : MDC1303, NIBK : RN1157V, NIPPARTS : J3312034, NK : 2045101, OEM : 4243160170, PILENGA : V683, QH : BDC4943, SBS : 18152045101, TOYOTA : 4243160171, TOYOTA : 42431-60170, TRUSTING : DF510, TRW : DF7829
	Land Cruiser	4200	1991	1992	Rear	MRD1157V		
	Land Cruiser	4500	1992	1998	Rear	MRD1157V		
	Land Cruiser	4200	1995	1997	Rear	MRD1157V		
	Land Cruiser	4500	1992	1997	Rear	MRD1157V		
	Mark II	2000	1998	2000	Front	MRD1499V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 50.7, Centering Diameter :62, Position: 114.3, Pitch Circle & Oslash: Front, Outter & Oslash : 255	BOSCH : 0 986 AB9 664, NIBK : RN1499V, TOYOTA : 4351222230, TOYOTA : 43512 22240, TRW : DF7338
	Camry	1800	1990	1994	Rear	MRD1223	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 64, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114mm, Outter & Oslash : 288	BREMBO : 08.9179.10, DELPHI : BG3183, MINTEX : MDC1565, NIBK : RN1223, TOYOTA : 4243133030, TOYOTA : 4243133050, TOYOTA : 4243148030, TOYOTA : 4243133100, TRW : DF4500
	Camry	2200	1991	1999	Rear	MRD1223		
	Camry	3000	1991	1996	Rear	MRD1223		
	Camry	3000	1992	1996	Rear	MRD1223		
	Camry	2200	1994	1996	Rear	MRD1223		
	Windom	3000	1996	1999	Rear	MRD1223		
	Camry	2200	1991	1999	Rear	MRD1223		
	Camry	2400	2002	2006	Rear	MRD1223		
	Camry	3000	2002	2006	Rear	MRD1223		
	Windom	3000	1996	1999	Rear	MRD1223		
	Camry	2200	1994	1996	Rear	MRD1223		
	Camry	3000	1991	1996	Rear	MRD1223		
	Camry	3000	1992	1996	Rear	MRD1223		
	Camry	1800	1990	1994	Rear	MRD1223		
TOYOTA	Harrier	3000	2003	2006	Front	MRD1219V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 319	BREMBO : 09.A109.10, CAR : 142.1265, DELPHI : BG3865, FERODO : DDF1544, Fritech : DF1035, INTERBRAKE : TT191V, LPR : T2019V, LUCAS : DF4493, MINTEX : MDC1856, NIBK : RN1219V, PAGID : 54715PRO, TEXTAR : 92171503, TOYOTA : 4351248081, TOYOTA : 435120E010, TOYOTA : 4351248080, TOYOTA : 4351248100, TRUSTING : DF1035, TRW : DF7259, TRW : DF4493
	Harrier	3500	2006	2009	Front	MRD1219V		
	Liteace	1500	1985	1992	Front	MRD1533V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 4, Height : 42, Centering Diameter :74, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 255	BREMBO : 09.A156.10, DELPHI : BG3272, Fritech : DF523, LUCAS : DF4521, NIBK : RN1533V, OEM : 435120B030, OEM : 4351228130, QH : BDC4947, TRUSTING : DF523, TRW : DF7204
	Liteace	1500	1986	1999	Front	MRD1533V		
	Townace	2000	1992	1993	Front	MRD1533V		
	Townace	2000	1992	1996	Front	MRD1533V		
	Townace	2000	1992	1993	Front	MRD1533V		
	Townace	2000	1992	1996	Front	MRD1533V		
	FJ Cruiser	4000	2007		Front	MRD1446V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 6, Height : 67.2, Centering Diameter :108, Position: Front, Pitch Circle & Oslash: 139.7, Outter & Oslash : 318	BREMBO : 09.B461.10, Fritech : DF1196, LUCAS : DF7367, MINTEX : MDC2260, NIBK : RN1446V, OEM : 4351235320, OEM : 4351235321, TOYOTA : 43512-04052, TOYOTA : 4351235322, TRUSTING : DF1196, TRW : DF7827
	FJ Cruiser	4000	2010		Front	MRD1446V		
	Fortuner	4000	2010		Front	MRD1446V		
	Fortuner	3000	2008		Front	MRD1446V		
	FJ Cruiser	4000	2007		Front	MRD1446V		
	FJ Cruiser	4000	2010		Front	MRD1446V		
	Fortuner	4000	2010		Front	MRD1446V		
	Fortuner	3000	2008		Front	MRD1446V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Land Cruiser 200	4500	2008		Front	MRD22002V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 83, Centering Diameter :150, Pitch Circle & Oslash: 112, Outter & Oslash : 353	CAR : 142.1502, DELPHI : BG9067, Fritch : DF1388, INTERBRAKE : TT431V, NiBK : RN22002V, TOYOTA : 43512-0C020, TRUSTING : DF1388
	Land Cruiser 200	4700	2008		Front	MRD22002V		
	Land Cruiser 200	4000	2008		Front	MRD22002V		
	Tundra USA	4700	2008		Front	MRD22002V		
	Tundra USA	5700	2008		Front	MRD22002V		
	Tundra USA	4000	2007	2010	Front	MRD22002V		
TOYOTA	Land Cruiser Prado	4000	2003	2006	Rear	MRD1267V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 77, Centering Diameter :112, Position: Rear, Pitch Circle & Oslash: 150, Outter & Oslash : 345	CAR : 142.1503, FERODO : DDF1799, Fritch : DF1331, INTERBRAKE : TT441V, JAPANPARTS : DP-237, NiBK : RN1267V, NIPPARTS : N3312068, TOYOTA : 42431-0C010, TOYOTA : 4243160290, TOYOTA : 42431-0C011, TRUSTING : DF1331, TRW : DF7830, TRW : DF49655
	Land Cruiser Prado	4000	2003	2006	Rear	MRD1267V		
	Land Cruiser 200	4500	2008		Rear	MRD1267V		
	Land Cruiser 200	5700	2008		Rear	MRD1267V		
	Land Cruiser 200	4500	2008		Rear	MRD1267V		
	Land Cruiser 200	5700	2008		Rear	MRD1267V		
	Land Cruiser Prado	4000	2003	2006	Rear	MRD1267V		
	Land Cruiser Prado	4000	2003	2006	Rear	MRD1267V		
	Crown	3000	2003	2008	Front	MRD1258V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 49.3, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3mm, Outter & Oslash : 296	DELPHI : BG4139, LEXUS : 4351230310, NiBK : RN1258V, TEXTAR : 92174303, TOYOTA : 4351230310, TRW : DF7340
	Crown	4300	2004	2008	Front	MRD1258V		
TOYOTA	Avalon	3000	2008		Rear	MRD1432	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 66, Centering Diameter :62, Position: Rear, Outter & Oslash : 281	DELPHI : BG4268, JAPANPARTS : DP-247, NiBK : RN1432, NIPPARTS : N3312070, TOYOTA : 4243106140, TOYOTA : 4243106170, TOYOTA : 4243106150, TOYOTA : 4243106110, TOYOTA : 4243133130, TOYOTA : 4243106160, TRW : DF7390
	Camry	2400	2006	2011	Rear	MRD1432		
	Camry	3500	2006	2009	Rear	MRD1432		
	Camry	2500	2011		Rear	MRD1432		
	Camry	2400	2006	2011	Rear	MRD1432		
	Camry	3500	2006	2009	Rear	MRD1432		
	Avalon	3000	2008		Rear	MRD1432		
	Camry	2500	2011		Rear	MRD1432		
	Avalon	3000	2008		Rear	MRD1432		
	Camry	2400	2006	2011	Rear	MRD1432		
	Camry	3500	2006	2009	Rear	MRD1432		
	Camry	2500	2011		Rear	MRD1432		
	Crown	3000	1999	2003	Front	MRD1485	Recommended Type: Solid Ø : 291 mm ,Disc Thickness: 10, Num. of holes : 5, Height : 62.2, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3	Fritch : DF1300, LUCAS : DF7229, NiBK : RN1485, TOYOTA : 4243151010, TRUSTING : DF1300
	Corolla Altis	1500	2001	2004	Front	MRD1458V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 49.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 254.9	Fritch : DF1385, LUCAS : DF7127, MINTEX : MDC2215, NiBK : RN1458V, OEM : 4351212650, TEXTAR : 92226300, TOYOTA : 4351212611, TOYOTA : 4351212610, TOYOTA : 4351202050, TRUSTING : DF1385, TRW : DF7127
	Corolla	1800	2004	2007	Front	MRD1458V		
	Corolla Altis	1500	2001	2004	Front	MRD1458V		
	Land Cruiser 200	5700	2008		Front	MRD1268V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 83.6, Centering Diameter :112, Position: Front, Outter & Oslash : 340	Japan Parts : DI-2011, NiBK : RN1268V, NIPPARTS : N3302173, TEXTAR : 92204603, TOYOTA : 4351260180, TRW : DF7671
	Wish	1800	2003	2008	Front	MRD1196V	Recommended Type: Vented & Oslash : 275 ,Disc Thickness: 28, Num. of holes : 5, Height : 49.5, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm	NiBK : RN1196V, TOYOTA : 43512-68010, TOYOTA : 4351268011, TRW : DF7355
	Wish	1800	2003	2008	Front	MRD1196V		
	Wish	2000	2003	2008	Front	MRD1196V		
	Wish	1800	2009		Front	MRD1196V		
	Wish	2000	2009		Front	MRD1196V		
TOYOTA	Corolla Spacio	1600	1997	1998	Front	MRD1245V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 4, Height : 48, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100 mm, Outter & Oslash : 258	NiBK : RN1245V, NIPPARTS : J330214, TOYOTA : 43512-12390, TRW : DF7429
	Corolla Spacio	1800	1997	1998	Front	MRD1245V		
	Corolla	1300	1991	1995	Front	MRD1245V		
	Corolla	1300	1995	2000	Front	MRD1245V		
	Corolla	1300	1994	1995	Front	MRD1245V		
	Corolla	1600	1992	1995	Front	MRD1245V		
	Corolla	1600	1991	1998	Front	MRD1245V		
	Corolla	2000	1991	1995	Front	MRD1245V		
	Mark II	3000	1992	1995	Front	MRD1305V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 275	NiBK : RN1305V, TOYOTA : 43512-22250, TOYOTA : 43512-22220
	Mark II	2500	1992	1996	Front	MRD1305V		
	Mark II	2000	1992	1996	Front	MRD1305V		
	Mark II	2400	1992	1996	Front	MRD1305V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Probox	1500	2002	2003	Front	MRD1311V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 4, Height : 43.2, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 235	NIBK : RN1311V, TOYOTA : 4351252060, TRW : DF7319
	Highlander	2700	2009	2013	Rear	MRD1444	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 69.8, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3, Outter & Oslash : 309	NIBK : RN1444, TOYOTA : 4243148060
	Highlander	3500	2009	2013	Rear	MRD1444		
	Coaster	2400	1984	1988	Front	MRD1479V	Recommended Type: Vented ,Disc Thickness: 35, Num. of holes : 5, Height : 101, Centering Diameter :126, Position: Front, Pitch Circle & Oslash: 167, Outter & Oslash : 296	NIBK : RN1479V, TOYOTA : 4351236171, TRW : DF7167S
	Coaster	4100	2004	2007	Front	MRD1479V		
	Ist	1300	2002	2007	Front	MRD1482V	Recommended Type: Vented Ø : 254 9 mm ,Disc Thickness: 22, Num. of holes : 4, Height : 43.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	NIBK : RN1482V, TOYOTA : 43512 52080, TRW : DF7322
TOYOTA	Ist	1500	2002	2007	Front	MRD1482V		
	Corolla	1600	1997	1998	Front	MRD1483V	Recommended Type: Vented & Oslash : 258 mm ,Disc Thickness: 18, Num. of holes : 4, Height : 48.1, Centering Diameter :55, Pitch Circle & Oslash: 100	NIBK : RN1483V, TOYOTA : 4351212370, TRW : DF7206
	Corolla	1800	1995	1997	Front	MRD1483V		
TOYOTA	Caldina	2000	1992	1997	Front	MRD1484V	Recommended Type: Vented Ø : 237 8 mm ,Disc Thickness: 22, Num. of holes : 4, Height : 49.2, Centering Diameter :55, Pitch Circle & Oslash: 100	NIBK : RN1484V, TOYOTA : 4351220530, TRW : DF7248
	Caldina	2200	1997	2002	Front	MRD1484V		
	Mark II	2500	1992	1995	Rear	MRD1487	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 5, Height : 66.9, Centering Diameter :62, Pitch Circle & Oslash: 114.3, Outter & Oslash : 291	NIBK : RN1487, TOYOTA : 42431-22180, TRW : DF7160
	Mark II	3000	1992	1995	Rear	MRD1487		
	Mark II	2500	1992	1996	Rear	MRD1487		
	Crown	2000	1995	2001	Rear	MRD1487		
	Mark II	2000	1992	1996	Rear	MRD1487		
	Mark II	2400	1992	1996	Rear	MRD1487		
	Crown	3000	1991	1995	Rear	MRD1487		
	Mark II	2000	1998	2000	Rear	MRD1489	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 66.7, Centering Diameter :62, Pitch Circle & Oslash: 114.3, Outter & Oslash : 267	NIBK : RN1489, TOYOTA : 4243122200, TRW : DF7239
	Aristo	3000	1991	1997	Front	MRD1531V	Recommended Type: Vented ,Disc Thickness: 32, Num. of holes : 5, Height : 52.7, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 275	NIBK : RN1531V, TOYOTA : 4351230210, TRW : DF7253
	Townace	1500	1992	1996	Front	MRD1534V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 4, Height : 43.6, Centering Diameter :74, Position: Front, Pitch Circle & Oslash: 94, Outter & Oslash : 230	NIBK : RN1534V, TOYOTA : 4351228150, TRW : DF7385
	Townace	1800	1985	1992	Front	MRD1534V		
	Townace	2000	1984	1996	Front	MRD1534V		
	Liteace	2000	1992	1996	Front	MRD1534V		
TOYOTA	FJ Cruiser	4000	2006		Rear	MRD1553V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 6, Height : 68.4, Centering Diameter :106, Position: Rear, Pitch Circle & Oslash: 139.7, Outter & Oslash : 312	NIBK : RN1553V, NIPPARTS : J3 312 041, TOYOTA : 42431-60311, TRW : DF 6342
	FJ Cruiser	4000	2010		Rear	MRD1553V		
	Land Cruiser Prado	4000	2009	2013	Rear	MRD1553V		
	Land Cruiser Prado	4000	2013		Rear	MRD1553V		
	Land Cruiser Prado	4000	2009	2013	Rear	MRD1553V		
	Land Cruiser Prado	4000	2013		Rear	MRD1553V		
	Venza	3500	2009		Front	MRD1574V	Recommended Type: Vented, Outter & Oslash : 324	NIBK : RN1574V, TOYOTA : 435120T010
	Venza	3500	2009		Front	MRD1574V		
	Venza	2700	2009		Front	MRD1574V		
	Venza	2700	2009		Front	MRD1574V		
	Venza	3500	2012		Front	MRD1574V		
	Venza	2700	2012		Front	MRD1574V		
	Venza	3500	2009		Rear	MRD1575	Recommended Type: Solid, Outter & Oslash : 320	NIBK : RN1575, TOYOTA : 42431-0T010
	Venza	3500	2009		Rear	MRD1575		
	Venza	2700	2009		Rear	MRD1575		
TOYOTA	Starlet	1300	2078	1984	Front	MRD1338V	Recommended Type: Vented ,Disc Thickness: 10, Num. of holes : 4, Height : 31, Centering Diameter :64, Position: Front	DELPHI : BG2236, FERODO : DDF537, JAPANPARTS : DI-202, NIBK : RN1338V, TOYOTA : 43512-10040, TOYOTA : 43512-10050, TRW : DF1908
	Deliboy	1500	1989	1995	Front	MRD1337V	Recommended Type: Vented ,Disc Thickness: 18/20, Num. of holes : 5, Height : 43.7, Centering Diameter :74, Position: Front, Pitch Circle & Oslash: 94	NIBK : RN1337V, TOYOTA : 43512-27070

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Echo USA	1500	2000	2005	Front	MRD1127V	Recommended Type: Vented 235 Disc Thickness: 18, Num. of holes : 4, Height : 43, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2503D, AP : X24770, AP : 24770, ATE : 24.0118-0131.1, BENDIX : 562261B, BENDIX : 562169B, BOSCH : 0 986 478 582, BRADI : 1.52B3.2.4, BRECO : BS 8356, BREMBO : 09.7825.75, BREMBO : FS.097.000, BREMBO : 09.7825.10, BREMBO : FD.097.000, CAR : 142.986, CAR RACING : HPD 986, CIFAM : 800-552, DELPHI : BG3519, FERODO : DRF1084, FERODO : DDF1084, Fritech : DF458, GRAF : DF29552, INTERBRAKE : TY941V, INTERCAR : TY941V, JURID : 562261J, JURID : 562169J, KWP : 129552, LPR : T2941V, LUCAS : DF4112, MAGNETI MARELLI : 353615202324, Metelli : 23-0552, MINTEX : MDC1392, NECTO : WN1095, NIBK : RN1127V, PAGID : 50301, PILENGA : V661, PILENGA : V653, QH : BDC5117, REMSA : 6618.10, ROADHOUSE : 6618.10, SBS : 333357, SBS : 1815204565, STOP : 562169S, TEXTAR : 92103600, TOYOTA : 4351252050, TOYOTA : 4351252010, TOYOTA : 4351252020, TOYOTA : 435120D010, TRUSTING : DF458, TRW : DF4112, VALEO : 186587, WOKING : D6618.10
	Platz	1500	1999	2005	Front	MRD1127V		
	Vitz	1000	1999	2005	Front	MRD1127V		
	Vitz	1300	1999	2005	Front	MRD1127V		
	Yaris Euro	1300	1999	2001	Front	MRD1127V		
TOYOTA	Hiace	1600	1985	1987	Front	MRD1341V	Recommended Type: Vented 252 Disc Thickness: 20, Num. of holes : 5, Height : 26, Centering Diameter :79, Position: Front, Pitch Circle & Oslash: 104	AP : 20247, ATE : 24.0120-0109.1, BENDIX : 561234B, BENDIX EUR : 561234B, BRADI : 1.5212.2.4, BRECO : BS 7872, BREMBO : 09.3021.10, DELPHI : BG275, DELPHI : BG2275, FERODO : DDF147, Fritech : DF326, INTERBRAKE : TY211V, INTERCAR : TY211V, JAPANPARTS : DI-222, JURID : 561234J, Lemforder : 19072 01, Lemforder : 19072, LPR : T2211V, LUCAS : DF1916, MINTEX : MDC288, NECTO : WN391, NIBK : RN1341V, PAGID : 53614, PILENGA : V342, QH : BDC3335, REMSA : 6516.20, ROADHOUSE : 6516.20, SBS : 333311, SBS : 1815204513, SBS : 333311, TOYOTA : 4351226030, TOYOTA : 43512-26031, TRUSTING : DF326, TRW : DF1916, VALEO : 186542
	Liteace	1500	1985	1992	Front	MRD1345V	Recommended Type: Vented 255 Disc Thickness: 20, Num. of holes : 4, Height : 41.7, Centering Diameter :74, Position: Front	AC DELCO : AC2295D, AP : 24200, BENDIX : 561440B, BOSCH : 0 986 478 106, BRADI : 1.5236.2.4, BRECO : BS 7937, BREMBO : 09.5019.10, CAR : 142.634, CAR RACING : HPD 634, CIFAM : 800-223, DELPHI : BG2398, DELPHI : BG398, FERODO : DDF415, Fritech : DF293, GRAF : DF29223, INTERBRAKE : TY451V, INTERCAR : TY451V, JURID : 561440J, KWP : 129223, Lemforder : 19081 01, Lemforder : 19081, LPR : T2451V, LUCAS : DF1924, Metelli : 23-0223, MINTEX : MDC437, NECTO : WN663, NIBK : RN1345V, PAGID : 53616, PILENGA : V348, QH : BDC3708, REMSA : 6537.20, ROADHOUSE : 6537.20, SBS : 333310, SBS : 1815204525, SBS : 333332, TEXTAR : 92043600, TOYOTA : 43512-28051, TOYOTA : 43512-28050, TRUSTING : DF293, TRW : DF1924, VALEO : 186670, VALEO : 186545
	Model F	2000	1982	1990	Front	MRD1342V	Recommended Type: Vented 255 Disc Thickness: 20, Num. of holes : 4, Height : 44, Centering Diameter :74, Position: Front, Pitch Circle & Oslash: 94	AP : 24421, BENDIX : 561438B, BRADI : 1.5231.2.4, BRECO : BS 8089, BREMBO : 09.5677.10, DELPHI : BG709, FERODO : DDF610, Fritech : DF343, INTERBRAKE : TY401V, INTERCAR : TY401V, JAPANPARTS : DI-237, JURID : 561438J, Lemforder : 19075, LPR : T2401V, LUCAS : DF2616, MINTEX : MDC1188, NECTO : WN724, NIBK : RN1342V, PAGID : 53628, PILENGA : V350, QH : BDC3709, REMSA : 6532.20, ROADHOUSE : 6532.20, TOYOTA : 43512-28030, TRUSTING : DF343, TRW : DF2616
	Hi Lux Surf Pickup	3000	2005		Front	MRD1340V	Recommended Type: Vented 255 Disc Thickness: 28, Num. of holes : 5+2, Height : 58.5, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3	BREMBO : 09.A130.20, DELPHI : BG4181, Fritech : DF1386, JAPANPARTS : DI-2009, MINTEX : MDC2303, NIBK : RN1340V, NK : 2045137, SBS : 18152045137, TOYOTA : 43512-0K030, TOYOTA : 435120K010, TRUSTING : DF1386, TRW : DF7326
	Innova	2700	2004	2011	Front	MRD1340V		
TOYOTA	Innova	2500	2004	2011	Front	MRD1340V		
	Hi Lux Euro	1800	1989	1994	Front	MRD1026V	Recommended Type: Vented 257 Disc Thickness: 25, Num. of holes : 5, Height : 47, Centering Diameter :84, Position: Front, Pitch Circle & Oslash: 110	AC DELCO : AC2504D, AP : 24199, ATE : 24.0125-0118.1, BENDIX : 561301B, BENDIX EUR : 561301B, BOSCH : 0 986 478 397, BRADI : 1.5227.2.4, BRECO : BS 7940, BREMBO : 09.5017.10, CAR : 142.935, CAR RACING : HPD 935, CIFAM : 800-716, DELPHI : BG2423, DELPHI : BG423, FERODO : DDF416, Fritech : DF414, GRAF : DF29716, INTERBRAKE : TY361V, INTERCAR : TY361V, JAPANPARTS : DI-270, KWP : 129716, Lemforder : 19085, Lemforder : 19085 01, LPR : T2361V, LUCAS : DF1927, MAGNETI MARELLI : 353615238240, Metelli : 23-0716, MINTEX : MDC979, MINTEX : MDC976, NECTO : WN662, NIBK : RN1026V, OEM : 43512YE010, OEM : 4351235260, PAGID : 53932, PILENGA : V654, QH : BDC3603, REMSA : 6405.10, REMSA : 6528.20, ROADHOUSE : 6405.10, ROADHOUSE : 6528.20, SBS : 1815209949, SBS : 1815204521, SBS : 333308, TEXTAR : 92050400, TEXTAR : 98200 0504 0 1, TOYOTA : 4351235170, TOYOTA : 4351226040, TOYOTA : 4351226070, TOYOTA : 4351235180, TRUSTING : DF414, TRW : DF1927, VALEO : 186696, VW : J4351235170, VW : J4351235180, WOKING : D6405.10
	Hi Lux Euro	1800	1989	1994	Front	MRD1026V		
	Hi Lux Euro	1800	1989	1994	Front	MRD1026V		
	Hiace	2000	1993	1996	Front	MRD1026V		
	Hiace	2000	1993	2003	Front	MRD1026V		
	Hiace	2000	1995	1996	Front	MRD1026V		
	Hiace	2000	1995	1996	Front	MRD1026V		
	Hiace	2400	1990	1995	Front	MRD1026V		
	Hiace	2800	1993	1996	Front	MRD1026V		
	Hiace	2800	1995	1996	Front	MRD1026V		
	Hiace	2800	1995	1996	Front	MRD1026V		
	Hi Lux Surf Pickup	2400	1988	1994	Front	MRD1026V		
	Hi Lux Surf Pickup	2400	1994	1997	Front	MRD1026V		
	Hi Lux Surf Pickup	2800	1994	1997	Front	MRD1026V		
	Hi Lux Surf Pickup	2800	1994	1997	Front	MRD1026V		
TOYOTA	Hi Lux Euro	2400	1992	1995	Front	MRD1026V		
	Hi Lux Vigo	2500	2004		Front	MRD1026V		
	Hi Lux Euro	2400	1992	1995	Front	MRD1026V		
	Corolla	1400	2001	2002	Rear	MRD1190	Recommended Type: Solid 258 Disc Thickness: 9, Num. of holes : 4, Height : 55.5, Centering Diameter :55, Position: Rear	APEC : DSK2209, ATE : 24.0109-0138.1, BOSCH : 0 986 479 086, BREMBO : 08.A331.10, CAR : 142.1097, CAR RACING : HPD 1097, CIFAM : 800-634, DELPHI : BG3889, FERODO : DDF1419, Fritech : DF858, GRAF : DF29634, INTERBRAKE : T701P, KWP : 129634, LPR : T2010P, LUCAS : DF4379, Metelli : 23-0634, MINTEX : MDC1678, NECTO : WN1374, NIBK : RN1190, PAGID : 54261, PILENGA : 5477, QH : BDC5483, SBS : 1815204584, TEXTAR : 92126100, TOYOTA : 4243102071, TOYOTA : 4243102070, TRUSTING : DF858, TRW : DF4379, VALEO : 186848, ZIMMERMANN : 590.2577.00
	Corolla	1600	2001	2006	Rear	MRD1190		
	Corolla	1400	2002	2006	Rear	MRD1190		
	Corolla	1400	2002	2006	Rear	MRD1190		
	Corolla	2000	2001	2006	Rear	MRD1190		
	Celica	2200	1995	1999	Rear	MRD1232	Recommended Type: Solid 269 Disc Thickness: 9, Num. of holes : 5, Height : 64.3, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 100	AP : 14378, AP : 14707, AP : 14538, APEC : DSK361, ATE : 24.0109-0148.1, ATE : 24.0110-0241.1, BENDIX : 561606B, BOSCH : 0 986 478 560, BRADI : 1.5233.5.4, BRECO : BS 7556, BRECO : BS 7491, BREMBO : 08.5625.30, BREMBO : 08.5625.10, CAR : 142.684, CAR : 142.677, CAR : 142.632, CAR RACING : HPD 632, DELPHI : BG3583, DELPHI : BG2594, DELPHI : BG594, DELPHI : BG2884, FERODO : DDF1474, FERODO : DDF705, FERODO : DDF958, FERODO : DDF486, Fritech : DF091, INTERBRAKE : TY421P, INTERBRAKE : TY551P, INTERBRAKE : TY423P, INTERCAR : TY421P, JURID : 561739J, JURID : 561606J, LPR : T2007P, LPR : T2423P, LPR : T2421P, LUCAS : DF4728, LUCAS : DF1424, MAGNETI MARELLI : 353615233540, MINTEX : MDC1872, MINTEX : MDC1190, MINTEX : MDC883, NECTO : WN604, NIBK : RN1232, NIPPARTS : J3312032, NK : 2045144, OEM : 4243120320, OEM : 4243120090, OEM : 4243120200, OEM : 4243120330, OEM : 4243120160, PAGID : 50231, PAGID : 53610, PILENGA : 5475, QH : BDC3763, QH : BDC5110, QH : BDC5501, QH : BDC4919, QH : BDC5383, REMSA : 6535.10, REMSA : 6245.00, ROADHOUSE : 6535.10, ROADHOUSE : 6245.00, SBS : 1815204558, SBS : 1815204533, SBS : 333316, TEXTAR : 92070800, TEXTAR : 92090700, TOYOTA : 4243120360, TOYOTA : 4243120300, TRUSTING : DF091, TRW : DF7131, TRW : DF4728, WOKING : D6245.00
	Celica	2200	1995	1999	Rear	MRD1232		
TOYOTA	Auris	1600	2007		Front	MRD1143V	Recommended Type: Vented 275 Disc Thickness: 25, Num. of holes : 5, Height : 46.5, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3	AP : 24848, ATE : 24.0125-0143.1, BENDIX : 562269B, BOSCH : 0 986 479 111, BRECO : BS 8472, BREMBO : 09.9185.10, CIFAM : 800-801, DELPHI : BG3856, FERODO : DDF1216, Fritech : DF732, GRAF : DF29801, JURID : 562269J, KWP : 129801, LPR : T2878V, LUCAS : DF4161, MAGNETI MARELLI : 351520262050, Metelli : 23-0801, MINTEX : MDC1590, NIBK : RN1143V, PAGID : 54397, PILENGA : V659, QH : BDC5280, REMSA : 6640.10, REMSA : 6875.20, ROADHOUSE : 6875.20, ROADHOUSE : 6640.10, SBS : 1815204578, TEXTAR : 92139700, TOYOTA : 4351242030, TOYOTA : 4351242032, TOYOTA : 4351242031, TRUSTING : DF732, TRW : DF4161, VALEO : 186765, WOKING : D6640.10, ZIMMERMANN : 590.2589.00
	RAV 4	1800	2000	2005	Front	MRD1143V		
	RAV 4	1800	2000	2005	Front	MRD1143V		
	RAV 4	2000	2000	2002	Front	MRD1143V		
	RAV 4	2000	2000	2003	Front	MRD1143V		
TOYOTA	Avensis	2200	2005	2008	Front	MRD1318V	Recommended Type: Vented 295 Disc Thickness: 26, Num. of holes : 5, Height : 49.3, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3	JAPANPARTS : DI-264, JURID : 562430J, NIBK : RN1318V, NIPPARTS : J3302156, TOYOTA : 435120F010, TOYOTA : 4351205080, TRW : DF4415S
	Corolla Verso	2200	2005	2009	Front	MRD1318V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Land Cruiser	3500	1990	1994	Front	MRD1139V	Recommended Type: Vented & Oslash 302, Disc Thickness: 20, Num. of holes : 6, Height : 47.9, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 139.7	AC DELCO : AC2454D, AC DELCO : AC2299D, AP : 24423, ATE : 24.0120-0153.1, BENDIX : 561444B, BOSCH : 0 986 478 384, BOSCH : 0 986 478 702, BRADI : 1.5226.2.4, BRECO : BS 8091, BREMBO : 09.5679.10, CAR : 142.927, CAR RACING : HPD927, CAR RACING : HPD 929, CIFAM : 800-364, DELPHI : BG2591, FERODO : DDF347, Fritch : DF791, Fritch : DF338, GRAF : DF29364, INTERBRAKE : TY911V, INTERBRAKE : TY661V, INTERCAR : TY661V, JURID : 561444J, KWP : 129364, KWP : 1029364, Lemforder : 19070, Lemforder : 19070 02, Lemforder : 19070 01, LPR : T2911V, LPR : T2661V, LUCAS : DF4153, LUCAS : DF3035, MAGNETI MARELLI : 353615226240, Metelli : 23-0364, MINTEX : MDC879, NECTO : WN725, NIBK : RN1139V, NIPPARTS : J3302034, OEM : 4351235170, OEM : J4351235170, OEM : 4351269040, PAGID : 53629, PILENGA : V359, PILENGA : V343, QH : BDC5092, QH : BDC5141, QH : BDC3563, REMSA : 6824.10, REMSA : 6527.20, REMSA : 6408.10, ROADHOUSE : 6824.10, ROADHOUSE : 6408.10, ROADHOUSE : 6527.20, SBS : 333312, SBS : 1815204522, TEXTAR : 92080400, TOYOTA : 4351269016, TOYOTA : 4351260040, TOYOTA : 4351260041, TOYOTA : 4351260100, TOYOTA : 4351269015, TOYOTA : 4351260011, TOYOTA : 4351260060, TRUSTING : DF338, TRUSTING : DF791, TRW : DF4153, VALEO : 186637, WOKING : D6408.10, WOKING : D6824.10, WOKING : D6497.10, ZIMMERMANN : 590.2558.00
	Land Cruiser	2400	1992	1997	Front	MRD1139V		
	Land Cruiser	3000	1988	1992	Front	MRD1139V		
	Land Cruiser	3500	1988	1992	Front	MRD1139V		
	Land Cruiser	4200	1988	1992	Front	MRD1139V		
	Land Cruiser Prado	2400	1990	1993	Front	MRD1139V		
	Land Cruiser	3500	1990	1994	Front	MRD1139V		
	Land Cruiser	3000	1988	1992	Front	MRD1139V		
	Land Cruiser	3500	1988	1992	Front	MRD1139V		
	Land Cruiser	4200	1988	1992	Front	MRD1139V		
TOYOTA	Land Cruiser Prado	2400	1990	1993	Front	MRD1139V		
	Celica	1600	1989	1994	Front	MRD1459V	Recommended Type: Vented & Oslash 255, Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter :54, Position: Front, Pitch Circle & Oslash: 100	AP : 24558, AP : 24430, AP : 24602, ATE : 24.0122-0178.1, BENDIX : 561607B, BENDIX : 561808B, BOSCH : 0 986 478 724, BOSCH : 0 986 478 725, BRADI : 1.5267.2.4, BRECO : BS 8208, BRECO : BS 8182, BREMBO : 09.6712.10, BREMBO : FD.062.000, BREMBO : 09.6803.10, BREMBO : FS.062.000, CAR : 142.769, CAR : 142.637, CAR RACING : HPD 637, CIFAM : 800-255, DELPHI : BG2711, DELPHI : BG2596, FERODO : DDF779, FERODO : DDF500, FERODO : DRF500, Fritch : DF445, GRAF : DF29255, INTERBRAKE : TY671V, INTERBRAKE : TY621V, INTERCAR : TY671V, JURID : 561607J, JURID : 561808J, KWP : 129255, LPR : T2621V, LPR : T2671V, LUCAS : DF3115, LUCAS : DF4531, MAGNETI MARELLI : 353615267240, Metelli : 23-0255, MINTEX : MDC890, MINTEX : MDC893, NIBK : RN1459V, OEM : 4351220280, OEM : 4351220380, OEM : 4351220430, OEM : 4351220190, OEM : 4351220360, OEM : 4351220400, OEM : 4351220440, PAGID : 53648, PILENGA : 8022, PILENGA : V680, QH : BDC3817, QH : BDC4644, REMSA : 6554.20, REMSA : 6819.10, ROADHOUSE : 6554.20, ROADHOUSE : 6819.10, SBS : 333325, SBS : 1815204545, TEXTAR : 92068900, TEXTAR : 92094400, TRUSTING : DF445, TRW : DF3115, VALEO : 186652, WOKING : D6439.10, WOKING : D6819.10
	Celica	2000	1989	1994	Front	MRD1459V		
	Celica	1600	1989	1994	Front	MRD1459V		
	Celica	2000	1989	1994	Front	MRD1459V		
	Paseo	1500	1995	1999	Front	MRD1097V	Recommended Type: Vented & Oslash 238, Disc Thickness: 18, Num. of holes : 4, Height : 43, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2297D, AP : 24346, APEC : DSK238, ATE : 24.0118-0124.1, BENDIX : 561672B, BOSCH : 0 986 478 438, BRADI : 1.5286.2.4, BRECO : BS 8161, BREMBO : 09.5536.20, DELPHI : BG3424, FERODO : DDF1094, Fritch : DF351, JURID : 561672J, LPR : T2133V, LUCAS : DF4007, MAGNETI MARELLI : 353615286240, MINTEX : MDC1044, NECTO : WN1121, NIBK : RN1097V, PAGID : 50212, PILENGA : V662, QH : BDC4415, REMSA : 6569.10, ROADHOUSE : 6569.10, SBS : 333327, TEXTAR : 92076500, TOYOTA : 4351216070, TOYOTA : 4351216120, TRUSTING : DF351, TRW : DF4007, VALEO : 186875, WOKING : D6569.10, ZIMMERMANN : 590.2558.00
	Starlet	1300	1989	1996	Front	MRD1097V		
	Starlet	1300	1996	1999	Front	MRD1097V		
	Vios	1600	2007		Front	MRD1309V	Recommended Type: Vented & Oslash 255, Disc Thickness: 22, Num. of holes : 4, Height : 46.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm	ATE : 24.0122-0246.1, BENDIX EUR : 562455B, CAR : 142.1332, CIFAM : 800-944, DELPHI : BG4053, Fritch : DF1067, INTERBRAKE : TT331V, JAPANPARTS : DJ-2017, JURID : 562455J, LPR : T2056V, LUCAS : DF4806, Metelli : 23-0944, MINTEX : MDC2062, NIBK : RN1309V, NK : 2045107, PAGID : 54561, PILENGA : V356, REMSA : 61005.10, ROADHOUSE : 61005.10, SBS : 18152045107, TEXTAR : 92156100, TOYOTA : 4351252120, TRUSTING : DF1067, TRW : DF7268, TRW : DF4806
	Yaris	1500	2006	2011	Front	MRD1309V		
TOYOTA	Corolla Axio	1500	2006		Front	MRD1309V		
	Corolla Euro	1600	2001	2002	Front	MRD1198V	Recommended Type: Vented & Oslash 255, Disc Thickness: 25, Num. of holes : 4, Height : 49.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24941, APEC : DSK2213, ATE : 24.0125-0155.1, BENDIX EUR : 562414B, BOSCH : 0 986 479 085, BOSCH : 0 986 479 084, BRECO : BS 8560, BREMBO : 09.5844.24, BREMBO : 09.9824.10, BREMBO : 09.9798.10, CAR : 142.1233, CAR : 142.1139, CAR RACING : HPD 1139, CIFAM : 800-640, CIFAM : 800-637, DELPHI : BG3734, DELPHI : BG3781, FERODO : DDF1309, FERODO : DDF1294, FERODO : DDF1314, Fritch : DF909, GRAF : DF29640, GRAF : DF29637, HERTH+BUSS : J3302135, INTERBRAKE : TT281V, INTERBRAKE : TT111V, JURID : 562414J, KWP : 129640, KWP : 129637, LPR : T2001V, LPR : T2028V, LPR : T2023V, LUCAS : DF4403, LUCAS : DF4367, MAGNETI MARELLI : 351520322050, Metelli : 23-0640, Metelli : 23-0637, MINTEX : MDC1587, MINTEX : MDC1586, NECTO : WN1320, NECTO : WN1316, NIBK : RN1198V, NIPPARTS : J3302135, NK : 204579, OEM : 4351213030, OEM : 4351247020, PAGID : 54259, PAGID : 54258, PILENGA : V686, QH : BDC5379, REMSA : 6742.10, ROADHOUSE : 6742.10, SBS : 1815204579, SBS : 1815204582, TEXTAR : 92125800, TEXTAR : 98200 1258 0 1, TEXTAR : 92125900, TOYOTA : 4351202070, TOYOTA : 4351202090, TOYOTA : 4351212621, TOYOTA : 4351202071, TOYOTA : 4351202060, TOYOTA : 4351212620, TRUSTING : DF909, TRW : DF4403, TRW : DF7143, VALEO : 186877, WOKING : D6742.10, ZIMMERMANN : 590.2574.00, ZIMMERMANN : 590.2575.00
	Corolla Euro	1400	2001	2002	Front	MRD1198V		
	Corolla	1600	2001	2006	Front	MRD1198V		
	Corolla Euro	1600	2001	2002	Front	MRD1198V		
	Corolla	1400	2001	2002	Front	MRD1198V		
	Corolla	1600	2001	2006	Front	MRD1198V		
	Corolla	2000	2001	2006	Front	MRD1198V		
	Corolla	1800	2001	2006	Front	MRD1198V		
	Corolla Euro	1600	2001	2002	Front	MRD1198V		
TOYOTA	Cynos	1500	1995	1999	Front	MRD1115V	Recommended Type: Vented & Oslash 258, Disc Thickness: 18, Num. of holes : 4, Height : 43, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2552D, AP : 24572, BOSCH : 0 986 478 585, BRECO : BS 8203, BREMBO : 09.6765.10, DELPHI : BG3414, FERODO : DDF782, Fritch : DF712, LPR : T2895V, LUCAS : DF4058, MINTEX : MDC1289, NIBK : RN1115V, NK : 204559, PAGID : 54146, PILENGA : V676, QH : BDC4766, REMSA : 6814.10, REMSA : 6837.20, ROADHOUSE : 6814.10, ROADHOUSE : 6837.20, SBS : 1815204559, SBS : 1815204563, TEXTAR : 92114600, TOYOTA : 4351216130, TOYOTA : 4351216080, TOYOTA : 4351210100, TRUSTING : DF712, TRW : DF4058, WOKING : D6814.10
	Paseo	1500	1995	1999	Front	MRD1115V		
	Starlet	1000	1990	1992	Front	MRD1115V		
	Paseo	1500	1995	1999	Front	MRD1115V		
	Cynos	1500	1995	1999	Front	MRD1115V		
	Starlet	1000	1990	1992	Front	MRD1115V		
	Previa	2400	1997	1999	Front	MRD1461V	Recommended Type: Vented & Oslash 271, Disc Thickness: 25, Num. of holes : 5, Height : 53, Centering Diameter :62, Position: Front, Pitch Circle & Oslash: 114.3	AP : 24532, CAR RACING : HPD 773, DELPHI : BG2906, Fritch : DF886, INTERBRAKE : TY731V, JURID : 561750J, Lemforder : 19932 01, Lemforder : 19932, MINTEX : MDC905, NECTO : WN912, NIBK : RN1461V, OEM : 4351228090, OEM : 4251228090, OEM : 4351228100, PAGID : 53638, PILENGA : V673, REMSA : 6580.10, ROADHOUSE : 6580.10, SBS : 1815204532, TEXTAR : 92081000, TRUSTING : DF886, WOKING : D6580.10, ZIMMERMANN : 590.2571.00
	Previa	2400	1990	1996	Front	MRD1461V		
	Previa	2400	1990	1996	Front	MRD1461V		
	Wish	1800	2009		Front	MRD1196V	Recommended Type: Vented & Oslash 275, Disc Thickness: 28, Num. of holes : 5, Height : 49.5, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm	NIBK : RN1196V, TOYOTA : 4351268011, TOYOTA : 4351268010, TRW : DF7355
	Wish	2000	2009		Front	MRD1196V		
TOYOTA	Wish	1800	2003	2008	Front	MRD1196V		
	Wish	1800	2003	2008	Front	MRD1196V		
	Wish	2000	2003	2008	Front	MRD1196V		
	Avensis	1600	2003	2008	Front	MRD1200V	Recommended Type: Vented & Oslash 277, Disc Thickness: 26, Num. of holes : 5, Height : 49.5, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100mm	AP : 24971, APEC : DSK2249, ATE : 24.0126-0139.1, BENDIX EUR : 562453B, BRECO : BS 8590, BREMBO : 09.9799.10, CAR : 142.1137, CAR RACING : HPD 1137, CIFAM : 800-970, DELPHI : BG3913, FERODO : DDF1508, Fritch : DF461, INTERBRAKE : TT091V, LPR : T2040V, LUCAS : DF4416, Metelli : 23-0970, MINTEX : MDC1694, NECTO : WN1434, NIBK : RN1200V, PAGID : 54355, PILENGA : V649, REMSA : 6701.10, ROADHOUSE : 6701.10, SBS : 1815204590, TEXTAR : 92135500, TOYOTA : 4351205040, TRUSTING : DF461, TRW : DF4416, WOKING : D6701.10, ZIMMERMANN : 590.2583.00
	Avensis	1800	2003	2008	Front	MRD1200V		
	Avensis	2000	2003	2008	Front	MRD1200V		
	Avensis	2400	2005	2008	Front	MRD1200V		
	Hiace	3000	1993	2004	Front	MRD1304V	Recommended Type: Vented & Oslash 284.7, Disc Thickness: 28, Num. of holes : 6, Height : 48.5, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 127mm	FERODO : DDF1441, Fritch : DF509, GRAF : DF29346, NIBK : RN1304V, NIPPARTS : J3302116, REMSA : 6702.10, ROADHOUSE : 6702.10, TOYOTA : 43512-26130, TRUSTING : DF509, TRW : DF7226, WOKING : D6702.10
	Hiace	2400	1995	2001	Front	MRD1304V		
	Hiace	2500	2001	2010	Front	MRD1304V		
	Hiace	2700	1998	1999	Front	MRD1304V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Hiace	2400	1984	1995	Front	MRD1358V	Recommended Type: Vented & Oslash 287, Disc Thickness: 22, Num. of holes : 6, Height : 52, Centering Diameter :100, Position: Front, Pitch Circle & Oslash: 127.5	AP : 24588, BRECO : BS 8199, BREMBO : 09.6746.10, Fritech : DF1316, JAPANPARTS : DI-293, LPR : T2883V, NIBK : RN1358V, OEM : 4351226081, QH : BDC3781, TOYOTA : 4351226081, TRUSTING : DF1316
	Hiace	2400	1986	1995	Front	MRD1358V		
	Avensis	2000	2003	2008	Front	MRD1210V	Recommended Type: Vented & Oslash 295, Disc Thickness: 26, Num. of holes : 5, Height : 49.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	APEC : DSK2267, ATE : 24.0126-0141.1, BOSCH : 0 204 173 008, BOSCH : 0 204 173 009, BREMBO : 09.9817.10, CAR : 142.1140, CAR : 142.1256, CAR RACING : HPD 1256, CIFAM : 800-854, CIFAM : 800-772, DELPHI : BG3914, FERODO : DDF1315, FERODO : DDF1401, Fritech : DF463, GRAF : DF29772, INTERBRAKE : TT211V, KWP : 129772, LPR : T2014V, LPR : T2022V, LUCAS : DF4445S, LUCAS : DF4445, Metelli : 23-0772, Metelli : 23-0854, MINTEX : MDC1695, NECTO : WN1321, NIBK : RN1210V, PAGID : 54356, PILENGA : V645, PILENGA : V646, SBS : 18152045116, SBS : 1815204591, TEXTAR : 92135600, TOYOTA : 4351205050, TOYOTA : 4351205070, TOYOTA : 4351205110, TRUSTING : DF463, TRW : DF4445S, ZIMMERMANN : 590.2592.00, ZIMMERMANN : 590.2584.00
	Avensis	2000	2003	2008	Front	MRD1210V		
	Avensis	2400	2005	2008	Front	MRD1210V		
	Avensis Station Wagon Euro	2000	2003	2008	Front	MRD1210V		
	Camry	3000	2001	2006	Front	MRD1162V	Recommended Type: Vented & Oslash 296, Disc Thickness: 28, Num. of holes : 5, Height : 49.2, Centering Diameter :62, Position: Front	ATE : 24.0128-0190.1, BOSCH : 0 986 478 968, BREMBO : 09.A110.10, DELPHI : BG3735, FERODO : DDF1446, Fritech : DF821, LPR : T2042V, LUCAS : DF4204, MINTEX : MDC1564, NIBK : RN1162V, OEM : 4351228181, OEM : 4351228180, PAGID : 54358, PILENGA : V668, SBS : 1815204592, SBS : 18152045103, TEXTAR : 92135800, TOYOTA : 4351208040, TOYOTA : 4351248011, TOYOTA : 4351258011, TOYOTA : 4351258010, TOYOTA : 43512-48010, TOYOTA : 4351233100, TRUSTING : DF821, TRW : DF4204, WOKING : D6862.10
	Previa	2400	1999	2006	Front	MRD1162V		
	Estima Emina	2400	2003	2006	Front	MRD1162V		
	Sienna	3500	2006	2009	Front	MRD1162V		
	Windom	3000	2001	2006	Front	MRD1162V		
	Camry	2400	2001	2006	Front	MRD1162V		
	Camry	3000	2001	2006	Front	MRD1162V		
	Estima Emina	2400	2003	2006	Front	MRD1162V		
	Estima Emina	2400	2003	2006	Front	MRD1162V		
	Sienna	3500	2006	2009	Front	MRD1162V		
	Previa	2400	1999	2006	Front	MRD1162V		
	Camry	2400	2001	2006	Front	MRD1162V		
TOYOTA	Altezza	2000	1998	2005	Front	MRD1150V	Recommended Type: Vented & Oslash 296, Disc Thickness: 32, Num. of holes : 5, Height : 50.8, Centering Diameter :62, Position: Front	AP : 24639, AP : 24902, AP : 24820, ATE : 24.0125-0128.1, ATE : 24013207011, ATE : 24.0128-0139.1, BENDIX : 561644B, BRADI : 1.5270.2.4, BRECO : BS 8259, BRECO : BS 8445, BRECO : BS 8399, BREMBO : 09.9178.10, BREMBO : FS.118.000, BREMBO : 09.6907.10, BREMBO : FD.118.000, CAR : 142.1009, CAR RACING : HPD 1009, DELPHI : BG2829, DELPHI : BG2707, DJ PARTS : BD1021, FERODO : DDF938, FERODO : DDF1134, FERODO : DDF883, Fritech : DF444, INTERBRAKE : TT051V, INTERCAR : TY931V, JURID : 562248J, JURID : 561644J, LEXUS : 4351230181, LEXUS : 4351250100, LEXUS : 4351250120, LEXUS : 4351250112, LEXUS : 4351230300, LEXUS : 4351253020, LEXUS : 4351230180, LPR : T2998V, LPR : T2931V, LPR : T2136V, LUCAS : DF4015, LUCAS : DF4182S, MAGNETI MARELLI : 353615290250, MINTEX : MDC900, NECTO : WN1153, NECTO : WN883, NIBK : RN1150V, OEM : 4351250040, OEM : 4351250060, PAGID : 50340, QH : BDC4420, QH : BDC5112, QH : BDC5093, QH : BDC5188, REMSA : 6556.20, ROADHOUSE : 6556.20, TEXTAR : 92109100, TRUSTING : DF444, TRW : DF4182S, WOKING : D6793.10
	Altezza	2000	2001	2005	Front	MRD1150V		
	Aristo	3000	1993	1997	Front	MRD1150V		
	Aristo	3000	1997	2004	Front	MRD1150V		
TOYOTA	Altezza	2000	1998	2005	Rear	MRD1225	Recommended Type: Solid & Oslash 310, Disc Thickness: 16, Num. of holes : 5, Height : 63, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3mm	ATE : 24011207031, DELPHI : BG3907, FERODO : DDF1499, LEXUS : 4243153011, LEXUS : 4243130260, NIBK : RN1225, TRW : DF7230, TRW : DF4509
	Altezza	2000	2001	2005	Rear	MRD1225		
	Aristo	3000	1997	2004	Rear	MRD1225		
	Altezza	2000	2001	2005	Rear	MRD1225		
TOYOTA	FJ Cruiser	4000	2006		Front	MRD1435V	Recommended Type: Vented & Oslash 338, Disc Thickness: 32, Num. of holes : 6, Height : 68.6, Centering Diameter :108, Position: Front	MINTEX : MDC2273, NIBK : RN1435V, TOYOTA : 4351260190, TRW : DF7880, TRW : DF7918
	FJ Cruiser	4000	2010		Front	MRD1435V		
	Land Cruiser Prado	4000	2009	2013	Front	MRD1435V		
	Land Cruiser Prado	4000	2013		Front	MRD1435V		
	Land Cruiser Prado	4000	2009	2013	Front	MRD1435V		
	Land Cruiser Prado	4000	2013		Front	MRD1435V		
	Land Cruiser Prado	4000	2010		Front	MRD1435V		
	Land Cruiser Prado	3000	2010		Front	MRD1435V		
	Land Cruiser Prado	3000	2013		Front	MRD1435V		
	Land Cruiser Prado	4000	2010		Front	MRD1435V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
TOYOTA	Previa	2400	1997	1999	Rear	MRD1099V	Recommended Type: Vented & Oslash : 291 ,Disc Thickness: 18, Num. of holes : 5, Height : 68, Centering Diameter :60, Position: Rear, Pitch Circle & Oslash: 114.3	AP : 24348, AP : 24627, ATE : 24.0118-0119.1, BENDIX : 561738B, BENDIX AUS : DBA716, BOSCH : 0 986 478 443, BRADI : 1.5244.6.4, BRECO : BS 8262, BRECO : BS 8044, BREMBO : 09.5532.10, BREMBO : 09.6915.10, CAR : 142.865, CAR RACING : HPD 865, DELPHI : BG3166, FERODO : DDF687, Fritch : DF430, INTERBRAKE : TY341V, INTERCAR : TY341V, JURID : 561738J, LPR : T2341V, LUCAS : DF4017, MINTEX : MDC886, NECTO : WN1039, NIBK : RN1099V, NIPPARTS : J3312007, PAGID : 50222, PILENGA : V354, QH : BDC3925, REMSA : 6544.20, ROADHOUSE : 6544.20, SBS : 1815204546, SBS : 333329, TEXTAR : 92082600, TOYOTA : 4243114110, TOYOTA : 4243114100, TOYOTA : 4243114120, TRUSTING : DF430, TRW : DF4017
	Previa	2400	1990	1996	Rear	MRD1099V		
	Supra	3000	1986	1993	Rear	MRD1099V		
	Estima Emina	2400	1992	1993	Rear	MRD1099V		
	Estima Emina	2400	1992	1993	Rear	MRD1099V		
	Estima Emina	2400	1993	1996	Rear	MRD1099V		
	Previa	2400	1997	1999	Rear	MRD1099V		
TOYOTA	Supra	3000	1986	1993	Rear	MRD1099V		
	RAV 4	1800	2000	2005	Rear	MRD1207	Recommended Type: Solid & Oslash : 303 ,Disc Thickness: 9, Num. of holes : 5, Height : 62.3, Centering Diameter :62, Position: Rear, Pitch Circle & Oslash: 114.3mm	AC DELCO : AC2632D, ATE : 24.0109-0152.1, CAR : 142.1257, CAR RACING : HPD 1257, CIFAM : 800-803, DELPHI : BG3691, FERODO : DDF1486, Fritch : DF1151, GRAF : DF29803, INTERBRAKE : TT291P, JURID : 562288J, KWP : 129803, LPR : T2029P, LUCAS : DF4441, Metelli : 23-0803, MINTEX : MDC1513, NECTO : WN1417, NIBK : RN12907, PAGID : 54441, QH : BDC5299, SBS : 1815204574, TEXTAR : 92144100, TOYOTA : 4243142040, TOYOTA : 4243142041, TRUSTING : DF1151, TRW : DF4441, ZIMMERMANN : 590.2590.00
	RAV 4	2000	2000	2003	Rear	MRD1207		
	RAV 4	1800	2000	2005	Rear	MRD1207		
	Carina E	1600	1994	1997	Front	MRD1059V	Recommended Type: Vented & Oslash : 255 ,Disc Thickness: 28, Num. of holes : 5, Height : 49.3, Centering Diameter :55, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2453D, AP : 24662, APEC : DSK343, ATE : 24.0128-0116.1, BRADI : 1.5295.2.4, BRECO : BS 8193, BREMBO : 09.5845.20, BREMBO : 09.5845.10, CAR : 142.771, CAR RACING : HPD 771, CIFAM : 800-647, DELPHI : BG2880, FERODO : DDF621, Fritch : DF480, GRAF : DF29647, INTERBRAKE : TY711V, INTERCAR : TY711V, JURID : 561745J, KWP : 129647, Lemforder : 22850 01, Lemforder : 22850, LPR : T2711V, LUCAS : DF2684, MAGNETI MARELLI : 353615295240, Metelli : 23-0647, MINTEX : MDC1971, NECTO : WN755, NIBK : RN1059V, OEM : 4351220500, OEM : 4351205020, PAGID : 53635, PILENGA : V357, QH : BDC4588, REMSA : 6727.20, REMSA : 6542.10, ROADHOUSE : 6542.10, ROADHOUSE : 6727.20, SBS : 333336, SBS : 1815204540, TEXTAR : 92094300, TOYOTA : 4351205020, TOYOTA : 4351220500, TRUSTING : DF480, TRW : DF2684, VALEO : 186427, WOKING : D6542.10, ZIMMERMANN : 590.2568.00
	Carina E	1800	1994	1997	Front	MRD1059V		
	Carina E	2000	1994	1997	Front	MRD1059V		
	Land Cruiser	4200	1991	1992	Front	MRD1066V	Recommended Type: Vented & Oslash : 311.5 ,Disc Thickness: 32, Num. of holes : 6, Height : 58.2, Centering Diameter :105, Position: Front, Pitch Circle & Oslash: 139.7	AC DELCO : AC2547D, AP : 24536, ATE : 24.0132-0111.1, BOSCH : 0 986 478 580, BRADI : 1.5297.2.4, BRECO : BS 8167, BREMBO : 09.5914.10, CAR : 142.647, CAR RACING : HPD 647, DELPHI : BG3539, FERODO : DDF769, Fritch : DF401, INTERBRAKE : TY861V, INTERCAR : TY861V, JAPANPARTS : DI-2005, LPR : T2861V, LUCAS : DF2723, MINTEX : MDC1043, NECTO : WN805, NIBK : RN1066V, NIPPARTS : J3302118, PAGID : 53637, PILENGA : V664, QH : BDC4803, REMSA : 6507.10, ROADHOUSE : 6507.10, SBS : 333347, SBS : 1815204542, TEXTAR : 92080600, TOYOTA : 4351260090, TRUSTING : DF401, TRW : DF2723, VALEO : 186638, WOKING : D6507.10, ZIMMERMANN : 590.2567.00
	Land Cruiser	4000	1992	1997	Front	MRD1066V		
	Land Cruiser	4200	1991	1992	Front	MRD1066V		
	Land Cruiser	4200	1995	1997	Front	MRD1066V		
	Land Cruiser	4000	1992	1997	Front	MRD1066V		
	Land Cruiser	4200	1995	1997	Front	MRD1066V		
	Corolla	1600	1987	1992	Front	MRD1339V	Recommended Type: Vented & Oslash : 227.8 ,Disc Thickness: 12.8, Num. of holes : 4, Height : 34.4, Centering Diameter :74, Position: Front	JAPANPARTS : DI-288, NIBK : RN1339V, TOYOTA : 43512-20040
	Corolla	1600	1989	1991	Front	MRD1339V		
	Corolla	1800	1982	1987	Front	MRD1339V		
	Corolla	1800	1983	1987	Front	MRD1339V		
	Corolla	2000	1991	1995	Rear	MRD1228	Recommended Type: Solid & Oslash : 266 ,Disc Thickness: 9, Num. of holes : 4, Height : 36.3, Centering Diameter :55, Position: Rear, Pitch Circle & Oslash: 100mm	ATE : 24.0109-0159.1, BENDIX EUR : 562412B, BREMBO : 08.A298.10, CAR : 142.1300, CIFAM : 800-969, DELPHI : BG3186, FERODO : DDF1576, Fritch : DF851, INTERBRAKE : TT231P, JURID : 562412J, LPR : T2055P, LUCAS : DF4560, Metelli : 23-0969, NIBK : RN1228, QH : BDC4917, REMSA : 6900.00, ROADHOUSE : 6900.00, SBS : 1815204587, TOYOTA : 4243112150, TOYOTA : 42431YA020, TRUSTING : DF851, TRW : DF7070, TRW : DF4560, ZIMMERMANN : 590.2587.00
	Corolla	1600	1992	1995	Rear	MRD1228		
	Corolla	1400	1999	2001	Rear	MRD1228		
	Corolla	1600	1995	2000	Rear	MRD1228		
	Corolla	1600	1999	2000	Rear	MRD1228		
	Corolla	1800	1995	1997	Rear	MRD1228		
	Corolla	2000	1991	1995	Rear	MRD1228		
TOYOTA	Land Cruiser	4200	1990	1998	Front	MRD1090V	Recommended Type: Vented & Oslash : 286 ,Disc Thickness: 25, Num. of holes : 6, Height : 58, Centering Diameter :105, Position: Front	AC DELCO : AC2587D, AP : 24566, ATE : 24.0125-0133.1, BRADI : 1.5296.2.4, BRECO : BS 8146, BREMBO : 09.5866.10, CAR : 142.646, CAR RACING : HPD 646, DELPHI : BG3540, FERODO : DDF701, Fritch : DF376, INTERBRAKE : TY851V, INTERCAR : TY851V, LUCAS : DF3027, MINTEX : MDC1185, NECTO : WN804, NIBK : RN1090V, PAGID : 53636, QH : BDC4802, REMSA : 6491.10, ROADHOUSE : 6491.10, SBS : 1815204541, SBS : 333346, TEXTAR : 92080500, TOYOTA : 4351260050, TRUSTING : DF376, TRW : DF3027, VALEO : 186645, WOKING : D6491.10, ZIMMERMANN : 590.2566.00
	Land Cruiser	4200	1990	1999	Front	MRD1090V		
	Land Cruiser	4200	1990	1998	Front	MRD1090V		
	Dyna	4100	1999	2004	Front	MRD1448V	Recommended Type: Vented ,Disc Thickness: 33, Num. of holes : 5, Height : 90, Centering Diameter :126, Position: Front, Pitch Circle & Oslash: 167	DJ PARTS : BD2033, NIBK : RN1448V, TOYOTA : 4351237090, TRW : DF7409
	Dyna	4100	1999	2003	Front	MRD1448V		
	Dyna	4600	1999	2004	Front	MRD1448V		
	Hiace Regius	2500	2003	2007	Front	MRD1330V	Recommended Type: Vented ,Disc Thickness:"28, Num. of holes : 6, Height : 48.6, Centering Diameter :105, Position: Front, Pitch Circle & Oslash: 127, Outter & Oslash : 285	DELPHI : BG4210, Fritch : DF1463, NIBK : RN1330V, TOYOTA : 4351226190, TRUSTING : DF1463, TRW : DF7317
VOLVO	Hiace Regius	2700	2010		Front	MRD1330V		
	Hiace Regius	2700	2010		Front	MRD1330V		
	Hiace	2500	2004	2010	Front	MRD1330V		
	S40	2000	2006		Front	MRD1213V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter :63.5, Position: Front, Pitch Circle & Oslash: 108mm, Outter & Oslash : 278	AP : 24919E, APEC : DSK2203, ATE : 24.0125-0117.1, ATE : 24.0325-0117.1, BOSCH : 0 986 479 173, BRECO : BS 8508, BREMBO : 09.9464.14, BREMBO : FS.173.000, BREMBO : 09.9464.11, BREMBO : FD.173.000, CAR : 142.1171, CAR : 142.1143, CAR RACING : HPD 1143, CIFAM : 800-685, DELPHI : BG3868, FERODO : DDF1222, FORD : 3M512C375AC, FORD : 7M511125FA, FORD : 1223663, FORD : 1253730, FORD : 1373369, FORD : 1469082, FORD : 3M512C375AD, FORD : 1223665, FORD : 1320352, FORD : 1501069, Fritch : DF985, GRAF : DF29685, INTERBRAKE : VV541V, JURID : 562364J, KWP : 129685, LPR : F1009V, LUCAS : DF4314, LUCAS : DF4465, MAGNETI MARELLI : 351176420500, Metelli : 23-0685, MINTEX : MDC1637, NECTO : WN1240, NIBK : RN1213V, OEM : 1253729, OEM : 3M512C375DA, OEM : 3M512C375AA, PAGID : 54412, PILENGA : V254, QH : BDC5486, REMSA : 6710.10, ROADHOUSE : 6710.10, SBS : 1815202560, SBS : 1815204848, TEXTAR : 92141200, TEXTAR : 92141203, TRUSTING : DF985, TRW : DF4314, TRW : DF4465, VALEO : 186819, VOLVO : 274509, VOLVO : 31262718, WOKING : D6710.10, ZIMMERMANN : 250.1352.00
	C30	1600	2006		Front	MRD1213V		
	C30	1600	2006		Front	MRD1213V		
	C30	1800	2007		Front	MRD1213V		
	C30	2000	2006		Front	MRD1213V		
	C30	2400	2006		Front	MRD1213V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VOLVO	850	2000	1994	1996	Front	MRD1287V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 4, Height : 50.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 280	AC DELCO : AC2170D, AP : 24355, ATE : 24.0126-0101.1, BENDIX : 561680B, BENDIX EUR : 561680B, BOSCH : 0 986 478 602, BRADI : 1.6024.2.4, BRECO : BS 8054, BREMBO : 09.5568.10, CAR : 142.664, CAR RACING : HPD 664, CIFAM : 800-373, DELPHI : BG2720, FERODO : DRF604, FERODO : DDF604, Fritch : DF903, GRAF : DF29373, INTERBRAKE : VV283V, JURID : 561680J, KWP : 1029373, KWP : 129373, Lemforder : 19100, Lemforder : 19100 01, LPR : V1281V, LUCAS : DF2621, MAGNETI MARELLI : 353616024240, Metelli : 23-0373, MINTEX : MDC824, NECTO : WN701, NIBK : RN1287V, PAGID : 54017, PILENGA : V163, QH : BGC3915, REMSA : 6303.10, ROADHOUSE : 6303.10, SBS : 383805, SBS : 1815204829, TEXTAR : 92058600, TRUSTING : DF903, TRW : DF2621, VOLVO : 3516880, VOLVO : 2715902, VOLVO : 271590, VOLVO : 351688, WOKING : D6303.10, ZIMMERMANN : 610.1194.00
	850	2300	1994	1996	Front	MRD1287V		
	850	2400	1994	1996	Front	MRD1287V		
	850	2500	1995	1996	Front	MRD1287V		
	850	2000	1994	1996	Front	MRD1287V		
	850	2300	1994	1996	Front	MRD1287V		
	850	2400	1994	1996	Front	MRD1287V		
	850	2500	1995	1996	Front	MRD1287V		
	850	2000	1994	1996	Front	MRD1055V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 50.7, Centering Diameter :68, Position: Front, Outter & Oslash : 280	AC DELCO : AC2305D, AP : X24453, AP : 24453E, ATE : 24.0126-0102.1, BENDIX : 561866B, BENDIX EUR : DDF605, BOSCH : 0 986 478 603, BRADI : 1.6024.2.5, BRECO : BS 8144, BREMBO : 09.5568.24, BREMBO : FD.043.000, BREMBO : 09.5568.21, BREMBO : 09.5568.76, BREMBO : FS.043.000, BREMBO : 09.5568.20, CAR : 142.663, CAR RACING : HPD 663, CIFAM : 800-375, DELPHI : BG2841, DELPHI : BG841, DELPHI : BG720, FERODO : DDF605, FERODO : DRF605, Fritch : DF395, GRAF : DF29375, INTERBRAKE : VV283V, INTERCAR : VV283V, JURID : 561866J, KWP : 129375, KWP : 1029375, Lemforder : 19096 01, Lemforder : 19096, LPR : V1283V, LUCAS : DF2671, MAGNETI MARELLI : 353616024250, Metelli : 23-0375, MINTEX : MDC825, NECTO : WN702, NIBK : RN1055V, OEM : 271592, OEM : 351680, OEM : 271782, PAGID : 54018, PILENGA : V164, QH : BDC3912, REMSA : 6614.20, REMSA : 6410.10, ROADHOUSE : 6614.20, ROADHOUSE : 6410.10, SBS : 1815204832, SBS : 383807, STOP : 561866S, TEXTAR : 98200 0667 0 1, TEXTAR : 92066700, TRUSTING : DF395, TRW : DF2671, VALEO : 186525, VALEO : 186526, VOLVO : 31262092, VOLVO : 2717882, VOLVO : 271788, VOLVO : 272312, VOLVO : 9140759, VOLVO : 2717880, VOLVO : 91407593, WOKING : D6410.10, ZIMMERMANN : 610.1195.20
	850	2300	1994	1996	Front	MRD1055V		
	850	2400	1994	1996	Front	MRD1055V		
VOLVO	850	2300	1994	1996	Front	MRD1055V		
	850	2500	1995	1996	Front	MRD1055V		
	850	2000	1994	1996	Front	MRD1055V		
	850	2300	1994	1996	Front	MRD1055V		
	850	2400	1994	1996	Front	MRD1055V		
	940	2300	1993	1997	Front	MRD1055V		
	940	2300	1993	1997	Front	MRD1055V		
	C70	2000	1997	2002	Front	MRD1055V		
	C70	2300	1997	2002	Front	MRD1055V		
	C70	2400	1997	1999	Front	MRD1055V		
	S70	2000	1996	2000	Front	MRD1055V		
	S70	2300	1996	2000	Front	MRD1055V		
	S70	2400	1996	2000	Front	MRD1055V		
	940	2300	1993	1995	Front	MRD1055V		
	940	2300	1993	1995	Front	MRD1055V		
	850	2000	1994	1996	Front	MRD1055V		
	850	2300	1994	1996	Front	MRD1055V		
	850	2400	1994	1996	Front	MRD1055V		
	940	2300	1993	1997	Front	MRD1055V		
	940	2300	1993	1995	Front	MRD1055V		
VOLVO	940	2300	1993	1997	Front	MRD1055V		
	940	2300	1993	1995	Front	MRD1055V		
	C70	2000	1997	2002	Front	MRD1055V		
	C70	2300	1997	2002	Front	MRD1055V		
	C70	2400	1997	1999	Front	MRD1055V		
	S70	2000	1996	2000	Front	MRD1055V		
	S70	2300	1996	2000	Front	MRD1055V		
	S70	2400	1996	2000	Front	MRD1055V		
	S70	2500	1996	2000	Rear	MRD1290	Recommended Type: Solid ,Disc Thickness: 9.6, Num. of holes : 5, Height : 72, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 108, Outter & Oslash : 295	AC DELCO : AC2306D, AP : 14454E, ATE : 24.0110-0214.1, BENDIX : 561867B, BENDIX EUR : 561867B, BOSCH : 0 986 478 628, BRADI : 1.6025.5.5, BRECO : BS 7481, BREMBO : 08.5569.21, BREMBO : 08.5569.20, BREMBO : 08.5569.24, CAR : 142.668, CAR RACING : HPD 668, CIFAM : 800-376C, CIFAM : 800-376, DELPHI : BG842, DELPHI : BG721, DELPHI : BG2842, FERODO : DDF552, FERODO : 6026604, Fritch : DF061, GRAF : DF29376, INTERBRAKE : VV293P, INTERCAR : VV293P, JURID : 561867J, KWP : 1029376, KWP : 129376, Lemforder : 19090 02, Lemforder : 19090, LPR : V1293P, LUCAS : DF2660, MAGNETI MARELLI : 353616025550, Metelli : 23- 0376C, MINTEX : MDC920, NECTO : WN601, NIBK : RN1290, OEM : 271790, PAGID : 54009, PILENGA : 5264, QH : BDC3913, REMSA : 6616.10, REMSA : 6411.00, ROADHOUSE : 6616.10, ROADHOUSE : 6411.00, SBS : 1815204833, SBS : 383808, TEXTAR : 92066800, TRUSTING : DF061, TRW : DF2660, VALEO : 186528, VOLVO : 271794, VOLVO : 9140144, VOLVO : 2717940, WOKING : D6411.00, ZIMMERMANN : 610.1197.00
	C70	2000	1997	2002	Rear	MRD1290		
	C70	2300	1997	2002	Rear	MRD1290		
	C70	2400	1997	1999	Rear	MRD1290		
	S70	2000	1996	2000	Rear	MRD1290		
	S70	2300	1996	2000	Rear	MRD1290		
	S70	2400	1996	2000	Rear	MRD1290		
	V70	2000	1996	2000	Rear	MRD1290		
	V70	2000	1997	2000	Rear	MRD1290		
	V70	2400	1997	1999	Rear	MRD1290		
	S70	2500	1996	2000	Rear	MRD1290		
	C70	2000	1997	2002	Rear	MRD1290		
	C70	2300	1997	2002	Rear	MRD1290		
	C70	2400	1997	1999	Rear	MRD1290		
	S70	2000	1996	2000	Rear	MRD1290		
	S70	2300	1996	2000	Rear	MRD1290		
	S70	2400	1996	2000	Rear	MRD1290		
	V70	2000	1996	2000	Rear	MRD1290		
VOLVO	V70	2000	1997	2000	Rear	MRD1290		
	V70	2400	1997	1999	Rear	MRD1290		
	S70	2500	1996	2000	Rear	MRD1290		
	C70	2000	1997	2002	Rear	MRD1290		
	C70	2300	1997	2002	Rear	MRD1290		
	C70	2400	1997	1999	Rear	MRD1290		
	S70	2000	1996	2000	Rear	MRD1290		
	S70	2300	1996	2000	Rear	MRD1290		
VOLVO	S40	1800	1995	1997	Front	MRD1011V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter :69, Position: Front, Outter & Oslash : 256	AC DELCO : AC2307D, AC DELCO : AC2497D, AP : 24866, AP : 24660, AP : X24398, AP : 24398E, ATE : 24.0124- 0136.1, ATE : 24.0124-0130.1, BENDIX : 561926B, BENDIX : 562058B, BENDIX EUR : 561926B, BOSCH : 0 986 478 897, BOSCH : 0 986 478 652, BRADI : 1.3033.2.6, BRADI : 1.6026.2.4, BRADI : 1.3049.2.4, BRADI : 1.6028.2.4, BRECO : BS 8078, BRECO : BS 8532, BRECO : BS 8275, BREMBO : 09.9617.11, BREMBO : FS.077.000, BREMBO : 09.5640.10, BREMBO : 09.5640.75, BREMBO : 09.9617.10, BREMBO : FD.077.000, BREMBO : 09.5640.14, BREMBO : 09.7043.10, CAR : 142.840, CAR : 142.670, CAR RACING : HPD 670, CAR RACING : HPD 839, CIFAM : 800-461, CIFAM : 800-653, DELPHI : BG3202, DELPHI : BG3116, DELPHI : BG2763, DELPHI : BG763, FERODO : DDF658, FERODO : DDF885, Fritch : DF505, Fritch : DF410, GRAF : DF29461, GRAF : DF29653, GRAF : DF29461L, HYUNDAI : 51712M2000, INTERBRAKE : MB401V, INTERBRAKE : DG381V, INTERBRAKE : MB403V, INTERCAR : MB403V, INTERCAR : DG381V, JAPANPARTS : DI-522, JURID : 561926J, JURID : 562058J, KWP : 129461, KWP : 1026461L, KWP : 129653, Lemforder : 19021, Lemforder : 22854, Lemforder : 19021 02, Lemforder : 22854 01, LPR : M1403V, LPR : D1381V, LPR : M1602V, LUCAS : DF4081BP, LUCAS : DF1443, LUCAS : DF4081, LUCAS : DF2798, MAGNETI MARELLI : 353613033260, MAGNETI MARELLI : 353616026240, Metelli : 23-0461, Metelli : 23-0653, MINTEX : MDC856, MITSUBISHI : MB668107, MITSUBISHI : MB928995, MITSUBISHI : MR955637, MITSUBISHI : MR475330, MITSUBISHI : MR128153, MITSUBISHI : MB407639, MITSUBISHI : MR205585, MITSUBISHI : MB928994, MITSUBISHI : MR389722, NECTO : WN885, NECTO : WN1031, NIBK : RN1011V, OEM : MB128153, OEM : MB205585, OEM : MB407639, OEM : MR668107, OEM : PW820578, OEM : 60815938, OEM : MB205584, OEM : MB389722, OEM : MR205584, OEM : PW820577, OEM : 30872319, PAGID : 54023, PILENGA : V620, PILENGA : V609, QH : BDC4886, REMSA : 6394.10, REMSA : 6697.20, REMSA : 6344.20, REMSA : 6394.11, REMSA : 6734.20, ROADHOUSE : 6344.20, ROADHOUSE : 6394.11, ROADHOUSE : 6734.20, ROADHOUSE : 6394.10, ROADHOUSE : 6697.20, SBS : 242414, SBS : 242416V, SBS : 1815203010, SBS : 242416, STOP : 561926S, TEXTAR : 92082900, TEXTAR : 98200 0829 0 1, TRUSTING : DF505, TRUSTING : DF410, TRW : DF4081, TRW : DF1443, VALEO : 186648, VOLVO : 308729268, VOLVO : 30872926, WOKING : D6394.11, WOKING : D6394.10, ZIMMERMANN : 380.2157.00
	S40	1900	1996	1997	Front	MRD1011V		
	S40	2000	1995	1997	Front	MRD1011V		
	V40	1600	1996	1997	Front	MRD1011V		
	V40	1800	1996	1997	Front	MRD1011V		
	V40	1900	1996	1997	Front	MRD1011V		
	V40	2000	1996	1997	Front	MRD1011V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VOLVO	S40	1800	1995	1997	Front	MRD1114V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 46, Centering Diameter :69, Position: Front, Pitch Circle & Oslash: 114.3, Outter & Oslash : 281	AC DELCO : AC2422D, AP : 24749, ATE : 24.0124-0159.1, ATE : 24.0324-0159.1, BENDIX : 562088B, BOSCH : 0 986 478 493, BOSCH : 0 986 479 139, BRADI : 1.6031.2.4, BRECO : BS 8335, BREMBO : 09.7720.10, BREMBO : 09.7720.75, BREMBO : FS.092.000, BREMBO : 09.7720.11, BREMBO : FD.092.000, CAR : 142.671, CAR RACING : HPD 671, CIFAM : 800-467, DELPHI : BG3501, FERODO : DDF1068, Fritech : DF902, GRAF : DF29467, INTERBRAKE : VV351V, JURID : 562088J, KWP : 129467, LPR : V1351V, LUCAS : DF4054, LUCAS : DF4054BP, MAGNETI MARELLI : 353616031240, Metelli : 23-0467, MINTEX : MDC1081, MITSUBISHI : M818027, NECTO : WN1099, NIBK : RN1114V, OEM : 3081802, PAGID : 50281, PILENGA : V262, QH : BDC4572, SBS : 1815204839, STOP : 562088S, TEXTAR : 92100400, TEXTAR : 98200 1004 0 1, TRUSTING : DF902, TRW : DF4054, VALEO : 186707, VOLVO : PW820580, VOLVO : 30818027, VOLVO : 308180272, ZIMMERMANN : 610.3700.00
	S40	1900	1996	1997	Front	MRD1114V		
	S40	2000	1995	1997	Front	MRD1114V		
	S40	1600	1998	2004	Front	MRD1114V		
	S40	1800	1998	2004	Front	MRD1114V		
	S40	1900	1998	2004	Front	MRD1114V		
	S40	2000	1998	2004	Front	MRD1114V		
	V40	1800	1998	2004	Front	MRD1114V		
	V40	1900	1998	2004	Front	MRD1114V		
	V40	2000	1998	2004	Front	MRD1114V		
	S40	1800	1995	1997	Front	MRD1114V		
	S40	1900	1996	1997	Front	MRD1114V		
	S40	2000	1995	1997	Front	MRD1114V		
	S40	1600	1998	2004	Front	MRD1114V		
	S40	1800	1995	1997	Front	MRD1114V		
	S40	1800	1998	2004	Front	MRD1114V		
	S40	1900	1998	2004	Front	MRD1114V		
	S40	1900	1996	1997	Front	MRD1114V		
	S40	2000	1995	1997	Front	MRD1114V		
	V40	1800	1998	2004	Front	MRD1114V		
	V40	1900	1998	2004	Front	MRD1114V		
	V40	2000	1998	2004	Front	MRD1114V		
VOLVO	S40	1800	1995	1997	Front	MRD1011V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 4, Height : 45, Centering Diameter :69, Position: Front, Outter & Oslash : 256	AC DELCO : AC2497D, AC DELCO : AC2307D, AP : 24398E, AP : 24866, AP : 24660, AP : X24398, ATE : 24.0124 0136.1, ATE : 24.0124-0130.1, BENDIX : 561926B, BENDIX : 562058B, BENDIX EUR : 561926B, BOSCH : 0 986 478 897, BOSCH : 0 986 478 652, BRADI : 1.3033.2.6, BRADI : 1.6026.2.4, BRADI : 1.3049.2.4, BRADI : 1.6028.2.4, BRECO : BS 8078, BRECO : BS 8532, BRECO : BS 8275, BREMBO : 09.5640.14, BREMBO : 09.7043.10, BREMBO : 09.9617.11, BREMBO : FS.077.000, BREMBO : 09.5640.10, BREMBO : 09.5640.75, BREMBO : 09.9617.10, BREMBO : FD.077.000, CAR : 142.670, CAR : 142.840, CAR RACING : HPD 670, CAR RACING : HPD 839, CIFAM : 800-461, CIFAM : 800-653, DELPHI : BG3202, DELPHI : BG3116, DELPHI : BG2763, DELPHI : BG763, FERODO : DDF658, FERODO : DDF885, Fritech : DF505, Fritech : DF410, GRAF : DF29461, GRAF : DF29653, GRAF : DF29461L, HYUNDAI : 51712M2000, INTERBRAKE : MB403V, INTERBRAKE : MB401V, INTERBRAKE : DG381V, INTERCAR : MB403V, INTERCAR : DG381V, JAPANPARTS : DI-522, JURID : 562058J, JURID : 561926J, KWP : 129461, KWP : 1026461L, KWP : 129653, Lemforder : 22854 01, Lemforder : 19021, Lemforder : 22854, Lemforder : 19021 02, LPR : M1403V, LPR : D1381V, LPR : M1602V, LUCAS : DF2798, LUCAS : DF4081BP, LUCAS : DF1443, LUCAS : DF4081, MAGNETI MARELLI : 353616026240, MAGNETI MARELLI : 353613033260, Metelli : 23-0653, Metelli : 23-0461, MINTEX : MDC856, MITSUBISHI : MR389722, MITSUBISHI : MB668107, MITSUBISHI : MB928995, MITSUBISHI : MR955637, MITSUBISHI : MR475330, MITSUBISHI : MR128153, MITSUBISHI : MB407639, MITSUBISHI : MR205585, MITSUBISHI : MB928994, NECTO : WN885, NECTO : WN1031, NIBK : RN1011V, OEM : 30872319, OEM : MB128153, OEM : MB205585, OEM : MB4076339, OEM : MR668107, OEM : PW820578, OEM : 60815938, OEM : MB205584, OEM : MB389722, OEM : MR205584, OEM : PW820577, PAGID : 54023, PILENGA : V620, PILENGA : V609, QH : BDC4886, REMSA : 6394.10, REMSA : 6697.20, REMSA : 6344.20, REMSA : 6394.11, REMSA : 6734.20, ROADHOUSE : 6697.20, ROADHOUSE : 6344.20, ROADHOUSE : 6394.11, ROADHOUSE : 6734.20, ROADHOUSE : 6394.10, SBS : 242414, SBS : 242416V, SBS : 1815203010, SBS : 242416, STOP : 561926S, TEXTAR : 92082900, TEXTAR : 98200 0829 0 1, TRUSTING : DF505, TRUSTING : DF410, TRW : DF4081, TRW : DF1443, VALEO : 186648, VOLVO : 308729268, VOLVO : 30872926, WOKING : D6394.11, WOKING : D6394.10, ZIMMERMANN : 380.2157.00
	S40	1900	1996	1997	Front	MRD1011V		
	S40	2000	1995	1997	Front	MRD1011V		
	V40	1600	1996	1997	Front	MRD1011V		
	V40	1800	1996	1997	Front	MRD1011V		
	V40	1900	1996	1997	Front	MRD1011V		
	V40	2000	1996	1997	Front	MRD1011V		
	S40	1800	1995	1997	Front	MRD1011V		
	S40	1900	1996	1997	Front	MRD1011V		
	S40	2000	1995	1997	Front	MRD1011V		
VOLVO	S60	2400	2004		Rear	MRD1118	Recommended Type: Solid & Oslash 288 ,Disc Thickness: 12, Num. of holes : 5, Height : 64.7, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 108	AC DELCO : AC2560D, AP : 19080, ATE : 24.0312-0151.1, ATE : 24.0112-0151.1, BENDIX : 562174B, BENDIX EUR : 562174B, BOSCH : 0 986 478 495, BREMBO : 08.7765.11, BREMBO : 08.7765.10, BREMBO : 08.7765.75, CAR : 142.648, CAR RACING : HPD 648, CIFAM : 800-562, DELPHI : BG3515, FERODO : DDF1079, Fritech : DF855, GRAF : DF29562, INTERBRAKE : VV471P, JURID : 562174J, KWP : 129562, Lemforder : 30760 01, Lemforder : 30760, LPR : V1487P, LUCAS : DF4066, MAGNETI MARELLI : 353616030540, Metelli : 23-0561, MINTEX : MDC1434, NIBK : RN1118, PAGID : 50284, PILENGA : 5263, QH : BDC4729, REMSA : 6620.00, ROADHOUSE : 6620.00, SBS : 1815204843, TEXTAR : 98200 1007 0 1, TEXTAR : 92100700, TRUSTING : DF855, TRW : DF4066, VALEO : 186841, VOLVO : 9434167, VOLVO : 94341674, VOLVO : 94341670, WOKING : D6620.00, ZIMMERMANN : 610.3703.20
	S80	2400	2003	2006	Rear	MRD1118		
	S80	2400	2001	2006	Rear	MRD1118		
	V70	2400	2001	2007	Rear	MRD1118		
	V70	2400	2003		Front	MRD1113V	Recommended Type: Vented & Oslash 300 ,Disc Thickness: 30, Num. of holes : 5, Height : 42.8, Centering Diameter :71, Position: Front, Pitch Circle & Oslash: 108	AP : 24845, ATE : 24.0328-0123.1, ATE : 24.0128-0123.1, BENDIX : 562173B, BOSCH : 0 986 478 494, BRECO : BS 8349, BRECO : BS 8469, BREMBO : 09.9130.10, BREMBO : 09.9130.75, BREMBO : FS.095.000, BREMBO : 09.7764.10, BREMBO : 09.9130.11, BREMBO : FD.095.000, CAR : 142.649, CAR RACING : HPD 649, CIFAM : 800-561, CIFAM : 800-561C, DELPHI : BG9514, FERODO : DRF1078, FERODO : DDF1078, Fritech : DF554, GRAF : DF29561, INTERBRAKE : VV461V, JURID : 562173J, KWP : 129561, LPR : V1483V, LUCAS : DF4053, LUCAS : DF4772, LUCAS : DF4053S, MAGNETI MARELLI : 353616029240, Metelli : 23-0561C, MINTEX : MDC1433, NECTO : WN1123, NECTO : WN1090, NIBK : RN1113V, OEM : 9492715, OEM : 272404, PAGID : 50283, PILENGA : V263, QH : BDC4728, REMSA : 6591.10, ROADHOUSE : 6591.10, SBS : 1815204842, TEXTAR : 92100600, TEXTAR : 98200 1006 0 1, TRUSTING : DF554, TRW : DF4053S, VOLVO : 2724045, VOLVO : 274170, VOLVO : 31262707, VOLVO : 2741702, VOLVO : 274559, ZIMMERMANN : 610.3702.20
	S80	2400	2003	2006	Front	MRD1113V		
	S80	2400	2001	2006	Front	MRD1113V		
	V70	2400	2001	2007	Front	MRD1113V		
	C30	1600	2006		Front	MRD1213V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter :63.5, Position: Front, Pitch Circle & Oslash: 108mm, Outter & Oslash : 278	AP : 24919E, APEC : DSK2203, ATE : 24.0125-0117.1, ATE : 24.0325-0117.1, BOSCH : 0 986 479 173, BRECO : BS 8508, BREMBO : 09.9464.14, BREMBO : FS.173.000, BREMBO : 09.9464.11, BREMBO : FD.173.000, CAR : 142.1171, CAR : 142.1143, CAR RACING : HPD 1143, CIFAM : 800-685, DELPHI : BG3868, FERODO : DDF1222, FORD : 3M512C375AC, FORD : 7M511125FA, FORD : 1223663, FORD : 1253730, FORD : 1373369, FORD : 1469082, FORD : 3M512C375AD, FORD : 1223665, FORD : 1320352, FORD : 1501069, Fritech : DF985, GRAF : DF29685, INTERBRAKE : VV541V, JURID : 562364J, KWP : 129685, LPR : F1009V, LUCAS : DF4314, LUCAS : DF4465, MAGNETI MARELLI : 351176420500, Metelli : 23-0685, MINTEX : MDC1637, NECTO : WN1240, NIBK : RN1213V, OEM : 1253729, OEM : 3M512C375DA, OEM : 3M512C375AA, PAGID : 54412, PILENGA : V254, QH : BDC5486, REMSA : 6710.10, ROADHOUSE : 6710.10, SBS : 1815202560, SBS : 1815204848, TEXTAR : 92141200, TEXTAR : 92141203, TRUSTING : DF985, TRW : DF4314, TRW : DF4465, VALEO : 186819, VOLVO : 274509, VOLVO : 31262718, WOKING : D6710.10, ZIMMERMANN : 250.1352.00
	C30	2400	2006		Front	MRD1213V		
	S40	1600	2004		Front	MRD1213V		
	S40	1600	2004		Front	MRD1213V		
	S40	2000	2006		Front	MRD1213V		
	C30	1600	2006		Front	MRD1213V		
	S40	1600	2004		Front	MRD1213V		
	S40	2000	2006		Front	MRD1213V		
	S40	1600	2004		Front	MRD1213V		
	S40	2000	2006		Front	MRD1213V		
	S40	1600	2004		Front	MRD1213V		
	C30	1600	2006		Front	MRD1213V		
	C30	2000	2006		Front	MRD1213V		
	C30	2400	2006		Front	MRD1213V		
	S40	2000	2006		Front	MRD1213V		
	C30	1800	2007		Front	MRD1213V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VOLVO	C30	1600	2006		Front	MRD51001V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 48.5, Centering Diameter :63.5, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 300	AP : 24925E, APEC : DSK2210, ATE : 24.0125-0162.1, ATE : 24.0325-0162.1, BOSCH : 0 986 479 171, BRECO : BS 8544, BREMBO : 09.9468.14, BREMBO : 09.9468.11, CAR : 142.1401, CAR : 142.1170, CAR : 142.1144, CAR RACING : HPD 1144, CIFAM : 800-687, DELPHI : BG3895, FERODO : DDF1225, Fritech : DF986, GRAF : DF29687, INTERBRAKE : VV551V, JURID : 562363J, KWP : 129687, LPR : F1012V, LUCAS : DF4424, LUCAS : DF4313, MAGNETI MARELLI : 353611763240, Metelli : 23-0687, MINTEX : MDC1641, NECTO : WN1249, NIBK : RN51001V, OEM : 3M512C375BA, OEM : 3M512C375BD, OEM : 1223666, OEM : 3M512C375ER, OEM : 1253965, OEM : 1373370, OEM : 2745102, OEM : 3M512C375BC, OEM : 1223664, OEM : 3M512C375EA, OEM : 1253964, OEM : 3M512C375FB, OEM : 1323560, OEM : 274510, PAGID : 54413, PILENGA : V255, QH : BDC5487, REMSA : 6711.10, ROADHOUSE : 6711.10, SBS : 1815204849, SBS : 1815202561, TEXTAR : 92141303, TEXTAR : 92141300, TRUSTING : DF986, VALEO : 186863, WOKING : D6711.10, ZIMMERMANN : 250.1353.00
	C30	2400	2006		Front	MRD51001V		
	S40	1600	2004		Front	MRD51001V		
	S40	2000	2006		Front	MRD51001V		
	C30	1600	2006		Front	MRD51001V		
	C30	2400	2006		Front	MRD51001V		
	S40	1600	2004		Front	MRD51001V		
	S40	2000	2006		Front	MRD51001V		
	S40	1600	2004		Front	MRD51001V		
	S40	2000	2006		Front	MRD51001V		
	C30	1600	2006		Front	MRD51001V		
	C30	2400	2006		Front	MRD51001V		
	S40	2000	2006		Front	MRD51001V		
	XC90	2400	2002	2005	Front	MRD1182V	Recommended Type: Vented 316 ,Disc Thickness: 28, Num. of holes : 5, Height : 50.5, Centering Diameter :68, Position: Front	AP : 24965, APEC : DSK2250, ATE : 24.0128-0144.1, BRECO : BS 8584, BREMBO : 09.9755.10, CAR : 142.052, CAR RACING : HPD 052, CIFAM : 800-847C, DELPHI : BG3784, FERODO : DDF1426, Fritech : DF548, INTERBRAKE : VV511V, KWP : 129847, LPR : V1001V, LUCAS : DF4339, Metelli : 23-0847C, NECTO : WN1381, NIBK : RN1182V, PAGID : 54266, PILENGA : V267, QH : BDC5355, REMSA : 6866.10, ROADHOUSE : 6866.10, SBS : 1815204851, TEXTAR : 92126600, TRUSTING : DF548, TRW : DF4339, VOLVO : 306360743, VOLVO : 30636074, VOLVO : 30736406, ZIMMERMANN : 610.3706.20
	XC90	2500	2002	2005	Front	MRD1182V		
VOLVO	XC90	2900	2002	2005	Front	MRD1182V		
	XC90	3200	2006		Front	MRD1182V		
	XC90	2400	2002	2005	Front	MRD1183V	Recommended Type: Vented & Oslash 335.8, Disc Thickness: 30, Num. of holes : 5, Height : 51.2, Centering Diameter :68, Position: Front	AP : 24977, ATE : 24.0130-0116.1, BENDIX : 562217B, BOSCH : 0 986 479 202, BRECO : BS 8596, BREMBO : 09.9848.10, CAR : 142.053, CAR RACING : HPD 053, CIFAM : 800-974, CIFAM : 800-974C, DELPHI : BG9783, FERODO : DDF1371, Fritech : DF551, INTERBRAKE : VV521V, JURID : 562217J, LPR : V1002V, LUCAS : DF4340S, Metelli : 23-0974C, Metelli : 23-0974, NECTO : WN1340, NIBK : RN1183V, OEM : 306573015, PAGID : 54267, PILENGA : V268, QH : BDC5356, REMSA : 6768.10, ROADHOUSE : 6768.10, SBS : 1815204853, TEXTAR : 92126700, TRUSTING : DF551, TRW : DF4340S, VOLVO : 30657301, VOLVO : 306573013, VOLVO : 31262489, ZIMMERMANN : 610.3707.20
	XC90	2500	2002	2005	Front	MRD1183V		
	XC90	2900	2002	2005	Front	MRD1183V		
	XC90	3200	2006		Front	MRD1183V		
	XC90	2400	2002	2005	Rear	MRD1181V	Recommended Type: Vented & Oslash : 308 ,Disc Thickness: 20, Num. of holes : 5, Height : 64.6, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 108	ATE : 24.0120-0122.1, BENDIX : 562218B, BENDIX EUR : 562218B, BREMBO : 09.9827.10, CAR : 142.054, CAR RACING : HPD 054, DELPHI : BG3782, FERODO : DDF1551, Fritech : DF545, INTERBRAKE : VV531V, JURID : 562218J, LPR : V1003V, LUCAS : DF4338, NECTO : WN1477, NIBK : RN1181V, OEM : 86249265, PAGID : 54268, PILENGA : V266, QH : BDC5357, REMSA : 6777.10, ROADHOUSE : 6777.10, SBS : 1815204852, TEXTAR : 92126800, TRUSTING : DF545, TRW : DF4338, VOLVO : 8624926, VOLVO : 86249260, ZIMMERMANN : 610.3708.00
	XC90	2500	2002	2005	Rear	MRD1181V		
	XC90	2900	2002	2005	Rear	MRD1181V		
	XC90	3200	2006		Rear	MRD1181V		
	XC60	2000	2010		Rear	MRD1506V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 50.9, Centering Diameter :63.5, Position: Rear, Pitch Circle & Oslash: 108, Outter & Oslash : 302	ATE : 24.0122-0261.1, CAR : 142.1506, DELPHI : BG4270, Fritech : DF1394, INTERBRAKE : VV621V, NIBK : RN1506V, NK : 204861, PILENGA : V584, SBS : 1815204861, TEXTAR : 92196403, TRUSTING : DF1394, VOLVO : 31277357
	XC60	2400	2009		Rear	MRD1506V		
	XC60	3000	2010		Rear	MRD1506V		
	XC60	3200	2010		Rear	MRD1506V		
VOLVO	XC60	2000	2010		Front	MRD1505V	Recommended Type: Vented ,Disc Thickness: 30, Num. of holes : 5, Height : 52, Centering Diameter :63.5, Position: Front, Pitch Circle & Oslash: 108, Outter & Oslash : 328	ATE : 24.0130-0212.1, BOSCH : 0 986 479 621, CAR : 142.1505, DELPHI : BG9085, Fritech : DF1395, INTERBRAKE : VV611V, MINTEX : MDC2198, NIBK : RN1505V, NK : 204860, PILENGA : V583, SBS : 1815204860, TEXTAR : 92196303, TRUSTING : DF1395, VOLVO : 31277342
	XC60	2400	2009		Front	MRD1505V		
	XC60	3000	2010		Front	MRD1505V		
	XC60	3200	2010		Front	MRD1505V		
	V70	2400	1997	1999	Front	MRD1167V	Recommended Type: Vented 285.5 ,Disc Thickness: 26, Num. of holes : 5, Height : 62, Centering Diameter :68, Position: Front	AC DELCO : AC2424D, AP : 24795, ATE : 24.0126-0122.1, BENDIX : 562244B, BOSCH : 0 986 479 210, BRECO : BS 8421, BREMBO : 09.8633.10, BREMBO : 09.8633.75, BREMBO : 09.8633.11, CAR : 142.051, CAR RACING : HPD 051, CIFAM : 800-560C, CIFAM : 800-560, DELPHI : BG3513, FERODO : DRF1163, Fritech : DDF1163, Fritech : DF804, GRAF : DF29560, INTERBRAKE : VV501V, INTERCAR : VV501V, JURID : 562244J, KWP : 129560, LPR : V1484V, LUCAS : DF4238, MAGNETI MARELLI : 353616032240, Metelli : 23-0560C, MINTEX : MDC1432, NECTO : WN1179, NIBK : RN1167V, OEM : 946133, PAGID : 50282, PILENGA : V264, QH : BDC5226, REMSA : 6619.10, ROADHOUSE : 6619.10, SBS : 1815204841, TEXTAR : 92100500, TRUSTING : DF804, TRW : DF4238, TRW : DF643, VALEO : 186789, VOLVO : 2724032, VOLVO : 31262706, VOLVO : 272403, VOLVO : 2724037, WOKING : D6619.10, ZIMMERMANN : 610.3701.20
	V70	2400	1998	1999	Front	MRD1167V		
	V70	2400	1997	1999	Front	MRD1167V		
	V70	2400	1998	1999	Front	MRD1167V		
	S60	2400	2000	2003	Front	MRD1167V		
	V70	2000	2003	2007	Front	MRD1167V		
	V70	2400	2003		Front	MRD1167V		
VOLVO	S80	3200	2006		Front	MRD1182V	Recommended Type: Vented 316 ,Disc Thickness: 28, Num. of holes : 5, Height : 50.5, Centering Diameter :68, Position: Front	AP : 24965, APEC : DSK2250, ATE : 24.0128-0144.1, BRECO : BS 8584, BREMBO : 09.9755.10, CAR : 142.052, CAR RACING : HPD 052, CIFAM : 800-847C, DELPHI : BG3784, FERODO : DDF1426, Fritech : DF548, INTERBRAKE : VV511V, KWP : 129847, LPR : V1001V, LUCAS : DF4339, Metelli : 23-0847C, NECTO : WN1381, NIBK : RN1182V, PAGID : 54266, PILENGA : V267, QH : BDC5355, REMSA : 6866.10, ROADHOUSE : 6866.10, SBS : 1815204851, TEXTAR : 92126600, TRUSTING : DF548, TRW : DF4339, VOLVO : 30636074, VOLVO : 30736406, VOLVO : 306360743, ZIMMERMANN : 610.3706.20
	S80	3200	2006		Front	MRD1182V		
	850	2000	1994	1996	Rear	MRD1045	Recommended Type: Solid 295 ,Disc Thickness: 9.6, Num. of holes : 4, Height : 72, Centering Diameter :68, Position: Rear	AC DELCO : AC2553D, AP : 14356, ATE : 24.0110-0216.1, BENDIX : 561681B, BOSCH : 0 986 478 640, BRADI : 1.60255.4, BRECO : BS 7432, BREMBO : 08.5569.10, BREMBO : 08.5569.76, BREMBO : 08.5569.14, CAR : 142.667, CAR RACING : HPD 667, CIFAM : 800-374, DELPHI : BG2721, FERODO : DDF551, Fritech : DF704, GRAF : DF29374, INTERBRAKE : VV291P, JURID : 561681J, KWP : 1029374, KWP : 129374, Lemforder : 19094, Lemforder : 19094 01, LPR : V1291P, LUCAS : DF2620, MAGNETI MARELLI : 353616025540, Metelli : 23-0374, MINTEX : MDC919, NECTO : WN600, NIBK : RN1045, OEM : 271497, OEM : 271490, PAGID : 54008, PILENGA : 5268, QH : BDC3914, REMSA : 6615.10, REMSA : 6335.00, ROADHOUSE : 6615.10, ROADHOUSE : 6335.00, SBS : 383806, SBS : 1815204830, TEXTAR : 92058700, TRUSTING : DF704, TRW : DF2620, VALEO : 186527, VOLVO : 3516882, VOLVO : 2714970, VOLVO : 31262090, WOKING : D6335.00, ZIMMERMANN : 610.1196.00
	850	2300	1994	1996	Rear	MRD1045		
	850	2400	1994	1996	Rear	MRD1045		
VOLVO	850	2500	1995	1996	Rear	MRD1045		
	850	2000	1994	1996	Rear	MRD1045		
	850	2300	1994	1996	Rear	MRD1045		
	850	2400	1994	1996	Rear	MRD1045		
	850	2000	1994	1996	Rear	MRD1045		
	850	2300	1994	1996	Rear	MRD1045		
	850	2400	1994	1996	Rear	MRD1045		
	850	2300	1994	1996	Rear	MRD1045		
	850	2400	1994	1996	Rear	MRD1045		
	850	2500	1995	1996	Rear	MRD1045		
	850	2000	1994	1996	Rear	MRD1045		
	850	2300	1994	1996	Rear	MRD1045		
	850	2400	1994	1996	Rear	MRD1045		
	S60	2400	2004		Rear	MRD1118	Recommended Type: Solid & Oslash 288 ,Disc Thickness: 12, Num. of holes : 5, Height : 64.7, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 108	AC DELCO : AC2560D, AP : 19080, ATE : 24.0312-0151.1, ATE : 24.0112-0151.1, BENDIX : 562174B, BENDIX EUR : 562174B, BOSCH : 0 986 478 495, BREMBO : 08.7765.11, BREMBO : 08.7765.10, BREMBO : 08.7765.75, CAR : 142.648, CAR RACING : HPD 648, CIFAM : 800-562, DELPHI : BG3515, FERODO : DDF1079, Fritech : DF855, GRAF : DF29562, INTERBRAKE : VV471P, JURID : 562174J, KWP : 129562, Lemforder : 30760 01, Lemforder : 30760, LPR : V1487P, LUCAS : DF4066, MAGNETI MARELLI : 353616030540, Metelli : 23-0562, MINTEX : MDC1434, NIBK : RN1118, PAGID : 50284, PILENGA : 5263, QH : BDC4729, REMSA : 6620.00, ROADHOUSE : 6620.00, SBS : 1815204843, TEXTAR : 92100700, TEXTAR : 98200 1007 0 1, TRUSTING : DF855, TRW : DF4066, VALEO : 186841, VOLVO : 9434167, VOLVO : 94341674, VOLVO : 94341670, WOKING : D6620.00, ZIMMERMANN : 610.3703.20
VOLVO	S80	2400	2003	2006	Rear	MRD1118		
	S80	2400	2001	2006	Rear	MRD1118		
	V70	2400	2001	2007	Rear	MRD1118		
	S60	2000	2000	2003	Rear	MRD1118		
	S60	2300	2000	2002	Rear	MRD1118		
	S60	2400	2000	2003	Rear	MRD1118		
	S60	2500	2002		Rear	MRD1118		
	S80	2400	1998	2003	Rear	MRD1118		
	V70	2400	1999	2002	Rear	MRD1118		
	V70	2500	1999	2001	Rear	MRD1118		
	S80	2500	1998	2001	Rear	MRD1118		
	V70	2300	1999	2002	Rear	MRD1118		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VOLVO	V70	2000	1996	2000	Front	MRD1113V	Recommended Type: Vented & Oslash 305, Disc Thickness: 28, Num. of holes : 5, Height : 50.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 108	AP : 24845, ATE : 24.0328-0123.1, ATE : 24.0128-0123.1, BENDIX : 562173B, BOSCH : 0 986 478 494, BRECO : BS 8469, BRECO : BS 8349, BREMBO : 09.7764.10, BREMBO : 09.9130.11, BREMBO : FD.095.000, BREMBO : 09.9130.10, BREMBO : 09.9130.75, BREMBO : FS.095.000, CAR : 142.649, CAR RACING : HPD 649, CIFAM : 800-561C, CIFAM : 800-561, DELPHI : BG9514, FERODO : DRF1078, FERODO : DDF1078, Fritch : DF554, GRAF : DF29561, INTERBRAKE : VV461V, JURID : 562173J, KWP : 129561, LPR : V1483V, LUCAS : DF4053, LUCAS : DF4772, LUCAS : DF4053S, MAGNETI MARELLI : 353616029240, Metelli : 23-0561C, MINTEX : MDC1433, NECTO : WN1090, NECTO : WN1123, NIBK : RN113V, OEM : 272404, OEM : 9492715, PAGID : 50283, PILENGA : V263, QH : BDC4728, REMSA : 6591.10, ROADHOUSE : 6591.10, SBS : 1815204842, TEXTAR : 98200 1006 0 1, TEXTAR : 92100600, TRUSTING : DF554, TRW : DF4053S, VOLVO : 31262707, VOLVO : 2741702, VOLVO : 274559, VOLVO : 2724045, VOLVO : 274170, ZIMMERMANN : 610.3702.20
	V70	2000	1996	2000	Front	MRD1113V		
	S80	2400	2003	2006	Front	MRD1113V		
	S80	2400	2001	2006	Front	MRD1113V		
	V70	2400	2001	2007	Front	MRD1113V		
	S60	2000	2000	2003	Front	MRD1113V		
	S60	2300	2000	2002	Front	MRD1113V		
	S60	2400	2000	2003	Front	MRD1113V		
	S60	2500	2002		Front	MRD1113V		
	S80	2400	1998	2003	Front	MRD1113V		
	S80	2900	1998	2001	Front	MRD1113V		
	V70	2400	1999	2002	Front	MRD1113V		
	V70	2400	2003		Front	MRD1113V		
VOLVO	V70	2500	1999	2001	Front	MRD1113V		
	XC70	2400	2002	2005	Front	MRD1113V		
	XC70	2500	2002	2005	Front	MRD1113V		
VOLVO	XC90	2400	2002	2005	Front	MRD1183V	Recommended Type: Vented & Oslash 335.8, Disc Thickness: 30, Num. of holes : 5, Height : 51.2, Centering Diameter :68, Position: Front	AP : 24977, ATE : 24.0130-0116.1, BENDIX : 562217B, BOSCH : 0 986 479 202, BRECO : BS 8596, BREMBO : 09.9848.10, CAR : 142.053, CAR RACING : HPD 053, CIFAM : 800-974C, CIFAM : 800-974, DELPHI : BG9783, FERODO : DDF1371, Fritch : DF551, INTERBRAKE : VV521V, JURID : 562217J, LPR : V1002V, LUCAS : DF4340S, Metelli : 23-0974C, Metelli : 23-0974, NECTO : WN1340, NIBK : RN183V, OEM : 306573015, PAGID : 54267, PILENGA : V268, QH : BDC5356, REMSA : 6768.10, ROADHOUSE : 6768.10, SBS : 1815204853, TEXTAR : 92126700, TRUSTING : DF551, TRW : DF4340S, VOLVO : 30657301, VOLVO : 306573013, VOLVO : 31262489, ZIMMERMANN : 610.3707.20
	XC90	2500	2002	2005	Front	MRD1183V		
	XC90	2900	2002	2005	Front	MRD1183V		
	XC90	3200	2006		Front	MRD1183V		
VOLVO	V40	1600	1996	1997	Rear	MRD1079	Recommended Type: Solid & Oslash : 260, Disc Thickness: 10, Num. of holes : 4, Height : 41, Centering Diameter :90, Position: Rear, Pitch Circle & Oslash: 114.3	AC DELCO : AC2308D, AP : 14661, ATE : 24.0110-0229.1, BENDIX : 562059B, BOSCH : 0 986 478 716, BOSCH : 0 986 478 898, BRADI : 1.6027.5.4, BRECO : BS 7544, BREMBO : 08.7042.11, BREMBO : 08.7042.10, CAR : 142.673, CAR RACING : HPD 673, CIFAM : 800-434, DELPHI : BG3112, DELPHI : BG3203, FERODO : DDF886, Fritch : DF192, GRAF : DF29434L, GRAF : DF29434, INTERBRAKE : VV341P, INTERCAR : VV341P, JAPANPARTS : DP-511, JURID : 562059J, KWP : 129434, Lemforder : 28976, Lemforder : 28976 01, LPR : M1610P, LPR : V1341P, LUCAS : DF2784, LUCAS : DF4082, LUCAS : DF2784BP, MAGNETI MARELLI : 353616027540, Metelli : 23-0434, MINTEX : MDC1021, MITSUBISHI : MR913846, MITSUBISHI : MB699289, MITSUBISHI : MB699288, NECTO : WN886, NIBK : RN1079, OEM : MR249356, OEM : MR249358, PAGID : 54024, PAGID : 54127, PILENGA : 5265, PROTON : PW820195, QH : BDC4632, QH : BDC4634, REMSA : 6793.10, REMSA : 6735.10, REMSA : 6447.00, ROADHOUSE : 6447.00, ROADHOUSE : 6793.10, ROADHOUSE : 6735.10, SBS : 1815204840, SBS : 1815203027, SBS : 383818, STOP : 562059S, TEXTAR : 92083000, TEXTAR : 98200 0830 0 1, TEXTAR : 92112700, TRUSTING : DF192, TRW : DF2784, VALEO : 186647, VOLVO : 308729409, VOLVO : 30872940, WOKING : D6447.00, ZIMMERMANN : 610.1198.00
	V40	1800	1996	1997	Rear	MRD1079		
	V40	1900	1996	1997	Rear	MRD1079		
	V40	2000	1996	1997	Rear	MRD1079		
	S40	1600	1998	2004	Rear	MRD1079		
	S40	1800	1998	2004	Rear	MRD1079		
	S40	1900	1998	2004	Rear	MRD1079		
	S40	2000	1998	2004	Rear	MRD1079		
	V40	1600	1998	2004	Rear	MRD1079		
	V40	1800	1998	2004	Rear	MRD1079		
	V40	1900	1998	2004	Rear	MRD1079		
	V40	2000	1998	2004	Rear	MRD1079		
	S40	1600	1998	2004	Rear	MRD1079		
	S40	1800	1998	2004	Rear	MRD1079		
	S40	1900	1998	2004	Rear	MRD1079		
	S40	2000	1998	2004	Rear	MRD1079		
VW VOLKSWAGEN	Golf	1900	1996	1998	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter :65, Position: Front, Pitch Circle & Oslash : 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : 24217E, AP : X24217, ATE : 24.0120-0128.1, ATE : 420128, ATE : 24.0320-0128.1, BENDIX : 561448B, BENDIX EUR : 561448B, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, BREMBO : 09.5166.75, BREMBO : FS.035.000, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG455, DELPHI : BG2455, FERODO : DF207, FERODO : DRF207, Fritch : DF2821, GRAF : DF29230L, GRAF : DF29230, INTERBRAKE : VV161V, INTERCAR : VV161V, JURID : 561448J, KWP : 1029230L, KWP : 129230, Lemforder : 10213, Lemforder : 10213 03, LPR : V2161V, LUCAS : DF1533BP, LUCAS : DF1533, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SEAT : 6N0615301D, SEAT : 321615301D, STOP : 561448S, TEXTAR : 92036803, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 357615301D, VW : 321615301D, WOKING : D6175.10
	Golf Estate	1400	1996	1996	Front	MRD1280V		
	Golf Estate	1600	1996	1999	Front	MRD1280V		
	Polo Classic	1900	1997	1999	Front	MRD1280V		
	Polo Classic	1600	1999	2001	Front	MRD1280V		
	Polo Classic	1900	1999	2001	Front	MRD1280V		
	Passat	1900	2001	2005	Rear	MRD1049	Recommended Type: Solid & Oslash : 245, Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2241D, AC DELCO : AC2520D, AP : 14475E, ATE : 24.0110-0201.1, ATE : 24.0310-0201.1, AUDI : 4A0615301A, AUDI : 4A0615601A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0127.5.4, BRADI : 1.0121.5.4, BRECO : BS 7468, BREMBO : 08.5743.10, BREMBO : 08.5743.14, BREMBO : 08.5743.11, CAR : 142.752, CAR : 142.762, CAR RACING : HPD 752, CIFAM : 800-395C, CIFAM : 800-395, DELPHI : BG3031, DELPHI : BG746, DELPHI : BG2746, FERODO : DRF321, FERODO : DDF321, Fritch : DF060, GRAF : DF29395, INTERBRAKE : AD401P, INTERCAR : AD401P, INTERCAR : AD501P, JURID : 561549J, JURID : 561549C, KWP : 1029395, KWP : 129395, Lemforder : 14536, Lemforder : 16710, Lemforder : 14536 03, Lemforder : 16710 01, LPR : A1401P, LPR : A1597V, LUCAS : DF2651, LUCAS : DF4252, MAGNETI MARELLI : 353610121540, Metelli : 23-0395C, MINTEX : MDC1241, MINTEX : MDC828, NECTO : WN534, NIBK : RN1049, OEM : AA0615601B, OEM : 4A0615601A, OEM : 4A0615301A, PAGID : 50311, PAGID : 53951, PAGID : 53924, PILENGA : 5872, PILENGA : 5864, PILENGA : V865, QH : BDC3929, QH : BDC4846, REMSA : 6123.00, REMSA : 6038.10, REMSA : 6930.10, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, ROADHOUSE : 6123.00, SBS : 1815204781, SBS : 1815204744, SBS : 424214, STOP : 561549S, TEXTAR : 92057500, TEXTAR : 92072900, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1230.00, ZIMMERMANN : 100.1217.00
	Passat	2000	2001	2005	Rear	MRD1049		
	Passat	2000	2000	2001	Rear	MRD1049		
VW VOLKSWAGEN	Passat	2300	1999	2001	Rear	MRD1049		
	Passat	2300	2001	2005	Rear	MRD1049		
	Passat	2500	1999	2001	Rear	MRD1049		
	Golf	1600	1999	2003	Front	MRD1082V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	AC DELCO : AC2253D, AP : 24855, AP : 24690E, AP : X24690, ATE : 24.0322-0151.1, ATE : 24.0122-0151.1, ATE : 422151, AUDI : 1J0615301L, BENDIX : 562040B, BENDIX EUR : 562040B, BOSCH : 0 986 478 853, BOSCH : 0 986 478 988, BRADI : 1.5831.2.4, BRECO : BS 8496, BRECO : BS 8279, BREMBO : FD.075.000, BREMBO : 09.7011.11, BREMBO : 09.7011.20, BREMBO : 09.7011.75, BREMBO : FS.075.000, BREMBO : 09.7011.10, BREMBO : 09.7011.14, BREMBO : 09.7011.24, CAR : 142.746, CAR RACING : HPD 746, CIFAM : 800-390, DELPHI : BG3208, FERODO : DRF927, FERODO : DDF927, Fritch : DF467, GRAF : DF29390, INTERBRAKE : AD461V, INTERCAR : AD461V, JAGUAR : 562040J, JURID : 562040JC, JURID : 562040J, KWP : 1029390L, KWP : 129390, Lemforder : 21309, Lemforder : 21309 01, LPR : A1461V, LUCAS : DF2803BP, LUCAS : DF4252BP, LUCAS : DF2803, LUCAS : DF4235, MAGNETI MARELLI : 353615831240, Metelli : 23-0390, MINTEX : MDC1019, NECTO : WN915, NIBK : RN1082V, OEM : 1J0698301D, OEM : 6R0615301, OEM : 820615301D, OEM : 1J0698301D, OEM : 1J0615301D, OEM : 6Q0615301L, OEM : 820615301B, OEM : 1J0615301D, OEM : 1J0615301, PAGID : 53953, PAGID : 50314, PILENGA : V150, QH : BDC4669, REMSA : 6545.10, REMSA : 6730.20, REMSA : 6724.20, ROADHOUSE : 6724.20, ROADHOUSE : 6545.10, ROADHOUSE : 6730.20, SBS : 1815204758, SBS : 1816304758, SBS : 424237V, SBS : 1815304758, SBS : 424237, STOP : 562040S, TEXTAR : 92082200, TEXTAR : 92106500, TEXTAR : 92082203, TEXTAR : 98200 0822 0 1, TRUSTING : DF467, TRW : DF2803, VALEO : 186603, VEMA : 98106, WOKING : D6545.10, ZIMMERMANN : 100.1246.00, ZIMMERMANN : 100.1233.20
	Golf	1600	2003	2003	Front	MRD1082V		
	Golf Estate	1400	2000	2003	Front	MRD1082V		
VW VOLKSWAGEN	Golf Estate	1400	2003		Front	MRD1082V		
	Golf Estate	1600	2003		Front	MRD1082V		
	Golf Estate	1900	2003		Front	MRD1082V		
	Sharan	1900	2000	2009	Front	MRD1389V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 56.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 104, Outter & Oslash : 300	AC DELCO : AC2598D, AP : 24943, APEC : DSK2168, ATE : 24.0126-0115.1, BENDIX : 562198B, BOSCH : 0 986 479 037, BOSCH : 0 986 478 498, BRECO : BS 8562, BREMBO : 09.9749.10, BREMBO : 09.9931.14, CAR : 142.286, CAR : 142.223, CAR RACING : HPD 286, CIFAM : 800-736, DELPHI : BG3719, DELPHI : BG3696, FERODO : DDF1559, FERODO : DDF1159, FERODO : DDF1296, FORD : 1141782, FORD : VW211125BA, Fritch : DF807, GRAF : DF29736, INTERBRAKE : VV471V, JURID : 562382JC, JURID : 562198J, JURID : 562382J, JURID : 562198JC, KWP : 129736, Lemforder : 29711 01, Lemforder : 29711, LPR : F1004V, LUCAS : DF4323, LUCAS : DF4310S, MAGNETI MARELLI : 351583920500, Metelli : 23-0736, MINTEX : MDC1542, MINTEX : MDC1552, NECTO : WN1306, NIBK : RN1389V, OEM : TD0615301, PAGID : 50347, PAGID : 53974, PILENGA : V875, PILENGA : V856, QH : BDC5198, SBS : 1815204772, TEXTAR : 92109800, TEXTAR : 98200 0980 0 1, TEXTAR : 92109803, TEXTAR : 98200 1098 0 1, TRUSTING : DF807, TRW : DF4323, VALEO : 186749, VW : TD0615301B, VW : 7M3615301A, WOKING : D6660.10, ZIMMERMANN : 300.3214.00, ZIMMERMANN : 250.1346.00

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Scirocco	2000	2009		Front	MRD1374V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5/9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2626D, AP : 24850, AP : 24850E, ATE : 24.0125-0145.1, ATE : 24.0325-0145.1, AUDI : 5C0615301A, AUDI : 1K0615301T, AUDI : 1K0615301K, BENDIX : 562235B, BOSCH : 0 986 479 088, BRECO : BS 8474, BREMBO : 09.9145.14, BREMBO : FS.155.000, BREMBO : 09.9145.10, BREMBO : FD.155.000, CAR : 142.189, CAR : 142.1021, CAR RACING : HPD 1021, CIFAM : 800-734, DELPHI : BG3833, FERODO : DDF1218, Fritech : DF932, GRAF : DF29734, INTERBRAKE : VW571V, INTERCAR : VW571V, JURID : 562235J, JURID : 562235JC, KWP : 129745, KWP : 129734, Lemforder : 27433 01, Lemforder : 27433, LPR : A1002V, LUCAS : DF4816, LUCAS : DF4295, MAGNETI MARELLI : 353615843240, Metelli : 23-0734, MINTEX : MDC1638, NECTO : WN1236, NIBK : RN1374V, OEM : 1K0615601T, PAGID : 54208, PILENGA : V861, REMSA : 6648.10, ROADHOUSE : 6648.10, SBS : 1815344788, SBS : 1815204788, SEAT : 1K0615301T, TEXTAR : 92120800, TEXTAR : 92120803, TEXTAR : 92120805, TRUSTING : DF932, TRW : DF4295, VALEO : 186755, VW : 5C0615301A, WOKING : D6648.10, ZIMMERMANN : 600.3221.00
	Scirocco	2000	2009		Front	MRD1374V		
	Caddy III	1900	2005	2010	Front	MRD1179V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 280	AC DELCO : AC2654D, AP : 24853, ATE : 24.0322-0210.1, ATE : 24.0122-0210.1, AUDI : 1K0615301AC, AUDI : 1K0615301S, BENDIX : 562237B, BOSCH : 0 986 479 098, BRECO : BS 8477, BREMBO : 09.9167.10, BREMBO : 09.9167.75, BREMBO : FS.171.000, BREMBO : 09.9167.11, BREMBO : FD.171.000, CAR : 142.1019, CAR RACING : HPD 1019, CIFAM : 800-733, DELPHI : BG3832, FERODO : DDF1223, Fritech : DF931, GRAF : DF29733, INTERBRAKE : VW581V, JURID : 562237J, JURID : 562237JC, KWP : 129733, Lemforder : 27431 01, Lemforder : 27431, LPR : A1001V, LUCAS : DF4294, MAGNETI MARELLI : 351014320500, Metelli : 23-0733, MINTEX : MDC1639, NECTO : WN1241, NIBK : RN1179V, PAGID : 54207, PILENGA : V860, REMSA : 6647.10, ROADHOUSE : 6647.10, SBS : 1815344787, SBS : 1815204787, SEAT : 1K0615301AK, SKODA : 1K0615301AC, TEXTAR : 92120705, TEXTAR : 92120700, TRUSTING : DF931, TRW : DF4294, VALEO : 186754, WOKING : D6647.10, ZIMMERMANN : 600.3233.00
	Scirocco	1400	2009		Front	MRD1179V		
	Scirocco	1400	2009		Front	MRD1179V		
VW VOLKSWAGEN	Golf	1600	1995	1997	Front	MRD1012	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 4, Height : 35, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 239	AC DELCO : AC2037D, AP : 10073, AP : X10073, ATE : 24.0112-0106.1, ATE : 24.0112-0100.1, ATE : 24.0312-0106.1, AUDI : 839615301, AUDI : 321615301, BENDIX : 561141B, BOSCH : 0 986 478 011, BRADI : 1.5805.1.4, BRECO : BS 7177, BREMBO : 08.4177.10, BREMBO : 08.4177.75, BREMBO : FS.005.000, BREMBO : 08.4177.14, BREMBO : FD.005.000, CAR : 142.710, CAR : 142.720, CAR RACING : HPD 720, CAR RACING : HPD 710, CIFAM : 800-053, DELPHI : BG2116, DELPHI : BG117, FERODO : DDF103, FERODO : DRF103, Fritech : DF012, GRAF : DF2853, INTERBRAKE : VW441P, INTERBRAKE : VW051P, INTERCAR : VW051P, JURID : 561141J, KWP : 102853, Lemforder : 10115 03, Lemforder : 10115, LPR : V2051P, LUCAS : DF1516, MAGNETI MARELLI : 353615805140, Metelli : 23-0053, MINTEX : MDC198, NECTO : WN283, NIBK : RN1012, OEM : 175615301, OEM : ZBA615301, PAGID : 53930, PAGID : 53908, PILENGA : 5152, QH : BDC1046, REMSA : 6088.01, REMSA : 6088.00, REMSA : 6574.10, ROADHOUSE : 6088.00, ROADHOUSE : 6574.10, ROADHOUSE : 6088.01, SBS : 1816309933, SBS : 1815204705, SBS : 1815309933, SBS : 421037, SBS : 1815202323, SBS : 1815209933, SEAT : 321615301, STOP : 561141S, TEXTAR : 92010603, TEXTAR : 92010600, TEXTAR : 98200 0106 0 1, TRUSTING : DF012, TRW : DF1516, VALEO : 186245, VEMA : 98025, VW : 171615301, WOKING : D6088.01, ZIMMERMANN : 600.1158.00
	Golf	1900	1995	1996	Front	MRD1012		
	Polo Classic	1400	1996	2001	Front	MRD1012		
	Polo Classic	1600	1996	2001	Front	MRD1012		
	Polo Classic	1900	1997	2001	Front	MRD1012		
	Vento	1400	1995	1996	Front	MRD1012		
	Vento	1600	1995	1996	Front	MRD1012		
	Vento	1900	1995	1997	Front	MRD1012		
	Polo Classic	1700	1997	1999	Front	MRD1012		
	Golf	1600	1995	1997	Front	MRD1012		
VW VOLKSWAGEN	Golf	1900	1995	1996	Front	MRD1012		
	Polo Classic	1400	1996	2001	Front	MRD1012		
	Polo Classic	1600	1996	2001	Front	MRD1012		
	Polo Classic	1700	1997	1999	Front	MRD1012		
	Polo Classic	1900	1997	2001	Front	MRD1012		
	Vento	1400	1995	1996	Front	MRD1012		
	Vento	1600	1995	1996	Front	MRD1012		
	Vento	1900	1995	1997	Front	MRD1012		
	Golf	1600	1995	1997	Front	MRD1012		
	Golf	1900	1995	1996	Front	MRD1012		
	Golf	1600	1995	1997	Front	MRD1012		
	Golf	1900	1995	1996	Front	MRD1012		
	Vento	1400	1995	1996	Front	MRD1012		
	Vento	1600	1995	1996	Front	MRD1012		
	Vento	1900	1995	1997	Front	MRD1012		
	Polo Classic	1400	1996	2001	Front	MRD1012		
	Polo Classic	1600	1996	2001	Front	MRD1012		
	Polo Classic	1900	1997	2001	Front	MRD1012		
	Golf	1600	1995	1997	Front	MRD1012		
	Polo Classic	1400	1996	2001	Front	MRD1012		
	Polo Classic	1600	1996	2001	Front	MRD1012		
	Polo Classic	1700	1997	1999	Front	MRD1012		
	Polo Classic	1900	1997	2001	Front	MRD1012		
	Vento	1400	1995	1996	Front	MRD1012		
	Vento	1600	1995	1996	Front	MRD1012		
	Vento	1900	1995	1997	Front	MRD1012		
	Golf	1600	1995	1997	Front	MRD1012		
	Golf	1900	1995	1996	Front	MRD1012		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Golf	1600	1995	1997	Front	MRD1279V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter	AC DELCO : AC2038D, AP : 20024E, AP : X20024, ATE : 24.0120-0123.1, ATE : 24.0120-0117.1, ATE : 24.0320-0123.1, AUDI : 321615301C, BENDIX : 561178B, BENDIX EUR : 561178B, BOSCH : 0 986 478 013, BOSCH : 0 986 478 017, BRADI : 1.0110.2.E, BRECO : BS 7901, BREMBO : 09.4765.14, BREMBO : FD.028.000, BREMBO : 09.4765.10, BREMBO : 09.4765.75, BREMBO : FS.028.000, CAR : 142.715, CAR RACING : HPD 715, CIFAM : 800-170, DELPHI : BG109, DELPHI : BG2109, FERODO : DDF175, FERODO : DRF175, Fritech : DF242, GRAF : DF29170, INTERBRAKE : AD071V, INTERCAR : AD071V, JURID : 561178J, KWP : 129170, KWP : 1029170, Lemforder : 10124 03, Lemforder : 10124, LPR : A1071V, LUCAS : DF1517, LUCAS : DF1517BP, MAGNETI MARELLI : 351011020500, Metelli : 23-0170, MINTEX : MDC365, NECTO : WN340, NIBK : RN1279V, OEM : 321615301ABC, OEM : 841615301B, OEM : 814615301, PILENGA : V151, QH : BDC3309, REMSA : 6027.20, REMSA : 6084.10, ROADHOUSE : 6084.10, ROADHOUSE : 6027.20, SBS : 1815204724, SBS : 1816304724, SBS : 1815304724, SBS : 421038, SEAT : 321615301C, STOP : 561178S, TEXTAR : 92012100, TEXTAR : 98200 0121 0 1, TEXTAR : 92012103, TRUSTING : DF242, TRW : DF1517, VALEO : 186246, VEMA : 98023, VW : 841615301, VW : 321615301C, VW : 321615301A, VW : 6N0615301G, VW : 321615301B, WOKING : D6084.10, ZIMMERMANN : 600.1594.00, ZIMMERMANN : 600.1597.00
	Golf	1600	1995	1997	Front	MRD1279V	:65, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 239	
	Golf	1900	1995	1997	Front	MRD1279V		
	Polo Classic	1400	1996	2001	Front	MRD1279V		
	Polo Classic	1600	1996	1999	Front	MRD1279V		
	Polo Classic	1600	1996	2001	Front	MRD1279V		
	Polo Classic	1700	1997	1999	Front	MRD1279V		
	Polo Classic	1900	1997	2001	Front	MRD1279V		
	Polo Estate	1400	1999	2001	Front	MRD1279V		
	Polo Estate	1600	1999	2001	Front	MRD1279V		
	Golf	1600	1995	1997	Front	MRD1279V		
	Golf	1900	1995	1997	Front	MRD1279V		
	Golf	1600	1995	1997	Front	MRD1279V		
	Polo Classic	1400	1996	2001	Front	MRD1279V		
	Polo Classic	1600	1996	2001	Front	MRD1279V		
	Polo Classic	1900	1997	2001	Front	MRD1279V		
	Polo Estate	1400	1999	2001	Front	MRD1279V		
	Polo Estate	1600	1999	2001	Front	MRD1279V		
VW VOLKSWAGEN	Golf Van Variant	1400	1996	1996	Front	MRD1013	Recommended Type: Solid ,Disc Thickness: 13, Num. of holes : 4, Height : 39, Centering Diameter	AC DELCO : AC2057D, AP : 14222, AP : X14222, ATE : 24.0113-0178.1, ATE : 24.0313-0178.1, BENDIX : 561491B, BOSCH : 0 986 478 329, BRADI : 1.5815.1.4, BRECO : BS 7383, BREMBO : 08.5149.14, BREMBO : 08.5149.10, BREMBO : 08.5149.75, BREMBO : 08.5148.10, CAR : 142.702, CAR RACING : HPD 702, CIFAM : 800-186, DELPHI : BG454, DELPHI : BG2454, DELPHI : BG545, FERODO : DDF205, FERODO : DRF205, Fritech : DF031, GRAF : DF29186, INTERBRAKE : VW181P, INTERCAR : VW181P, JURID : 561491J, KWP : 129186, KWP : 1029186, Lemforder : 10211 01, Lemforder : 10211, LPR : V2181P, LUCAS : DF1532BP, LUCAS : DF1532, MAGNETI MARELLI : 353615815140, Metelli : 23-0186, MINTEX : MDC731, NECTO : WN465, NIBK : RN1013, OEM : A113501075, OEM : A116GN3501075, PAGID : 53913, PAGID : 53937, PILENGA : 5158, QH : BDC3713, REMSA : 6582.10, REMSA : 6172.00, ROADHOUSE : 6172.00, ROADHOUSE : 6582.10, SBS : 1815204728, SBS : 1816304728, SBS : 1815304728, SBS : 424206, SEAT : 357615301, STOP : 561491S, TEXTAR : 92041703, TEXTAR : 92041700, TEXTAR : 98200 0417 0 1, TRUSTING : DF031, TRW : DF1532, VEMA : 98027, VW : 357615301, WOKING : D6172.00, ZIMMERMANN : 600.1602.00
	Golf Van Variant	1800	1996	1999	Front	MRD1013	:65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 255.7	
	Golf Van Variant	1900	1996	1999	Front	MRD1013		
	Caddy	1400	1996	1999	Front	MRD1013		
	Caddy	1900	1996	1999	Front	MRD1013		
	Passat	1800	1997	1999	Front	MRD1013		
	Caddy	1400	1996	1999	Front	MRD1013		
	Caddy	1700	1999	2000	Front	MRD1013		
	Caddy	1900	1996	1999	Front	MRD1013		
	Golf Van Variant	1400	1996	1996	Front	MRD1013		
	Golf Van Variant	1800	1996	1999	Front	MRD1013		
	Golf Van Variant	1900	1996	1999	Front	MRD1013		
	Passat	1800	1997	1999	Front	MRD1013		
	Passat	1900	1996	1999	Front	MRD1013		
	Passat	1800	1997	1999	Front	MRD1013		
	Passat	1900	1996	1999	Front	MRD1013		
	Caddy	1400	1996	1999	Front	MRD1013		
	Caddy	1700	1999	2000	Front	MRD1013		
	Caddy	1900	1996	1999	Front	MRD1013		
	Golf Van Variant	1400	1996	1996	Front	MRD1013		
	Golf Van Variant	1800	1996	1999	Front	MRD1013		
	Golf Van Variant	1900	1996	1999	Front	MRD1013		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Golf	1600	1995	1997	Front	MRD1280V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 4, Height : 38.7, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100mm, Outter & Oslash : 256	AC DELCO : AC2080D, AP : 24217E, AP : X24217, ATE : 24.0120-0128.1, ATE : 420128, ATE : 24.0320-0128.1, BENDIX : 561448B, BENDIX EUR : 561448B, BOSCH : 0 986 478 308, BRADI : 1.5813.2.4, BRECO : BS 7967, BREMBO : 09.5166.14, BREMBO : FD.035.000, BREMBO : 09.5166.10, BREMBO : 09.5166.75, BREMBO : FS.035.000, CAR : 142.703, CAR RACING : HPD 703, CIFAM : 800-230, DELPHI : BG455, DELPHI : BG2455, FERODO : DDF207, FERODO : DRF207, Fritch : DF281, GRAF : DF29230L, GRAF : DF29230, INTERBRAKE : VW161V, INTERCAR : VW161V, JURID : 561448J, KWP : 1029230L, KWP : 129230, Lemforder : 10213, Lemforder : 10213 03, LPR : V2161V, LUCAS : DF1533BP, LUCAS : DF1533, MAGNETI MARELLI : 353615813240, Metelli : 23-0230, MINTEX : MDC504, NECTO : WN466, NIBK : RN1280V, OEM : 6N0615301D, PAGID : 53934, PILENGA : V152, QH : BDC3605, REMSA : 6579.20, ROADHOUSE : 6579.20, SBS : 1815202324, SBS : 1815209934, SBS : 1816309934, SBS : 1815204729, SBS : 1815309934, SBS : 424208, SEAT : 6N0615301D, SEAT : 321615301D, STOP : 561448S, TEXTAR : 92036803, TEXTAR : 92036800, TEXTAR : 98200 0368 0 1, TRUSTING : DF281, TRW : DF1533, VALEO : 186247, VEMA : 98026, VW : 357615301D, VW : 321615301D, WOKING : D6175.10
	Golf	1900	1995	1997	Front	MRD1280V		
	Polo Classic	1600	1996	1999	Front	MRD1280V		
	Passat	1600	1996	1999	Front	MRD1280V		
	Passat	1800	1996	1999	Front	MRD1280V		
	Caddy	1700	1996	1999	Front	MRD1280V		
	Caddy	1400	1999	2004	Front	MRD1280V		
	Caddy	1600	1999	2000	Front	MRD1280V		
	Caddy	1900	1999	2004	Front	MRD1280V		
	Polo Classic	1600	1999	2001	Front	MRD1280V		
	Polo Classic	1900	1999	2001	Front	MRD1280V		
	Caddy	1400	1999	2004	Front	MRD1280V		
	Caddy	1600	1999	2000	Front	MRD1280V		
	Caddy	1700	1996	1999	Front	MRD1280V		
	Caddy	1900	1999	2004	Front	MRD1280V		
	Golf	1600	1995	1997	Front	MRD1280V		
	Golf	1900	1995	1997	Front	MRD1280V		
	Golf	1900	1996	1998	Front	MRD1280V		
	Golf Estate	1400	1996	1996	Front	MRD1280V		
	Golf Estate	1600	1996	1999	Front	MRD1280V		
	Passat	1600	1996	1999	Front	MRD1280V		
	Passat	1800	1996	1999	Front	MRD1280V		
	Polo Classic	1600	1996	1999	Front	MRD1280V		
	Polo Classic	1900	1997	1999	Front	MRD1280V		
	Golf	1600	1995	1997	Front	MRD1280V		
	Golf	1900	1995	1997	Front	MRD1280V		
	Polo Classic	1600	1996	1999	Front	MRD1280V		
	Golf Estate	1400	1996	1996	Front	MRD1280V		
	Golf Estate	1600	1996	1999	Front	MRD1280V		
	Polo Classic	1900	1997	1999	Front	MRD1280V		
	Polo Classic	1600	1999	2001	Front	MRD1280V		
	Polo Classic	1900	1999	2001	Front	MRD1280V		
	Polo Classic	1600	1996	1999	Front	MRD1280V		
	Polo Classic	1600	1999	2001	Front	MRD1280V		
	Polo Classic	1900	1997	1999	Front	MRD1280V		
	Polo Classic	1900	1999	2001	Front	MRD1280V		
VW VOLKSWAGEN	Caddy	1400	1999	2004	Front	MRD1280V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 28, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2097D, AP : 24358, AP : X24358, ATE : 24.0122-0100.1, ATE : 24.0322-0100.1, BENDIX : 561619B, BOSCH : 0 986 478 542, BRADI : 1.5820.2.4, BRECO : BS 8052, BREMBO : 09.5570.75, BREMBO : FS.044.000, BREMBO : 09.5570.10, BREMBO : FD.044.000, CAR : 142.711, CAR RACING : HPD 711, CIFAM : 800-242, DELPHI : BG713, DELPHI : BG2713, DELPHI : DDF332, FERODO : DDF332, FERODO : DRF332, Fritch : DF307, GRAF : DF29242, INTERBRAKE : VW251V, INTERCAR : VW251V, JURID : 561619J, KWP : 129242, KWP : 1029242L, Lemforder : 14371 03, Lemforder : 14371, LPR : V2251V, LUCAS : DF2619, MAGNETI MARELLI : 353615820240, Metelli : 23-0242, MINTEX : MDC800, NECTO : WN537, NIBK : RN1044V, OEM : 1H0615301A, OEM : 1H0615301, OEM : 3A0615601A, PILENGA : V154, QH : BDC3911, REMSA : 6587.20, ROADHOUSE : 6587.20, SBS : 424226V, SBS : 1815304735, SBS : 424226, SBS : 1815204735, SBS : 1816304735, SEAT : 1H0615301A, STOP : 561619S, TEXTAR : 98200 0571 0 1, TEXTAR : 92057100, TRUSTING : DF307, TRW : DF2619, VALEO : 186313, VW : 1H0615301A, VW : 1H0615301, VW : 357615301A, WOKING : D6293.10, ZIMMERMANN : 600.1606.00
	Caddy	1600	1999	2000	Front	MRD1280V		
	Caddy	1700	1996	1999	Front	MRD1280V		
	Caddy	1900	1999	2004	Front	MRD1280V		
	Golf	1600	1995	1997	Front	MRD1280V		
	Golf	1900	1995	1997	Front	MRD1280V		
	Golf	1900	1996	1998	Front	MRD1280V		
	Golf Estate	1400	1996	1996	Front	MRD1280V		
	Golf Estate	1600	1996	1999	Front	MRD1280V		
	Passat	1600	1996	1999	Front	MRD1280V		
VW VOLKSWAGEN	Passat	1800	1996	1999	Front	MRD1280V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 28, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2097D, AP : 24358, AP : X24358, ATE : 24.0122-0100.1, ATE : 24.0322-0100.1, BENDIX : 561619B, BOSCH : 0 986 478 542, BRADI : 1.5820.2.4, BRECO : BS 8052, BREMBO : 09.5570.75, BREMBO : FS.044.000, BREMBO : 09.5570.10, BREMBO : FD.044.000, CAR : 142.711, CAR RACING : HPD 711, CIFAM : 800-242, DELPHI : BG713, DELPHI : BG2713, DELPHI : DDF332, FERODO : DDF332, FERODO : DRF332, Fritch : DF307, GRAF : DF29242, INTERBRAKE : VW251V, INTERCAR : VW251V, JURID : 561619J, KWP : 129242, KWP : 1029242L, Lemforder : 14371 03, Lemforder : 14371, LPR : V2251V, LUCAS : DF2619, MAGNETI MARELLI : 353615820240, Metelli : 23-0242, MINTEX : MDC800, NECTO : WN537, NIBK : RN1044V, OEM : 1H0615301A, OEM : 1H0615301, OEM : 3A0615601A, PILENGA : V154, QH : BDC3911, REMSA : 6587.20, ROADHOUSE : 6587.20, SBS : 424226V, SBS : 1815304735, SBS : 424226, SBS : 1815204735, SBS : 1816304735, SEAT : 1H0615301A, STOP : 561619S, TEXTAR : 98200 0571 0 1, TEXTAR : 92057100, TRUSTING : DF307, TRW : DF2619, VALEO : 186313, VW : 1H0615301A, VW : 1H0615301, VW : 357615301A, WOKING : D6293.10, ZIMMERMANN : 600.1606.00
	Caddy	1700	1996	1999	Front	MRD1280V		
	Golf	2000	1995	1997	Front	MRD1044V		
	Golf	2800	1995	1997	Front	MRD1044V		
	Passat	2800	1995	1996	Front	MRD1044V		
	Passat	2800	1996	1999	Front	MRD1044V		
VW VOLKSWAGEN	Golf	2000	1995	1997	Front	MRD1044V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 28, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2097D, AP : 24358, AP : X24358, ATE : 24.0122-0100.1, ATE : 24.0322-0100.1, BENDIX : 561619B, BOSCH : 0 986 478 542, BRADI : 1.5820.2.4, BRECO : BS 8052, BREMBO : 09.5570.75, BREMBO : FS.044.000, BREMBO : 09.5570.10, BREMBO : FD.044.000, CAR : 142.711, CAR RACING : HPD 711, CIFAM : 800-242, DELPHI : BG713, DELPHI : BG2713, DELPHI : DDF332, FERODO : DDF332, FERODO : DRF332, Fritch : DF307, GRAF : DF29242, INTERBRAKE : VW251V, INTERCAR : VW251V, JURID : 561619J, KWP : 129242, KWP : 1029242L, Lemforder : 14371 03, Lemforder : 14371, LPR : V2251V, LUCAS : DF2619, MAGNETI MARELLI : 353615820240, Metelli : 23-0242, MINTEX : MDC800, NECTO : WN537, NIBK : RN1044V, OEM : 1H0615301A, OEM : 1H0615301, OEM : 3A0615601A, PILENGA : V154, QH : BDC3911, REMSA : 6587.20, ROADHOUSE : 6587.20, SBS : 424226V, SBS : 1815304735, SBS : 424226, SBS : 1815204735, SBS : 1816304735, SEAT : 1H0615301A, STOP : 561619S, TEXTAR : 98200 0571 0 1, TEXTAR : 92057100, TRUSTING : DF307, TRW : DF2619, VALEO : 186313, VW : 1H0615301A, VW : 1H0615301, VW : 357615301A, WOKING : D6293.10, ZIMMERMANN : 600.1606.00
	Golf	2800	1995	1997	Front	MRD1044V		
	Passat	2800	1995	1996	Front	MRD1044V		
	Passat	2800	1996	1999	Front	MRD1044V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Passat	1800	1999	2003	Front	MRD1050V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 288	AC DELCO : AC2136D, AP : 24487E, AP : X24487, ATE : 24.0125-0105.1, ATE : 24.0325-0105.1, ATE : 425105, ATE : 24.0125-0171.1, ATE : 24.0325-0171.1, AUDI : 8E0615301Q, AUDI : 4A0615301C, BENDIX : 561548B, BENDIX EUR : 561548B, BOSCH : 0 986 478 546, BOSCH : 0 986 479 157, BRADI : 1.0122.2.E, BRECO : BS 8123, BREMBO : 09.5745.10, BREMBO : 09.5745.21, BREMBO : 09.5745.75, BREMBO : 09.A428.14, BREMBO : FS.051.000, BREMBO : 09.5745.14, BREMBO : 09.5745.24, BREMBO : 09.5745.76, BREMBO : FD.051.000, CAR : 142.1188, CAR : 142.718, CAR RACING : HPD 1188, CAR RACING : HPD 718, CIFAM : 800-745C, CIFAM : 800-262, CIFAM : 800-745, CIFAM : 800-262C, DELPHI : BG2745, DELPHI : BG745, FERODO : DRF320, FERODO : DDF320, FERODO : DDF1706, Fritech : DF312, GRAF : DF29745, GRAF : DF29262, INTERBRAKE : VW651V, INTERBRAKE : AD371V, INTERCAR : AD371V, JURID : 561548J, JURID : 561548JC, KWP : 1029262L, KWP : 129262, Lemforder : 14535, Lemforder : 14535 03, LPR : A1371V, LPR : V2004V, LUCAS : DF2652, LUCAS : DF2652BP, MAGNETI MARELLI : 351012220500, Metelli : 23-0745C, Metelli : 23-0262C, MINTEX : MDC768, NECTO : WN533, NIBK : RN1050V, OEM : 4A0615301E, OEM : 4A0615301C, OEM : 7700830283RP, OEM : 4A0615301D, OEM : 4A615301D, OEM : 4B0615301B, PAGID : 54210, PAGID : 53942, PILENGA : V362, QH : BDC5471, QH : BDC3825, REMSA : 6039.20, REMSA : 6328.10, REMSA : 61227.10, ROADHOUSE : 61227.10, ROADHOUSE : 6039.20, ROADHOUSE : 6328.10, SBS : 1815344743, SBS : 424210, SBS : 1815304743, SBS : 1816304743, SBS : 1815204743, STOP : 561548S, TEXTAR : 92057600, TEXTAR : 92121000, TEXTAR : 98200 0576 0 1, TEXTAR : 92057605, TEXTAR : 92121003, TRUSTING : DF312, TRW : DF2652, VALEO : 186271, VEMA : 98104, WOKING : D6328.10, ZIMMERMANN : 600.3236.20, ZIMMERMANN : 100.1216.20
	Passat	1900	1999	2003	Front	MRD1050V		
	Passat	2300	1999	2001	Front	MRD1050V		
	Passat	2500	1999	2001	Front	MRD1050V		
	Passat	2800	1999	2001	Front	MRD1050V		
	Passat	2000	2000	2001	Front	MRD1050V		
	Passat	1600	2000	2005	Front	MRD1050V		
	Passat	1600	2000	2005	Front	MRD1050V		
	Passat	1900	2001	2005	Front	MRD1050V		
	Passat	2000	2001	2005	Front	MRD1050V		
	Passat	1800	2001	2003	Front	MRD1050V		
	Passat	2300	2001	2005	Front	MRD1050V		
	Passat	2500	2001	2005	Front	MRD1050V		
	Passat	2800	2001	2005	Front	MRD1050V		
	Passat	1800	1999	2003	Front	MRD1050V		
	Passat	1900	1999	2003	Front	MRD1050V		
	Passat	2300	1999	2001	Front	MRD1050V		
	Passat	2500	1999	2001	Front	MRD1050V		
	Passat	2800	1999	2001	Front	MRD1050V		
	Passat	1600	2000	2005	Front	MRD1050V		
VW VOLKSWAGEN	Passat	1600	2000	2005	Front	MRD1050V		
	Passat	1600	2000	2005	Front	MRD1050V		
	Passat	2000	2000	2001	Front	MRD1050V		
	Passat	1800	2001	2003	Front	MRD1050V		
	Passat	1900	2001	2005	Front	MRD1050V		
	Passat	2000	2001	2005	Front	MRD1050V		
	Passat	2500	2001	2005	Front	MRD1050V		
	Passat	2800	2001	2005	Front	MRD1050V		
	Passat	1600	2000	2005	Front	MRD1050V		
	Passat	1800	2001	2003	Front	MRD1050V		
	Passat	1900	2001	2005	Front	MRD1050V		
	Passat	2000	2001	2005	Front	MRD1050V		
	Passat	2300	2001	2005	Front	MRD1050V		
	Passat	2500	2001	2005	Front	MRD1050V		
	Passat	2800	2001	2005	Front	MRD1050V		
	Passat	1600	2000	2005	Front	MRD1050V		
	Passat	1800	1999	2003	Front	MRD1050V		
	Passat	1900	1999	2003	Front	MRD1050V		
	Passat	2000	2000	2001	Front	MRD1050V		
	Passat	2300	1999	2001	Front	MRD1050V		
VW VOLKSWAGEN	Transporter	2800	1999	2003	Front	MRD1295V	Recommended Type: Vented ,Disc Thickness: 18, Num. of holes : 5, Height : 55.2, Centering Diameter :68.2, Position: Front, Outter & Oslash : 282	AC DELCO : AC2216D, AP : 14092, ATE : 24.0113-0153.2, BENDIX : 561126B, BENDIX EUR : 562079B, BOSCH : 0 986 478 736, BRADI : 1.0012.1.4, BRECO : BS 7228, BREMBO : 08.3894.10, BREMBO : 08.3494.10, CAR : 142.010, CAR RACING : HPD 010, CIFAM : 800-010, DELPHI : BG2185, FERODO : DDF088, Fritech : DF643, GRAF : DF2810, INTERBRAKE : AR061P, JURID : 561126J, KWP : 102810, Lemforder : 18214, LPR : A2061P, LUCAS : DF1708, MAGNETI MARELLI : 353610012140, Metelli : 23-0010, MINTEX : MDC184, NECTO : WN266, NIBK : RN1295V, OEM : 161002201401, OEM : 60702523, OEM : 0060526087, OEM : 60729248, OEM : 0060702523RP, OEM : 116332201401, OEM : 116502201402, OEM : 60526087, OEM : 60727282, OEM : 0060702523, OEM : 0060727282, OEM : 116502201401, PAGID : 50111, PILENGA : 5013, QH : BDC3209, REMSA : 6142.00, REMSA : 6011.10, ROADHOUSE : 6142.00, ROADHOUSE : 6011.10, SBS : 1815201008, SKODA : 701 615 301 G, TEXTAR : 92013500, TRUSTING : DF643, TRW : DF2810, VALEO : 186110, VW : 701 615 301 G, WOKING : D6142.00
	Transporter	1900	1996	2000	Front	MRD1295V		
	Transporter	2000	1990	1999	Front	MRD1295V		
	Transporter	2000	1995	1996	Front	MRD1295V		
	Transporter	1900	1996	2000	Front	MRD1295V		
	Transporter	2000	1990	1999	Front	MRD1295V		
	Transporter	2000	1995	1996	Front	MRD1295V		
	Transporter	2800	1999	2003	Front	MRD1295V		
VW VOLKSWAGEN	Passat	1600	2000	2005	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2241D, AC DELCO : AC2520D, AP : 14475E, ATE : 24.0110-0201.1, ATE : 24.0310-0201.1, AUDI : 4A0615301A, AUDI : 4A0615601A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0127.5.4, BRADI : 1.0121.5.4, BRECO : BS 7468, BREMBO : 08.5743.10, BREMBO : 08.5743.14, BREMBO : 08.5743.11, CAR : 142.752, CAR : 142.762, CAR RACING : HPD 752, CIFAM : 800-395C, CIFAM : 800-395, DELPHI : BG3031, DELPHI : BG746, DELPHI : BG2746, FERODO : DRF321, FERODO : DDF321, Fritech : DF060, GRAF : DF29395, INTERBRAKE : AD401P, INTERCAR : AD401P, INTERCAR : AD501P, JURID : 561549J, JURID : 561549JC, KWP : 1029395, KWP : 129395, Lemforder : 14536, Lemforder : 16710, Lemforder : 14536 03, Lemforder : 16710 01, LPR : A1401P, LPR : A1597V, LUCAS : DF2651, LUCAS : DF4252, MAGNETI MARELLI : 353610121540, Metelli : 23 0395C, MINTEX : MDC1241, MINTEX : MDC828, NECTO : WN534, NIBK : RN1049, OEM : 4A0615601B, OEM : 4A0615601A, OEM : 4A0615301A, PAGID : 50311, PAGID : 53951, PAGID : 53924, PILENGA : 5872, PILENGA : 5864, PILENGA : V865, QH : BDC3929, QH : BDC4846, REMSA : 6123.00, REMSA : 6038.10, REMSA : 6930.10, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, ROADHOUSE : 6123.00, SBS : 1815204781, SBS : 1815204744, SBS : 424214, STOP : 561549S, TEXTAR : 92057500, TEXTAR : 92072900, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1230.00, ZIMMERMANN : 100.1217.00
	Passat	1600	2000	2005	Rear	MRD1049		
	Passat	1800	1999	2003	Rear	MRD1049		
	Passat	1800	2001	2003	Rear	MRD1049		
	Passat	1900	1999	2003	Rear	MRD1049		
	Passat	2500	2001	2005	Rear	MRD1049		
	Passat	2800	1999	2001	Rear	MRD1049		
	Passat	2800	2001	2005	Rear	MRD1049		
	Passat	1800	1997	1999	Rear	MRD1049		
	Passat	1800	1999	2000	Rear	MRD1049		
	Passat	1900	1999	2000	Rear	MRD1049		
	Taro	2400	1989	1997	Front	MRD1005V		
VW VOLKSWAGEN	Taro	2400	1989	1997	Front	MRD1005V	Recommended Type: Vented ,Disc Thickness: 20, Num. of holes : 6, Height : 64.35, Centering Diameter :100, Position: Front, Outter & Oslash : 288.6	AC DELCO : AC2247D, AP : 24247, ATE : 24.0120-0168.1, BENDIX : 561502B, BOSCH : 0 986 478 453, BRADI : 1.5261.2.4, BRECO : BS 7969, BREMBO : 09.5173.10, BREMBO : 09.5173.14, CAR : 142.928, CAR : 142.929, CAR RACING : HPD 928, CIFAM : 800-642, DELPHI : BG2495, DELPHI : BG600, DELPHI : BG495, FERODO : DDF596, Fritech : DF346, GRAF : DF29642, HERTH+BUSS : J3302071, INTERBRAKE : TY481V, INTERCAR : TY911V, INTERCAR : TY481V, JAPANPARTS : DI-271, JURID : 561502J, KWP : 129642, LPR : T2481V, LPR : T2418V, LUCAS : DF1418, Metelli : 23-0642, MINTEX : MDC891, NECTO : WN676, NIBK : RN1005V, NIPPARTS : J3302071, OEM : B4351235190, OEM : 43512YE020, PAGID : 53621, PILENGA : V657, QH : BDC3819, REMSA : 6551.20, ROADHOUSE : 6551.20, SBS : 1815209948, SBS : 333326, TEXTAR : 92076300, TOYOTA : 4351235110, TOYOTA : 4351235190, TRUSTING : DF346, TRW : DF1418, VALEO : 186547, VW : J4351235190
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		
	Taro	2400	1989	1997	Front	MRD1005V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Sharan	1800	1997	2000	Front	MRD1075V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 5, Height : 55.4, Centering Diameter :68.2, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2250D, AP : 24628E, ATE : 24.0125-0114.1, BENDIX : 562043B, BENDIX EUR : 562043B, BOSCH : 0 986 478 845, BOSCH : 0 986 478 893, BRADI : 1.5828.2.4, BRECO : BS 8263, BREMBO : 09.6934.10, BREMBO : 09.6934.14, CAR : 142.239, CAR RACING : HPD 239, CIFAM : 800-403, DELPHI : BG3025, FERODO : DDF846, FORD : 1001093, FORD : 1143641, FORD : 95VWX1125B1D, FORD : 1045994, FORD : 95WX1125BC, FORD : 95VWX1125BD, Fritech : DF503, GRAF : DF29403L, GRAF : DF29403, INTERBRAKE : FR571V, INTERCAR : FR571V, JURID : 562043J, JURID : 562043JC, KWP : 129403, KWP : 1029403L, Lemforder : 24513, Lemforder : 24513 01, LPR : F1571V, LUCAS : DF2776, LUCAS : DF2776BP, MAGNETI MARELLI : 353615828240, Metelli : 23-0403, MINTEX : MDC1017, NECTO : WN846, NIBK : RN1075V, OEM : 1143640, OEM : 7M0615301EG, OEM : 7M0615301E, OEM : 7M0615201E, OEM : 7M06615301G, OEM : 7M0615301G, PAGID : 53963, PILENGA : V156, QH : BDC4628, REMSA : 6496.10, REMSA : 6676.20, ROADHOUSE : 6496.10, ROADHOUSE : 6676.20, SBS : 424241, SBS : 1815202545, SBS : 424241V, STOP : 562043S, TEXTAR : 92074200, TEXTAR : 98200 0742 0 1, TEXTAR : 92074203, TRUSTING : DF503, TRW : DF2776, VALEO : 186601, VEMA : 98095, VW : 7M0615301E, VW : 7M0615301G, WOKING : D6496.10, ZIMMERMANN : 600.3209.00
	Sharan	1800	2000	2009	Front	MRD1075V		
	Sharan	1900	1995	2000	Front	MRD1075V		
	Sharan	2000	1995	2000	Front	MRD1075V		
	Sharan	2000	2000	2009	Front	MRD1075V		
	Sharan	2800	1995	2000	Front	MRD1075V		
	Sharan	1800	1997	2000	Front	MRD1075V		
	Sharan	1800	2000	2009	Front	MRD1075V		
	Sharan	1900	1995	2000	Front	MRD1075V		
	Sharan	2000	1995	2000	Front	MRD1075V		
	Sharan	2000	2000	2009	Front	MRD1075V		
	Sharan	2800	1995	2000	Front	MRD1075V		
	Sharan	1800	1997	2000	Front	MRD1075V		
	Sharan	1800	2000	2009	Front	MRD1075V		
	Sharan	1900	1995	2000	Front	MRD1075V		
VW VOLKSWAGEN	Bora	1400	1998	1999	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 232	AC DELCO : AC2252D, AC DELCO : AC2255D, AP : 24847, AP : 14699E, ATE : 24.0109-0164.1, ATE : 409123, ATE : 24.0125-0113.1, ATE : 425113, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 867, BOSCH : 0 986 478 976, BOSCH : 0 986 478 868, BRADI : 1.5833.5.4, BRADI : 1.5830.2.4, BRECO : BS 8288, BRECO : BS 7553, BRECO : BS 8471, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, BREMBO : FS.074.000, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, CAR : 142.749, CAR : 142.748, CAR RACING : HPD 748, CAR RACING : HPD 749, CIFAM : 800-366, CIFAM : 800-365, DELPHI : BG3034, DELPHI : BG3035, FERODO : DDF929, FERODO : DDF930, FERODO : DRF930, FERODO : DRF929, Fritech : DF149, Fritech : DF468, GRAF : DF29365, GRAF : DF29366L, GRAF : DF29365L, GRAF : DF29366, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562053JC, JURID : 562041J, JURID : 562053J, JURID : 562041JC, KWP : 1029366L, KWP : 1029365L, KWP : 129366, KWP : 129365, Lemforder : 22048, Lemforder : 22853, Lemforder : 22048 01, Lemforder : 22853 02, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0366, Metelli : 23-0365, MINTEX : MDC980, NECTO : WN917, NIBK : RN1084, OEM : 1J0615601C, OEM : 1J0615601E, OEM : 1J0615601, OEM : 6R0698151, OEM : 1J0615301, PAGID : 53960, PAGID : 53955, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6544.10, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6547.00, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SBS : 1815304760, SBS : 424240, SBS : 424238, SBS : 1815204760, SEAT : 1J0615601, SEAT : 1J0615301, STOP : 562053S, STOP : 562041S, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TEXTAR : 92106600, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TRUSTING : DF468, TRUSTING : DF149, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601P, VW : 1J0615601N, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1236.00, ZIMMERMANN : 100.1235.20, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20
	Bora	1600	1998	1999	Rear	MRD1084		
	Bora	1800	1998	1999	Rear	MRD1084		
	New Beetle	1900	1998	1999	Rear	MRD1084		
	New Beetle	2000	1998	1999	Rear	MRD1084		
	Bora	1900	1998	1999	Rear	MRD1084		
	Bora	1400	1999	2000	Rear	MRD1084		
	Bora	1600	1999	2000	Rear	MRD1084		
	Bora	1800	1999	2000	Rear	MRD1084		
	Golf Estate	1600	1999	2003	Rear	MRD1084		
	Golf Estate	1900	1999	2003	Rear	MRD1084		
	New Beetle	1900	1999		Rear	MRD1084		
	New Beetle	2000	1999	2003	Rear	MRD1084		
	Polo Classic	1600	1999	2001	Rear	MRD1084		
	Polo Classic	1900	1999	2001	Rear	MRD1084		
VW VOLKSWAGEN	Bora Estate	1800	2000	2001	Rear	MRD1084	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 256	AC DELCO : AC2253D, AP : 24855, AP : 24690E, AP : X24690, ATE : 24.0322-0151.1, ATE : 24.0122-0151.1, ATE : 422151, AUDI : 1J0615301L, BENDIX : 562040B, BENDIX EUR : 562040B, BOSCH : 0 986 478 853, BOSCH : 0 986 478 988, BRADI : 1.5831.2.4, BRECO : BS 8279, BRECO : BS 8496, BREMBO : 09.7011.24, BREMBO : FD.075.000, BREMBO : 09.7011.11, BREMBO : 09.7011.20, BREMBO : 09.7011.75, BREMBO : FS.075.000, BREMBO : 09.7011.10, BREMBO : 09.7011.14, CAR : 142.746, CAR RACING : HPD 746, CIFAM : 800-390, DELPHI : BG3208, FERODO : DRF927, FERODO : DDF927, Fritech : DF467, GRAF : DF29390, INTERBRAKE : AD461V, INTERCAR : AD461V, JAGUAR : 562040J, JURID : 562040J, JURID : 562040JC, KWP : 1029390L, KWP : 129390, Lemforder : 21309 01, Lemforder : 21309, LPR : A1461V, LUCAS : DF4235, LUCAS : DF2803BP, LUCAS : DF4253BP, LUCAS : DF2803, MAGNETI MARELLI : 353615831240, Metelli : 23-0390, MINTEX : MDC1019, NECTO : WN915, NIBK : RN1082V, OEM : 1J0615301, OEM : 1J0698301D, OEM : 6R0615301, OEM : 820615301D, OEM : 1J0698301D, OEM : 1J0615301D, OEM : 600615301L, OEM : 820615301B, OEM : 1J0615301D, PAGID : 53953, PAGID : 50314, PILENGA : V150, QH : BDC4669, REMSA : 6545.10, REMSA : 6730.20, REMSA : 6724.20, ROADHOUSE : 6724.20, ROADHOUSE : 6545.10, ROADHOUSE : 6730.20, SBS : 1815204758, SBS : 1816304758, SBS : 424237V, SBS : 1815304758, SBS : 424237, STOP : 562040S, TEXTAR : 92082200, TEXTAR : 92106500, TEXTAR : 92082203, TEXTAR : 98200 0822 0 1, TRUSTING : DF467, TRW : DF2803, VALEO : 186603, VEMA : 98106, WOKING : D6545.10, ZIMMERMANN : 100.1246.00, ZIMMERMANN : 100.1233.20
	Bora Estate	1900	2000	2001	Rear	MRD1084		
	Bora Estate	1600	2000	2005	Rear	MRD1084		
	Bora Estate	1800	2000	2001	Rear	MRD1084		
	Bora Estate	1900	2000	2001	Rear	MRD1084		
	Bora Estate	2000	2000	2005	Rear	MRD1084		
	Golf Estate	1400	2000	2003	Rear	MRD1084		
	Golf Estate	2000	2000	2003	Rear	MRD1084		
	New Beetle	1800	2000		Rear	MRD1084		
	Bora	1800	2000	2001	Rear	MRD1084		
	Bora	1900	2000	2005	Rear	MRD1084		
	Bora	2000	2000	2005	Rear	MRD1084		
	Bora Estate	1800	2001	2005	Rear	MRD1084		
	Bora Estate	1900	2001	2005	Rear	MRD1084		
	New Beetle	1400	2001		Rear	MRD1084		
VW VOLKSWAGEN	Polo	1400	2001	2003	Rear	MRD1084		
	Golf Estate	1800	2001	2003	Rear	MRD1084		
	Golf Estate	1900	2001	2003	Rear	MRD1084		
	Polo	1400	2001	2002	Rear	MRD1084		
	Polo	1900	2001		Rear	MRD1084		
	Bora	2300	2001	2005	Rear	MRD1084		
	Golf Estate	1900	2003		Rear	MRD1084		
	Golf Estate	2000	2003		Rear	MRD1084		
	Golf V PLUS	1400	2003		Front	MRD1082V		
	Bora	1400	1998	1999	Front	MRD1082V		
	Bora	1400	1999	2000	Front	MRD1082V		
	Bora	1600	1998	1999	Front	MRD1082V		
	Bora	1600	1999	2000	Front	MRD1082V		
	Bora	1800	1998	1999	Front	MRD1082V		
	Bora	1800	1999	2000	Front	MRD1082V		
	Golf	1400	2001	2003	Front	MRD1082V		
	Golf	1400	2001	2001	Front	MRD1082V		
	Golf V PLUS	1400	2003		Front	MRD1082V		
	Golf Van Hatchback	1900	1999	2003	Front	MRD1082V		
	Golf Van Hatchback	1900	2000	2003	Front	MRD1082V		
	Polo	1400	2001	2003	Front	MRD1082V		
	Polo	1900	2001	2003	Front	MRD1082V		
	Polo	1200	2001	2003	Front	MRD1082V		
	Polo	1400	2001		Front	MRD1082V		
	Polo	1900	2001	2002	Front	MRD1082V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Bora	1400	1998	1999	Front	MRD1082V		
	Bora	1400	1999	2000	Front	MRD1082V		
	Bora	1600	1998	1999	Front	MRD1082V		
	Bora	1600	1999	2000	Front	MRD1082V		
	Bora	1800	1998	1999	Front	MRD1082V		
	Bora	1800	1999	2000	Front	MRD1082V		
	Bora	1900	2000		Front	MRD1082V		
	Bora	1900	1998	1999	Front	MRD1082V		
	Bora	2000	2000	2005	Front	MRD1082V		
	Golf	1400	2001	2003	Front	MRD1082V		
	Golf	1400	2001	2001	Front	MRD1082V		
	Golf	1600	1999	2003	Front	MRD1082V		
	Golf	1600	2003	2003	Front	MRD1082V		
	Golf	1900	2000	2003	Front	MRD1082V		
	Golf	1900	2003		Front	MRD1082V		
	Golf	2000	2000	2003	Front	MRD1082V		
	Golf Estate	1400	2000	2003	Front	MRD1082V		
	Golf Estate	1400	2003		Front	MRD1082V		
	Golf Estate	1600	2003		Front	MRD1082V		
	Golf Estate	1900	2003		Front	MRD1082V		
	Golf Estate	2000	2003		Front	MRD1082V		
	Golf Estate	2000	2000	2003	Front	MRD1082V		
VW VOLKSWAGEN	Golf V PLUS	1400	2003		Front	MRD1082V		
	Golf Van Hatchback	1900	1999	2003	Front	MRD1082V		
	Golf Van Hatchback	1900	2000	2003	Front	MRD1082V		
	Polo	1400	2001	2003	Front	MRD1082V		
	Polo	1900	2001	2003	Front	MRD1082V		
	Bora	2000	2000	2005	Front	MRD1082V		
	Golf V PLUS	1400	2003		Front	MRD1082V		
	Bora	1400	1998	1999	Front	MRD1082V		
	Bora	1600	1998	1999	Front	MRD1082V		
	Bora	1800	1998	1999	Front	MRD1082V		
	Bora	1900	1998	1999	Front	MRD1082V		
	Bora	1400	1999	2000	Front	MRD1082V		
	Bora	1600	1999	2000	Front	MRD1082V		
	Bora	1800	1999	2000	Front	MRD1082V		
	Golf	1600	1999	2003	Front	MRD1082V		
	Golf Van Hatchback	1900	1999	2003	Front	MRD1082V		
	Golf Estate	1400	2000	2003	Front	MRD1082V		
	Golf Van Hatchback	1900	2000	2003	Front	MRD1082V		
	Bora	2000	2000	2005	Front	MRD1082V		
	Golf Estate	2000	2000	2003	Front	MRD1082V		
VW VOLKSWAGEN	Bora	1900	2000		Front	MRD1082V		
	Golf	1900	2000	2003	Front	MRD1082V		
	Golf	2000	2000	2003	Front	MRD1082V		
	Golf	1400	2001	2003	Front	MRD1082V		
	Golf	1400	2001	2001	Front	MRD1082V		
	Polo	1400	2001	2003	Front	MRD1082V		
	Polo	1900	2001	2003	Front	MRD1082V		
	Polo	1200	2001	2003	Front	MRD1082V		
	Polo	1400	2001		Front	MRD1082V		
	Polo	1900	2001	2002	Front	MRD1082V		
	Golf	1600	2003	2003	Front	MRD1082V		
	Golf Estate	1400	2003		Front	MRD1082V		
	Golf Estate	1600	2003		Front	MRD1082V		
	Golf Estate	1900	2003		Front	MRD1082V		
	Golf V PLUS	1400	2003		Front	MRD1082V		
	Golf Estate	2000	2003		Front	MRD1082V		
	Golf	1900	2003		Front	MRD1082V		
	Golf V PLUS	1600	2003		Front	MRD1082V		
VW VOLKSWAGEN	Bora	1400	1998	1999	Front	MRD1082V		
	Bora	1600	1998	1999	Front	MRD1082V		
	Bora	1800	1998	1999	Front	MRD1082V		
	Bora	1400	1999	2000	Front	MRD1082V		
	Bora	1600	1999	2000	Front	MRD1082V		
	Bora	1800	1999	2000	Front	MRD1082V		
	Golf	1600	1999	2003	Front	MRD1082V		
	Golf Van Hatchback	1900	1999	2003	Front	MRD1082V		
	Golf Estate	1400	2000	2003	Front	MRD1082V		
	Golf Van Hatchback	1900	2000	2003	Front	MRD1082V		
	Golf	1400	2001	2003	Front	MRD1082V		
	Golf	1400	2001	2001	Front	MRD1082V		
	Polo	1400	2001	2003	Front	MRD1082V		
	Polo	1900	2001	2003	Front	MRD1082V		
	Golf	1600	2003	2003	Front	MRD1082V		
	Golf Estate	1400	2003		Front	MRD1082V		
	Golf Estate	1600	2003		Front	MRD1082V		
	Golf Estate	1900	2003		Front	MRD1082V		
	Golf V PLUS	1400	2003		Front	MRD1082V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Bora	1600	2000		Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2254D, AP : X24691E, ATE : 24.0122-0150.1, ATE : 422150, ATE : 24.0322-0150.1, AUDI : 1J0615301E, AUDI : 1J0615301P, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.11, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, BREMBO : 09.7012.14, BREMBO : FD.076.000, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-391, CIFAM : 800-904, DELPHI : BG3036, FERODO : DDF928, FERODO : DRF928, Fritech : DF511, GRAF : DF29391, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039J, JURID : 562039JC, KWP : 129391, KWP : 1029391L, Lemforder : 21308, Lemforder : 21308 02, LPR : A1471V, LUCAS : DF2804BP, LUCAS : DF2804, MAGNETI MARELLI : 353615832240, Metelli : 23-0391, Metelli : 23-0904, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301M, OEM : 1J0615301E, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6666.20, REMSA : 6546.10, ROADHOUSE : 6666.20, ROADHOUSE : 6546.10, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SBS : 1815304759, SBS : 424239, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TEXTAR : 92082300, TEXTAR : 92082305, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	Bora	1800	1998	1999	Front	MRD1083V		
	Bora Estate	1600	2000	2005	Front	MRD1083V		
	Bora Estate	1800	2000	2001	Front	MRD1083V		
	Bora Estate	1900	2000	2001	Front	MRD1083V		
	Bora Estate	2000	2000	2005	Front	MRD1083V		
	Golf	1400	2001	2003	Front	MRD1083V		
	Golf	1400	2001	2001	Front	MRD1083V		
	Golf	1600	1999	2003	Front	MRD1083V		
	Golf	1600	2003	2003	Front	MRD1083V		
	Golf	1900	2000	2003	Front	MRD1083V		
	New Beetle	1800	2000		Front	MRD1083V		
	New Beetle	1900	1999		Front	MRD1083V		
	New Beetle	2000	1998	1999	Front	MRD1083V		
VW VOLKSWAGEN	Jetta V	1900	2005	2010	Front	MRD1083V		
	Bora	1900	1998	1999	Front	MRD1083V		
	Bora	2000	2000	2005	Front	MRD1083V		
	Bora	1900	2000		Front	MRD1083V		
	Golf	1900	2003		Front	MRD1083V		
	Golf	2000	2000	2003	Front	MRD1083V		
	Golf V PLUS	1600	2003		Front	MRD1083V		
	Bora	1600	2000		Front	MRD1083V		
	Bora	1800	1998	1999	Front	MRD1083V		
	Bora Estate	1600	2000	2005	Front	MRD1083V		
	Bora Estate	1800	2000	2001	Front	MRD1083V		
	Bora Estate	1900	2000	2001	Front	MRD1083V		
	Bora Estate	2000	2000	2005	Front	MRD1083V		
	Golf	1400	2001	2003	Front	MRD1083V		
VW VOLKSWAGEN	Golf	1400	2001	2001	Front	MRD1083V		
	Golf	1600	1999	2003	Front	MRD1083V		
	Golf	1600	2003	2003	Front	MRD1083V		
	New Beetle	1800	2000		Front	MRD1083V		
	New Beetle	1900	1999		Front	MRD1083V		
	New Beetle	2000	1998	1999	Front	MRD1083V		
	Jetta V	1900	2005	2010	Front	MRD1083V		
	Golf	1900	2000	2003	Front	MRD1083V		
	Bora	1400	1998	1999	Rear	MRD1084	Recommended Type: Solid ,Disc Thickness: 9, Num. of holes : 5, Height : 39, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100, Outter & Oslash : 232	AC DELCO : AC2255D, AC DELCO : AC2252D, AP : 14699E, AP : 24847, ATE : 24.0125-0113.1, ATE : 425113, ATE : 24.0109-0123.1, ATE : 24.0309-0123.1, ATE : 24.0325-0113.1, ATE : 24.0109-0164.1, ATE : 409123, AUDI : 1J0615601, BENDIX : 562041B, BENDIX : 562053B, BOSCH : 0 986 478 976, BOSCH : 0 986 478 868, BOSCH : 0 986 478 867, BRADI : 1.5830.2.4, BRADI : 1.5833.5.4, BRECO : BS 7553, BRECO : BS 8471, BRECO : BS 8288, BREMBO : FS.074.000, BREMBO : 08.7165.11, BREMBO : 08.7165.75, BREMBO : 09.7010.20, BREMBO : RS.131.000, BREMBO : FD.074.000, BREMBO : 08.7165.10, BREMBO : 08.7165.14, BREMBO : 09.7010.10, BREMBO : RD.131.000, BREMBO : 09.7010.76, CAR : 142.748, CAR : 142.749, CAR RACING : HPD 749, CAR RACING : HPD 748, CIFAM : 800-365, CIFAM : 800-366, DELPHI : BG3034, DELPHI : BG3035, FERODO : DRF930, FERODO : DRF929, FERODO : DDF929, FERODO : DDF930, Fritech : DF149, Fritech : DF468, GRAF : DF29366L, GRAF : DF29365L, GRAF : DF29366, GRAF : DF29365, INTERBRAKE : AD441P, INTERBRAKE : AD451V, INTERCAR : AD441P, INTERCAR : AD451V, JURID : 562041JC, JURID : 562053JC, JURID : 562041J, JURID : 562053J, KWP : 129366, KWP : 129365, KWP : 1029366L, KWP : 1029365L, Lemforder : 22048 01, Lemforder : 22853 02, Lemforder : 22048, Lemforder : 22853, LPR : A1441P, LPR : A1451V, LUCAS : DF2805, LUCAS : DF4027, MAGNETI MARELLI : 353615830240, MAGNETI MARELLI : 353615833540, Metelli : 23-0365, Metelli : 23-0366, MINTEX : MDC980, NECTO : WN917, NIBK : RN1084, OEM : 1J0615601C, OEM : 1J0615601, OEM : 6R0698151, OEM : 1J0615301, OEM : 1J0615601C, PAGID : 53955, PAGID : 53960, PILENGA : V157, PILENGA : 5255, QH : BDC4735, QH : BDC4753, REMSA : 6668.10, REMSA : 6667.20, REMSA : 6547.00, REMSA : 6544.10, ROADHOUSE : 6547.00, ROADHOUSE : 6667.20, ROADHOUSE : 6668.10, ROADHOUSE : 6544.10, SBS : 1815304760, SBS : 424240, SBS : 424238, SBS : 1815204760, SBS : 1816304760, SBS : 424240V, SBS : 1815204761, SEAT : 1J0615301, SEAT : 1J0615601, STOP : 562041S, STOP : 562053S, TEXTAR : 92106600, TEXTAR : 98200 0824 0 1, TEXTAR : 92082503, TEXTAR : 92082400, TEXTAR : 92106603, TEXTAR : 92082500, TEXTAR : 98200 0825 0 1, TRUSTING : DF149, TRUSTING : DF468, TRW : DF2805, VALEO : 186602, VALEO : 186597, VEMA : 98076, VW : 1J0615601N, VW : 1J0615601P, WOKING : D6547.00, WOKING : D6544.10, ZIMMERMANN : 100.1235.20, ZIMMERMANN : 100.1247.00, ZIMMERMANN : 100.1236.20, ZIMMERMANN : 100.1236.00
	Bora	1400	1999	2000	Rear	MRD1084		
	Bora	1600	1998	1999	Rear	MRD1084		
	Bora	1600	1999	2000	Rear	MRD1084		
	Bora	1800	1998	1999	Rear	MRD1084		
	Bora	1800	1999	2000	Rear	MRD1084		
	Bora	1900	1998	1999	Rear	MRD1084		
	Bora	2000	2000	2005	Rear	MRD1084		
	Golf Estate	1400	2000	2003	Rear	MRD1084		
	Golf Estate	1900	2003		Rear	MRD1084		
	Golf Estate	2000	2003		Rear	MRD1084		
	Golf Estate	2000	2000	2003	Rear	MRD1084		
	Polo	1400	2001	2003	Rear	MRD1084		
VW VOLKSWAGEN	Polo	1400	2001	2002	Rear	MRD1084		
	Polo	1900	2001		Rear	MRD1084		
	Bora	1800	2000	2001	Rear	MRD1084		
	Bora	1900	2000	2005	Rear	MRD1084		
	Bora	2300	2001	2005	Rear	MRD1084		
	Bora Estate	1600	2000	2005	Rear	MRD1084		
	Bora Estate	1800	2000	2001	Rear	MRD1084		
	Bora Estate	1800	2000	2001	Rear	MRD1084		
	Bora Estate	1800	2001	2005	Rear	MRD1084		
	Bora Estate	1900	2000	2001	Rear	MRD1084		
	Bora Estate	1900	2001	2005	Rear	MRD1084		
	Bora Estate	1900	2000	2001	Rear	MRD1084		
	Bora Estate	2000	2000	2005	Rear	MRD1084		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Golf Estate	1600	1999	2003	Rear	MRD1084		
	Golf Estate	1800	2001	2003	Rear	MRD1084		
	Golf Estate	1900	1999	2003	Rear	MRD1084		
	Golf Estate	1900	2001	2003	Rear	MRD1084		
	New Beetle	1400	2001		Rear	MRD1084		
	New Beetle	1800	2000		Rear	MRD1084		
	New Beetle	1900	1998	1999	Rear	MRD1084		
	New Beetle	1900	1999		Rear	MRD1084		
	New Beetle	2000	1999	2003	Rear	MRD1084		
	New Beetle	2000	1998	1999	Rear	MRD1084		
	Polo Classic	1600	1999	2001	Rear	MRD1084		
	Polo Classic	1900	1999	2001	Rear	MRD1084		
VW VOLKSWAGEN	Bora	1400	1998	1999	Rear	MRD1084		
	Bora	1400	1999	2000	Rear	MRD1084		
	Bora	1600	1998	1999	Rear	MRD1084		
	Bora	1600	1999	2000	Rear	MRD1084		
	Bora	1800	1998	1999	Rear	MRD1084		
	Bora	1800	1999	2000	Rear	MRD1084		
	Bora Estate	1600	2000	2005	Rear	MRD1084		
	Bora Estate	1800	2000	2001	Rear	MRD1084		
	Bora Estate	1800	2000	2001	Rear	MRD1084		
	Bora Estate	1800	2001	2005	Rear	MRD1084		
	Bora Estate	1900	2000	2001	Rear	MRD1084		
	Bora Estate	1900	2001	2005	Rear	MRD1084		
	Bora Estate	1900	2000	2001	Rear	MRD1084		
	Bora Estate	2000	2000	2005	Rear	MRD1084		
	Golf Estate	1400	2000	2003	Rear	MRD1084		
	Golf Estate	1600	1999	2003	Rear	MRD1084		
	Golf Estate	1800	2001	2003	Rear	MRD1084		
	Golf Estate	1900	1999	2003	Rear	MRD1084		
	Golf Estate	1900	2003		Rear	MRD1084		
	Golf Estate	1900	2001	2003	Rear	MRD1084		
VW VOLKSWAGEN	New Beetle	1400	2001		Rear	MRD1084		
	New Beetle	1800	2000		Rear	MRD1084		
	New Beetle	1900	1998	1999	Rear	MRD1084		
	New Beetle	1900	1999		Rear	MRD1084		
	New Beetle	2000	1999	2003	Rear	MRD1084		
	New Beetle	2000	1998	1999	Rear	MRD1084		
	Polo	1400	2001	2002	Rear	MRD1084		
	Polo	1400	2001	2003	Rear	MRD1084		
	Polo	1900	2001		Rear	MRD1084		
	Polo Classic	1600	1999	2001	Rear	MRD1084		
VW VOLKSWAGEN	Polo Classic	1900	1999	2001	Rear	MRD1084		
	Passat Estate	1800	2000	2003	Front	MRD1085V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2325D, AP : 14467, AP : 24700E, ATE : 24.0110-0261.1, ATE : 24.0122-0202.1, ATE : 24.0310-0261.1, ATE : 24.0122-0152.1, ATE : 24.0122-0214.1, ATE : 24.0322-0152.1, AUDI : 8E0615301B, AUDI : 8E0615301D, BENDIX : 561863B, BENDIX : 562060B, BENDIX EUR : 562060B, BOSCH : 0 986 478 869, BRADI : 1.0106.5.5, BRADI : 1.5834.2.4, BRECO : BS 7469, BRECO : BS 8285, BREMBO : 09.7196.14, BREMBO : FD.080.000, BREMBO : 09.7196.10, BREMBO : 09.9908.21, BREMBO : FS.080.000, CAR : 142.1214, CAR : 142.745, CAR : 142.1234, CAR : 142.751, CAR RACING : HPD 281, CAR RACING : HPD 751, CAR RACING : HPD 1214, CAR RACING : HPD 745, CIFAM : 800-468C, CIFAM : 800-468, DELPHI : BG3198, DELPHI : BG3869, DELPHI : BG2753, FERODO : DDF1003, FERODO : DDF543, FERODO : DRF1003, FERODO : DDF1526, Fritech : DF472, GRAF : DF29468, INTERBRAKE : AD491V, INTERBRAKE : AD831V, INTERBRAKE : AD581P, INTERBRAKE : AD841V, INTERCAR : AD491V, JURID : 562060JC, JURID : 561863J, JURID : 562060J, KWP : 1029468L, KWP : 129468, Lemforder : 14155, Lemforder : 22216 01, Lemforder : 22216, LPR : A1022V, LPR : A1491V, LPR : A1020V, LPR : A1025V, LPR : A1594P, LUCAS : DF2806, LUCAS : DF4902S, LUCAS : DF2655, LUCAS : DF2806BP, MAGNETI MARELLI : 353615834240, Metelli : 23-0468C, MINTEX : MDC1155, MINTEX : MDC1758, MINTEX : MDC1031, MINTEX : MDC1657, NECTO : WN584, NECTO : WN923, NIBK : RN1085V, OEM : 3D0615601, OEM : 4E0615601, OEM : 4E0615601J, OEM : 8E0615301B, OEM : 3D0615601E, OEM : 4E0615601E, OEM : 895615601A, PAGID : 53961, PAGID : 54522, PAGID : 53917, PAGID : 54223, PILENGA : 5865, PILENGA : V851, QH : BDC4752, QH : BDC3935, REMSA : 6429.00, REMSA : 6731.20, REMSA : 6548.10, ROADHOUSE : 6548.10, ROADHOUSE : 6429.00, ROADHOUSE : 6731.20, SBS : 1815304762, SBS : 1816304762, SBS : 1815204762, SBS : 1815344762, SBS : 424242, SEAT : 8E0615301P, STOP : 562060S, TEXTAR : 92122300, TEXTAR : 92122305, TEXTAR : 92152200, TEXTAR : 92083500, TEXTAR : 92106203, TEXTAR : 92122303, TEXTAR : 92122400, TEXTAR : 98200 0835 0 1, TEXTAR : 92068200, TEXTAR : 92083505, TRUSTING : DF472, TRW : DF2806, VALEO : 186807, VALEO : 186582, VEMA : 98077, VW : 8E0615301B, WOKING : D6548.10, WOKING : D6429.00, ZIMMERMANN : 100.3313.00, ZIMMERMANN : 100.3304.00, ZIMMERMANN : 600.3207.20, ZIMMERMANN : 100.1225.00
	Passat Estate	1900	2001	2005	Front	MRD1085V		
	Passat Estate	1800	2000	2003	Front	MRD1085V		
	Passat Estate	1900	2001	2005	Front	MRD1085V		
	Passat	1600	1996	1999	Front	MRD1085V		
	Passat	1600	1999	2000	Front	MRD1085V		
	Passat	1800	1997	1999	Front	MRD1085V		
	Passat	1800	1996	1999	Front	MRD1085V		
	Passat	1800	1999	2000	Front	MRD1085V		
	Passat	1900	1996	1999	Front	MRD1085V		
	Passat	1900	1999	2000	Front	MRD1085V		
	Passat Estate	2300	2001	2005	Front	MRD1085V		
	Passat Estate	2500	2001	2005	Front	MRD1085V		
	Passat Estate	2800	2001	2005	Front	MRD1085V		
	Passat Estate	1800	2000	2003	Front	MRD1085V		
	Passat	1800	1997	1999	Front	MRD1085V		
	Passat	1800	1999	2000	Front	MRD1085V		
	Passat	1900	1999	2000	Front	MRD1085V		
	Passat Estate	1900	2001	2005	Front	MRD1085V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Golf	1800	1997	1999	Front	MRD1116V	Recommended Type: Vented ,Disc Thickness: 25, Num. of holes : 5, Height : 34, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100, Outter & Oslash : 312	AC DELCO : AC2326D, AP : 22015V, APEC : DSK2031, ATE : 24.0125-0123.1, AUDI : 8L0615301, AUDI : 8N0615301A, BENDIX : 562132B, BOSCH : 0 986 478 467, BRADI : 1.0130.2.E, BRECO : BV 8377, BRECO : BS 8377, BREMBO : 09.7880.11, BREMBO : FD.100.000, BREMBO : 09.7880.10, BREMBO : 09.7880.75, BREMBO : FS.100.000, CAR : 142.722, CAR RACING : HPD 722, CIFAM : 800-706C, CIFAM : 800-706, DELPHI : BG3528, FERODO : DRF1118, FERODO : DDF1118, Fritech : DF636, GRAF : DF29706, INTERBRAKE : AD521V, JURID : 562132J, KWP : 129706, LPR : A1598V, LUCAS : DF4064, MAGNETI MARELLI : 353610130205, Metelli : 23-0706C, MINTEX : MDC1381, NECTO : WN1128, NIBK : RN1116V, PAGID : 53971, PILENGA : V866, QH : BDC4768, SBS : 1815204774, SBS : 1816304774, SBS : 1815304774, TEXTAR : 92098500, TRUSTING : DF636, TRW : DF4064, VALEO : 186887, WOKING : D6597.10, ZIMMERMANN : 100.1240.20
	Golf	1800	1997	1999	Front	MRD1116V		
	Golf	2300	1999	2000	Front	MRD1116V		
	Golf	2300	1999	2000	Front	MRD1116V		
	Golf	2800	2000	2001	Front	MRD1116V		
	Golf	2800	2000	2001	Front	MRD1116V		
	Polo IV	1600	2006		Front	MRD1116V		
	Polo IV	1600	2006		Front	MRD1116V		
	Polo IV	1600	2006		Front	MRD1116V		
	Bora	1800	2000	2001	Front	MRD1116V		
	Bora	1800	2000	2001	Front	MRD1116V		
	Bora	2300	1998	1999	Front	MRD1116V		
	Bora	2300	1999	2001	Front	MRD1116V		
	Bora	2800	1999		Front	MRD1116V		
VW VOLKSWAGEN	Golf	1800	1997	1999	Front	MRD1116V		
	Golf	2300	1999	2000	Front	MRD1116V		
	Golf	2800	2000	2001	Front	MRD1116V		
	Polo IV	1600	2006		Front	MRD1116V		
	Bora Estate	1800	2000	2001	Rear	MRD1117V	Recommended Type: Vented & Oslash 256 ,Disc Thickness: 21.9, Num. of holes : 5, Height : 36.6, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2327D, APEC : DSK2116, ATE : 24.0122-0163.1, ATE : 24.0322-0163.1, AUDI : 8L0615601, AUDI : 8N0615601B, BENDIX : 562133B, BOSCH : 0 986 478 482, CAR : 142.726, CAR RACING : HPD 726, CIFAM : 800-695, CIFAM : 800-695C, DELPHI : BG3611, FERODO : DDF1154, FERODO : DRF1154, Fritech : DF742, GRAF : DF29695, INTERBRAKE : AD541V, JURID : 562133J, KWP : 129695, LPR : A1602V, LUCAS : DF4065, Metelli : 23-0695C, MINTEX : MDC1382, NIBK : RN1117V, PAGID : 53972, PILENGA : V872, QH : BDC4764, REMSA : 6646.10, REMSA : 6746.20, ROADHOUSE : 6746.20, ROADHOUSE : 6646.10, SBS : 1815204775, TEXTAR : 92098600, TRUSTING : DF742, TRW : DF4065, WOKING : D6646.10, ZIMMERMANN : 100.1241.20
	Bora Estate	1900	2000	2001	Rear	MRD1117V		
	Bora Estate	2800	1999	2005	Rear	MRD1117V		
	New Beetle	2300	2000	2003	Rear	MRD1117V		
	New Beetle	3200	2000	2001	Rear	MRD1117V		
	Bora Estate	1800	2000	2001	Rear	MRD1117V		
	Bora Estate	1900	2000	2001	Rear	MRD1117V		
	Golf V PLUS	1400	2003		Rear	MRD1117V		
	Golf Van Variant	1900	2001	2003	Rear	MRD1117V		
	Golf	2000	2003	2009	Rear	MRD1117V		
	Bora Estate	1800	2000	2001	Rear	MRD1117V		
	Bora Estate	1900	2000	2001	Rear	MRD1117V		
	Bora Estate	2800	1999	2005	Rear	MRD1117V		
	New Beetle	2300	2000	2003	Rear	MRD1117V		
VW VOLKSWAGEN	New Beetle	3200	2000	2001	Rear	MRD1117V		
	Golf	2000	2003	2009	Rear	MRD1117V		
	Golf V PLUS	1400	2003		Rear	MRD1117V		
	Bora Estate	1800	2000	2001	Rear	MRD1117V		
	Bora Estate	1800	2000	2001	Rear	MRD1117V		
	Bora Estate	1900	2000	2001	Rear	MRD1117V		
	Bora Estate	1900	2000	2001	Rear	MRD1117V		
	Golf V PLUS	1400	2003		Rear	MRD1117V		
	Golf Van Variant	1900	2001	2003	Rear	MRD1117V		
	New Beetle	2300	2000	2003	Rear	MRD1117V		
	New Beetle	3200	2000	2001	Rear	MRD1117V		
	Bora	1800	2000	2001	Rear	MRD1117V		
	Bora	2000	2000	2005	Rear	MRD1117V		
	Bora	2300	2001	2005	Rear	MRD1117V		
VW VOLKSWAGEN	Golf V PLUS	1600	2003		Rear	MRD1117V		
	Bora Estate	2800	1999	2005	Rear	MRD1117V		
	Golf	1800	2001	2003	Rear	MRD1117V		
	Golf	2000	2003	2009	Rear	MRD1117V		
	Golf	1600	1995	1997	Front	MRD1073V	Recommended Type: Vented & Oslash : 287.8 ,Disc Thickness: 25, Num. of holes : 5, Height : 28, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2329D, AP : 24586, ATE : 24.0125-0108.1, BENDIX : 561856B, BENDIX EUR : 561856B, BOSCH : 0 986 478 619, BRADI : 1.5824.2.E, BRECO : BS 8200, BREMBO : 09.6747.10, BREMBO : FS.057.000, BREMBO : FD.057.000, CAR : 142.759, CAR RACING : HPD 759, CIFAM : 800-448, DELPHI : BG2729, FERODO : DRF706, FERODO : DDF706, Fritech : DF413, GRAF : DF29448, INTERBRAKE : VW311V, INTERCAR : VW311V, JURID : 561856J, KWP : 129448, Lemforder : 21399 01, Lemforder : 21399, LPR : V2311V, LUCAS : DF2758, MAGNETI MARELLI : 351582420500, Metelli : 23-0448, MINTEX : MDC915, NECTO : WN958, NIBK : RN1073V, OEM : 3A0615301, OEM : 3A0615301A, PAGID : 53945, PILENGA : V158, QH : BDC4531, REMSA : 6493.10, REMSA : 6591.20, ROADHOUSE : 6493.10, ROADHOUSE : 6591.20, SBS : 1815204753, SBS : 1816304753, SBS : 1815304753, SBS : 424236, TEXTAR : 92072800, TRUSTING : DF413, TRW : DF2758, VALEO : 186521, VW : 3A0615301A, VW : 3A0615301, WOKING : D6493.10, ZIMMERMANN : 600.3202.00
	Golf	2000	1995	1996	Front	MRD1073V		
	Passat	2000	1992	1997	Front	MRD1073V		
	Golf	2800	1995	1997	Front	MRD1073V		
	Golf	2900	1995	1997	Front	MRD1073V		
	Passat	2800	1995	1996	Front	MRD1073V		
	Passat	2900	1994	1996	Front	MRD1073V		
	Golf	1600	1995	1997	Front	MRD1073V		
	Golf	2800	1995	1997	Front	MRD1073V		
	Golf	2900	1995	1997	Front	MRD1073V		
	Passat	2800	1995	1996	Front	MRD1073V		
	Passat	2900	1994	1996	Front	MRD1073V		
	Golf	1600	1995	1997	Front	MRD1073V		
	Passat	2000	1992	1997	Front	MRD1073V		
VW VOLKSWAGEN	Transporter	2500	1999	2003	Front	MRD1281V	Recommended Type: Vented ,Disc Thickness: 24, Num. of holes : 5, Height : 64.7, Centering Diameter :68, Position: Front, Pitch Circle & Oslash : 112mm, Outter & Oslash : 280	AC DELCO : AC2412D, AP : 24357, ATE : 24.0124-0118.1, BENDIX : 561610B, BOSCH : 0 986 478 548, BRECO : BS 8053, BREMBO : 09.5566.10, CAR : 142.732, CAR RACING : HPD 732, CIFAM : 800-437, DELPHI : BG2717, FERODO : DDF427, Fritech : DF1443, GRAF : DF29437, INTERBRAKE : VW321V, JURID : 561610J, Lemforder : 14412 02, LPR : V2321V, LUCAS : DF1596, MAGNETI MARELLI : 360406048700, Metelli : 23-0437, MINTEX : MDC913, NIBK : RN1281V, NK : 204733, PAGID : 53936, PILENGA : V153, QH : BDC3787, REMSA : 6416.10, ROADHOUSE : 6416.10, SBS : 1815204733, STOP : 561610S, TEXTAR : 92056000, TRUSTING : DF1443, TRW : DF1596, VALEO : 186315, VEMA : 98581, VW : 701615301D, VW : 701615301A, WOKING : D6416.10, ZIMMERMANN : 600.1605.50, ZIMMERMANN : 600.1605.00
	Transporter	2500	1995	1999	Front	MRD1281V		
	Transporter	2800	1996	1999	Front	MRD1281V		
	Transporter	2500	1995	1999	Front	MRD1281V		
	Transporter	2800	1996	1999	Front	MRD1281V		
	Transporter	2500	1999	2003	Front	MRD1281V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Passat	1800	1997	1999	Rear	MRD1049	Recommended Type: Solid & Oslash : 245 ,Disc Thickness: 10, Num. of holes : 5, Height : 64.2, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112	AC DELCO : AC2520D, AC DELCO : AC2241D, AP : 14475E, ATE : 24.0310-0201.1, ATE : 24.0110-0201.1, AUDI : 4A0615601A, AUDI : 4A0615301A, BENDIX : 561549B, BOSCH : 0 986 478 132, BRADI : 1.0121.5.4, BRADI : 1.0127.5.4, BRECO : BS 7468, BREMBO : 08.5743.11, BREMBO : 08.5743.10, BREMBO : 08.5743.14, CAR : 142.762, CAR : 142.752, CAR RACING : HPD 752, CIFAM : 800-395, CIFAM : 800-395C, DELPHI : BG746, DELPHI : BG2746, DELPHI : BG3031, FERODO : DRF321, FERODO : DDF321, Fritech : DF060, GRAF : DF2939S, INTERBRAKE : AD401P, INTERCAR : AD501P, INTERCAR : AD401P, JURID : 561549JC, JURID : 561549J, KWP : 129395, KWP : 1029395, Lemforder : 14536 03, Lemforder : 16710 01, Lemforder : 14536, Lemforder : 16710, LPR : A1597V, LPR : A1401P, LUCAS : DF4252, LUCAS : DF2651, MAGNETI MARELLI : 353610121540, Metelli : 23 0395C, MINTEX : MDC828, MINTEX : MDC1241, NECTO : WN534, NIBK : RN1049, OEM : 4A0615601A, OEM : 4A0615301A, OEM : 4A0615601B, PAGID : 53951, PAGID : 53924, PAGID : 50311, PILENGA : 5864, PILENGA : V865, PILENGA : 5872, QH : BDC4846, QH : BDC3929, REMSA : 6930.10, REMSA : 6123.00, REMSA : 6038.10, ROADHOUSE : 6123.00, ROADHOUSE : 6038.10, ROADHOUSE : 6930.10, SBS : 1815204744, SBS : 424214, SBS : 1815204781, STOP : 561549S, TEXTAR : 92057503, TEXTAR : 98200 0575 0 1, TEXTAR : 92057500, TEXTAR : 92072900, TRUSTING : DF060, TRW : DF2651, VALEO : 186294, VW : 8E0615601, WOKING : D6123.00, ZIMMERMANN : 100.1217.00, ZIMMERMANN : 100.1230.00
	Passat	1800	1999	2000	Rear	MRD1049		
	Passat	1900	1999	2000	Rear	MRD1049		
	Passat	1900	2001	2005	Rear	MRD1049		
	Passat	2000	2001	2005	Rear	MRD1049		
	Passat	2000	2000	2001	Rear	MRD1049		
	Passat	1600	2000	2005	Rear	MRD1049		
	Passat	1800	2001	2003	Rear	MRD1049		
	Passat	2300	2001	2005	Rear	MRD1049		
	Passat	2500	2001	2005	Rear	MRD1049		
	Passat	2800	2001	2005	Rear	MRD1049		
	Passat	1600	2000	2005	Rear	MRD1049		
	Passat	1800	1999	2003	Rear	MRD1049		
	Passat	1900	1999	2003	Rear	MRD1049		
VW VOLKSWAGEN	Passat	1900	2001	2005	Front	MRD1171V	Recommended Type: Vented & Oslash : 312 ,Disc Thickness: 25, Num. of holes : 9, Height : 46.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2591D, AP : 24801V, APEC : DSK2137, ATE : 24.0125-0172.1, ATE : 24.0325-0172.1, ATE : 24.0125-0137.1, ATE : 24.0325-0137.1, AUDI : 8D06153011, AUDI : 8E0615301R, AUDI : 4B0615301A, BENDIX : 562199B, BOSCH : 0 986 479 057, BRADI : 1.0138.2.E, BRECO : BV 8427, BREMBO : 09.8690.11, BREMBO : FD.145.000, BREMBO : 09.8690.10, BREMBO : 09.8690.75, BREMBO : FS.145.000, CAR : 142.078, CAR : 142.1189, CAR RACING : HPD 078, CAR RACING : HPD 1189, CIFAM : 800-726, CIFAM : 800-726C, DELPHI : BG3657, FERODO : DDF1156, FERODO : DRF1156, Fritech : DF925, GRAF : DF29726, INTERBRAKE : AD601V, INTERBRAKE : AD811V, JURID : 562383J, JURID : 562199JC, JURID : 562383JC, JURID : 562199J, KWP : 129726, Lemforder : 25884 01, Lemforder : 30985 01, Lemforder : 25884, Lemforder : 30985, LPR : V2003V, LUCAS : DF4262S, LUCAS : DF4262BPS, LUCAS : DF4262, MAGNETI MARELLI : 351013820500, Metelli : 23-0726C, MINTEX : MDC1540, NECTO : WN1183, NIBK : RN1171V, NK : 2047134, OEM : 8D06156301J, PAGID : 50310, PILENGA : V871, PILENGA : V229, QH : BDC5010, SBS : 1815204773, SBS : 1815344773, SBS : 1815304773, SBS : 1816304773, SKODA : 4B0615301C, SKODA : 3B0615301B, TEXTAR : 92106103, TEXTAR : 92106105, TEXTAR : 92106100, TEXTAR : 98200 1061 0 1, TRUSTING : DF925, TRW : DF7128, TRW : DF4262S, VALEO : 186758, VW : 4B0615301C, WOKING : D6596.10, ZIMMERMANN : 100.1242.20, ZIMMERMANN : 100.3325.00
	Passat	2000	2001	2005	Front	MRD1171V		
	Passat	2000	2000	2001	Front	MRD1171V		
	Sharan	1900	2000	2009	Front	MRD1389V	Recommended Type: Vented ,Disc Thickness: 26, Num. of holes : 5, Height : 56.2, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 104, Outter & Oslash : 300	AC DELCO : AC2598D, AP : 24943, APEC : DSK2168, ATE : 24.0126-0115.1, BENDIX : 562198B, BOSCH : 0 986 479 037, BOSCH : 0 986 478 498, BRECO : BS 8562, BREMBO : 09.9931.14, BREMBO : 09.9749.10, CAR : 142.286, CAR : 142.223, CAR RACING : HPD 286, CIFAM : 800-736, DELPHI : BG3719, DELPHI : BG3696, FERODO : DDF1559, FERODO : DDF1159, FERODO : DDF1296, FORB : 1141782, FORD : YM2111258A, Fritech : DF807, GRAF : DF29736, INTERBRAKE : VW471V, JURID : 562198J, JURID : 562382J, JURID : 562198JC, JURID : 562382JC, KWP : 129736, Lemforder : 29711 01, Lemforder : 29711, LPR : F1004V, LUCAS : DF4323, LUCAS : DF4310S, MAGNETI MARELLI : 351583920500, Metelli : 23-0736, MINTEX : MDC1552, MINTEX : MDC1542, NECTO : WN1306, NIBK : RN1389V, OEM : 7D0615301, PAGID : 50347, PAGID : 53974, PILENGA : V875, PILENGA : V856, QH : BDC5198, SBS : 1815204772, TEXTAR : 92109800, TEXTAR : 98200 0980 0 1, TEXTAR : 92109803, TEXTAR : 98200 1098 0 1, TRUSTING : DF807, TRW : DF4323, VALEO : 186749, VW : 7D0615301B, VW : 7M3615301A, WOKING : D6660.10, ZIMMERMANN : 600.3214.00, ZIMMERMANN : 250.1346.00
	Sharan	1900	2000	2009	Front	MRD1389V		
	Sharan	1900	2000	2009	Front	MRD1389V		
	Sharan	1900	2000	2009	Front	MRD1389V		
	Sharan	1900	2000	2009	Front	MRD1389V		
	Caddy III	1900	2005	2010	Front	MRD1179V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 112, Outter & Oslash : 280	AC DELCO : AC2654D, AP : 24853, ATE : 24.0322-0210.1, ATE : 24.0122-0210.1, AUDI : 1K0615301AC, AUDI : 1K0615301S, BENDIX : 562237B, BOSCH : 0 986 479 098, BRECO : BS 8477, BREMBO : 09.9167.10, BREMBO : 09.9167.75, BREMBO : FS.171.000, BREMBO : 09.9167.11, BREMBO : FD.171.000, CAR : 142.1019, CAR RACING : HPD 1019, CIFAM : 800-733, DELPHI : BG3832, FERODO : DDF1223, Fritech : DF931, GRAF : DF29733, INTERBRAKE : VW581V, JURID : 562237J, JURID : 562237JC, KWP : 129733, Lemforder : 27431, Lemforder : 27431 01, LPR : A1001V, LUCAS : DF4294, MAGNETI MARELLI : 351014320500, Metelli : 23-0733, MINTEX : MDC1639, NECTO : WN1241, NIBK : RN1179V, PAGID : 54207, PILENGA : V860, REMSA : 6647.10, ROADHOUSE : 6647.10, SBS : 1815344787, SBS : 1815204787, SEAT : 1K0615301AK, SKODA : 1K0615301AC, TEXTAR : 92120700, TEXTAR : 92120705, TRUSTING : DF931, TRW : DF4294, VALEO : 186754, WOKING : D6647.10, ZIMMERMANN : 600.3233.00
	Caddy III	1900	2005	2010	Front	MRD1179V		
	Caddy III	1900	2005	2010	Front	MRD1179V		
	Scirocco	1400	2009		Front	MRD1179V		
VW VOLKSWAGEN	Scirocco	2000	2009		Rear	MRD33005	Recommended Type: Solid ,Disc Thickness: 10, Num. of holes : 9, Height : 51.6, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 253	AC DELCO : AC2655D, AP : 14861, APEC : DSK2221, ATE : 24.0110-0277.1, ATE : 24.0310-0277.1, BENDIX : 562236B, BOSCH : 0 986 479 099, BRECO : BS 7660, BREMBO : RD.178.000, BREMBO : 08.9502.10, BREMBO : RS.178.000, CAR : 142.1022, CAR RACING : HPD 1022, CIFAM : 800-724, DELPHI : BG3834, FERODO : DDF1224, Fritech : DF867, GRAF : DF29724, INTERBRAKE : VW561P, INTERCAR : VW561P, JURID : 562236JC, JURID : 562236J, KWP : 129724, Lemforder : 27432, Lemforder : 27432 01, LPR : A1003P, LUCAS : DF4276BP, LUCAS : DF4276, MAGNETI MARELLI : 353615846540, Metelli : 23-0724, MINTEX : MDC1640, NECTO : WN1242, NIBK : RN33005, PAGID : 54209, PILENGA : 5879, QH : BDC5419, REMSA : 6649.00, ROADHOUSE : 6649.00, SBS : 1815204789, TEXTAR : 92120900, TEXTAR : 92120903, TRUSTING : DF867, VAG : 1K0615601K, VAG : 5C0615601, VAG : 1K0615601AB, VALEO : 186857, WOKING : D6649.00, ZIMMERMANN : 600.3234.00, ZIMMERMANN : 600.3234.20
	Scirocco	1400	2009		Rear	MRD33005		
	Golf V	1400	2003	2005	Rear	MRD33005		
	Golf V	1900	2004	2009	Rear	MRD33005		
	Golf V	2000	2003	2007	Rear	MRD33005		
	Scirocco	1400	2009		Rear	MRD33005		
	Scirocco	2000	2009		Rear	MRD33005		
	Golf V	1400	2003	2005	Rear	MRD33005		
	Golf V	2000	2003	2007	Rear	MRD33005		
	Golf V	1900	2004	2009	Rear	MRD33005		
	Scirocco	1400	2009		Rear	MRD33005		
	Scirocco	2000	2009		Rear	MRD33005		
VW VOLKSWAGEN	Jetta V	1400	2007	2010	Rear	MRD33006	Recommended Type: Solid ,Disc Thickness: 12, Num. of holes : 9, Height : 48.6, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 256	AP : 14852, APEC : DSK2218, ATE : 24.0112-0158.1, ATE : 24.0312-0158.1, BENDIX : 562238B, BOSCH : 0 986 479 155, BRECO : BS 7643, BREMBO : 08.9488.11, BREMBO : RS.175.000, BREMBO : 08.9488.10, BREMBO : RD.175.000, CAR : 142.1020, CAR RACING : HPD 1020, CIFAM : 800-725, DELPHI : BG3890, FERODO : DDF1276, Fritech : DF950, GRAF : DF29725, INTERBRAKE : VW551P, INTERCAR : VW551P, JURID : 562238JC, JURID : 562238J, KWP : 129725, Lemforder : 30852 01, Lemforder : 30852, LPR : A1010P, LUCAS : DF4271, MAGNETI MARELLI : 353615847540, Metelli : 23-0725, MINTEX : MDC1679, NECTO : WN1288, NIBK : RN33006, PAGID : 54211, PILENGA : 5858, QH : BDC5423, REMSA : 6650.00, ROADHOUSE : 6650.00, SBS : 1815204794, TEXTAR : 92121100, TEXTAR : 92121103, TRUSTING : DF950, TRW : DF4271, VAG : 1K0615601AC, VAG : 1K0615601L, VALEO : 186833, WOKING : D6650.00, ZIMMERMANN : 600.3222.00
	Jetta V	1400	2008	2010	Rear	MRD33006		
	Jetta V	1600	2009	2010	Rear	MRD33006		
	Golf V PLUS	1400	2007		Rear	MRD33006		
	Golf V PLUS	1400	2005		Rear	MRD33006		
	Jetta V	1400	2007	2010	Rear	MRD33006		
	Jetta V	1400	2008	2010	Rear	MRD33006		
	Jetta V	1600	2009	2010	Rear	MRD33006		
















MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Touareg	5000	2002	2009	Front	MRD1316V	Recommended Type: Vented ,Disc Thickness: 29.5, Num. of holes : 5, Height : 55.6, Centering Diameter :76, Position: Front, Pitch Circle & Oslash: 120mm, Outter & Oslash : 308	AP : 24900E, APEC : DSK2243, ATE : 24.0130-0114.1, BENDIX : 562234B, BOSCH : 0 986 479 211, BRECO : BS 8505, BREMBO : 09.9442.14, CAR : 142.062, CAR RACING : HPD 062, CIFAM : 800-773, CIFAM : 800-773C, DELPHI : BG9891, FERODO : DDF1253, Fritech : DF979, GRAF : DF29773, INTERBRAKE : VW511V, JURID : 562234J, KWP : 129773, LPR : V2005V, LUCAS : DF4308BPS, LUCAS : DF4308S, Metelli : 23-0773C, MINTEX : MDC1704, NIBK : RN1316V, PAGID : 54212, PILENGA : V859, QH : BDC5424, REMSA : 6708.10, ROADHOUSE : 6708.10, SBS : 1815304795, SBS : 1816304795, SBS : 1815204795, SBS : 1815344795, TEXTAR : 92121200, TEXTAR : 92121203, TRUSTING : DF979, TRW : DF4308S, TRW : DF7631, VALEO : 186756, VW : 7H0615301D, WOKING : D6708.10, ZIMMERMANN : 600.3223.00
	Touareg	4200	2007	2010	Front	MRD1316V		
	Multivan T5	1900	2003	2009	Front	MRD1316V		
	Multivan T5	2500	2003	2009	Front	MRD1316V		
	Multivan T5	3200	2003	2009	Front	MRD1316V		
	Touareg	4200	2007	2010	Front	MRD1316V		
	Touareg	5000	2002	2009	Front	MRD1316V		
	Touareg	2500	2003	2010	Front	MRD1316V		
	Transporter T5	1900	2006	2009	Front	MRD1316V		
	Transporter T5	2000	2009		Front	MRD1316V		
	Multivan T5	1900	2003	2009	Front	MRD1316V		
	Multivan T5	2500	2003	2009	Front	MRD1316V		
	Multivan T5	3200	2003	2009	Front	MRD1316V		
	Touareg	5000	2002	2009	Front	MRD1316V		
	Multivan T5	1900	2003	2009	Front	MRD1316V		
	Multivan T5	2500	2003	2009	Front	MRD1316V		
	Multivan T5	3200	2003	2009	Front	MRD1316V		
	Transporter T5	1900	2006	2009	Front	MRD1316V		
	Touareg	4200	2007	2010	Front	MRD1316V		
	Transporter T5	2000	2009		Front	MRD1316V		
VW VOLKSWAGEN	Multivan T5	1900	2003	2009	Rear	MRD1399V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 44.5, Centering Diameter :76.2, Position: Rear, Pitch Circle & Oslash: 120 mm, Outter & Oslash : 294	AP : 24934, APEC : DSK2282, ATE : 24.0122-0211.1, BENDIX : 562262B, BOSCH : 0 986 479 097, BRECO : BS 8553, BREMBO : 09.9582.10, BREMBO : RD.165.000, CAR : 142.1028, CAR RACING : HPD 1028, CIFAM : 800-728, DELPHI : BG3893, FERODO : DDF1286, FERODO : DDF1287, Fritech : DF977, GRAF : DF29728, INTERBRAKE : VW541V, JURID : 562262J, KWP : 129728, LPR : V2008V, LPR : V2008P, LUCAS : DF4312, MAGNETI MARELLI : 351584860500, Metelli : 23-0728, MINTEX : MDC1708, NIBK : RN1399V, PAGID : 54214, PILENGA : V864, QH : BDC5473, REMSA : 6707.10, ROADHOUSE : 6707.40, SBS : 1815204797, TEXTAR : 92121403, TEXTAR : 92121400, TRUSTING : DF977, TRW : DF4312, VALEO : 186886, VW : 7H0615601B, WOKING : D6707.10, ZIMMERMANN : 600.3232.00
	Multivan T5	2500	2003	2009	Rear	MRD1399V		
	Multivan T5	3200	2003	2009	Rear	MRD1399V		
	Multivan T5	1900	2003	2009	Rear	MRD1399V		
	Multivan T5	2500	2003	2009	Rear	MRD1399V		
	Multivan T5	3200	2003	2009	Rear	MRD1399V		
	Multivan T5	1900	2003	2009	Rear	MRD1399V		
	Multivan T5	2500	2003	2009	Rear	MRD1399V		
	Multivan T5	3200	2003	2009	Rear	MRD1399V		
VW VOLKSWAGEN	Touareg	3200	2002	2009	Front	MRD1235V	Recommended Type: Vented 329.8 ,Disc Thickness: 32, Num. of holes : 5, Height : 68.5, Centering Diameter :84.5, Position: Front, Pitch Circle & Oslash: 130mm	APEC : DSK2308, APEC : DSK2309, ATE : 24.0132-0118.1, ATE : 24.0132-0117.1, BOSCH : 0 986 479 248, BOSCH : 0 986 479 250, BREMBO : 09.9867.11, BREMBO : 09.9868.11, CAR : 142.1036, CAR : 142.1035, CAR RACING : HPD 1036, CAR RACING : HPD 1035, CIFAM : 800-919, CIFAM : 800-920, CIFAM : 800-919C, CIFAM : 800-920C, DELPHI : BG9773, DELPHI : BG3773, DELPHI : BG9949, FERODO : DDF1591, Fritech : DF557, Fritech : DF559, INTERBRAKE : PH091V, INTERBRAKE : PH081V, Lemforder : 30491, Lemforder : 30490 01, Lemforder : 30491 01, Lemforder : 30490, LPR : P2009V, LPR : P2010V, LUCAS : DF4763S, LUCAS : DF4762S, LUCAS : DF4307S, LUCAS : DF4306S, Metelli : 23-0920, Metelli : 23-0919C, Metelli : 23-0920C, Metelli : 23-0919, NIBK : RN1235V, NIBK : RN1236V, NK : 2047104, NK : 2047102, OEM : 95535140140, PAGID : 54215, PAGID : 54216, PILENGA : V858L, PILENGA : V858R, PORSCHE : 95535140240, QH : BDC5370, REMSA : 6773.11, REMSA : 6773.10, ROADHOUSE : 6773.11, ROADHOUSE : 6773.10, SBS : 18152047104, SBS : 18152047102, TEXTAR : 92121505, TEXTAR : 92121600, TEXTAR : 92121500, TEXTAR : 92121605, TRUSTING : DF557, TRUSTING : DF559, TRW : DF4306S, TRW : DF4307S, TRW : DF4762S, TRW : DF4763S, VW : 7L6615302J, VW : 7L6615301D, VW : 7L6615301N, ZIMMERMANN : 600.3225.00, ZIMMERMANN : 600.3224.00
	Touareg	3200	2002	2006	Front	MRD1235V		
	Touareg	6000	2006	2009	Front	MRD1235V		
	Touareg	2500	2006	2009	Front	MRD1235V		
	Touareg	3600	2006	2009	Front	MRD1235V		
	Touareg	4200	2006	2009	Front	MRD1235V		
	Touareg	3000	2006	2010	Front	MRD1235V		
	Golf VII	1200	2012		Rear	MRD33004	Recommended Type: Solid ,Disc Thickness: 9.7, Num. of holes : 9, Height : 48.2, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 272	ATE : 24.0110-0356.1, BOSCH : 0 986 479 677, Fritech : DF1433, NIBK : RN33004, NK : 2047137, PILENGA : 5886, SBS : 18152047137, TRUSTING : DF1433, TRW : DF 7911, VAG : 1K0615601AA
	Golf VII	1400	2012		Rear	MRD33004		
	Golf VII	1600	2012		Rear	MRD33004		
	Golf VII	2000	2012		Rear	MRD33004		
	Passat Estate	2800	1997	1999	Rear	MRD1163V	Recommended Type: Vented ,Disc Thickness: 22, Num. of holes : 5, Height : 47.8, Centering Diameter :68, Position: Rear, Pitch Circle & Oslash: 112, Outter & Oslash : 256	ATE : 24.0122-0221.1, AUDI : 8D0615601D, BREMBO : 09.A597.10, BREMBO : 09.A597.11, CAR : 142.1122, CAR RACING : HPD 1122, DELPHI : BG3785, Fritech : DF740, INTERBRAKE : VW631V, LUCAS : DF4210, MINTEX : MDC2085, NIBK : RN1163V, NK : 2047131, OEM : 3B0615601B, PILENGA : V870, REMSA : 6943.20, REMSA : 6835.10, ROADHOUSE : 6835.10, ROADHOUSE : 6943.20, TRUSTING : DF740, TRW : DF4210
	Passat Estate	1900	2001	2005	Rear	MRD1163V		
	Passat Estate	2500	2001	2005	Rear	MRD1163V		
	Passat Estate	1900	2001	2005	Rear	MRD1163V		
	Passat Estate	2500	2001	2005	Rear	MRD1163V		
	Passat Estate	1900	2001	2005	Rear	MRD1163V		
	Passat Estate	2500	2001	2005	Rear	MRD1163V		
	Passat Estate	2800	1997	1999	Rear	MRD1163V		











MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Amarok	2000	2009		Front	MRD1511V	Recommended Type: Vented ,Disc Thickness: 28, Num. of holes : 5, Height : 56.9, Centering Diameter :76, Position: Front, Pitch Circle & Oslash: 120, Outter & Oslash : 303	ATE : 24.0128-0251.1, DELPHI : BG4343, Fritch : DF1446, MINTEX : MDC2243, NIBK : RN1511V, NK : 2047139, PAGID : 55289PRO, SBS : 18152047139, TEXTAR : 92228903, TRUSTING : DF1446, VW : 2H0615301A
	Amarok	2000	2010		Front	MRD1511V		
	Amarok	2000	2012		Front	MRD1511V		
	Eos	2000	2006		Rear	MRD1227	Recommended Type: Solid 286 ,Disc Thickness: 12, Num. of holes : 9, Height : 48.2, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 112mm	ATE : 24.0130-0115.1, ATE : 24.0112-0169.1, ATE : 24.0330-0115.1, AUDI : 1K0615601AD, AUDI : 1K0615601M, BENDIX : 562239B, BENDIX : 562258B, BOSCH : 0 986 479 247, BOSCH : 0 986 479 204, BREMBO : 09.9145.75, BREMBO : 08.A202.10, BREMBO : 09.A201.10, CAR : 142.1024, CAR : 142.1025, CAR RACING : HPD 1024, CAR RACING : HPD 1025, CIFAM : 800-851, CIFAM : 800-852, DELPHI : BG9952, DELPHI : BG3954, FERODO : DDF1306, FERODO : DDF1504, Fritch : DF1145, Fritch : DF1070, INTERBRAKE : VW601P, INTERBRAKE : VW611V, JURID : 562258J, JURID : 562239J, KWP : 129851, KWP : 129852, Lemforder : 30856 01, Lemforder : 30865 01, Lemforder : 30856, Lemforder : 30865, LPR : A1024V, LPR : A1005P, LUCAS : DF4350S, LUCAS : DF4558, Metelli : 23-0852, Metelli : 23-0851, MINTEX : MDC1698, MINTEX : MDC1718, NECTO : WN1328, NIBK : RN1227, NK : 2047133, PAGID : 54206, PAGID : 54408, PILENGA : V862, PILENGA : 5857, QH : BDC5418, QH : BDC5495, REMSA : 6973.00, ROADHOUSE : 6973.00, SBS : 18152047116, SBS : 1815344786, SBS : 1815204786, TEXTAR : 92140800, TEXTAR : 92120600, TEXTAR : 92140803, TRUSTING : DF1145, TRUSTING : DF1070, TRW : DF4558, VW : 1K0615601AD, ZIMMERMANN : 100.3315.00, ZIMMERMANN : 100.3301.00, ZIMMERMANN : 100.3315.20
	Eos	2000	2006		Rear	MRD1227		
	Eos	2000	2006		Rear	MRD1227		
	Taro	2200	1990	1994	Front	MRD1026V	Recommended Type: Vented 257 ,Disc Thickness: 25, Num. of holes : 5, Height : 47, Centering Diameter :84, Position: Front, Pitch Circle & Oslash: 110	AC DELCO : AC2504D, AP : 24199, ATE : 24.0125-0118.1, BENDIX : 561301B, BENDIX EUR : 561301B, BOSCH : 0 986 478 397, BRADI : 1.5227.2.4, BRECO : BS 7940, BREMBO : 09.5017.10, CAR : 142.935, CAR RACING : HPD 935, CIFAM : 800-716, DELPHI : BG2423, DELPHI : BG423, FERODO : DDF416, Fritch : DF414, GRAF : DF29716, INTERBRAKE : TY361V, INTERCAR : TY361V, JAPANPARTS : DI-270, KWP : 129716, Lemforder : 19085, Lemforder : 19085 01, LPR : T2361V, LUCAS : DF1927, MAGNETI MARELLI : 353615238240, Metelli : 23-0716, MINTEX : MDC976, MINTEX : MDC979, NECTO : WN662, NIBK : RN1026V, OEM : 43512YE010, OEM : 4351235260, PAGID : 53932, PILENGA : V654, QH : BDC3603, REMSA : 6405.10, REMSA : 6528.20, ROADHOUSE : 6528.20, ROADHOUSE : 6405.10, SBS : 1815204521, SBS : 333308, SBS : 1815209949, TEXTAR : 92050400, TEXTAR : 98200 0504 0 1, TOYOTA : 4351235180, TOYOTA : 4351235170, TOYOTA : 4351226040, TOYOTA : 4351226070, TRUSTING : DF414, TRW : DF1927, VALEO : 186696, VW : J4351235180, VW : J4351235170, WOKING : D6405.10
	Taro	2400	1989	1997	Front	MRD1026V		
	Taro	2400	1994	1997	Front	MRD1026V		
VW VOLKSWAGEN	Eos	2000	2006		Rear	MRD1227	Recommended Type: Solid 286 ,Disc Thickness: 12, Num. of holes : 9, Height : 48.2, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 112mm	ATE : 24.0130-0115.1, ATE : 24.0112-0169.1, ATE : 24.0330-0115.1, AUDI : 1K0615601AD, AUDI : 1K0615601M, BENDIX : 562239B, BENDIX : 562258B, BOSCH : 0 986 479 204, BOSCH : 0 986 479 247, BREMBO : 09.9145.75, BREMBO : 08.A202.10, BREMBO : 09.A201.10, CAR : 142.1024, CAR : 142.1025, CAR RACING : HPD 1024, CAR RACING : HPD 1025, CIFAM : 800-851, CIFAM : 800-852, DELPHI : BG9952, DELPHI : BG3954, FERODO : DDF1504, FERODO : DDF1306, Fritch : DF1145, Fritch : DF1070, INTERBRAKE : VW601P, INTERBRAKE : VW611V, JURID : 562258J, JURID : 562239J, KWP : 129851, KWP : 129852, Lemforder : 30856 01, Lemforder : 30865 01, Lemforder : 30856, Lemforder : 30865, LPR : A1024V, LPR : A1005P, LUCAS : DF4350S, LUCAS : DF4558, Metelli : 23-0852, Metelli : 23-0851, MINTEX : MDC1698, MINTEX : MDC1718, NECTO : WN1328, NIBK : RN1227, NK : 2047133, PAGID : 54206, PAGID : 54408, PILENGA : V862, PILENGA : 5857, QH : BDC5495, QH : BDC5418, REMSA : 6973.00, ROADHOUSE : 6973.00, SBS : 18152047116, SBS : 1815344786, SBS : 1815204786, TEXTAR : 92120600, TEXTAR : 92140803, TEXTAR : 92140800, TRUSTING : DF1145, TRUSTING : DF1070, TRW : DF4558, VW : 1K0615601AD, ZIMMERMANN : 100.3315.00, ZIMMERMANN : 100.3301.00, ZIMMERMANN : 100.3315.20
	Scirocco	2000	2009		Front	MRD1374V	Recommended Type: Vented 288 ,Disc Thickness: 25, Num. of holes : 5/9, Height : 49.5, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2626D, AP : 24850, AP : 24850E, ATE : 24.0125-0145.1, ATE : 24.0325-0145.1, AUDI : 1K0615301T, AUDI : 1K0615301K, AUDI : 5C0615301A, BENDIX : 562235B, BOSCH : 0 986 479 088, BRECO : BS 8474, BREMBO : 09.9145.10, BREMBO : FD.155.000, BREMBO : 09.9145.14, BREMBO : FS.155.000, CAR : 142.189, CAR : 142.1021, CAR RACING : HPD 1021, CIFAM : 800-734, DELPHI : BG3833, FERODO : DDF1218, Fritch : DF932, GRAF : DF29734, INTERBRAKE : VW571V, INTERCAR : VW571V, JURID : 562235JC, JURID : 562235J, KWP : 129745, KWP : 129734, Lemforder : 27433 01, Lemforder : 27433, LPR : A1002V, LUCAS : DF4816, LUCAS : DF4295, MAGNETI MARELLI : 353615843240, Metelli : 23-0734, MINTEX : MDC1638, NECTO : WN1236, NIBK : RN1374V, OEM : 1K0615601T, PAGID : 54208, PILENGA : V861, REMSA : 6648.10, ROADHOUSE : 6648.10, SBS : 1815344788, SBS : 1815204788, SEAT : 1K0615301T, TEXTAR : 92120800, TEXTAR : 92120803, TEXTAR : 92120805, TRUSTING : DF932, TRW : DF4295, VALEO : 186755, VW : 5C0615301A, WOKING : D6648.10, ZIMMERMANN : 600.3221.00
VW VOLKSWAGEN	Touareg	3200	2002	2009	Front	MRD1235V	Recommended Type: Vented 329.8 ,Disc Thickness: 32, Num. of holes : 5, Height : 68.5, Centering Diameter :84.5, Position: Front, Pitch Circle & Oslash: 130mm	APEC : DSK2308, APEC : DSK2309, ATE : 24.0132-0117.1, ATE : 24.0132-0118.1, BOSCH : 0 986 479 248, BOSCH : 0 986 479 250, BREMBO : 09.9867.11, BREMBO : 09.9868.11, CAR : 142.1036, CAR : 142.1035, CAR RACING : HPD 1036, CAR RACING : HPD 1035, CIFAM : 800-920C, CIFAM : 800-919, CIFAM : 800-920, CIFAM : 800-919C, DELPHI : BG9773, DELPHI : BG3773, DELPHI : BG9949, FERODO : DDF1591, Fritch : DF557, Fritch : DF559, INTERBRAKE : PH091V, INTERBRAKE : PH081V, Lemforder : 30491, Lemforder : 30490 01, Lemforder : 30491 01, Lemforder : 30490, LPR : P2009V, LPR : P2010V, LUCAS : DF4763S, LUCAS : DF4762S, LUCAS : DF4307S, LUCAS : DF4306S, Metelli : 23-0920, Metelli : 23-0919C, Metelli : 23-0920C, Metelli : 23-0919, NIBK : RN1235V, NIBK : RN1236V, NK : 2047102, NK : 2047104, OEM : 95535140140, PAGID : 54215, PAGID : 54216, PILENGA : V858L, PILENGA : V858R, PORSCHE : 95535140240, QH : BDC5370, REMSA : 6773.11, REMSA : 6773.10, ROADHOUSE : 6773.11, ROADHOUSE : 6773.10, SBS : 18152047104, SBS : 18152047102, TEXTAR : 92121505, TEXTAR : 92121600, TEXTAR : 92121500, TEXTAR : 92121605, TRUSTING : DF557, TRUSTING : DF559, TRW : DF4306S, TRW : DF4307S, TRW : DF4762S, TRW : DF4763S, VW : 7L6615302D, VW : 7L6615302N, VW : 7L6615301J, VW : 7L6615302J, VW : 7L6615301D, VW : 7L6615301N, ZIMMERMANN : 600.3225.00, ZIMMERMANN : 600.3224.00
	Touareg	3200	2002	2006	Front	MRD1235V		
	Touareg	3600	2006	2009	Front	MRD1235V		
	Touareg	4200	2006	2009	Front	MRD1235V		
	Touareg	6000	2006	2009	Front	MRD1235V		
	Touareg	2500	2006	2009	Front	MRD1235V		
	Touareg	3000	2006	2010	Front	MRD1235V		
	Touareg	3200	2002	2009	Front	MRD1235V		
	Touareg	3200	2002	2006	Front	MRD1235V		
	Touareg	3600	2006	2009	Front	MRD1235V		
	Touareg	4200	2006	2009	Front	MRD1235V		
	Touareg	6000	2006	2009	Front	MRD1235V		
	Touareg	2500	2006	2009	Front	MRD1235V		

MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Bora Estate	1800	2000	2001	Rear	MRD1117V	Recommended Type: Vented & Oslash 256, Disc Thickness: 21.9, Num. of holes : 5, Height : 36.6, Centering Diameter :65, Position: Rear, Pitch Circle & Oslash: 100	AC DELCO : AC2327D, APEC : DSK2116, ATE : 24.0122-0163.1, ATE : 24.0322-0163.1, AUDI : 8L0615601, AUDI : 8N0615601B, BENDIX : 5621338, BOSCH : 0 986 478 482, CAR : 142.726, CAR RACING : HPD 726, CIFAM : 800-695, CIFAM : 800-695C, DELPHI : BG3611, FERODO : DRF1154, FERODO : DDF1154, Fritch : DF742, GRAF : DF29695, INTERBRAKE : AD541V, JURID : 562133J, KWP : 129695, LPR : A1602V, LUCAS : DF4065, Metelli : 23-0695C, MINTEX : MDC1382, NIBK : RN1117V, PAGID : 53972, PILENGA : V872, QH : BDC4764, REMSA : 6646.10, REMSA : 6746.20, ROADHOUSE : 6746.20, ROADHOUSE : 6646.10, SBS : 1815204775, TEXTAR : 92098600, TRUSTING : DF742, TRW : DF4065, WOKING : D6646.10, ZIMMERMANN : 100.1241.20
	Bora Estate	1800	2000	2001	Rear	MRD1117V		
	Bora Estate	1900	2000	2001	Rear	MRD1117V		
	Bora Estate	1900	2000	2001	Rear	MRD1117V		
	Golf V PLUS	1400	2003		Rear	MRD1117V		
	Golf Van Variant	1900	2001	2003	Rear	MRD1117V		
	New Beetle	2300	2000	2003	Rear	MRD1117V		
	New Beetle	3200	2000	2001	Rear	MRD1117V		
	Bora	2000	2000	2005	Rear	MRD1117V		
	Bora	1800	2000	2001	Rear	MRD1117V		
	Bora	2300	2001	2005	Rear	MRD1117V		
	Golf	1800	2001	2003	Rear	MRD1117V		
VW VOLKSWAGEN	Passat	1900	2001	2005	Front	MRD1171V	Recommended Type: Vented & Oslash 312, Disc Thickness: 25, Num. of holes : 9, Height : 46.5, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2591D, AP : 24801V, APEC : DSK2137, ATE : 24.0125-0172.1, ATE : 24.0325-0172.1, ATE : 24.0125-0137.1, ATE : 24.0325-0137.1, AUDI : 8E0615301R, AUDI : 4B0615301A, AUDI : 8D0615301J, BENDIX : 562199B, BOSCH : 0 986 479 057, BRADI : 1.0138.2.E, BRECO : BV 8427, BREMBO : FS.145.000, BREMBO : 09.8690.11, BREMBO : FD.145.000, BREMBO : 09.8690.10, BREMBO : 09.8690.75, CAR : 142.1189, CAR : 142.078, CAR RACING : HPD 1189, CAR RACING : HPD 078, CIFAM : 800-726C, CIFAM : 800-726, DELPHI : BG3657, FERODO : DDF1156, FERODO : DRF1156, Fritch : DF925, GRAF : DF29726, INTERBRAKE : AD601V, INTERBRAKE : AD811V, JURID : 562199J, JURID : 562383J, JURID : 562199JC, JURID : 562383JC, KWP : 129726, Lemforder : 30985, Lemforder : 25884 01, Lemforder : 30985 01, Lemforder : 25884, LPR : V2003V, LUCAS : DF4262, LUCAS : DF4262S, LUCAS : DF4262BPS, MAGNETI MARELLI : 351013820500, Metelli : 23-0726C, MINTEX : MDC1540, NECTO : WN1183, NIBK : RN1171V, NK : 2047134, OEM : 8D06156301J, PAGID : 50310, PILENGA : V871, PILENGA : V229, QH : BDC5010, SBS : 1815304773, SBS : 1816304773, SBS : 1815204773, SBS : 1815344773, SKODA : 4B0615301C, SKODA : 3B0615301B, TEXTAR : 98200 1061 0 1, TEXTAR : 92106103, TEXTAR : 92106105, TEXTAR : 92106100, TRUSTING : DF925, TRW : DF7128, TRW : DF4262S, VALEO : 186758, VW : 4B0615301C, WOKING : D6596.10, ZIMMERMANN : 100.3325.00, ZIMMERMANN : 100.1242.20
	Passat	2000	2001	2005	Front	MRD1171V		
	Passat	2000	2000	2001	Front	MRD1171V		
	Passat	1800	1997	1999	Rear	MRD1049		
	Passat	1800	1999	2000	Rear	MRD1049		
	Passat	1900	1999	2000	Rear	MRD1049		
	Passat	1800	1997	1999	Rear	MRD1049		
	Passat	1800	1999	2000	Rear	MRD1049		
	Passat	1900	1999	2000	Rear	MRD1049		
	Passat	1600	2000	2005	Rear	MRD1049		
	Passat	1800	2001	2003	Rear	MRD1049		
	Passat	1900	2001	2005	Rear	MRD1049		
	Passat	2000	2001	2005	Rear	MRD1049		
	Passat	2300	2001	2005	Rear	MRD1049		
	Passat	2500	2001	2005	Rear	MRD1049		
	Passat	2800	2001	2005	Rear	MRD1049		
	Passat	1600	2000	2005	Rear	MRD1049		
	Passat	1800	1999	2003	Rear	MRD1049		
	Passat	1900	1999	2003	Rear	MRD1049		
	Passat	2000	2000	2001	Rear	MRD1049		
	Passat	2300	1999	2001	Rear	MRD1049		
	Passat	2500	1999	2001	Rear	MRD1049		
	Passat	2800	1999	2001	Rear	MRD1049		
	Passat	1600	2000	2005	Rear	MRD1049		
	Passat	1800	2001	2003	Rear	MRD1049		
	Passat	1900	2001	2005	Rear	MRD1049		
	Passat	2000	2001	2005	Rear	MRD1049		
	Passat	2300	2001	2005	Rear	MRD1049		
	Passat	2500	2001	2005	Rear	MRD1049		
	Passat	2800	2001	2005	Rear	MRD1049		
	Passat	1900	2001	2005	Rear	MRD1049		
	Passat	2000	2001	2005	Rear	MRD1049		
	Passat	2300	2001	2005	Rear	MRD1049		
	Passat	2500	2001	2005	Rear	MRD1049		
	Passat	2800	2001	2005	Rear	MRD1049		
	Passat	1900	2001	2005	Rear	MRD1049		
	Passat	2000	2001	2005	Rear	MRD1049		
	Passat	2000	2000	2001	Rear	MRD1049		

















MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
VW VOLKSWAGEN	Passat	1600	1996	1999	Front	MRD1085V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 46, Centering Diameter :68, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2325D, AP : 14467, AP : 24700E, ATE : 24.0110-0261.1, ATE : 24.0122-0202.1, ATE : 24.0310-0261.1, ATE : 24.0122-0152.1, ATE : 24.0122-0214.1, ATE : 24.0322-0152.1, AUDI : 8E0615301B, AUDI : 8E0615301D, BENDIX : 561863B, BENDIX : 562060B, BENDIX EUR : 562060B, BOSCH : 0 986 478 869, BRADI : 1.0106.5.5, BRADI : 1.5834.2.4, BRECO : BS 7469, BRECO : BS 8285, BREMBO : 09.7196.14, BREMBO : FD.080.000, BREMBO : 09.7196.10, BREMBO : 09.9908.21, BREMBO : FS.080.000, CAR : 142.1214, CAR : 142.745, CAR : 142.1234, CAR : 142.751, CAR RACING : HPD 281, CAR RACING : HPD 751, CAR RACING : HPD 1214, CAR RACING : HPD 745, CIFAM : 800-468C, CIFAM : 800-468, DELPHI : BG3198, DELPHI : BG3869, DELPHI : BG2753, FERODO : DDF1003, FERODO : DDF543, FERODO : DRF1003, FERODO : DDF1526, Fritech : DF472, GRAF : DF29468, INTERBRAKE : AD491V, INTERBRAKE : AD831V, INTERBRAKE : AD581P, INTERBRAKE : AD841V, INTERCAR : AD491V, JURID : 562060JC, JURID : 561863J, JURID : 562060J, KWP : 1029468L, KWP : 129468, Lemforder : 14155, Lemforder : 22216 01, Lemforder : 22216, LPR : A1022V, LPR : A1491V, LPR : A1020V, LPR : A1025V, LPR : A1594P, LUCAS : DF2806, LUCAS : DF4902S, LUCAS : DF2655, LUCAS : DF2806BP, MAGNETI MARELLI : 353615834240, Metelli : 23-0468C, MINTEX : MDC1155, MINTEX : MDC1758, MINTEX : MDC1031, MINTEX : MDC1657, NECTO : WN584, NECTO : WN923, NIBK : RN1085V, OEM : 3D0615601, OEM : 4E0615601, OEM : 4E0615601J, OEM : 8E0615301B, OEM : 3D0615601E, OEM : 4E0615601E, OEM : 895615601A, PAGID : 53961, PAGID : 54522, PAGID : 53917, PAGID : 54223, PILENGA : 5865, PILENGA : V851, QH : BDC4752, QH : BDC3935, REMSA : 6429.00, REMSA : 6731.20, REMSA : 6548.10, ROADHOUSE : 6548.10, ROADHOUSE : 6429.00, ROADHOUSE : 6731.20, SBS : 1815304762, SBS : 1816304762, SBS : 1815204762, SBS : 1815344762, SBS : 424242, SEAT : 8E0615301P, STOP : 562060S, TEXTAR : 92122300, TEXTAR : 92122305, TEXTAR : 92152200, TEXTAR : 92083500, TEXTAR : 92106203, TEXTAR : 92122303, TEXTAR : 92122400, TEXTAR : 98200 0835 0 1, TEXTAR : 92068200, TEXTAR : 92083505, TRUSTING : DF472, TRW : DF2806, VALEO : 186807, VALEO : 186582, VEMA : 98077, VW : 8E0615301B, WOKING : D6548.10, WOKING : D6429.00, ZIMMERMANN : 100.3313.00, ZIMMERMANN : 100.3304.00, ZIMMERMANN : 600.3207.20, ZIMMERMANN : 100.1225.00
	Passat	1600	1999	2000	Front	MRD1085V		
	Passat	1800	1997	1999	Front	MRD1085V		
	Passat	1800	1996	1999	Front	MRD1085V		
	Passat	1800	1999	2000	Front	MRD1085V		
	Passat	1900	1996	1999	Front	MRD1085V		
	Passat	1900	1999	2000	Front	MRD1085V		
	Passat	1600	1996	1999	Front	MRD1085V		
	Passat	1800	1996	1999	Front	MRD1085V		
	Passat	1600	1999	2000	Front	MRD1085V		
	Passat	1900	1996	1999	Front	MRD1085V		
	Passat Estate	2300	2001	2005	Front	MRD1085V		
	Passat Estate	2500	2001	2005	Front	MRD1085V		
	Passat Estate	2800	2001	2005	Front	MRD1085V		
	Passat Estate	2300	2001	2005	Front	MRD1085V		
	Passat Estate	2500	2001	2005	Front	MRD1085V		
	Passat Estate	2800	2001	2005	Front	MRD1085V		
	Passat Estate	1900	2001	2005	Front	MRD1085V		
	Passat Estate	2500	2001	2005	Front	MRD1085V		
VW VOLKSWAGEN	Transporter	1900	1996	2000	Front	MRD1053	Recommended Type: Solid & Oslash : 282 ,Disc Thickness: 18, Num. of holes : 5, Height : 65, Centering Diameter :68, Position: Front	AC DELCO : AC2357D, AP : 14462, ATE : 24.0118-0105.1, BENDIX : 561857B, BENDIX EUR : 561857B, BOSCH : 0 986 478 613, BRADI : 1.5827.1.4, BRECO : BS 7473, BREMBO : 08.5768.10, CAR : 142.743, CAR RACING : HPD 743, CIFAM : 800-427, DELPHI : BG898, DELPHI : BG2898, FERODO : DDF562, Fritech : DF221, GRAF : DF29427, INTERBRAKE : VW361P, INTERCAR : VW361P, JURID : 561857J, KWP : 129427, Lemforder : 17356, Lemforder : 17356 01, LPR : V2361P, LUCAS : DF2665, MAGNETI MARELLI : 353615827140, Metelli : 23-0427, MINTEX : MDC917, NECTO : WN625, NIBK : RN1053, OEM : 701615301BE, PAGID : 53926, PILENGA : 5257, QH : BDC4647, REMSA : 6593.10, REMSA : 6481.00, ROADHOUSE : 6593.10, ROADHOUSE : 6481.00, SBS : 1815204746, SBS : 424246, STOP : 561857S, TEXTAR : 92058500, TEXTAR : 98200 0585 0 1, TRUSTING : DF221, TRW : DF2665, VALEO : 186524, VW : 701615301B, VW : 701615301E, WOKING : D6481.00, ZIMMERMANN : 600.3203.00
	Transporter	2000	1990	1999	Front	MRD1053		
	Transporter	2000	1995	1996	Front	MRD1053		
	Transporter	2000	1999	2000	Front	MRD1053		
	Transporter	1900	1996	2000	Front	MRD1053		
	Transporter	2000	1990	1999	Front	MRD1053		
	Transporter	2000	1995	1996	Front	MRD1053		
	Transporter	2000	1999	2000	Front	MRD1053		
VW VOLKSWAGEN	Jetta V	1900	2005	2010	Front	MRD1083V	Recommended Type: Vented & Oslash : 280 ,Disc Thickness: 22, Num. of holes : 5, Height : 37, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2254D, AP : 24691E, AP : X24691, ATE : 24.0322-0150.1, ATE : 24.0122-0150.1, ATE : 422150, AUDI : 1J0615301E, AUDI : 1J0615301P, BENDIX : 562039B, BOSCH : 0 986 478 852, BRADI : 1.5832.2.4, BRECO : BS 8280, BREMBO : 09.7012.14, BREMBO : FD.076.000, BREMBO : 09.7012.11, BREMBO : 09.7012.75, BREMBO : FS.076.000, BREMBO : 09.7012.10, CAR : 142.747, CAR RACING : HPD 747, CIFAM : 800-391, CIFAM : 800-904, DELPHI : BG3036, FERODO : DDF928, FERODO : DRF928, Fritech : DF511, GRAF : DF29391, INTERBRAKE : AD471V, INTERCAR : AD471V, JURID : 562039J, JURID : 562039JC, KWP : 1029391L, KWP : 129391, Lemforder : 21308, Lemforder : 21308 02, LPR : A1471V, LUCAS : DF2804BP, LUCAS : DF2804, MAGNETI MARELLI : 353615832240, Metelli : 23-0391, Metelli : 23-0904, MINTEX : MDC978, NECTO : WN916, NIBK : RN1083V, OEM : 1J0615301E, OEM : 1J0615301M, PAGID : 53954, PILENGA : V159, QH : BDC4668, REMSA : 6666.20, REMSA : 6546.10, ROADHOUSE : 6546.10, ROADHOUSE : 6666.20, SBS : 1815204759, SBS : 1816304759, SBS : 424239V, SBS : 1815304759, SBS : 424239, SKODA : 1J0615301M, STOP : 562039S, TEXTAR : 92082300, TEXTAR : 92082305, TEXTAR : 92082303, TEXTAR : 98200 0823 0 1, TRUSTING : DF511, TRW : DF2804, VALEO : 186604, VEMA : 98029, WOKING : D6546.10, ZIMMERMANN : 100.1234.20
	Bora	1600	2000		Front	MRD1083V		
	Bora	1800	1998	1999	Front	MRD1083V		
	Bora Estate	1600	2000	2005	Front	MRD1083V		
	Bora Estate	1800	2000	2001	Front	MRD1083V		
	Bora Estate	1900	2000	2001	Front	MRD1083V		
	Bora Estate	2000	2000	2005	Front	MRD1083V		
	Golf	1400	2001	2003	Front	MRD1083V		
	Golf	1400	2001	2001	Front	MRD1083V		
	Golf	1600	1999	2003	Front	MRD1083V		
	Golf	1600	2003	2003	Front	MRD1083V		
	New Beetle	1800	2000		Front	MRD1083V		
	New Beetle	1900	1999		Front	MRD1083V		
	New Beetle	2000	1998	1999	Front	MRD1083V		
	Bora	1800	1998	1999	Front	MRD1083V		
	Bora	1900	2000		Front	MRD1083V		
	Bora	1900	1998	1999	Front	MRD1083V		
	Bora	2000	2000	2005	Front	MRD1083V		
	Golf	1400	2001	2003	Front	MRD1083V		
	Golf	1400	2001	2001	Front	MRD1083V		
	Golf	1600	1999	2003	Front	MRD1083V		
	Golf	1600	2003	2003	Front	MRD1083V		
	Golf	1900	2000	2003	Front	MRD1083V		
	Golf	1900	2003		Front	MRD1083V		
	Golf	2000	2000	2003	Front	MRD1083V		






























MAKE	MODEL	ENGINE	START YEAR	END YEAR	F/R	MÜLLER NO.	SPECIFICATION	COMPETITORS PART NUMBERS
	Bora Estate	1600	2000	2005	Front	MRD1083V		
	Bora Estate	1800	2000	2001	Front	MRD1083V		
	Bora Estate	1900	2000	2001	Front	MRD1083V		
	Bora Estate	2000	2000	2005	Front	MRD1083V		
	New Beetle	1800	2000		Front	MRD1083V		
	New Beetle	1900	1999		Front	MRD1083V		
	New Beetle	2000	1998	1999	Front	MRD1083V		
	Bora	2000	2000	2005	Front	MRD1083V		
	Bora Estate	1800	2000	2001	Front	MRD1083V		
	Bora Estate	1900	2000	2001	Front	MRD1083V		
VW VOLKSWAGEN	Golf	1600	1995	1997	Front	MRD1073V	Recommended Type: Vented & Oslash : 287.8 ,Disc Thickness: 25, Num. of holes : 5, Height : 28, Centering Diameter :65, Position: Front, Pitch Circle & Oslash: 100	AC DELCO : AC2329D, AP : 24586, ATE : 24.0125-0108.1, BENDIX : 561856B, BENDIX EUR : 561856B, BOSCH : 0 986 478 619, BRADI : 1.5824.2.E, BRECO : BS 8200, BREMBO : 09.6747.10, BREMBO : FS.057.000, BREMBO : FD.057.000, CAR : 142.759, CAR RACING : HPD 759, CIFAM : 800-448, DELPHI : BG2729, FERODO : DRF706, FERODO : DDF706, Fritech : DF413, GRAF : DF29448, INTERBRAKE : VW311V, INTERCAR : VW311V, JURID : 561856J, KWP : 129448, Lemforder : 21399 01, Lemforder : 21399, LPR : V2311V, LUCAS : DF2758, MAGNETI MARELLI : 351582420500, Metelli : 23-0448, MINTEX : MDC915, NECTO : WN958, NIBK : RN1073V, OEM : 3A0615301A, OEM : 3A0615301, PAGID : 53945, PILENGA : V158, QH : BDC4531, REMSA : 6493.10, REMSA : 6591.20, ROADHOUSE : 6591.20, ROADHOUSE : 6493.10, SBS : 1815304753, SBS : 424236, SBS : 1815204753, SBS : 1816304753, TEXTAR : 92072800, TRUSTING : DF413, TRW : DF2758, VALEO : 186521, VW : 3A0615301, VW : 3A0615301A, WOKING : D6493.10, ZIMMERMANN : 600.3202.00
	Golf	1600	1995	1997	Front	MRD1073V		
	Golf	2000	1995	1996	Front	MRD1073V		
	Passat	2000	1992	1997	Front	MRD1073V		
	Sharan	1900	2000	2009	Front	MRD1075V	Recommended Type: Vented & Oslash : 288 ,Disc Thickness: 25, Num. of holes : 5, Height : 55.4, Centering Diameter :68.2, Position: Front, Pitch Circle & Oslash: 112	AC DELCO : AC2250D, AP : 24628E, ATE : 24.0125-0114.1, BENDIX : 562043B, BENDIX EUR : 562043B, BOSCH : 0 986 478 893, BOSCH : 0 986 478 845, BRADI : 1.5828.2.4, BRECO : BS 8263, BREMBO : 09.6934.14, BREMBO : 09.6934.10, CAR : 142.239, CAR RACING : HPD 239, CIFAM : 800-403, DELPHI : BG3025, FERODO : DDF846, FORD : 95VWX1125BD, FORD : 1001093, FORD : 1143641, FORD : 95VWX1125B1D, FORD : 1045994, FORD : 95VWX1125BC, Fritech : DF503, GRAF : DF29403L, GRAF : DF29403, INTERBRAKE : FR571V, INTERCAR : FR571V, JURID : 562043JC, JURID : 562043J, KWP : 1029403L, KWP : 129403, Lemforder : 24513, Lemforder : 24513 01, LPR : F1571V, LUCAS : DF2776BP, LUCAS : DF2776, MAGNETI MARELLI : 353615828240, Metelli : 23-0403, MINTEX : MDC1017, NECTO : WN846, NIBK : RN1075V, OEM : 7M06615301G, OEM : 7M0615301G, OEM : 1143640, OEM : 7M0615301EG, OEM : 7M0615301E, OEM : 7M0615201E, PAGID : 53963, PILENGA : V156, QH : BDC4628, REMSA : 6676.20, REMSA : 6496.10, ROADHOUSE : 6676.20, ROADHOUSE : 6496.10, SBS : 424241, SBS : 1815202545, SBS : 424241V, STOP : 562043S, TEXTAR : 92074200, TEXTAR : 98200 0742 0 1, TEXTAR : 92074203, TRUSTING : DF503, TRW : DF2776, VALEO : 186601, VEMA : 98095, VW : 7M0615301G, VW : 7M0615301E, WOKING : D6496.10, ZIMMERMANN : 600.3209.00
	Sharan	1800	1997	2000	Front	MRD1075V		
	Sharan	1800	2000	2009	Front	MRD1075V		
	Sharan	1900	1995	2000	Front	MRD1075V		
	Sharan	2000	1995	2000	Front	MRD1075V		
	Sharan	2000	2000	2009	Front	MRD1075V		
	Sharan	2800	1995	2000	Front	MRD1075V		
	Sharan	1900	2000	2009	Front	MRD1075V		
	Sharan	1800	1997	2000	Front	MRD1075V		
	Sharan	1800	2000	2009	Front	MRD1075V		
	Sharan	1900	1995	2000	Front	MRD1075V		
	Sharan	2000	1995	2000	Front	MRD1075V		
	Sharan	2000	2000	2009	Front	MRD1075V		
	Sharan	2800	1995	2000	Front	MRD1075V		









	MRD1414		MRD1322V		MRD1188V		MRD1005V
	MRD1383		MRD1496V		MRD1119		MRD1364V
	MRD1413V		MRD1024V		MRD1217V		MRD1058V
	MRD1243V		MRD1052		MRD1249V		MRD1069
	MRD1283		MRD1106V		MRD1212V		MRD1006V
	MRD1022V		MRD1158		MRD1242		MRD1059V
	MRD1060V		MRD1130		MRD1401		MRD1111V
	MRD1385		MRD1007V		MRD1237V		MRD1127V
	MRD1068V		MRD11001V		MRD1365V		MRD1142V
	MRD1041		MRD1412V		MRD1550V		MRD1266V
	MRD1048V		MRD1209V		MRD1262V		MRD1128V
	MRD1050V		MRD1176		MRD1222V		MRD1120V
	MRD1015		MRD1231V		MRD1184V		MRD1144V
	MRD1042V		MRD1386		MRD1367		MRD1008V



 x5 J-1 A B B C D 20 22 24 26	MRD1049	 x5 J-1 A B B C D 20 22 24 26	MRD1307		MRD1537	 460b34e39	MRD1056V
 x5 J-1 A B B C D 20 22 24 26	MRD1074	 x5 J-1 A B B C D 20 22 24 26	MRD1549		MRD1567	 4592C3ee1	MRD1475V
 x5 J-1 A B B C D 20 22 24 26	MRD1084	 x5 J-1 A B B C D 20 22 24 26	MRD1556	 x5 J-1 A B B C D 20 22 24 26	MRD1260V	 x5 J-1 A B B C D 20 22 24 26	MRD1384V
 x5 J-1 A B B C D 20 22 24 26	MRD1083V	 x4 J-1 A B B C D 20 22 24 26	MRD1370V	 x5 J-1 A B B C D 20 22 24 26	MRD1261V	 x5 J-1 A B B C D 20 22 24 26	MRD1229
 x5 J-1 A B B C D 20 22 24 26	MRD1085V	 x5 J-1 A B B C D 20 22 24 26	MRD1174V	 x5 J-1 A B B C D 20 22 24 26	MRD1247V	 x5 J-1 A B B C D 20 22 24 26	MRD1207
 x10 J-1 A B B C D 20 22 24 26	MRD1116V	 x5 J-1 A B B C D 20 22 24 26	MRD1349V	 x5 J-1 A B B C D 20 22 24 26	MRD1252V	 d7b2b53f7f	MRD1232
 x5 J-1 A B B C D 20 22 24 26	MRD1117V	 x5 J-1 A B B C D 20 22 24 26	MRD1547V	 x5 J-1 A B B C D 20 22 24 26	MRD1450V	 x5 J-1 A B B C D 20 22 24 26	MRD1486
 x10 J-1 A B B C D 20 22 24 26	MRD1153	 x5 J-1 A B B C D 20 22 24 26	MRD1548V	 x5 J-1 A B B C D 20 22 24 26	MRD1256V	 x5 J-1 A B B C D 20 22 24 26	MRD1459V
 x9 J-1 A B B C D 20 22 24 26	MRD1171V	 x5 J-1 A B B C D 20 22 24 26	MRD11002V	 x5 J-1 A B B C D 20 22 24 26	MRD1400V	 668c6a4753	MRD1070V
 x5 J-1 A B B C D 20 22 24 26	MRD1374V	 x5 J-1 A B B C D 20 22 24 26	MRD1563	 fd0f336cfad37d3	MRD1449V	 4b3788a7d	MRD1532V
 x9 J-1 A B B C D 20 22 24 26	MRD1179V	 x5 J-1 A B B C D 20 22 24 26	MRD1476	 x5 J-1 A B B C D 20 22 24 26	MRD1263V	 x5 J-1 A B B C D 20 22 24 26	MRD1478V
 x5 J-1 A B B C D 20 22 24 26	MRD1393V	 x5 J-1 A B B C D 20 22 24 26	MRD1121V	 x5 J-1 A B B C D 20 22 24 26	MRD1329V	 x5 J-1 A B B C D 20 22 24 26	MRD1490V
 x5 J-1 A B B C D 20 22 24 26	MRD1377V	 x4 J-1 A B B C D 20 22 24 26	MRD1027V	 x5 J-1 A B B C D 20 22 24 26	MRD1451V	 x5 J-1 A B B C D 20 22 24 26	MRD1224V
 x5 J-1 A B B C D 20 22 24 26	MRD33004	 x4 J-1 A B B C D 20 22 24 26	MRD1230V	 x5 J-1 A B B C D 20 22 24 26	MRD1079	 70d75a8cd	MRD1143V































	MRD33002		MRD1175		MRD1002V		MRD1354
	MRD1163V		MRD1335V		MRD1039V		MRD1198V
	MRD33003V		MRD1312V		MRD1037V		MRD1353V
	MRD1227		MRD1221V		MRD1043		MRD1190
	MRD33001V		MRD1095V		MRD1094V		MRD1201
	MRD1554V		MRD1199V		MRD1240V		MRD1220V
	MRD1379V		MRD1178V		MRD1036V		MRD1308
	MRD1032		MRD1348V		MRD1146V		MRD1497
	MRD1034		MRD1185V		MRD1187V		MRD1310
	MRD1033V		MRD1226V		MRD1277		MRD1228
	MRD1014V		MRD1427V		MRD1180V		MRD1440
	MRD1300		MRD1429V		MRD1088V		MRD1441
	MRD1016		MRD1492V		MRD1421V		MRD1352
	MRD32002		MRD1493		MRD1302		MRD1433





	MRD1291V		MRD1428V		MRD1186		MRD1215V
	MRD1381V		MRD22001V		MRD1303V		MRD1216V
	MRD1246V		MRD1431		MRD1423V		MRD1436V
	MRD1031V		MRD1557V		MRD22003V		MRD1309V
	MRD1155		MRD1430V		MRD1544V		MRD1238V
	MRD1397V		MRD1105V		MRD1417V		MRD1541V
	MRD1154V		MRD1327V		MRD22004V		MRD1576V
	MRD1078		MRD1328V		MRD1469V		MRD1434V
	MRD1211		MRD1269V		MRD1416V		MRD1351V
	MRD1206V		MRD24001V		MRD1424V		MRD1471V
	MRD1360V		MRD1331V		MRD1452V		MRD1241V
	MRD34002		MRD1326V		MRD1420V		MRD1162V
	MRD34004		MRD1123V		MRD1363		MRD1319V



































	MRD34001V		MRD1147V		MRD1419V		MRD1437V
	MRD34003V		MRD1149		MRD1470V		MRD1474V
	MRD1325		MRD1011V		MRD1545V		MRD1480V
	MRD1391		MRD1148V		MRD1426V		MRD1535V
	MRD1324V		MRD1313V		MRD1317V		MRD21001V
	MRD1323V		MRD1562V		MRD1494V		MRD1473
	MRD1347V		MRD1102V		MRD1495		MRD1157V
	MRD1395V		MRD1197V		MRD1568V		MRD1499V
	MRD1362		MRD1021		MRD1100V		MRD1223
	MRD1057V		MRD1124V		MRD1333V		MRD1533V
	MRD1156V		MRD1125V		MRD1170V		MRD1446V
	MRD1402		MRD1454		MRD1357V		MRD22002V
	MRD1214V		MRD1284V		MRD1040		MRD1267V

	MRD1372V		MRD1165V		MRD1321V		MRD1432
	MRD1396		MRD1023		MRD1029V		MRD1485
	MRD1067V		MRD1025V		MRD1101V		MRD1458V
	MRD1065V		MRD1009V		MRD1096		MRD1268V
	MRD1086		MRD1488V		MRD1233V		MRD1196V
	MRD1294		MRD1255		MRD1378V		MRD1245V
	MRD1151V		MRD1438		MRD1455V		MRD1250V
	MRD1152V		MRD1251		MRD1359V		MRD1254
	MRD1403V		MRD1439V		MRD1447V		MRD1264V
	MRD1239		MRD1244V		MRD1234V		MRD1265V
	MRD1404		MRD1442V		MRD1168		MRD1301V
	MRD1004V		MRD21002V		MRD1282		MRD1305V
	MRD1017V		MRD1443V		MRD1020V		MRD1311V
	MRD1546		MRD1219V		MRD1286		MRD1444

	MRD1145V		MRD1258V		MRD1076V		MRD1479V
	MRD1481V		MRD1536DR		MRD1292		MRD1482V
	MRD1462V		MRD1472V		MRD1110V		MRD1483V
	MRD1366V		MRD1498V		MRD1112V		MRD1484V
	MRD1457V		MRD1536DL		MRD1380		MRD1487
	MRD1172		MRD1553V		MRD1131		MRD1489
	MRD1320V		MRD1150V		MRD1166V		MRD1531V
	MRD1075V		MRD1225		MRD1390V		MRD1534V
	MRD1109V		MRD1435V		MRD1392V		MRD1574V
	MRD1028V		MRD1061V		MRD1202V		MRD1575
	MRD1293V		MRD1064V		MRD1063		MRD1338V
	MRD1389V		MRD1062		MRD1077V		MRD1337V
	MRD1134V		MRD1315V		MRD1235V		MRD1341V
	MRD1213V		MRD1098V		MRD1001		MRD1345V

	MRD51001V		MRD1195V		MRD1000		MRD1342V
	MRD1189		MRD1513V		MRD1003		MRD1340V
	MRD51002		MRD1369		MRD1126V		MRD1026V
	MRD1368		MRD1208		MRD1173		MRD1318V
	MRD1018		MRD1193V		MRD43005V		MRD1139V
	MRD1019V		MRD1194V		MRD1191		MRD1097V
	MRD1465V		MRD1373		MRD43004		MRD1115V
	MRD1046V		MRD25001		MRD43006		MRD1461V
	MRD1072V		MRD1512V		MRD43007V		MRD1200V
	MRD1164		MRD1515V		MRD43008V		MRD1304V
	MRD1453V		MRD1501V		MRD1572		MRD1358V
	MRD1047		MRD1503V		MRD1299		MRD1210V
	MRD1030V		MRD1502V		MRD1012		MRD1099V
	MRD1375V		MRD1514V		MRD1279V		MRD1066V

	MRD1054		MRD1253V		MRD1013		MRD1339V
	MRD1089V		MRD1564V		MRD1280V		MRD1090V
	MRD1104V		MRD1565V		MRD1082V		MRD1448V
	MRD1137V		MRD1566V		MRD1169V		MRD1330V
	MRD1138V		MRD1314V		MRD1133		MRD1287V
	MRD1093V		MRD1387V		MRD1132		MRD1055V
	MRD1218V		MRD1051V		MRD1573V		MRD1290
	MRD1177V		MRD1289		MRD1456V		MRD1114V
	MRD1204V		MRD1273V		MRD1091V		MRD1118
	MRD1376V		MRD1087V		MRD1092		MRD1113V
	MRD1460		MRD1288		MRD1276V		MRD1182V
	MRD1203		MRD1298		MRD1010V		MRD1183V
	MRD1259		MRD1274		MRD1122V		MRD1181V
	MRD1355		MRD1559		MRD1477V		MRD1506V

	MRD1466		MRD1539		MRD1507V		MRD1505V
	MRD1468V		MRD1588V		MRD1508V		MRD1167V
	MRD1405V		MRD1538V		MRD1509		MRD1045
	MRD1467V		MRD1394V		MRD1542		MRD1044V
	MRD1540V		MRD1388V		MRD1257		MRD1295V
	MRD1406V		MRD1382V		MRD1038		MRD1073V
	MRD1407		MRD1080		MRD1296V		MRD1281V
	MRD1408V		MRD1161		MRD1140V		MRD33005
	MRD1411		MRD1160V		MRD1129V		MRD33006
	MRD1561		MRD1103V		MRD1205V		MRD1316V
	MRD1409		MRD1275		MRD1371V		MRD1399V
	MRD1248V		MRD1334		MRD29001V		MRD1511V
	MRD1350V		MRD1297V		MRD1491V		MRD1053



Muller Brakes America Inc.

Head Office: 500 - 99 Hudson St, New York, 10013, USA

Toll Free: +1 888 511 9944 | **Fax:** +1 888 873 7090

Email: sales@mullerbrakes.com | **Web:** mullerbrakes.com

MANUFACTURED UNDER LICENCE OF MULLER BRAKES USA INC. NEW YORK
MULLER BRAKES AMERICA INC. is the sole owner of Müller Brakes trademark.

*Please visit website for more detailed information